

Australian Medicines Terminology v3 Model v20150331

Release Note

31 March 2015

Approved for external information

Summary

EP-2060:2015 Australian Medicines Terminology v3 Model v20150331

Each month, the Australian Medicines Terminology (AMT) is updated, verified, validated, and released to incorporate new content, enhance existing content, and make more effective use of the existing terminology. Routine updating continuously improves and extends the AMT's coverage of medicines used in the Australian health sector.

Release rationale

This release of the AMT includes products that become available on the Schedule of Pharmaceutical Benefits – including the Repatriation Pharmaceutical Benefits Schedule (RPBS) – on or before 1 April 2015.

Important information for this release of AMT

The March release of the AMT includes updated metadata from the January 2015 release of SNOMED CT.¹ Some discrepancies were identified between AMTv3 metadata and the international metadata during the AMT update. These differences were limited to the specific timestamps and modules used for some of the metadata concepts, descriptions and relationships. None of the medicines content is affected. Changes have been made to align the history of AMTv3 metadata with that of the international SNOMED CT metadata.

Almost all changes are accurately reflected in the respective Delta release files (as well as the Full and Snapshot release files). The only changes that are not present are the removal of entries for 12 concepts (and their 24 respective descriptions) that had effectiveTimes different from the international data. All other values for the components are the same. Users updating via the application of Delta release files will retain the original timestamp in their local history, but will still see the correct state of all the data. It is advisable to rebaseline local databases with the new (or a subsequent) Full release as soon as convenient to avoid confusion in the future. Users updating with Full or Snapshot versions of AMTv3 are not anticipated to be affected by these changes. Please contact help@nehta.gov.au for further enquiries.

Identifying the version of this release of AMT

When using codes from this release (for example, in clinical documents, maps, or terminology servers) the following string should be used to identify the version of this release:

`http://snomed.info/sct/900062011000036108/version/20150331`

¹ This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of the International Health Terminology Standards Development Organisation (IHTSDO®). All rights reserved. SNOMED CT was originally created by The College of American Pathologists. IHTSDO®, SNOMED®, and SNOMED CT® are registered trademarks of the IHTSDO.

For example, in an HL7 CDA document, the version of this release may be encoded in a Concept Descriptor field named *xyz* using the *codeSystemVersion* attribute as follows:

```
<xyz code="33256011000036105"  
  codeSystem="2.16.840.1.113883.6.96"  
  codeSystemName="Australian Medicines Terminology (AMT)"  
  codeSystemVersion="http://snomed.info/sct/900062011000036108/version  
/20150331"  
  displayName="Lorano 10 mg tablet: uncoated, 30"/>
```

Package inclusions

Updated

Identifier	Name and version
NEHTA-2059:2015	<i>Australian Medicines Terminology v3 Model – Release Note v20150331</i> (this document)
NEHTA-2058:2015	<i>Australian Medicines Terminology – Data v20150331</i>

Audience

The audience for this end product is any licence holder with a practical interest in using the AMT data files, including software developers, content/mapping developers, testers, information system suppliers, analysts, terminology/classification specialists, and other health IT professionals and researchers.

Capabilities

All major changes between the AMT v2 and v3 data model and distribution formats are outlined in the *Australian Medicines Terminology v2 to v3 Migration Guide v2.0*, which is available from <https://www.nehta.gov.au/implementation-resources/ehealth-foundations/australian-medicines-terminology-v3-common>.

AMT v3 viewers

The AMT terminology viewers for Windows and Mac operating systems previously used for AMT v2 will not be able to browse the AMT v3 data.

Users can search the AMT content and browse the AMT hierarchies via the Minnow application², which is available as a free download. Further information, including features, system requirements, installation instructions, help, and access to the download is available at <http://aehec.com/minnow>.

Data file bundle

The data file (*Australian Medicines Terminology – Data v20150331*) is in the ZIP file format. The contents are listed below.

The data file is in the “Release Format 2” (RF2) format³, which aligns to the SNOMED CT and SNOMED CT-AU bundle structure, and makes available a number of different release types, namely “Full”, “Snapshot”, and “Delta”.

² Minnow was developed by the Australian e-Health Research Centre (AEHRC).

³ For information about RF2, see the *SNOMED CT Technical Implementation Guide*, which is available at http://ihtsdo.org/fileadmin/user_upload/doc/

❖ AMT_Release_AU1000168_20150331

- RF2Release
 - Full
 - Refset
 - Content
 - der2_ccsRefset_StrengthFull_AU1000168_20150331.txt
 - der2_Refset_ContainerizedTradeProductPackFull_AU1000168_20150331.txt
 - der2_Refset_TradeProductPackFull_AU1000168_20150331.txt
 - der2_ccsRefset_UnitOfUseQuantityFull_AU1000168_20150331.txt
 - der2_Refset_MedicinalProductPackFull_AU1000168_20150331.txt
 - der2_Refset_TradeProductFull_AU1000168_20150331.txt
 - der2_ccsRefset_UnitOfUseSizeFull_AU1000168_20150331.txt
 - der2_Refset_MedicinalProductFull_AU1000168_20150331.txt
 - der2_Refset_TradeProductUnitOfUseFull_AU1000168_20150331.txt
 - der2_cciRefset_SubpackQuantityFull_AU1000168_20150331.txt
 - der2_Refset_MedicinalProductUnitOfUseFull_AU1000168_20150331.txt
 - der2_cRefset_AssociationReferenceFull_AU1000168_20150331.txt
 - der2_cRefset_AttributeValueFull_AU1000168_20150331.txt
 - Map
 - der2_csRefset_SubstanceToSnomedCtauMappingFull_AU1000168_20150331.txt
 - der2_iRefset_ArtgIdFull_AU1000168_20150331.txt
 - Language
 - der2_cRefset_LanguageFull-en-AU_AU1000168_20150331.txt
 - Metadata
 - der2_cciRefset_RefsetDescriptorFull_AU1000168_20150331.txt
 - der2_ciRefset_DescriptionTypeFull_AU1000168_20150331.txt
 - der2_ssRefset_ModuleDependencyFull_AU1000168_20150331.txt
 - Terminology
 - sct2_Concept_Full_AU1000168_20150331.txt
 - sct2_Description_Full-en-AU_AU1000168_20150331.txt
 - sct2_Identifier_Full_AU1000168_20150331.txt
 - sct2_Relationship_Full_AU1000168_20150331.txt
 - Snapshot
 - Refset
 - Content
 - der2_ccsRefset_StrengthSnapshot_AU1000168_20150331.txt
 - der2_Refset_ContainerizedTradeProductPackSnapshot_AU1000168_20150331.txt
 - der2_Refset_TradeProductPackSnapshot_AU1000168_20150331.txt
 - der2_ccsRefset_UnitOfUseQuantitySnapshot_AU1000168_20150331.txt
 - der2_Refset_MedicinalProductPackSnapshot_AU1000168_20150331.txt
 - der2_Refset_TradeProductSnapshot_AU1000168_20150331.txt
 - der2_ccsRefset_UnitOfUseSizeSnapshot_AU1000168_20150331.txt
 - der2_Refset_MedicinalProductSnapshot_AU1000168_20150331.txt
 - der2_Refset_TradeProductUnitOfUseSnapshot_AU1000168_20150331.txt

- der2_cciRefset_SubpackQuantitySnapshot_AU1000168_20150331.txt
- der2_Refset_MedicinalProductUnitOfUseSnapshot_AU1000168_20150331.txt
- der2_cRefset_AssociationReferenceSnapshot_AU1000168_20150331.txt
- der2_cRefset_AttributeValueSnapshot_AU1000168_20150331.txt
- Map
 - der2_csRefset_SubstanceToSnomedCtauMappingSnapshot_AU1000168_20150331.txt
 - der2_iRefset_ArtgIdSnapshot_AU1000168_20150331.txt
- Language
 - der2_cRefset_LanguageSnapshot-en-AU_AU1000168_20150331.txt
- Metadata
 - der2_cciRefset_RefsetDescriptorSnapshot_AU1000168_20150331.txt
 - der2_ciRefset_DescriptionTypeSnapshot_AU1000168_20150331.txt
 - der2_ssRefset_ModuleDependencySnapshot_AU1000168_20150331.txt
- Terminology
 - sct2_Concept_Snapshot_AU1000168_20150331.txt
 - sct2_Description_Snapshot-en-AU_AU1000168_20150331.txt
 - sct2_Identifier_Snapshot_AU1000168_20150331.txt
 - sct2_Relationship_Snapshot_AU1000168_20150331.txt
- Delta
 - Refset
 - Content
 - der2_ccsRefset_StrengthDelta_AU1000168_20150331.txt
 - der2_Refset_ContainerizedTradeProductPackDelta_AU1000168_20150331.txt
 - der2_Refset_TradeProductPackDelta_AU1000168_20150331.txt
 - der2_ccsRefset_UnitOfUseQuantityDelta_AU1000168_20150331.txt
 - der2_Refset_MedicinalProductPackDelta_AU1000168_20150331.txt
 - der2_Refset_TradeProductDelta_AU1000168_20150331.txt
 - der2_ccsRefset_UnitOfUseSizeDelta_AU1000168_20150331.txt
 - der2_Refset_MedicinalProductDelta_AU1000168_20150331.txt
 - der2_Refset_TradeProductUnitOfUseDelta_AU1000168_20150331.txt
 - der2_cciRefset_SubpackQuantityDelta_AU1000168_20150331.txt
 - der2_Refset_MedicinalProductUnitOfUseDelta_AU1000168_20150331.txt
 - der2_cRefset_AssociationReferenceDelta_AU1000168_20150331.txt
 - der2_cRefset_AttributeValueDelta_AU1000168_20150331.txt
 - Map
 - der2_csRefset_SubstanceToSnomedCtauMappingDelta_AU1000168_20150331.txt
 - der2_iRefset_ArtgIdDelta_AU1000168_20150331.txt
 - Language
 - der2_cRefset_LanguageDelta-en-AU_AU1000168_20150331.txt
 - Metadata
 - der2_cciRefset_RefsetDescriptorDelta_AU1000168_20150331.txt
 - der2_ciRefset_DescriptionTypeDelta_AU1000168_20150331.txt

- der2_ssRefset_ModuleDependencyDelta_AU1000168_20150331.txt
- Terminology
 - sct2_Concept_Delta_AU1000168_20150331.txt
 - sct2_Description_Delta-en-AU_AU1000168_20150331.txt
 - sct2_Identifier_Delta_AU1000168_20150331.txt
 - sct2_Relationship_Delta_AU1000168_20150331.txt

Updated content

Concept counts

The figures quoted here have been extracted from the notable concept reference sets and include both active and inactive concepts. See the *AMT v3 Development approach for reference sets*⁴ for information about these reference sets and the members of the reference sets.

Concept	Current count	Changes since the last release
Medicinal Product (MP)	1878	7
Medicinal Product Unit of Use (MPUU)	4953	35
Medicinal Product Pack (MPP)	8709	61
Trade Product (TP)	6921	52
Trade Product Unit of Use (TPUU)	11637	103
Trade Product Pack (TPP)	17203	144
Containerised Trade Product Pack (CTPP)	18248	155
Total	69549	557

Resolved issues

The following issues have been resolved with this release.

ID	Resolved issues
AMT-2809	The current ingredient "Sorbitol solution (70 per cent) (non-crystallising)" has been amended to "sorbitol" with a strength of 70% in this release for ARTG 11287 Pfizer (Perth) SORBILAX.
AMT-357	Due to an issue identified in the v2 to v3 transform – where the Unit of Use Quantity appears as "1 each" – the Medicinal Product Pack (MPP), Trade Product Pack (TPP), and Containerised Trade Product Pack (CTPP) descriptions for the following product have been amended in this release: <ul style="list-style-type: none"> • ARTG 10005840 Glucaid 75 g/300 mL oral liquid: solution, 300 mL, bottle.
AMT-368	The following products that currently have their Basis of Strength Substance (BoSS) strength expressed as salts have been inactivated in this release and replaced with new products with amended BoSSes based on the base of the salts: <ul style="list-style-type: none"> • ARTG 10754 Hepasol oral liquid: solution, 200 mL, bottle; and • ARTG 10754 Hepasol oral liquid: solution, 500 mL, bottle.

⁴ Available at <http://www.nehta.gov.au/implementation-resources/ehealth-foundations/australian-medicines-terminology-common>

ID	Resolved issues
AMT-397	<p>Due to an issue identified in the v2 to v3 transform where the Unit of Use Quantity appears as "2 aerosol cans" rather than "2 x 14 applications", the Medicinal Product Pack (MPP), Trade Product Pack (TPP), and Containered Trade Product Pack (CTPP) descriptions for the following product have been amended in this release:</p> <ul style="list-style-type: none">• ARTG 179575 Budenofalk 2 mg/application enema.
AMT-834	<p>Due to an issue identified in the v2 to v3 transform where the actual strength appears as a /mL strength rather than a /5mL strength, the descriptions for the following product have been amended in this release:</p> <ul style="list-style-type: none">• ARTG 78627 Kaletra 400/100 oral liquid: solution, 60 mL, bottle.

Known issues

Modelling issues

As a result of re-modelling the AMT from v2 to v3, there currently exist some Medicinal Product Unit of Use (MPUU) concepts in the data where the Fully Specified Name (FSN) terms and/or modelling may seem ambiguous. This can occur when the Basis of Strength Substance (BoSS) is different to the Pharmaceutical Ingredient (PI). For example, the MPUU FSN may include "amoxicillin" (representing the BoSS) while the actual substance present is amoxicillin trihydrate (representing the PI).

The AMT model is being continually developed and refined. This issue will be examined as a part of these ongoing processes.

Editorial rule deviations

The following rules are in the process of implementation or have yet to be implemented. The identifiers provided below align with those in the *AMT v3 Model Editorial Rules*.⁵

Preferred Term (PT) descriptions

Currently, some AMT descriptions may differ slightly when compared with those expected from the relevant editorial rules; this is due to the automated process used in authoring the terminology. In most cases, additional information has been added to the descriptions beyond the stated editorial rules. AMT v3 implementers are advised to contact the National Clinical Terminology and Information Service (NCTIS) via help@nehta.gov.au if they have any concerns about this issue. Details of any existing deviations are documented here.

AMT-APP-STR-5	A space will be inserted between the strength value and strength unit of measure. This space must be a non-breaking space to ensure that the strength value and strength unit expressions are always kept together.
AMT-APP-STR-10	Where the strength or volume of a product is not a set single value but may vary within a given range, the strength or volume will be expressed as the range, with the lower numerical value, followed by the word "to" and then the upper numerical and the relevant units.
AMT-APP-STR-11	Where the strength or volume of a product is expressed with a lower limit only (that is, "contains not less than", "contains equal to or greater than", or "more than") the strength or volume will be expressed with the word "minimum" followed by the relevant strength or volume.

⁵ See note 4.

AMT-MP-PT-4	For Medicinal Products with greater than three intended active ingredients, the AMT authors may create a clinically intuitive name based on the review of each individual product.
Appendix C.4 Waters of hydration	Waters of hydration shall only be expressed for each ingredient in the Fully Specified Name where hydration is present and the modification is deemed to be clinically significant (according to Appendix B). Where an ingredient is found to be anhydrous or dried, this shall not be expressed. Note that waters of hydration shall only be expressed in the Preferred Term if they are part of the proprietary name.
Appendix C.6 Medicinal Product PT sequence of ingredients	Ingredients will be sequenced in alphabetical order within the FSN. For multi-ingredient products, the order of the ingredients in the PT will be based on the order used by the innovator product. All subsequent products with the same combination of ingredients will follow the order of the innovator product. Note that some ongoing anomalies exist in PT order and these will be rectified over time.
Appendix E.1 Strength expressions for continuous semisolid preparations such as creams, gels, ointments	If a product is applied locally and is intended to have a local effect then a single strength as % should be displayed. For example: "aciclovir 5% cream". If a product is applied locally and is intended to have a systemic effect then a single strength as mg (or similar) should be displayed.
Appendix F.2 Preferred Terms	AMT Preferred Terms will not state the descriptor for units of measure where the measure is International unit, pressor unit, or in Kallikrein Inactivator units. These are expressed in the PT as "units". All other Preferred Term units of measure are represented with the same description as the Fully Specified Name.
Appendix K.1 Strength expressions for vaccines	Strength will be represented as part of the Fully Specified Name but will not be included in Preferred Terms for vaccines. Where two products exist with different amounts of antigen intended for different populations, a term describing the population, rather than strength, will be included in the MPUU.

Data issues

Data issues listed in this release note are limited to only those that affect the accuracy of the concept description. Issues are identified and tracked by the following method:

- The ID number is an internal identifier within the NEHTA issue management system.
- TGA Label Names are generally used wherever issues include product names.
- The TGA registration number (the ARTG or Licence ID number). In cases where the product is not registered by the TGA, a NEHTA identifier has been included.

ID	Known issues
AMT-280 AMT-275	Redundant information such as "1 tablet", "tablets", "diagnostic strips" and other redundant terms should have been removed during the transform of the data from v2. This has not always been applied across all terms, so some terms still include this information and appear as they did in v2. This redundant information will be removed in future releases of v3.
AMT-362	Due to a decision made previously by the Support Group, all products with the dosage form of "injection: intravenous" will be inactivated in a future release of AMT and replaced with products with a dosage form of "injection: solution".

ID	Known issues
AMT-367	<p>All the products with ingredient "clotrimazole" and dosage form of "cream" will be reviewed, and those products which should have a dosage form of "vaginal cream" will be inactivated and replaced with products with the correct dosage form. The remaining products which have ingredient "clotrimazole" and the dosage form of "cream" will remain and not be inactivated.</p>
LIN-674	<p>In AMT v2 the manufacturer's code for suppliers, such as Baxter, is placed at the end of the Containered Trade Product Pack (CTPP) Preferred Term descriptions. This code currently does not get added to the CTPP descriptions in v3 and it is anticipated the code will be added to the AMT v3 descriptions in a future release.</p>
AMT-417	<p>The trade descriptions for all the extemporaneous products will be amended in a future release to include the monograph standard.</p>
AMT-619	<p>Due to an issue identified in the v2 to v3 transform where the Unit of Use Quantity appears as "1 each", the Medicinal Product Pack (MPP), Trade Product Pack (TPP), and Containered Trade Product Pack (CTPP) descriptions for the following products will be amended in a future release:</p> <ul style="list-style-type: none"><li data-bbox="328 786 1142 808">• ARTG 20011 MD-Gastroview solution, 12 x 120 mL bottles; and<li data-bbox="328 819 1086 842">• ARTG 20011 MD-Gastroview solution, 12 x 240 mL bottles.
AMT-2313	<p>Due to an issue identified in the v2 to v3 transform where the Unit of Use Quantity appears as "24 x 100mL packs" rather than "24 x 2 bag packs" the Medicinal Product Pack (MPP), Trade Product Pack (TPP), and Containered Trade Product Pack (CTPP) descriptions for the following products will be amended in a future release:</p> <ul style="list-style-type: none"><li data-bbox="328 1014 1422 1070">• ARTG 48515 Sodium Chloride (Baxter) 0.9% (900 mg/100 mL) injection: intravenous infusion, 24 x 100 mL packs, bag;<li data-bbox="328 1081 1422 1137">• ARTG 48515 Sodium Chloride (Baxter) 0.9% (900 mg/100 mL) injection: intravenous infusion, 100 mL pack, bag;<li data-bbox="328 1149 1414 1205">• ARTG 48525 Glucose (Baxter) 5% (5 g/100 mL) injection: intravenous infusion, 24 x 100 mL packs, bag; and<li data-bbox="328 1216 1406 1272">• ARTG 48525 Glucose (Baxter) 5% (5 g/100 mL) injection: intravenous infusion, 100 mL pack, bag. <p>Due to an issue identified in the v2 to v3 transform where the AHB number has been removed, the CTPP descriptions for the following products will be amended in a future release:</p> <ul style="list-style-type: none"><li data-bbox="328 1406 1422 1462">• ARTG 48515 Sodium Chloride (Baxter) 0.9% (900 mg/100 mL) injection: intravenous infusion, 24 x 100 mL packs, bag;<li data-bbox="328 1473 1422 1529">• ARTG 48515 Sodium Chloride (Baxter) 0.9% (900 mg/100 mL) injection: intravenous infusion, 100 mL pack, bag;<li data-bbox="328 1541 1422 1597">• ARTG 48515 Sodium Chloride (Baxter) 0.9% (900 mg/100 mL) injection: intravenous infusion, 100 mL bag;<li data-bbox="328 1608 1422 1664">• ARTG 48515 Sodium Chloride (Baxter) 0.9% (900 mg/100 mL) injection: intravenous infusion, 48 x 100 mL bags;<li data-bbox="328 1675 1414 1731">• ARTG 48525 Glucose (Baxter) 5% (5 g/100 mL) injection: intravenous infusion, 24 x 100 mL packs, bag;<li data-bbox="328 1742 1406 1798">• ARTG 48525 Glucose (Baxter) 5% (5 g/100 mL) injection: intravenous infusion, 100 mL pack, bag;<li data-bbox="328 1809 1406 1865">• ARTG 48525 Glucose (Baxter) 5% (5 g/100 mL) injection: intravenous infusion, 100 mL bag; and<li data-bbox="328 1877 1406 1933">• ARTG 48525 Glucose (Baxter) 5% (5 g/100 mL) injection: intravenous infusion, 48 x 100 mL bags.

Implementation guidance

All AMT concepts have a Fully Specified Name (FSN), which is intended to provide an unambiguous name for the concept, and a Preferred Term (PT), which is intended to capture the common word or phrase used by Australian clinicians. System developers and end users should only implement Preferred Terms for clinical use, as these are the concepts developed for use by clinicians in Australia.

The NCTIS provides documentation specific to the Australian Medicines Terminology Release and SNOMED CT-AU, which can be downloaded from the [NEHTA eHealth Foundations](#) page.⁶ Users may also benefit from referring to documentation provided with the SNOMED CT International terminology releases.

Safety guidance

NEHTA apply their Clinical Safety Management System against the AMT development cycle and against reported incidents. This is to minimise the potential for clinical safety hazards to be introduced during the development of the AMT.

It is an expectation of implementers that they undertake their own risk assessment and management in the context of their own implementations of the AMT. In addition, it is expected that implementers will contact the AMT Product Support team with any questions or concerns about this in the first instance.

The AMT may be applied within a variety of use cases. NEHTA recommends that all licence holders planning on either developing a map or undertaking an implementation contact the NCTIS to discuss their intended uses.⁷ This notification will allow Product Support Services to be made available as appropriate.

Please note that if licence holders become aware of any errors or omissions during their development, they are obliged to notify NEHTA, as per clause 2.5 of the *Australian National Terminology Licence Agreement*, which states:

*"If the Licensee becomes aware of any material error or change or correction needed in either the National Release or the International Release, the Licensee agrees to advise NEHTA promptly of such error, change or correction by following NEHTA's procedures for change notification that NEHTA prescribes and notifies to the Licensee from time to time."*⁸

To report an error, please email help@nehta.gov.au.

⁶ <http://www.nehta.gov.au/implementation-resources/ehealth-foundations>

⁷ The NCTIS can be contacted via help@nehta.gov.au.

⁸ <http://www.nehta.gov.au/our-work/clinical-terminology/registering-for-a-license/license-agreements>

Product support services

The NCTIS has a dedicated Product Support team to help licence holders in their understanding and implementation of the AMT.

Support services can be tailored to customer requirements and range from general training and education about the terminology, through to specific technical support. The following support channels are freely available:

- email and phone support;
- downloadable resources from the [NEHTA eHealth Foundations](#) page (see note 6);
- webinars;
- technical workshops; and
- individual technical support at the customer's workplace.

To request support or provide any other feedback, please email help@nehta.gov.au or phone 1300 901 001.

Future releases

The AMT is currently updated and made available to licence holders at the end of each month for download from the [NEHTA eHealth Foundations](#) page (see note 6).

Previous releases

Date	Version
28 February 2015	EP-1995: 2015 Australian Medicines Terminology v3 Model v20150228 Release rationale: This release of the AMT includes products that become available on the Schedule of Pharmaceutical Benefits including the Repatriation Pharmaceutical Benefits Schedule (RPBS) on or before 1 March 2015.
31 January 2015	EP-1988: 2015 Australian Medicines Terminology v3 Model v20150131 Release rationale: This release of the AMT includes products that become available on the Schedule of Pharmaceutical Benefits including the Repatriation Pharmaceutical Benefits Schedule (RPBS) on or before 1 February 2015.
31 December 2014	EP-1960: 2014 Australian Medicines Terminology v3 Model v20141231 Release rationale: This release of the AMT includes products that become available on the Schedule of Pharmaceutical Benefits including the Repatriation Pharmaceutical Benefits Schedule (RPBS) on or before 1 January 2015.
30 November 2014	EP-1859: 2014 Australian Medicines Terminology v3 Model v20141130 Release rationale: This release of the AMT includes products that become available on the Schedule of Pharmaceutical Benefits including the Repatriation Pharmaceutical Benefits Schedule (RPBS) on or before 1 December 2014.

Date	Version
31 October 2014	EP-1820: 2014 Australian Medicines Terminology v3 Model v20141031 Release rationale: This release of the AMT includes products that become available on the Schedule of Pharmaceutical Benefits including the Repatriation Pharmaceutical Benefits Schedule (RPBS) on or before 1 November 2014.
30 September 2014	EP-1794: 2014 Australian Medicines Terminology v3 Model v20140930 Release rationale: This release of the AMT includes products that become available on the Schedule of Pharmaceutical Benefits including the Repatriation Pharmaceutical Benefits Schedule (RPBS) on or before 1 October 2014.
31 August 2014	EP-1741: 2014 Australian Medicines Terminology v3 Model v20140831 Release rationale: This release of the AMT includes products that become available on the Schedule of Pharmaceutical Benefits including the Repatriation Pharmaceutical Benefits Schedule (RPBS) on or before 1 September 2014.
31 July 2014	EP-1720: 2014 Australian Medicines Terminology v3 Model v201407301 Release rationale: This release of the AMT includes products that become available on the Schedule of Pharmaceutical Benefits including the Repatriation Pharmaceutical Benefits Schedule (RPBS) on or before 1 August 2014.
30 June 2014	EP-1718: 2014 Australian Medicines Terminology v3 Model v20140630 Release rationale: The Australian Medicines Terminology v3 Model v20140630 is the first production release of the AMT in the v3 model structure and SNOMED CT Release Format 2 specification (RF2). This release follows the previously released Beta and Pre-Production versions. After the Beta release, feedback activities were conducted with external stakeholders, including vendors and jurisdictions, as well as government and research organisations. These activities helped to gauge the suitability of the AMT v3 Beta product by focusing on the AMT v3 model components, release files, and gaps in features and documentation. A number of recommendations for changes to the v3 model were identified during this period; details of these changes can be found in <i>Australian Medicines Terminology v3 – Beta Feedback Summary Results</i> . The data files for this release have been created using the May 2014 release (that is, AMT v2.56) as baseline data for the transformation to v3 model. No additional products have been included. This release of the AMT includes products that became available on the Schedule of Pharmaceutical Benefits including the Repatriation Pharmaceutical Benefits Schedule (RPBS) on or before 1 June 2014.

Document date: 31 March 2015

Contact for enquiries

Telephone: 1300 901 001 or email: help@nehta.gov.au

Disclaimer

The National E-Health Transition Authority Ltd (NEHTA) makes the information and other material ('Information') in this document available in good faith but without any representation or warranty as to its accuracy or completeness. NEHTA cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Copyright © 2015 National E-Health Transition Authority Ltd

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems—without the permission of NEHTA. All copies of this document must include the copyright and other information contained on this page.

Acknowledgement

The National E-Health Transition Authority is jointly funded by the Australian Government and all State and Territory Governments.