



Common – Clinical Document Release Note

28 February 2019 v1.5.2
Approved for external use
Document ID: DH-2808:2019

Related end product identifier: EP-2807:2019

Release rationale

This release provides important guidance for the masking of address information in clinical documents:

- Masking of Address and Communication Details in Clinical Documents.

It provides updated guidance for HPI-O and ABN-based identifiers:

- OIDs used for identifiers in HL7 v2 messages and CDA documents

Template packages for the Pharmacist Shared Medicines List document type are now included in the updated:

- Template Package Directory

Implementation Guidance - Masking of Address and Communication Details in Clinical Documents v1.1

This document provides advice for developers on the masking of consumers' address and communication details in clinical documents. It includes specific recommendations for implementers using HIPS for the generation of clinical documents.

Safety risks can result for consumers from the inclusion of their address or communication details in clinical documents uploaded to the My Health Record system. This information could potentially be used to locate an estranged child or partner through the child's record. The implementation guidance is aimed at mitigating such risks.

OIDs used for identifiers in HL7 v2 messages and CDA documents v1.2

This document provides guidance for implementers on the representation of identifiers in clinical documents and messages. It has been updated with information about ABN-scoped local identifiers and HPI-O-scoped local identifiers.

Template Package Directory v1.11

The updated Template Package Directory now includes the new template package for:

- Pharmacist Shared Medicines List v1.1.

Package inclusions

New

Identifier	Name
DH-2788:2019	<i>Clinical Documents - Implementation Guidance - Masking of Address and Communication Details in Clinical Documents v1.1</i>

Updated (supersedes previous version)

Identifier	Name
DH-2809:2019	<i>Clinical Documents - FAQ OIDs for HL7 v1.2</i>
DH-2810:2019	<i>Clinical Documents – Template Package Directory v1.11</i>
DH-2808:2019	<i>Common – Clinical Document - Release Note v1.5.2 (this document)</i>

No change

Identifier	Name
NEHTA-1229:2011	<i>Clinical Documents - CDA Package v1.0</i>
NEHTA-1199:2012	<i>Clinical Documents - CDA Rendering Specification v1.0</i>
NEHTA-1226:2011	<i>Clinical Documents - Clinical Package v1.0</i>
DH-2481:2017	<i>Clinical Documents - Common Conformance Profile v1.7</i>
DH-2587:2017	<i>Clinical Documents - Conformance Test Specification for Authoring Systems v1.1</i>
NEHTA-2064:2016	<i>Clinical Documents - Conformance Test Specification for CDA Rendering v1.4</i>
NEHTA-2065:2015	<i>Clinical Documents - Conformance Test Specification for CDA Packaging v1.5</i>
NEHTA-2063:2015	<i>Clinical Documents - Conformance Test Specification for PCEHR¹ Usability v3.0</i>
NEHTA-2189:2015	<i>Clinical Documents - Conformance Test Specification for PCEHR Views v1.0</i>
NEHTA-1255:2012	<i>Clinical Documents - FAQ Appropriate use of date and date-time values in Clinical Documents v1.0</i>
NEHTA-1270:2013	<i>Clinical Documents - FAQ Clarification on Messaging and CDA Packaging v1.4</i>
NEHTA-1274:2013	<i>Clinical Documents – FAQ Global Statements None Known v1.1</i>
NEHTA-1276:2013	<i>Clinical Documents - FAQ Hash value verification v1.0</i>
DH-2594:2017	<i>Clinical Documents - FAQ Qualifiers for Clinical Information v1.0</i>
NEHTA-1459:2013	<i>Clinical Documents - FAQ Undifferentiated Pathology and Radiology Results v1.3</i>
NEHTA-1097:2011	<i>Clinical Documents - Implementation Guidance - Representing Coding in CDA Documents v1.0</i>

¹ Clarification: PCEHR means the My Health Record, formerly the "Personally Controlled Electronic Health Record", within the meaning of the *My Health Records Act 2012* (Cth), formerly called the *Personally Controlled Electronic Health Records Act 2012* (Cth).

Identifier	Name
DH-2267:2017	<i>Clinical Documents - My Health Record Usability Recommendations v1.4</i>
NEHTA-1328:2013	<i>Clinical Documents - Supplementary Notes for Implementers Relating to Clinical Document Presentation v1.0</i>

Removed

None

Audience

The audiences for this release are:

- Developers of clinical information systems and contracted service provider systems;
- Senior managers and policy makers, clinical experts, health information managers, IT operations and support teams, and system integrators;
- National Infrastructure Operator.

Known issues

None known

Support

For further support or to provide feedback, please email help@digitalhealth.gov.au.

Future releases

Further changes may occur from time to time in accordance with customer feedback or changes to source information. Supplementary guidance may also be provided from time to time based on implementation experience from vendors.

Previous releases

Date	Version
24 Jul 2018	<p data-bbox="347 371 898 394">EP-2655:2018 Common – Clinical Document v1.5.1</p> <p data-bbox="347 412 488 434">Release note</p> <p data-bbox="347 452 539 474">Release rationale</p> <p data-bbox="347 492 1437 584">This incremental release provides developers and implementers with an updated <i>Template Package Directory</i>, now including the recently published updated template packages for discharge summary documents.</p>
21 Dec 2017	<p data-bbox="347 622 879 645">EP-2563:2017 Common – Clinical Document v1.5</p> <p data-bbox="347 663 488 685">Release note</p> <p data-bbox="347 703 539 725">Release rationale</p> <p data-bbox="347 743 1358 804">This release of the Common - Clinical Document end product provides developers of systems generating CDA™² documents with important updates of:</p> <ul data-bbox="347 822 991 882" style="list-style-type: none"> <li data-bbox="347 822 991 844">• Clinical Documents -Common Conformance Profile; and <li data-bbox="347 862 991 882">• Conformance Test Specification for Authoring Systems. <p data-bbox="347 900 1417 960">It also introduces a new FAQ document providing important guidance for the usage of qualifiers in structured parts of CDA documents.</p> <p data-bbox="347 978 735 1001">Common Conformance Profile v1.7</p> <p data-bbox="347 1019 1257 1041">The Common Conformance Profile has been updated to resolve a number of issues.</p> <p data-bbox="347 1059 1007 1081">Conformance Test Specification for Authoring Systems v1.1</p> <p data-bbox="347 1099 1437 1182">This update of the <i>Conformance Test Specification for Authoring Systems</i> includes updates to feature sets, improves the readability of the document, and addresses multiple issues raised during internal agency reviews.</p> <p data-bbox="347 1200 826 1223">FAQ Qualifiers for Clinical Information v1.0</p> <p data-bbox="347 1240 1417 1301">This document provides guidance to determine whether clinical information system includes qualifiers as expected (or stated or conform to HL7™³ Clinical Document Architecture Release 2.0).</p> <p data-bbox="347 1319 715 1341">Template Package Directory v1.9</p> <p data-bbox="347 1359 1437 1420">The updated Template Package Directory contains entries for new or updated template packages for the following document types:</p> <ul data-bbox="347 1438 991 1588" style="list-style-type: none"> <li data-bbox="347 1438 794 1460">• Advance Care Planning (first release); <li data-bbox="347 1478 906 1500">• Australian Immunisation Register (first release); <li data-bbox="347 1518 991 1588">• eHealth Diagnostic Imaging Report (replacements); and eHealth Pathology Report (replacements).

² CDA is a trademark of Health Level Seven International and is registered with the United States Patent and Trademark Office.

³ HL7 is a trademark of Health Level Seven International and is registered with the United States Patent and Trademark Office.

Date	Version
16 June 2017	<p data-bbox="343 291 901 324">EP-2395:2017 Common – Clinical Document v1.4.4</p> <p data-bbox="343 336 486 369">Release note</p> <p data-bbox="343 380 542 414">Release rationale</p> <p data-bbox="343 414 1457 515">This incremental release of the Common - Clinical Document end product (EP-2395:2017) introduces the new <i>Conformance Test Specification for Authoring Systems</i> and provides updates to <i>Clinical Documents – My Health Record Usability Recommendations</i>.</p> <p data-bbox="343 526 1236 560"><i>Clinical Documents – Conformance Test Specification for Authoring Systems v1.0</i></p> <p data-bbox="343 560 1457 728">This conformance test specification is a significant expansion of the authoring test cases previously available to developers in the <i>Conformance Test Specification for CDA Rendering v1.3</i>, which contained test cases for authoring and rendering. This v1.3 document has been superseded by the <i>Conformance Test Specification for CDA Rendering v1.4</i> (published in January 2016) and this new <i>Conformance Test Specification for Authoring Systems v1.0</i>.</p> <p data-bbox="343 728 1457 828">The rationale for the expansion of test cases is an analysis of over 600 conformance errors found by the NEHTA CCA team between 2012 and 2015, which covered approximately 50 software development organisations. This new conformance test specification seeks to address those issues.</p> <p data-bbox="343 840 1157 873"><i>Clinical Documents – My Health Record Usability Recommendations v1.4</i></p> <p data-bbox="343 873 1457 985">This document provides usability recommendations for clinical information systems authoring or rendering information contained in clinical documents and views exchanged with the My Health Record system.</p>
19 May 2016	<p data-bbox="343 996 901 1030">EP-2320:2016 Common – Clinical Document v1.4.3</p> <p data-bbox="343 1041 486 1075">Release note</p> <p data-bbox="343 1086 542 1120">Release rationale</p> <p data-bbox="343 1120 1457 1220">This incremental release of the Common – Clinical Document end product provides updates to the <i>Clinical Documents – Template Package Directory</i> to include references to the following product components:</p> <ul data-bbox="343 1232 1117 1310" style="list-style-type: none"> • <i>Advance Care Document Custodian – Conformance Profile v1.0</i>; and • <i>Personal Health Summary – Conformance Profile v1.0</i>. <p data-bbox="343 1310 1457 1377">The <i>FAQ OIDs for HL7</i> has been revised to correctly show how a Medicare number may be used for an entity identifier for a subject of care.</p> <p data-bbox="343 1377 1457 1444">Three FAQs have been moved into this end product from the Common – Continuity of Care end product (which has been archived):</p> <ul data-bbox="343 1456 1457 1668" style="list-style-type: none"> • FAQ Nullable Fields Guidance. (This FAQ answers the question: What are the nullable fields in clinical documents conformant to the CDA implementation guides?) • FAQ Global Statements None Known. (This FAQ answers the question: What is the proper use of none known in global exclusion statements?) • FAQ Undifferentiated Pathology and Radiology Results. (This FAQ answers the question: What should we do if our system cannot distinguish between pathology and radiology reports?) <p data-bbox="343 1680 893 1713">The content of these three FAQs has not changed.</p>

Date	Version
10 Mar 2016	<p data-bbox="344 302 898 331">EP-2241:2016 Common – Clinical Document v1.4.2</p> <p data-bbox="344 342 488 371">Release note</p> <p data-bbox="344 383 539 412">Release rationale</p> <p data-bbox="344 423 1417 486">This incremental release of the Common – Clinical Document end product provides updates to the Clinical Documents – Template Package Directory to include references to updated:</p> <ul data-bbox="344 497 1117 568" style="list-style-type: none"> <li data-bbox="344 497 1117 526">• <i>eHealth Diagnostic Imaging Report – Conformance Profile v1.1</i>; and <li data-bbox="344 537 970 568">• <i>eHealth Pathology Report – Conformance Profile v1.1</i>. <p data-bbox="344 580 1422 640">This release of the Common – Clinical Document end product aligns with approved change request CCB-0469.</p>
29 Jan 2016	<p data-bbox="344 667 893 696">EP-2231:2016 Common - Clinical Document v1.4.1</p> <p data-bbox="344 707 488 736">Release note</p> <p data-bbox="344 748 539 777">Release rationale</p> <p data-bbox="344 788 1410 851">This incremental release of the Common - Clinical Document end product provides updates of the following product components:</p> <ul data-bbox="344 862 1217 934" style="list-style-type: none"> <li data-bbox="344 862 1217 891">• <i>Clinical Documents – Conformance Test Specification for CDA Rendering</i>; and <li data-bbox="344 902 1123 934">• <i>Clinical Documents – My Health Record Usability Recommendations</i>. <p data-bbox="344 945 1449 1070">Version 1.4 of the <i>Conformance Test Specification for CDA Rendering</i> provides clarifications for many of the test cases, improves the readability of the document, and adds a number of test cases in support of recently published Pathology Report and Diagnostic Imaging Report conformance profiles. Details of the changes are listed in the <i>Capabilities</i> section of this release note.</p> <p data-bbox="344 1081 1437 1178">Version 1.3 of <i>Clinical Documents – My Health Record Usability Recommendations</i> provides usability recommendations for clinical information systems authoring or rendering information contained in clinical documents and views exchanged with the My Health Record system.</p> <p data-bbox="344 1189 1422 1252">It is focused on recommendations applicable to <i>all</i> types of clinical documents. Additional usability recommendations have been published as follows:</p> <ul data-bbox="344 1263 1142 1335" style="list-style-type: none"> <li data-bbox="344 1263 1142 1292">• Shared Health Summary PCEHR Usability Recommendations v1.2; and <li data-bbox="344 1303 1002 1335">• Event Summary PCEHR Usability Recommendations v1.1.
3 Dec 2015	<p data-bbox="344 1361 879 1391">EP-2198:2015 Common – Clinical Document v1.4</p> <p data-bbox="344 1402 488 1431">Release note</p> <p data-bbox="344 1442 539 1471">Release rationale</p> <p data-bbox="344 1482 1410 1579">This release of the Common - Clinical Document end product provides a new product component, <i>Conformance Test Specification for PCEHR Views v1.0</i>, which provides a targeted set of test cases, managed using a Microsoft Excel workbook.</p> <p data-bbox="344 1590 1445 1686">This conformance test specification supports the currently published PCEHR views specifications and their conformance requirements. Details of the document are listed in the <i>Capabilities</i> section of the release note.</p> <p data-bbox="344 1697 1422 1722">Additionally, four FAQs have been archived and are no longer included in this end product release.</p>

Date	Version
15 Jul 2015	<p data-bbox="347 297 893 327">EP-2085:2015 Common - Clinical Document v1.3.1</p> <p data-bbox="347 338 488 367">Release note</p> <p data-bbox="347 378 539 407">Release rationale</p> <p data-bbox="347 418 1410 483">This incremental release of the Common - Clinical Document end product provides updates of the following product components:</p> <ul data-bbox="347 495 1267 566" style="list-style-type: none"> <li data-bbox="347 495 1267 524">• <i>Clinical Documents - Conformance Test Specification for CDA Packaging v1.5</i>; and <li data-bbox="347 535 975 566">• <i>Clinical Documents - Template Package Directory v1.5</i>. <p data-bbox="347 577 1445 703">Version 1.5 of the <i>Conformance Test Specification for CDA Packaging</i> provides clarifications for many of the test cases, improves the readability of the document, and adds a number of test cases in support of recently published CDA packaging-related conformance requirements. Details of the changes are listed in the Capabilities section of this release note.</p> <p data-bbox="347 714 1410 779">Version 1.5 of the <i>Template Package Directory</i> includes references to updated template packages for:</p> <ul data-bbox="347 790 871 862" style="list-style-type: none"> <li data-bbox="347 790 871 819">• <i>eHealth Diagnostic Imaging Report v1.1</i>; and <li data-bbox="347 831 722 862">• <i>eHealth Pathology Report v1.1</i>. <p data-bbox="347 873 1449 965">The FAQ Patient Medications has been archived and is no longer included in this end product release. Its contents have been superseded by updates to the latest versions of the CDA Implementation Guides for Event Summary and Specialist Letter document types.</p> <p data-bbox="347 976 1398 1041">This release of the Common – Clinical Document end product aligns with the following approved change requests: CCB-0418; CCB-0419; and CCB-0431.</p>
10 Apr 2015	<p data-bbox="347 1066 873 1095">EP-1818:2015 Common - Clinical Document v1.3</p> <p data-bbox="347 1106 488 1135">Release note</p> <p data-bbox="347 1146 539 1176">Release rationale</p> <p data-bbox="347 1187 1385 1279">This release of the Common - Clinical Document end product introduces the Conformance Test Specification for PCEHR Usability and provides updates of the <i>Common Conformance Profile for Clinical Documents</i> and the <i>Template Package Directory</i>.</p> <p data-bbox="347 1290 1430 1382">The <i>Conformance Test Specification for PCEHR Usability v3.0</i> provides test cases for the assessment of clinical information systems for conformance with the following PCEHR usability recommendations published as part of the Clinical Usability Programme (CUP) Release 3:</p> <ul data-bbox="347 1393 1112 1518" style="list-style-type: none"> <li data-bbox="347 1393 1054 1422">• <i>Clinical Documents – PCEHR Usability Recommendations v1.2</i>; <li data-bbox="347 1440 1067 1469">• <i>Event Summary – PCEHR Usability Recommendations v1.1</i>; and <li data-bbox="347 1487 1112 1518">• <i>Shared Health Summary – PCEHR Usability Recommendations v1.2</i>. <p data-bbox="347 1529 1235 1559">The updated version of the Common Conformance Profile for Clinical Documents:</p> <ul data-bbox="347 1570 1232 1641" style="list-style-type: none"> <li data-bbox="347 1570 916 1599">• clarifies requirements for narrative sections; and <li data-bbox="347 1617 1232 1641">• explicitly disallows direct references to XSL stylesheets for all CDA documents. <p data-bbox="347 1659 1404 1724">The updated version of the <i>Template Package Directory</i> includes references to updated template packages for:</p> <ul data-bbox="347 1736 705 1807" style="list-style-type: none"> <li data-bbox="347 1736 662 1765">• <i>Event Summary v1.4</i>; and <li data-bbox="347 1783 705 1807">• <i>Shared Health Summary v1.5</i>. <p data-bbox="347 1825 1398 1890">This release of the Common – Clinical Document end product aligns with the following approved change requests: CCB-0202; CCB-0309; CCB-0345; CCB-0357; CCB-0380; CCB 0388.</p>

Date	Version
17 Feb 2015	<p data-bbox="347 302 895 331">EP-2024:2015 Common - Clinical Document v1.2.2</p> <p data-bbox="347 342 488 371">Release note</p> <p data-bbox="347 383 541 412">Release rationale</p> <p data-bbox="347 423 1398 486">This incremental release of the Common - Clinical Document end product introduces an updated version of the <i>Template Package Directory</i>.</p> <p data-bbox="347 497 963 526">It includes references to updated template packages for:</p> <ul data-bbox="347 537 759 611" style="list-style-type: none"> <li data-bbox="347 537 759 566">• <i>eHealth Dispense Record v1.2</i>; and <li data-bbox="347 577 743 607">• <i>eHealth Prescription Record v1.2</i>. <p data-bbox="347 622 1445 685">These updated template packages now support the inclusion of codes from the Australian Medicines Terminology (AMT) version 3.</p> <p data-bbox="347 696 1404 759">The changes applied to the template package libraries for these document types are aligned with approved change request CCB-0409.</p>
31 Dec 2014	<p data-bbox="347 790 895 819">EP-1962:2014 Common - Clinical Document v1.2.1</p> <p data-bbox="347 831 488 860">Release note</p> <p data-bbox="347 871 541 900">Release rationale</p> <p data-bbox="347 911 1434 1003">This release of the Common – Clinical Documents end product introduces an updated version of the <i>Common – Clinical Documents - PCEHR Usability Recommendations</i> document and provides an update of the <i>Template Package Directory</i>.</p> <p data-bbox="347 1014 831 1043"><i>Updated PCEHR Usability Recommendations</i></p> <p data-bbox="347 1055 1441 1182">This version of the PCEHR Usability Recommendations introduces the concept of a “PCEHR Page” for general practice clinical information systems. The PCEHR Page expands on the Document List concept included in previous CUP releases. In addition, the PCEHR Indicator has been enhanced to provide users with a notification of any new documents available on a patient’s PCEHR.</p> <p data-bbox="347 1193 1177 1223">For more details, please refer to the Capabilities section of this release note.</p> <p data-bbox="347 1234 1445 1361">The updated Common – Clinical Documents - PCEHR Usability Recommendations aligns with updated versions of the Event Summary - PCEHR Usability Recommendations and Shared Health Summary - PCEHR Usability Recommendations. Together, these three documents represent the result of the Clinical Usability Programme (CUP) Release 3.</p> <p data-bbox="347 1373 1430 1500">The PCEHR Usability Recommendations have been developed by NEHTA in consultation with key general practice peak bodies to improve the user experience of general practice software products. Vendors of clinical information systems used outside of general practice settings are encouraged to consider the extent to which these recommendations are applicable to their software products.</p> <p data-bbox="347 1512 762 1541">Updated Template Package Directory</p> <p data-bbox="347 1552 1366 1615">The <i>Template Package Directory</i> has been updated to include references to template package libraries published for the following end products:</p> <ul data-bbox="347 1626 823 1789" style="list-style-type: none"> <li data-bbox="347 1626 724 1655">• <i>eHealth Pathology Report v1.0</i>; <li data-bbox="347 1666 823 1695">• <i>eHealth Diagnostic Imaging Report v1.0</i>; <li data-bbox="347 1706 679 1736">• <i>Event Summary v1.3.3</i>; and <li data-bbox="347 1747 651 1776">• <i>Medicare Overview v1.2</i>. <p data-bbox="347 1800 1426 1863">Support for eHealth Pathology Report and eHealth Diagnostic Imaging Report by the PCEHR system was introduced with PCEHR Release 5 (29 November 2014).</p> <p data-bbox="347 1874 1417 1937">The changes applied to the template package libraries for Event Summary and Medicare Overview are aligned with approved change requests CCB-0378 and CCB-0244, respectively.</p>

Date	Version
------	---------

25 Sep 2014 [EP-1815:2014 Common - Clinical Document v1.2](#)

[Release note](#)

Release rationale

This release of the Common – Clinical Documents end product contains updates of the following product components:

- *Clinical Documents - Common Conformance Profile v1.6*; and
- *Clinical Documents - Template Package Directory v1.5*.

The changes to the common conformance profile have been approved as part of change request CCB-0345 and consist of:

Key	Category	Summary of change
CCP-86	Addition	Filenames of attachments now need to match their indicated MIME type. This decreases the potential for malicious content and provides better rendering support for legitimate attachment content.
CCP-223	Addition	All inline data within XML now needs to be text only. This ensures that any document that has inline data (such as an exe file) will be rejected by the receiving system.
CCP-234	Clarification	Clarification added that a CDA Header is required for clinical documents at all conformance levels. This aligns the common conformance profile with the original intent and current practice.
CCP-238	Clarification	Clarification added that conformance points re local identifiers only apply to those local identifiers that are used by healthcare provider organisations.

The Template Package Directory has been updated to include references to template package libraries published for the following end products:

- *Specialist Letter v1.3*;
- *Australian Organ Donor Register v1.1*; and
- *Pharmaceutical Benefits Report v1.1*.

18 Aug 2014 [EP-1754:2014 Common - Clinical Document v1.1.3](#)

[Release note](#)

Release rationale

This incremental release of the Common – Clinical Documents end product introduces the *Template Package Directory*.

The purpose of this new product component is to provide implementers of clinical document specifications and other stakeholders with a comprehensive overview of available template packages and their current status.

The template package directory also contains hyperlinks referring to the download locations of all template packages. For each template package, the hyperlink refers to the location of the template package library containing the template package. Template package libraries are published for each clinical document type and are contained in the end product for the document type.

Date	Version
05 May 2014	<p data-bbox="344 302 895 331">EP-1589:2014 Common - Clinical Document v1.1.2</p> <p data-bbox="344 342 488 371">Release note</p> <p data-bbox="344 383 539 412">Release rationale</p> <p data-bbox="344 423 1445 548">This incremental release of the Common - Clinical Document end product introduces <i>Clinical Documents – PCEHR Usability Recommendations</i>. This new product component replaces the <i>Supplementary Guidance for Implementers</i> product component introduced with the previous version of this end product.</p> <p data-bbox="344 560 1430 685">The <i>PCEHR Usability Recommendations</i> document contains implementation guidance previously published in <i>Supplementary Guidance for Implementers</i>. The new format, “usability recommendations”, makes it easier for implementers to assess whether their software conforms to the guidance.</p> <p data-bbox="344 696 1445 857">PCEHR usability recommendations are not part of PCEHR conformance requirements. Only the latter are used as the basis for conformance assessments performed as a prerequisite to PCEHR system integration. PCEHR usability recommendations can be used by implementers to perform usability assessments on a voluntary basis, for example, with the aim of providing their users with a consistently high level of usability.</p> <p data-bbox="344 869 1302 931">The <i>PCEHR Usability Recommendations</i> document also contains additional guidance for implementers, developed as part of NEHTA’s Clinical Usability Program (CUP) Release 2.</p> <p data-bbox="344 943 1398 1005">This release also removes the developer resource product components and related product data sheets. These have been republished in two new end products:</p> <ul data-bbox="344 1016 903 1093" style="list-style-type: none"> • <i>Clinical Documents Integration Toolkit v1.0</i>; and • <i>Secure Messaging Integration Toolkit v1.0</i>. <p data-bbox="344 1104 1445 1198">In addition, the document <i>Reference Platform - Vendor End 2 End Portal v1.4</i> has been archived as it is no longer relevant. <i>eSignature - Java Library v1.1.0</i> has also been archived since it is included in the libraries in the new integration toolkits</p>
24 Oct 2013	<p data-bbox="344 1229 895 1258">EP-1477:2013 Common - Clinical Document v1.1.1</p> <p data-bbox="344 1270 488 1299">Release note</p> <p data-bbox="344 1310 539 1339">Release rationale</p> <p data-bbox="344 1350 1430 1444">This incremental release of the Common Clinical Document end product introduces supplementary guidance for the implementation of clinical documents, representing a key outcome of NEHTA’s Clinical Usability Program (CUP) Release 1.</p> <p data-bbox="344 1456 1366 1518">Aligning with the sets of template packages supported by PCEHR Releases 3.5 and 4, updated versions of the CDA Document Library sample code have been provided.</p> <p data-bbox="344 1529 1414 1585">This release also introduces a number of product data sheets, each containing the description of a type of non-document product associated with this end product.</p>

Date	Version									
09 Oct 2013	<p data-bbox="343 291 877 324">EP-1457:2013 Common - Clinical Document v1.1</p> <p data-bbox="343 336 486 369">Release note</p> <p data-bbox="343 380 542 414">Release rationale</p> <p data-bbox="343 414 1436 481">This release of the Common Clinical Document end product introduces updates to the conformance profile for Common Clinical Documents, as mandated by the following approved change requests.</p> <table border="1" data-bbox="343 492 1457 851"> <thead> <tr> <th data-bbox="343 492 702 537">Change request ID</th> <th data-bbox="702 492 1077 537">Change request title</th> <th data-bbox="1077 492 1457 537">Impact on this release</th> </tr> </thead> <tbody> <tr> <td data-bbox="343 548 702 616">CCB-0116</td> <td data-bbox="702 548 1077 616">Relaxation of the mandatory use of HPI-Is in uploaded documents</td> <td data-bbox="1077 548 1457 616">New conformance requirements added for local identifiers.</td> </tr> <tr> <td data-bbox="343 627 702 851">CCB-0222</td> <td data-bbox="702 627 1077 851">Support for CSP Certificates in CDA Documents</td> <td data-bbox="1077 627 1457 851">Conformance requirements regarding digital signatures previously contained in document-type specific Conformance Profiles have been consolidated and revised in this version of the Common Conformance Profile. New conformance requirements added for Legal Authenticator, Approver and Custodian.</td> </tr> </tbody> </table> <p data-bbox="343 862 1436 963">In addition to these changes, the structure of the document has been modified to improve clarity and readability. This structural change does not affect the contents of any of the conformance requirements.</p>	Change request ID	Change request title	Impact on this release	CCB-0116	Relaxation of the mandatory use of HPI-Is in uploaded documents	New conformance requirements added for local identifiers.	CCB-0222	Support for CSP Certificates in CDA Documents	Conformance requirements regarding digital signatures previously contained in document-type specific Conformance Profiles have been consolidated and revised in this version of the Common Conformance Profile. New conformance requirements added for Legal Authenticator, Approver and Custodian.
Change request ID	Change request title	Impact on this release								
CCB-0116	Relaxation of the mandatory use of HPI-Is in uploaded documents	New conformance requirements added for local identifiers.								
CCB-0222	Support for CSP Certificates in CDA Documents	Conformance requirements regarding digital signatures previously contained in document-type specific Conformance Profiles have been consolidated and revised in this version of the Common Conformance Profile. New conformance requirements added for Legal Authenticator, Approver and Custodian.								
10 Nov 2011	<p data-bbox="343 985 893 1019">EP-1094:2011 Common - Clinical Document v1.0.2</p> <p data-bbox="343 1030 486 1064">Release note</p> <p data-bbox="343 1075 542 1108">Release rationale</p> <p data-bbox="343 1108 718 1142">This incremental release includes:</p> <ul data-bbox="343 1153 1276 1232" style="list-style-type: none"> • updated sample code to address a small change in the CDA packaging library; and • updates to three FAQ title prefixes (document content is unchanged). 									

Publication date: 28 February 2019

Australian Digital Health Agency ABN 84 425 496 912, Level 25, 56 Pitt Street, Sydney, NSW 2000 www.digitalhealth.gov.au
Telephone 1300 901 001 or email help@digitalhealth.gov.au

Disclaimer

The Australian Digital Health Agency (“the Agency”) makes the information and other material (“Information”) in this document available in good faith but without any representation or warranty as to its accuracy or completeness. The Agency cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Document control

This document is maintained in electronic form and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is the latest revision.

Copyright © 2019 Australian Digital Health Agency

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means – graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems – without the permission of the Australian Digital Health Agency. All copies of this document must include the copyright and other information contained on this page.

OFFICIAL

Acknowledgements

Council of Australian Governments

The Australian Digital Health Agency is jointly funded by the Australian Government and all state and territory governments.

HL7 International

This document includes excerpts of HL7™ International standards and other HL7 International material. HL7 International is the publisher and holder of copyright in the excerpts. The publication, reproduction and use of such excerpts is governed by the [HL7 IP Policy](#) and the HL7 International License Agreement. HL7 and CDA are trademarks of Health Level Seven International and are registered with the United States Patent and Trademark Office.