



**National Clinical Terminology and Information
Service**

Reference Set Library v20150531

31 May 2015

Approved for external use

Document ID: NEHTA-2072:2015

National E-Health Transition Authority Ltd

Level 25
56 Pitt Street
Sydney, NSW, 2000
Australia
www.nehta.gov.au

Disclaimer

The National E-Health Transition Authority Ltd (NEHTA) makes the information and other material ("Information") in this document available in good faith but without any representation or warranty as to its accuracy or completeness. NEHTA cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Document control

This document is maintained in electronic form and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is the latest revision.

Copyright © 2015 National E-Health Transition Authority Ltd

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems—without the permission of NEHTA. All copies of this document must include the copyright and other information contained on this page.

Acknowledgement

The National E-Health Transition Authority is jointly funded by the Australian Government and all State and Territory Governments.

Document information

Key information

Owner	Head of National Services Operation and Management
Date of next review	15 October 2015
Contact for enquiries	NEHTA Help Centre
	t: 1300 901 001
	e: help@nehta.gov.au

Product version history

Product version	Date	Release comments
20080829	29 Aug 2008	Initial Release
20090416	16 Apr 2009	Revised to include updated definitions and scenarios for implementation.
20091130	30 Nov 2009	Updated for SNOMED CT-AU Release 1.0
20100531	31 May 2010	Updated for SNOMED CT-AU May 2010 Release
20100731	31 Jul 2010	Publication of Emergency department reference sets
20101130	30 Nov 2010	Updated for SNOMED CT-AU November 2010 Release
20110531	31 May 2011	Updated for SNOMED CT-AU May 2011 Release
20120531	31 May 2012	Updated for SNOMED CT-AU May 2012 Release
20121130	30 Nov 2012	Updated for SNOMED CT-AU November 2012 Release
20130531	31 May 2013	Updated for SNOMED CT-AU May 2013 Release
20131130	30 Nov 2013	Updated for SNOMED CT-AU November 2013 Release
20140531	31 May 2014	Updated for SNOMED CT-AU May 2014 Release
20141130	30 Nov 2014	Updated for SNOMED CT-AU November 2014 Release
20150531	30 May 2015	Updated for SNOMED CT-AU May 2015 Release

Table of contents

1	Introduction	7
1.1	Purpose of this document	7
1.2	Intended audience	7
1.3	Clinical terminology overview	7
1.4	Related documents	8
1.5	Reference set implementation considerations	8
1.6	Presentation of information	9
1.7	Acronyms	9
1.8	Filename conventions	9
2	Adverse reaction agent reference set	11
3	Adverse reaction type reference set	12
4	Anatomical location name reference set	13
5	Anatomical site reference set	14
6	Body structure foundation reference set	15
7	Cardiovascular finding reference set	16
8	Change status reference set	17
9	Change type reference set	18
10	Clinical finding foundation reference set	19
11	Clinical finding grouper exclusion reference set	20
12	Clinical manifestation reference set	21
13	Collection procedure reference set	22
14	Containerized trade product pack reference set	23
15	CORE problem list subset of SNOMED CT	24
16	Dose unit reference set	25
17	Emergency department reference set	26
18	Emergency department diagnosis in presenting problem reference set	27
19	Emergency department diagnosis reference set	28
20	Emergency department findings in presenting problem reference set	29
21	Emergency department reason for presenting reference set	30
22	Environment or geographical location foundation reference set	31
23	Event foundation reference set	32
24	Exclusion statement reference set	33
25	Fracture finding reference set	34
26	GMDN simple map reference set	35
27	Imaging procedure reference set	36
28	Laterality reference set	37
29	Medication form reference set	38
30	Medicinal product reference set	39
31	Medicinal product pack reference set	40

32	Medicinal product unit of use reference set	41
33	Mental health disorder reference set	42
34	Microorganism reference set	43
35	Musculoskeletal finding reference set.....	44
36	Neoplasm and/or hamartoma reference set	45
37	Non-medicinal adverse reaction agent reference set	46
38	Observable entity foundation reference set	47
39	Organism foundation reference set	48
40	Out of range indicator reference set	49
41	Physical force foundation reference set.....	50
42	Physical object foundation reference set	51
43	Problem/Diagnosis reference set	52
44	Procedure foundation reference set	53
45	Qualifier value foundation reference set.....	54
46	Record artefact foundation reference set	55
47	Related item relationship type reference set	56
48	Relationship to subject of care reference set.....	57
49	Request test name reference set	58
50	Respiratory finding reference set	59
51	Result test name reference set	60
52	Route of administration reference set	61
53	Sex reference set.....	62
54	Situation with explicit context foundation reference set	63
55	Skeletal system reference set.....	64
56	Social context foundation reference set	65
57	Specimen characteristic reference set	66
58	Specimen foundation reference set	67
59	Specimen qualifier reference set	68
60	Specimen quality reference set.....	69
61	Specimen type reference set	70
62	Staging and scales foundation reference set	71
63	Substance foundation reference set	72
64	Substance to SNOMED CT-AU mapping reference set.....	73
65	Testing method reference set	74
66	Therapeutic good benefit eligibility reference set.....	75
67	Therapeutic good claim category reference set	76
68	Trade product pack reference set	77
69	Trade product reference set	78
70	Trade product unit of use reference set	79
71	Unexpected result indicator reference set	80

References 81

1 Introduction

1.1 Purpose of this document

This document is a register of the clinical reference sets developed for use by the National Clinical Terminology and Information Service (NCTIS) community of practice. This includes reference sets pertaining to both SNOMED CT-AU¹ and the Australian Medicines Terminology (AMT).

1.2 Intended audience

This document has been written for those in the AMT and SNOMED CT-AU communities of practice who have a solid understanding of SNOMED Clinical Terms (SNOMED CT) and the AMT, as well as their associated concept models, scope and underlying description logic.

1.3 Clinical terminology overview

Clinical terminology contributes to the improvement of healthcare through supporting the recording, display and exchange of healthcare information and the ability to deliver decision support services to healthcare providers. Healthcare consumers benefit from the use of terminology to more clearly describe and accurately record their healthcare information. The application of clinical terminology has a range of benefits, including:

- Clinical efficiency and a consistent vocabulary across all healthcare domains.
- Reduced error rates and better recording of clinical information at the required level of granularity.
- Consistent retrieval, exchange and analysis of recorded clinical information.
- Reduced risk of incorrect interpretation of clinical information.

In addition, clinical terminology supports or enables:

- Semantic interoperability between disparate clinical information systems.
- Reusability of clinical information (e.g. record once, use many times).
- Consistent representation of clinical terms.
- Machine processing of clinical information.
- Extensibility, which in turn enables the terminology to improve and evolve to meet changing needs.

These benefits are major drivers for organisations to adopt terminology. However, to support the realisation of these benefits, those working to develop, integrate and maintain terminology within a healthcare software system require a comprehensive understanding of the ontology. This is not insignificant given the amount and, at times, complex nature of the information that needs to be understood. Areas of coverage include, but are not limited to, file formats, terminology components,

¹ This material includes SNOMED Clinical Terms[®] (SNOMED CT[®]) which is used by permission of the International Health Terminology Standards Development Organisation (IHTSDO[®]). All rights reserved. SNOMED CT was originally created by The College of American Pathologists. IHTSDO[®], SNOMED[®] and SNOMED CT[®] are registered trademarks of the IHTSDO.

relationship types, hierarchies, reference sets and the interaction between the terminology and the information model.

Terminology adoption requires much more than just an in-depth understanding of terminology. Various groups of skilled professionals from different backgrounds and knowledge domains are needed to support the adoption process.

1.4 Related documents

The documents tabulated below provide the context for development of the reference sets described in this document, and should be read in conjunction with this document to enhance understanding of our approach to terminology development. The location of each document within the NEHTA site² is provided as well.

Table 1: Related documents

Name	Location
<i>AMT v3 Development Approach for Reference Sets</i> [1]	http://www.nehta.gov.au/implementation-resources/ehealth-foundations/australian-medicines-terminology-common
<i>SNOMED CT-AU Development approach for reference sets</i> [2]	http://www.nehta.gov.au/implementation-resources/ehealth-foundations/snomed-ct-au-common
<i>SNOMED CT-AU Australian Implementation Guidance</i> [3]	

Note: Information on the change history of reference sets is detailed in the two *Development approach for reference sets* documents.

1.5 Reference set implementation considerations

The scope and context within which the reference set is intended to be used needs to be fully understood. This information (much of which is included in this document) is provided as part of the release documentation of any NEHTA-produced reference set. The scope and type of the reference set are key parts of the implementer's analysis, which in turn helps to ensure that the required attributes will be correctly imported.

It is **not** possible to implement reference sets in isolation. The implementation type will determine the extent of terminology data required, but reference sets will always demand the use of additional files. Reasons for this include:

- Referenced concepts have their descriptions held within the descriptions file. The descriptions file not only enables the display of concepts' terms, but also the ability to use the wide range of Synonyms required for effective search.
- The *Australian dialect reference set* holds information about the acceptability of Synonyms for use within an Australian context. Most importantly, this language reference set can be used to determine which Synonym is preferred and therefore should be the display term of a reference set member.

² <http://www.nehta.gov.au/our-work/clinical-terminology>.

- Implementations are required to understand and handle the receipt of unexpected codes. This may occur when the sender or receiver has a more recent release or version of the reference set in their system. If a concept is received, but is not a member of the expected reference set, additional information can be found either in the history of the reference set or in the core terminology files.
- It will assist in the six-monthly maintenance processes required to keep reference sets up to date (see Section 4.6 in the *SNOMED CT-AU Australian Implementation Guidance* [3]).

1.6 Presentation of information

In this reference set library, all reference sets released by the NCTIS are described, each in a tabular format, with the exception of the structural reference sets.³ This format allows readers to easily determine if a reference set exists, which terminology it is from and whether it meets their needs.

1.7 Acronyms

The following acronyms are used in this document.

Acronym	Description
AMT	Australian Medicines Terminology
DCM	Detailed Clinical Model
IHTSDO	International Health Terminology Standards Development Organisation
NCTIS	National Clinical Terminology and Information Service
SDT	Structured Document Template
SNOMED CT-AU	SNOMED CT, Australian release

1.8 Filename conventions

The filenames used to identify NCTIS reference sets adhere to the following convention:

```
der2_<Descriptor>_<RefsetName>
<ReleaseType>_AU<Namespace>_<DateOrVersion>.txt
```

where the placeholders (represented in angled brackets) have the meanings tabulated below.

Table 2: Filename key

Item	Description
Descriptor	Refers to the type of reference set released. For example, "Refset" pertains to Simple type reference sets and "cRefset" pertains to Attribute value reference sets.
RefsetName	Refers to the reference set name.

³ Structural reference sets are described in the *SNOMED CT Technical Implementation Guide* [15], Chapter 5.6 "Release Format 2 - Reference Sets Guide".

Item	Description
ReleaseType	Refers to the type of release it was released under. For example Full, Snapshot or Delta.
Namespace	Refers to the namespace of the organisation that creates and maintains the file.
DateOrVersion	Refers to the date of release.

To illustrate, a valid example of this convention is:

der2_Refset_BodyStructureFoundationSnapshot_AU1000036_20130531.txt

Note: Throughout this document, by default, all SCTIDs used are concept IDs and all descriptions used are Australian preferred terms unless specified otherwise.

2 Adverse reaction agent reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Adverse reaction agent reference set</i> provides terminology to support the accurate recording of the most common agents that may be responsible for causing adverse reactions.</p> <p>It is intended that this reference set be used in association with the <i>Clinical manifestation reference set</i>, which provides values describing the clinical manifestation of adverse events.</p>
Scope	<p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations of the <i>Adverse Reaction DCM</i> [4]. • Within implementations where use-case specific reference sets for Adverse reaction agents are yet to be developed. • As the basis for developing further use-case specific reference sets for Adverse reaction agents through a process of constraint, or expanding upon. • Alongside other reference sets, such as any of the AMT Medicinal or Trade product reference sets to supplement the recording of non-medicinal agents.
Target client	This reference set can be used where developers are implementing NEHTA clinical information models containing the <i>Substance/Agent</i> data element or the <i>Adverse Reaction DCM</i> .
Other clients	Australian e-health clinical information systems.
Definitive bindings	The <i>Adverse reaction agent reference set</i> is bound to the <i>Substance/Agent</i> data element within the <i>Adverse Reaction DCM</i> .
Example of content	<ul style="list-style-type: none"> • 256350002 Almond • 387494007 Codeine
Plan for future work	This reference set is subject to further development based on feedback from implementations and the current <i>Substance</i> hierarchy re-design project being undertaken at the international level.
File name and version	der2_Refset_AdverseReactionAgentReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20131130
Initial no. of members	1113
Contact	help@nehta.gov.au

3 Adverse reaction type reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Adverse reaction type reference set</i> provides terminology to support the recording of the type of adverse reaction experienced as determined by the clinician.
Scope	This reference set can be used within implementations of the <i>Adverse Reaction DCM</i> [4].
Target client	This reference set is developed for those who are implementing the <i>Adverse Reaction DCM</i> .
Other clients	
Definitive bindings	The <i>Adverse reaction type reference set</i> is bound to the <i>Reaction Type</i> data element within the <i>Adverse Reaction DCM</i> .
Example of content	<ul style="list-style-type: none"> • 12263007 <i>Hypersensitivity reaction type I</i> • 419076005 <i>Allergic reaction</i> • 609406000 <i>Non-allergic reaction</i>
Plan for future work	
File name and version	der2_Refset_AdverseReactionTypeReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20120531
Initial no. of members	15
Contact	help@nehta.gov.au

4 Anatomical location name reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Anatomical location name reference set</i> provides terminology to support the recording of anatomical locations. It is void of information that represents body structures with laterality and it represents a subset of the <i>Anatomical site reference set</i> .
Scope	This reference set can be used within implementations of the DCMs that contain the <i>Name of Location</i> data element. The reference set also supports a wide variety of uses that require human anatomical sites to be described.
Target client	This reference set is developed for those implementing the NEHTA-developed DCMs.
Other clients	
Definitive bindings	The <i>Anatomical location name reference set</i> is bound to the <i>Name of Location</i> data element within: <ul style="list-style-type: none"> • <i>Adverse Reaction DCM</i> [4]; • <i>Pathology Test Result DCM</i> [5]; • <i>Imaging Examination Result DCM</i> [6]; • <i>Procedure DCM</i> [7]; and • <i>Problem/Diagnosis DCM</i> [8].
Example of content	<ul style="list-style-type: none"> • 48467007 Aortic tunica media • 245524004 Entire lobe of lung • 87342007 Bone structure of fibula
Plan for future work	
File name and version	der2_Refset_AnatomicalLocationNameReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20130531
Initial no. of members	23337
Contact	help@nehta.gov.au

5 Anatomical site reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Anatomical site reference set</i> provides terminology to describe human anatomical sites.
Scope	This reference set can be used within implementations of the <i>Pathology Result Report SDT</i> [9]. The reference set also supports a wide variety of uses that require human anatomical sites to be described.
Target client	This reference set is developed for those implementing the <i>Pathology Result Report SDT</i> .
Other clients	This reference set may be useful to any implementer requiring anatomical sites to be described.
Definitive bindings	This reference set is bound to the <i>Specimen Anatomical Site</i> data element (DE-11010) which is under the <i>Specimen Detail</i> data group (DG-11005) within the <i>Pathology Result Report SDT</i> .
Example of content	<ul style="list-style-type: none"> • 362209008 Entire left kidney • 8966001 Left eye structure
Plan for future work	
File name and version	der2_Refset_AnatomicalSiteReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	24983
Contact	help@nehta.gov.au

6 Body structure foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Body structure foundation reference set</i> provides the broadest possible terminology to support the recording of anatomical structures in Australian e-health implementations.
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for body structure are yet to be developed. • As the basis for developing further use-case specific reference sets for body structure, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of the body structure content.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 91134007 <i>Mitral valve structure</i> • 18639004 <i>Left kidney structure</i>
Plan for future work	
File name and version	der2_Refset_BodyStructureFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	30,445
Contact	help@nehta.gov.au

7 Cardiovascular finding reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Cardiovascular finding reference set</i> is a broad context reference set that provides the broadest possible terminology to support the recording of cardiovascular findings in Australian e-health implementations. This reference set has been developed from the <i>Clinical finding foundation reference set</i> .
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for cardiovascular findings are yet to be developed. • As the basis for developing further use-case specific reference sets for cardiovascular findings through a process of constraint. • As a benchmark against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to cardiovascular findings.
Target client	Australian e-health clinical information systems, for example, Cardiology.
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 1939005 <i>Abnormal vascular flow</i> • 70908000 <i>Decreased blood volume</i>
Plan for future work	This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings.
File name and version	der2_Refset_CardiovascularFindingReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	20100531
Initial no. of members	5,599
Contact	help@nehta.gov.au

8 Change status reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Change status reference set</i> is developed to provide terminology to indicate whether a change has been made to a medication or if a recommendation for change has been made.
Scope	This reference set can be used within implementations of the <i>Medication Instruction and Action DCM</i> [10].
Target client	This reference set is developed for those implementing the <i>Medication Instruction and Action DCM</i> .
Other clients	
Definitive bindings	The <i>Change status reference set</i> is bound to the <i>Change Status</i> data element within the <i>Medication Instruction and Action DCM</i> .
Example of content	<ul style="list-style-type: none"> • 703466009 <i>Change recommended</i> • 703465008 <i>Change made</i>
Plan for future work	
File name and version	der2_Refset_ChangeStatusReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	20141130
Initial no. of members	2
Contact	help@nehta.gov.au

9 Change type reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Change type reference set</i> is developed to provide terminology to support the recording of the way in which the current medication instruction differs from the previous one.
Scope	This reference set can be used within implementations of the <i>Medication Instruction and Action DCM</i> [10].
Target client	This reference set is developed for those implementing the <i>Medication Instruction and Action DCM</i> .
Other clients	
Definitive bindings	The <i>Change type reference set</i> is bound to the <i>Change Type</i> data element within the <i>Medication Instruction and Action DCM</i> .
Example of content	<ul style="list-style-type: none"> • 385655000 <i> Suspended </i> • 385656004 <i> Ceased </i> • 89925002 <i> Cancelled </i>
Plan for future work	
File name and version	der2_Refset_ChangeTypeReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20120531
Initial no. of members	4
Contact	help@nehta.gov.au

10 Clinical finding foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Clinical finding foundation reference set</i> provides the broadest possible terminology to support the recording of clinical findings and disorders in Australian e-health implementations.
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for clinical findings and disorders are yet to be developed. • As the basis for developing further use-case specific reference sets for clinical findings and disorders, through a process of constraint. • As a benchmark against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content related to clinical finding and disorders.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 56717001 <i>Tuberculosis</i> • 48348007 <i>Normal breath sounds</i>
Plan for future work	
File name and version	der2_Refset_ClinicalFindingFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	95,543
Contact	help@nehta.gov.au

11 Clinical finding grouper exclusion reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Clinical finding grouper exclusion reference set</i> is designed to exclude <i>Clinical finding</i> concepts that are not considered suitable for recording the findings, symptoms and disorders within a patient record.
Scope	The <i>Clinical finding grouper exclusion reference set</i> can be used in implementations as a means to further constrain any reference set built using the <i>Clinical finding</i> hierarchy. It functions to exclude clinically non-specific concepts that can be distracting to the end-user, and has been built using the <i>Clinical findings foundation reference set</i> .
Target client	Australian e-health clinical information systems.
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 69449002 <i>Drug action (finding)</i> • 118240005 <i>Finding by method (finding)</i>
Plan for future work	This reference set will be subject to further refinement if feedback is received from implementations about the presence of non-grouper concepts or the absence of known groupers, and further analysis by the NCTIS.
File name and version	der2_cRefset_ClinicalFindingGrouperExclusionReferenceSetReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	20140531
Initial no. of members	4011
Contact	help@nehta.gov.au

12 Clinical manifestation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Clinical manifestation reference set</i> was developed collaboratively with a number of different health jurisdictions as a part of the SNOMED CT-AU Adverse Reactions Reference Sets Project.</p> <p>It is intended that this reference set be used in association with the <i>Adverse reaction agent reference set</i>, which provides values describing the common agents that may be responsible for causing adverse reactions.</p>
Scope	<p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations of the <i>Adverse Reaction DCM</i> [4]. • Within implementations where use-case specific reference sets for clinical manifestations are yet to be developed. • As the basis for developing further use-case specific reference sets for clinical manifestations through a process of constraint, or expanding upon.
Target client	This reference set can be used where developers are implementing NEHTA clinical information models containing the <i>Manifestation</i> data element or the <i>Adverse Reaction DCM</i> .
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is bound to the <i>Manifestation</i> data element (DE-15564) within the <i>Adverse Reaction DCM</i> .
Example of content	<ul style="list-style-type: none"> • 267038008 <i>Oedema</i> • 62315008 <i>Diarrhoea</i>
Plan for future work	This reference set is subject to further development based on feedback from implementations.
File name and version	der2_Refset_ClinicalManifestationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20131130
Initial no. of members	746
Contact	help@nehta.gov.au

13 Collection procedure reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Collection procedure reference set</i> provides terminology to support the recording of the method of collection to be used.</p> <p>It is to be used to provide values for collection procedures specifically used for the collection of pathology specimens.</p>
Scope	This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [5].
Target client	This reference set is developed for those implementing the <i>Pathology Test Result DCM</i> .
Other clients	
Definitive bindings	The <i>Collection procedure reference set</i> is bound to the <i>Collection Procedure</i> data element within the <i>Pathology Test Result DCM</i> .
Example of content	<ul style="list-style-type: none"> • 439336003 Brush biopsy • 9911007 Core needle biopsy • 2475000 Urine specimen collection, 24 hours
Plan for future work	
File name and version	der2_Refset_CollectionProcedureReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20120531
Initial no. of members	120
Contact	help@nehta.gov.au

14 Containered trade product pack reference set

Terminology	AMT
Reference set developer	NCTIS
Description	The <i>Containered trade product pack reference set</i> provides terminology to describe the packaged product (medication) that is supplied for direct patient use including details of the container type to be recorded in a health record.
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is bound to the following data elements within specific DCMs: <ul style="list-style-type: none"> • The <i>Medicine</i> data element within the <i>Medication Instruction and Action DCM</i> [10]. • The <i>Substance/Agent</i> data element within the <i>Adverse Reaction DCM</i> [4]. • The <i>Specific Substance/Agent</i> data element within the <i>Adverse Reaction DCM</i>.
Example of content	<ul style="list-style-type: none"> • 18830011000036103 <i>Alphamox 250 mg capsule: hard, 20 capsules, blister pack</i> • 20675011000036100 <i>Diaformin-1000 1 g tablet: film-coated, 90 tablets, bottle</i>
Plan for future work	
File name and version	der2_cRefset_ContaineredTradeProductPackReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	v2.21 March 2011
Initial no. of members	13,176
Contact	help@nehta.gov.au

15 CORE problem list subset of SNOMED CT

Terminology	SNOMED CT
Reference set developer	United Medical Language System® (UMLS®)
Description	<p>The <i>CORE problem list subset of SNOMED CT</i> (reference set) was developed by the UMLS CORE (Clinical Observations Recording and Encoding) Project based on source information from seven institutions to support documentation and encoding of clinical information at a summary level such as for problems lists, discharge diagnosis or reason of encounter.</p> <p>This reference set is designed to identify frequently used SNOMED CT concepts to assist the implementation of SNOMED CT in clinical systems. This reference set contains this list, as well as actual frequency of usage in clinical databases.</p> <p>Australian users are encouraged to assess its applicability for local implementations prior to use.</p> <p>Information on this reference set is provided to the SNOMED CT-AU community to ensure that international resources which may be applicable for use in Australia are available.</p>
Scope	<p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for terminology for summary level documentation are yet to be developed. • As the basis for developing further use-case specific reference sets for terminology. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT user community can be tested.
Target client	E-health clinical information systems.
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 95570007 Kidney stone • 12441001 Epistaxis
Plan for future work	
File name and version	SNOMEDCT_CORE_SUBSET_YYYYMM.TXT
Link to access reference set	http://www.nlm.nih.gov/research/umls/Snomed/core_subset.html
Date of initial release	20090731
Initial no. of members	6,179
Contact	Direct contact details for UMLS on website link or contact: help@nehta.gov.au

16 Dose unit reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Dose unit reference set</i> provides terminology for the <i>Dose Unit</i> data element within the <i>Medication Instruction and Action DCM</i> [10] and the <i>Adverse Reaction DCM</i> [4].
Scope	This reference set can be used within implementations of the <i>Medication Instruction and Action DCM</i> and the <i>Adverse Reaction DCM</i> .
Target client	This reference set has been developed for those who are implementing the <i>Medication Instruction and Action DCM</i> and the <i>Adverse Reaction DCM</i> .
Other clients	
Definitive bindings	This reference set is bound to the <i>Dose Unit</i> data element in the <i>Amount of Medication</i> cluster within both the <i>Medication Instruction and Action DCM</i> and the <i>Adverse Reaction DCM</i> .
Example of content	<ul style="list-style-type: none"> • 258684004 mg • 429587008 Lozenge - unit of product usage
Plan for future work	This reference set is subject to further development based on feedback.
File name and version	der2_Refset_DoseUnitReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20110531
Initial no. of members	59
Contact	help@nehta.gov.au

17 Emergency department reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Emergency department reference set</i> is a superset of the Emergency department reference set (EDRS) suite and provides terminology to support the recording of presenting problems and diagnoses within Emergency department settings within Australia. It contains all of the members of the EDRS suite.</p> <p>The EDRS suite is comprised of the following reference sets:</p> <ul style="list-style-type: none"> • <i>Emergency department diagnosis in presenting problem reference set</i> • <i>Emergency department diagnosis reference set</i> • <i>Emergency department findings in presenting problem reference set</i> • <i>Emergency department reason for presenting reference set</i>. <p>This superset of the EDRS suite has been developed to assist implementations in providing a wide range of clinically relevant terms that are required for the capture of presenting problem and diagnosis information.</p> <p>Feedback has shown that the partitions between the reference sets in the EDRS suite are not well suited to clinical use. The definition of the combined superset may be more applicable for use at the clinical level while the partitioned suite remains linked to reporting.</p>
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of information between clinicians involved in a patient's care relating to that patient's presenting problem at the point of triage and diagnosis at the point of discharge from an Emergency department.
Target client	Australian Emergency department clinical information implementations.
Other clients	
Definitive bindings	This reference set is suitable for use in the Emergency department stay—principal diagnosis, code X[X(8)] , Emergency department stay—additional diagnosis, code X[X(8)] , and <i>Presenting Problems</i> data elements in Emergency department information systems.
Example of content	<ul style="list-style-type: none"> • 410429000 <i>Cardiac arrest</i> • 359820003 <i>Closed fracture of neck of femur</i>
Plan for future work	This reference set is subject to further development based on feedback from implementations.
File name and version	der2_Refset_EmergencyDepartmentReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20140531
Initial no. of members	6815
Contact	help@nehta.gov.au

18 Emergency department diagnosis in presenting problem reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Emergency department diagnosis in presenting problem reference set</i> provides terminology to support the recording of presenting problems within Emergency department settings within Australia. It should be used in conjunction with the <i>Emergency department findings in presenting problem reference set</i> and the <i>Emergency department reason for presenting reference set</i> .
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of information between clinicians relating to a patient's presenting problem at the point of triage in an Emergency department.
Target client	Australian Emergency department clinical information implementations
Other clients	
Definitive bindings	This reference set is suitable for use in the <i>Presenting Problems</i> data element in Emergency department information systems.
Example of content	<ul style="list-style-type: none"> • 410429000 <i> Cardiac arrest </i> • 283359004 <i> Laceration of forehead </i>
Plan for future work	This reference set is subject to further development based on feedback from implementations.
File name and version	der2_Refset_EmergencyDepartmentDiagnosisInPresentingProblemReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20100731 (Out of cycle release for early adopters of EDRS.)
Initial no. of members	232
Contact	help@nehta.gov.au

19 Emergency department diagnosis reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Emergency department diagnosis reference set</i> provides terminology to support the recording of diagnosis in Emergency department settings within Australia.
Scope	This reference set supports the accurate and unambiguous recording of information relating to a patient diagnosis at the point of discharge from an Emergency department. This may be used to support the communication of information to other clinicians involved in that patient's care.
Target client	Australian Emergency department clinical information implementations.
Other clients	
Definitive bindings	This reference set is suitable for use in the Emergency department stay—principal diagnosis, code X[X(8)] and the Emergency department stay—additional diagnosis, code X[X(8)] data elements in Emergency department information systems.
Example of content	<ul style="list-style-type: none"> • 111286002 Acute bacterial endocarditis • 359820003 Closed fracture of neck of femur
Plan for future work	This reference set is subject to further development based on feedback from implementations.
File name and version	der2_Refset_EmergencyDepartmentDiagnosisReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	20100731 (Out of cycle release for early adopters of EDRS.)
Approximate no. of members	6766 (Release 20140531)
Contact	help@nehta.gov.au

Note: The approximate number of members is cited here instead of the initial number of members because this reference set has been significantly expanded since its initial release.

20 Emergency department findings in presenting problem reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Emergency department presenting problem reference set</i> provides terminology to support the recording of presenting problems within Emergency department settings within Australia. It should be used in conjunction with the <i>Emergency department diagnosis in presenting problem reference set</i> and the <i>Emergency department reason for presenting reference set</i> .
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of information between clinicians relating to a patient's presenting problem at the point of triage in an Emergency department.
Target client	Australian Emergency department clinical information implementations.
Other clients	
Definitive bindings	This reference set is suitable for use in the <i>Presenting Problems</i> data element in Emergency department information systems.
Example of content	<ul style="list-style-type: none"> • 30989003 <i> Knee pain </i> • 309774006 <i> Weakness of limb </i>
Plan for future work	This reference set is subject to further development based on feedback from implementations.
File name and version	der2_Refset_EmergencyDepartmentFindingsInPresentingProblemReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	20100731 (Out of cycle release for early adopters of EDRS.)
Initial no. of members	217
Contact	help@nehta.gov.au

21 Emergency department reason for presenting reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Emergency department reason for presenting reference set</i> provides terminology to support the recording of presenting problem within Emergency department settings within Australia. It should be used in conjunction with the <i>Emergency department diagnosis in presenting problem reference set</i> and the <i>Emergency department findings in presenting problem reference set</i> .
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of information between clinicians relating to a patient's presenting problem at the point of triage in an Emergency department.
Target client	Australian Emergency department clinical information implementations
Other clients	
Definitive bindings	This reference set is suitable for use in the <i>Presenting Problems</i> data element in Emergency department information systems.
Example of content	<ul style="list-style-type: none"> • 18949003 <i>Change of dressing</i> • 116859006 <i>Transfusion of a blood product</i>
Plan for future work	This reference set is subject to further development based on feedback from implementations.
File name and version	der2_Refset_EmergencyDepartmentReasonForPresentingReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	20100731 (Out of cycle release for early adopters of EDRS.)
Initial no. of members	71
Contact	help@nehta.gov.au

22 Environment or geographical location foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Environment or geographical location foundation reference set</i> provides the broadest possible terminology to support the recording of information about types of environments or named locations such as countries, states and regions in Australian e-health implementations.
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for types of environments or geographical locations are yet to be developed. • As the basis for developing further use-case specific reference sets for types of environments or geographical locations, through a process of constraint. • As a benchmark against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to types of environment or geographical locations.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 309904001 Intensive care unit • 419590001 Stepdown unit
Plan for future work	
File name and version	der2_Refset_EnvironmentOrGeographicalLocationFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	1,711
Contact	help@nehta.gov.au

23 Event foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Event foundation reference set</i> provides the broadest possible terminology to support the recording of information related to occurrences (excluding procedures and interventions) in Australian e-health implementations.
Scope	<p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for events are yet to be developed. • As the basis for developing further use-case specific reference sets for events, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community can be tested, to assure that they are logical constraints of content relating to events.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 8766005 <i>Earthquake</i> • 242292001 <i>Accidental exposure to corrosive or caustic chemical</i>
Plan for future work	
File name and version	der2_Refset_EventFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	3,645
Contact	help@nehta.gov.au

24 Exclusion statement reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Exclusion statement reference set</i> provides terminology to record global statements about the absence or exclusion of information from within a patient record.
Scope	This reference set can be used within implementations of various DCMs containing the <i>Global Statement</i> data element.
Target client	This reference set is developed for those implementing the NEHTA-developed DCMs.
Other clients	
Definitive bindings	This reference set is bound to the <i>Global Statement</i> data element within the following DCMs: <ul style="list-style-type: none"> • <i>Adverse Reaction DCM</i> [4]; • <i>Medication Instruction and Action DCM</i> [10]; • <i>Procedure DCM</i> [7]; and • <i>Problem/Diagnosis DCM</i> [8].
Example of content	<ul style="list-style-type: none"> • 61000036101 <i>/Not asked/</i> • 81000036106 <i>/None known/</i> • 91000036108 <i>/None supplied/</i>
Plan for future work	In the above-mentioned DCMs, the value domains specified have some additional values not currently included in this reference set. A review of these additional values is planned.
File name and version	der2_Refset_ExclusionStatementReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20120531
Initial no. of members	3
Contact	help@nehta.gov.au

25 Fracture finding reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Fracture finding reference set</i> is a broad context reference set that supports the recording of fracture findings in Australian e-health implementations. This reference set has been derived from the <i>Clinical finding foundation reference set</i> .
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for fracture findings are yet to be developed. • As the basis for developing further use-case specific reference sets for fracture findings, through a process of constraint. • As a benchmark, against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to fracture findings.
Target client	Australian e-health clinical information systems, for example, Orthopaedics and Radiology.
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 25415003 <i>Closed fracture of femur</i> • 207782002 <i>Open fracture of maxilla</i>
Plan for future work	This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings.
File name and version	der2_Refset_FractureFindingReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20100531
Initial no. of members	1,677
Contact	help@nehta.gov.au

26 GMDN simple map reference set

Terminology	SNOMED CT
Reference set developer	IHTSDO
Description	<p>The <i>GMDN simple map reference set</i> provides a link between the medical devices content in SNOMED CT and the GMDN (Global Medical Devices Nomenclature).</p> <p>Under the harmonisation agreement between the IHTSDO and the Global Medical Devices Nomenclature Agency (GMDNA), development was undertaken to integrate the content of the GMDN with the basic terminological content of the medical devices component of SNOMED CT. This map enables the tracking of this relationship.</p>
Scope	This reference set can be used in implementations where a link between SNOMED CT and the GMDN is required.
Target client	E-health clinical information systems
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<p>SNOMED CT 52124006 Central venous catheter, device (physical object) is mapped to</p> <p>GMDN 10729 Catheter, intravascular, infusion, central venous</p>
Plan for future work	
File name and version	der2_sRefset_GmdnSimpleMapReleaseType_AU1000036_20150531.txt
Date of initial release	20140731
Initial no. of members	8950
Contact	help@nehta.gov.au

27 Imaging procedure reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Imaging procedure reference set</i> is a broad context reference set that supports the recording of imaging procedures in Australian e-health implementations. This reference set has been derived from the <i>Procedure foundation reference set</i> .
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for imaging procedures are yet to be developed. • As the basis for developing further use-case specific reference sets for imaging procedures, through a process of constraint. • As a benchmark against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to imaging procedures.
Target client	Australian e-health clinical information systems, for example, Radiology.
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 77477000 <i>/Computerised axial tomography/</i> • 113109007 <i>/Magnetic resonance imaging of lower extremity/</i>
Plan for future work	This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings.
File name and version	der2_Refset_ImagingProcedureReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20100531
Initial no. of members	4,171
Contact	help@nehta.gov.au

28 Laterality reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Laterality reference set</i> provides terminology to support recording of the side of the body in relation to anatomical structures.
Scope	This reference set can be used within implementations of the DCMs that contain the <i>Side</i> data element.
Target client	This reference set is developed for those implementing the NEHTA-developed DCMs.
Other clients	
Definitive bindings	This reference set is bound to the <i>Side</i> data element in the <i>Specific Location</i> data group within the following DCMs: <ul style="list-style-type: none"> • Adverse Reaction DCM [4]; • Pathology Test Result DCM [5]; • Imaging Examination Result DCM [6]; • Procedure DCM [7]; and • Problem/Diagnosis DCM [8].
Example of content	<ul style="list-style-type: none"> • 24028007 <i> Right </i> • 419161000 <i> Unilateral left </i>
Plan for future work	
File name and version	der2_Refset_LateralityReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20110531
Initial no. of members	5
Contact	help@nehta.gov.au

29 Medication form reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Medication form reference set</i> provides terminology to support the recording of the form of a medicine or therapeutic good.
Scope	This reference set can be used within implementations of the <i>Medication Instruction and Action DCM</i> [10].
Target client	This reference set has been developed for those who are implementing the <i>Medication Instruction and Action DCM</i> .
Other clients	
Definitive bindings	This reference set is bound to the <i>Form</i> data element in the <i>Chemical Description of Medication</i> cluster within the <i>Medication Instruction and Action DCM</i> .
Example of content	<ul style="list-style-type: none"> • 385267006 <i>Impregnated pad</i> • 385049006 <i>Capsule</i>
Plan for future work	
File name and version	der2_RefsetMedicationFormReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20110531
Initial no. of members	402
Contact	help@nehta.gov.au

30 Medicinal product reference set

Terminology	AMT
Reference set developer	NCTIS
Description	<p>The <i>Medicinal product reference set</i> provides terminology to describe in the health record the abstract representation of an active ingredient or substance (devoid of strength and form).</p> <p>The <i>Medicinal product reference set</i> supports “generic prescribing” in a healthcare setting.</p>
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	<p>This reference set is bound to the following data elements within specific DCMs:</p> <ul style="list-style-type: none"> • The Medicine data element within the Medication Instruction and Action DCM [10]. • The Substance/Agent data element within the Adverse Reaction DCM [4]. • The Specific Substance/Agent data element within the Adverse Reaction DCM.
Example of content	<ul style="list-style-type: none"> • 21823011000036103 <i>/adrenaline/</i> • 44940011000036106 <i>/meropenem/</i>
Plan for future work	
File name and version	der2_cRefset_MedicinalProductReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	v2.21 March 2011
Initial no. of members	1,661
Contact	help@nehta.gov.au

31 Medicinal product pack reference set

Terminology	AMT
Reference set developer	NCTIS
Description	The <i>Medicinal product pack reference set</i> provides terminology to describe in a health record an abstract concept representing the properties of one or more quantitatively and clinically equivalent Trade Product Packs (TPPs).
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is bound to the following data elements within specific DCMs: <ul style="list-style-type: none"> • The Medicine data element within the Medication Instruction and Action DCM [10]. • The Substance/Agent data element within the Adverse Reaction DCM [4]. • The Specific Substance/Agent data element within the Adverse Reaction DCM.
Example of content	<ul style="list-style-type: none"> • 46470011000036101 <i>aciclovir 5% (50 mg/g) cream, 10 g</i> • 63748011000036109 <i>pseudoephedrine hydrochloride 120 mg tablet, 10</i>
Plan for future work	
File name and version	der2_cRefset_MedicinalProductPackReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	v2.21 March 2011
Initial no. of members	7,755
Contact	help@nehta.gov.au

32 Medicinal product unit of use reference set

Terminology	AMT
Reference set developer	NCTIS
Description	The <i>Medicinal product unit of use reference set</i> provides terminology to describe in a health record an abstract concept representing the properties of one or more equivalent Trade Product Units of Use (TPUUs).
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is bound to the following data elements within specific DCMs: <ul style="list-style-type: none"> • The Medicine data element within the Medication Instruction and Action DCM [10]. • The Substance/Agent data element within the Adverse Reaction DCM [4]. • The Specific Substance/Agent data element within the Adverse Reaction DCM.
Example of content	<ul style="list-style-type: none"> • 23550011000036101 <i>amoxicillin 250 mg capsule</i> • 23529011000036106 <i>iloprost 20 microgram/2 ml inhalation, ampoule</i>
Plan for future work	
File name and version	der2_cRefset_MedicinalProductUnitOfUseReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	v2.21 March 2011
Initial no. of members	4,237
Contact	help@nehta.gov.au

33 Mental health disorder reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Mental health disorder reference set</i> is a broad context reference set that supports the recording of mental health disorders and diagnoses in Australian e-health implementations. This reference set has been derived from the <i>Clinical finding foundation reference set</i> .
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for mental health disorders are yet to be developed. • As the basis for developing further use-case specific reference sets for mental health disorders, through a process of constraint. • As a benchmark against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to mental health disorders.
Target client	Australian e-health clinical information systems, for example, mental health settings.
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 441704009 <i>Affective psychosis</i> • 58703003 <i>Postpartum depression</i>
Plan for future work	This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings.
File name and version	der2_Refset_MentalHealthDisorderReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20100531
Initial no. of members	1,219
Contact	help@nehta.gov.au

34 Microorganism reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Microorganism reference set</i> is a broad context reference set that supports the recording of microorganisms in Australian e-health settings. This reference set has been derived from the <i>Organism foundation reference set</i> .
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for microorganisms are yet to be developed. • As the basis for developing further use-case specific reference sets for microorganisms, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to microorganisms.
Target client	Australian e-health clinical information systems, for example, within Pathology or Infectious disease groups.
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 409808003 <i>Drug resistant Streptococcus pneumoniae</i> • 114061003 <i>Microbacterium flavescens</i>
Plan for future work	This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings.
File name and version	der2_Refset_MicroorganismReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20100531
Initial no. of members	16,329
Contact	help@nehta.gov.au

35 Musculoskeletal finding reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Musculoskeletal finding reference set</i> is a broad context reference set that supports the recording of musculoskeletal findings in Australian e-health implementations. This reference set has been derived from the <i>Clinical finding foundation reference set</i> .
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for substances are yet to be developed. • As the basis for developing further use-case specific reference sets for substances, through a process of constraint. • As a benchmark, against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to substances.
Target client	Australian e-health clinical information systems, for example, within Rheumatology groups.
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 111245009 <i>Compartment syndrome</i> • 427683007 <i>Adhesion of tendon of hand</i>
Plan for future work	This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings.
File name and version	der2_Refset_MusculoskeletalFindingReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20100531
Initial no. of members	10,571
Contact	help@nehta.gov.au

36 Neoplasm and/or hamartoma reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Neoplasm and/or hamartoma reference set</i> is a broad context reference set that supports the recording of neoplasm and/or hamartoma findings in Australian e-health settings. This reference set has been derived from the <i>Clinical finding foundation reference set</i> .
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for neoplasm and/or hamartomas are yet to be developed. • As the basis for developing further use-case specific reference sets for neoplasm and/or hamartomas, through a process of constraint. • As a benchmark, against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to neoplasms and/or hamartomas.
Target client	Australian e-health clinical information systems, for example, within Oncology groups.
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 403966009 <i>Arteriovenous haemangioma</i> • 314990009 <i>Metastasis from malignant tumour of bone</i>
Plan for future work	This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings.
File name and version	der2_Refset_NeoplasmAndOrHamartomaReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20100531
Initial no. of members	6,629
Contact	help@nehta.gov.au

37 Non-medicinal adverse reaction agent reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Non-medicinal adverse reaction agent reference set</i> provides terminology to support the accurate recording of non-medicinal agents responsible for causing adverse reactions.</p> <p>It is intended that this reference set be used in association with the <i>Clinical manifestation reference set</i>, which provides values describing the clinical manifestation of adverse events, and another medical terminology, such as the AMT.</p>
Scope	<p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations of the <i>Adverse Reaction DCM</i>. • Within implementations where use-case specific reference sets for adverse reaction agents are yet to be developed. • As the basis for developing further use-case specific reference sets for adverse reaction agents through a process of constraint, or expanding upon. • Alongside other reference sets, such as any of the AMT Medicinal or Trade Product reference sets to supplement the recording of agents.
Target client	This reference set can be used where developers are implementing NEHTA clinical information models containing the <i>Substance/Agent</i> data element or the <i>Adverse Reaction DCM</i> .
Other clients	Australian e-health clinical information systems.
Definitive bindings	The <i>Non-medicinal adverse reaction agent reference set</i> is bound to the <i>Substance/Agent</i> data element within the <i>Adverse Reaction DCM</i> .
Example of content	<ul style="list-style-type: none"> • 256307007 <i>Banana</i> • 256443002 <i>Egg white</i>
Plan for future work	This reference set is subject to further development based on feedback from implementations and the current <i>Substance</i> hierarchy re-design project being undertaken at the international level.
File name and version	der2_cRefset_NonmedicinalAdverseReactionAgentReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20150531
Initial no. of members	
Contact	help@nehta.gov.au

38 Observable entity foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Observable entity foundation reference set</i> provides the broadest possible terminology to support the recording of observable entities in Australian e-health implementations.
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for observable entities are yet to be developed. • As the basis for developing further use-case specific reference sets for observable entities, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of the content for observable entities.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 390896004 <i> Target cholesterol level </i> • 405153007 <i> Personal wellbeing status </i>
Plan for future work	
File name and version	der2_Refset_ObservableEntityFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	7,988
Contact	help@nehta.gov.au

39 Organism foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Organism foundation reference set</i> provides the broadest possible terminology to support the recording of organisms in Australian e-health implementations.
Scope	<ul style="list-style-type: none"> • This reference set can be used: • Within implementations where use-case specific reference sets for organisms are yet to be developed. • As the basis for developing further use-case specific reference sets for organisms, through a process of constraint. • As a benchmark, against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to organisms.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 58984003 <i>/Anthropozophilic fungus/</i> • 80166006 <i>/Streptococcus pyogenes/</i>
Plan for future work	
File name and version	der2_Refset_OrganismFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	31,948
Contact	help@nehta.gov.au

40 Out of range indicator reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Out of range indicator reference set</i> provides suitable concepts for describing whether the value for a particular pathology observation is within or outside of its reference range. If the result is outside the reference range, this indicator may also describe the direction in which the result falls outside the range (i.e. lower or higher).</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p>
Scope	<p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [5] and the <i>Pathology Result Report SDT</i> [9].</p>
Target client	NEHTA ePathology Programme.
Other clients	
Definitive bindings	<p>This reference set is bound to the <i>Result Value Normal Status</i> data element within the <i>Pathology Test Result DCM</i>.</p> <p>This reference set is also bound to the <i>Out of Range Indicator</i> data element (DE-11028) which is under the <i>Structured Result Entry</i> data group (DG-11008) within the <i>Pathology Result Report SDT</i>.</p>
Example of content	<ul style="list-style-type: none"> • 281301001 <i>Within reference range</i> • 281303003 <i>Above therapeutic range</i>
Plan for future work	
File name and version	der2_Refset_OutOfRangeIndicatorReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	15
Contact	help@nehta.gov.au

41 Physical force foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Physical force foundation reference set</i> provides the broadest possible terminology to support the recording of physical forces in Australian e-health implementations.
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for physical forces are yet to be developed. • As the basis for developing further use-case specific reference sets for physical forces, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to physical forces.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 32646006 <i>Electric field</i> • 263762005 <i>Friction</i>
Plan for future work	
File name and version	der2_Refset_PhysicalForceFoundationReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	20091130
Initial no. of members	171
Contact	help@nehta.gov.au

42 Physical object foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Physical object foundation reference set</i> provides the broadest possible terminology to support the recording of physical objects in Australian e-health implementations.
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for physical objects are yet to be developed. • As the basis for developing further use-case specific reference sets for physical objects, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to physical objects.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 40388003 <i>Implant, device</i> • 80278003 <i>Paediatric bed</i>
Plan for future work	
File name and version	der2_Refset_PhysicalObjectFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	4,433
Contact	help@nehta.gov.au

43 Problem/Diagnosis reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Problem/Diagnosis reference set</i> provides terminology to support the recording of a patient problem or diagnosis for medical records within Australia.
Scope	This reference set can be used within implementations of the <i>Problem/Diagnosis DCM</i> [8].
Target client	This reference set has been developed for those who are implementing the <i>Problem/Diagnosis DCM</i> .
Other clients	
Definitive bindings	The <i>Problem/Diagnosis reference set</i> is bound to the <i>Problem/Diagnosis</i> data element within the <i>Problem/Diagnosis DCM</i> .
Example of content	<ul style="list-style-type: none"> • 78275009 <i>Obstructive sleep apnoea</i> • 59771005 <i>Calculus of gallbladder with acute cholecystitis</i>
Plan for future work	
File name and version	der2_Refset_ProblemDiagnosisReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20110531
Initial no. of members	95515
Contact	help@nehta.gov.au

44 Procedure foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Procedure foundation reference set</i> provides the broadest possible terminology to support the recording of clinical interventions in Australian e-health implementations.
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for procedures are yet to be developed. • As the basis for developing further use-case specific reference sets for procedures, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to procedures.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 417215002 <i>Diagnostic palpation</i> • 134403003 <i>Urgent referral</i>
Plan for future work	
File name and version	der2_Refset_ProcedureFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	50,989
Contact	help@nehta.gov.au

45 Qualifier value foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Qualifier value foundation reference set</i> provides the broadest possible terminology to support the recording of qualifying information in Australian e-health implementations.
Scope	<p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for qualifying information are yet to be developed. • As the basis for developing further use-case specific reference sets for qualifying information, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content for qualifying information.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 129300006 Puncture - action • 263675000 Antenatal
Plan for future work	
File name and version	der2_Refset_QualifierValueFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	8,872
Contact	help@nehta.gov.au

46 Record artefact foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Record artefact foundation reference set</i> provides the broadest possible terminology to support the recording of record artefacts in Australian e-health implementations.
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for record artefacts are yet to be developed. • As the basis for developing further use-case specific reference sets for record artefacts, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to record artefacts.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 422432008 <i> Family history section </i> • 416868005 <i> Surgical intraoperative record </i>
Plan for future work	
File name and version	der2_Refset_RecordArtefactFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	199
Contact	help@nehta.gov.au

47 Related item relationship type reference set

Terminology	SNOMED CT-AU or AMT
Reference set developer	NCTIS
Description	The <i>Related item relationship type reference set</i> provides terminology to support the recording of the type of relationship that a related item (e.g. diagnosis or procedure) has with the problem/diagnosis being recorded.
Scope	This reference set can be used within implementations of the <i>Problem/Diagnosis DCM</i> [8].
Target client	This reference set is developed for those implementing the <i>Problem/Diagnosis DCM</i> .
Other clients	
Definitive bindings	The reference set is bound to the <i>Relationship Type</i> data element within the <i>Problem/Diagnosis DCM</i> .
Example of content	<ul style="list-style-type: none"> • 255234002 <i>Following</i> • 42752001 <i>Caused by</i>
Plan for future work	
File name and version	der2_Refset_RelatedItemRelationshipTypeReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20120531
Initial no. of members	2
Contact	help@nehta.gov.au

48 Relationship to subject of care reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Relationship to subject of care</i> reference set provides terminology to support the recording of how a person is associated with or related to the subject of care for clinical and administrative records within Australia.
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of information around how a person is associated with or related to the subject of care within a record. This reference set can be used within implementations of the DCMs that contain the <i>Relationship to Subject of Care</i> data element.
Target client	Implementers of DCMs and the <i>Participation Specification</i> [11].
Other clients	
Definitive bindings	This reference set is bound to the <i>Relationship to Subject of Care</i> data element within the <i>Participation Specification</i> .
Example of content	<ul style="list-style-type: none"> • 394859001 <i>Maternal grandmother</i> • 45929001 <i>Half-brother</i>
Plan for future work	
File name and version	der2_Refset_RelationshipToSubjectOfCareReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20110531
Initial no. of members	162
Contact	help@nehta.gov.au

49 Request test name reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Request test name reference set</i> provides suitable concepts for describing the name of a single pathology investigation or a panel of grouped pathology investigations that may be requested by a clinician.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p>
Scope	<p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Result Report SDT</i> [9].</p> <p>This reference set is identical to the <i>Result test name reference set</i>.</p>
Target client	NEHTA ePathology Programme.
Other clients	
Definitive bindings	This reference set is bound to the <i>Request Test Name</i> data element (DE-11017) which is under the <i>Request Detail</i> data group (DG-11002) within the <i>Pathology Result Report SDT</i> .
Example of content	<ul style="list-style-type: none"> • 71466003 Valproic acid measurement • 61594008 Microbial culture
Plan for future work	
File name and version	der2_Refset_RequestTestNameReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	1,522
Contact	help@nehta.gov.au

50 Respiratory finding reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Respiratory finding reference set</i> is a broad context reference set that supports the recording of respiratory findings in Australian e-health implementations. This reference set has been derived from the <i>Clinical finding foundation reference set</i> .
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for respiratory findings are yet to be developed. • As the basis for developing further use-case specific reference sets for respiratory findings, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to respiratory findings.
Target client	Australian e-health clinical information systems, for example, within Respiratory clinical groups.
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 421581006 <i>Pharyngeal swelling</i> • 312453004 <i>Asthma - currently active</i>
Plan for future work	This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings.
File name and version	der2_Refset_RespiratoryFindingReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20100531
Initial no. of members	3,920
Contact	help@nehta.gov.au

51 Result test name reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Result test name reference set</i> provides suitable concepts for describing the name of a single pathology investigation or a panel of grouped pathology investigations that may be requested by a clinician.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p>
Scope	<p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Result Report SDT</i> [9].</p> <p>This reference set is identical to the <i>Request test name reference set</i>.</p>
Target client	NEHTA ePathology Programme.
Other clients	
Definitive bindings	This reference set is bound to the <i>Result Test Name</i> data element (DE-11031) which is under the <i>Result Detail</i> data group (DG-11007) within the <i>Pathology Result Report SDT</i> .
Example of content	<ul style="list-style-type: none"> • 25514001 <i>Digoxin measurement</i> • 77020008 <i>Direct Coombs test</i>
Plan for future work	
File name and version	der2_Refset_ResultTestNameReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	1,522
Contact	help@nehta.gov.au

52 Route of administration reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Route of administration reference set</i> provides terminology to support the recording of the route by which medicines are to be administered for medications records within Australia.
Scope	This reference set can be used within implementations of the NEHTA Electronic Transfer of Medication Prescription, the <i>Medication Instruction and Action DCM</i> [10], and/or the <i>Adverse Reaction DCM</i> [4].
Target client	This reference set has been developed for those who are implementing the NEHTA Electronic Transfer of Prescription, or the <i>Medication Instruction and Action DCM</i> , or the <i>Adverse Reaction DCM</i> .
Other clients	
Definitive bindings	This reference set is bound to the <i>Route</i> data element in the <i>Medication Administration</i> data group within the <i>Medication Instruction and Action DCM</i> and the <i>Adverse Reaction DCM</i> .
Example of content	<ul style="list-style-type: none"> • 404820008 Epidural route • 26643006 Oral route
Plan for future work	This reference set is subject to further development based on feedback from implementations.
File name and version	der2_Refset_RouteOfAdministrationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20110531
Initial no. of members	154
Contact	help@nehta.gov.au

53 Sex reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Sex reference set</i> provides terminology to support the recording of the person's sex.
Scope	This reference set can be used within implementations of the <i>Participation Specification</i> [11].
Target client	This reference set has been developed for those who are implementing the <i>Participation Specification</i> .
Other clients	
Definitive bindings	The <i>Sex reference set</i> is bound to the <i>Sex</i> data element within the <i>Participation Specification</i> . However, this reference set may be suitable for use outside of that specification as required.
Example of content	<ul style="list-style-type: none"> • 248153007 Male • 248152002 Female
Plan for future work	
File name and version	der2_Refset_SexReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20110531
Initial no. of members	4
Contact	help@nehta.gov.au

54 Situation with explicit context foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Situation with explicit context foundation reference set</i> provides the broadest possible terminology to support the recording of clinical context-dependent information in Australian e-health implementations.
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for clinical context-dependent information are yet to be developed. • As the basis for developing further use-case specific reference sets for clinical context-dependent information, through a process of constraint. • As a benchmark, against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested, to assure that they are logical constraints of clinical context-dependent content.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 407625007 <i>Suspected epilepsy</i> • 428287001 <i>History of endocarditis</i>
Plan for future work	
File name and version	der2_Refset_SituationWithExplicitContextFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	3,066
Contact	help@nehta.gov.au

55 Skeletal system reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Skeletal system reference set</i> is a broad context reference set that provides terminology to support the recording of clinical information pertaining to the skeletal system in Australian e-health implementations. This reference set has been derived from the <i>Body structure foundation reference set</i> .
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for the skeletal system are yet to be developed. • As the basis for developing further use-case specific reference sets for the skeletal system, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to the skeletal system.
Target client	Australian e-health clinical information systems, for example, within Orthopaedic or Radiology groups.
Other clients	
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 62413002 <i>Bone structure of radius</i> • 56873002 <i>Bone structure of sternum</i>
Plan for future work	This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings.
File name and version	der2_Refset_SkeletalSystemReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	20100531
Initial no. of members	3,743
Contact	help@nehta.gov.au

56 Social context foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Social context foundation reference set</i> provides the broadest possible terminology to support the recording of information relating to social conditions and circumstances in Australian e-health implementations.
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for social context-dependent content are yet to be developed. • As the basis for developing further use-case specific reference sets for social context-dependent content, through a process of constraint. • As a benchmark against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of social context-dependent content.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 394571004 <i>Employer</i> • 236324005 <i>Factory worker</i>
Plan for future work	
File name and version	der2_Refset_SocialContextFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	4,793
Contact	help@nehta.gov.au

57 Specimen characteristic reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Specimen characteristic reference set</i> provides suitable concepts for describing the clinical findings on the initial morphological analysis of a specimen, identifying attributes that may impact upon the result.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and for the pathologist to interpret and report clearly and unambiguously on the results.</p>
Scope	<p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [5] and the <i>Pathology Result Report SDT</i> [9].</p>
Target client	NEHTA ePathology Programme.
Other clients	
Definitive bindings	<p>This reference set is bound to the <i>Specimen Received Issues</i> data element within the <i>Pathology Test Result DCM</i>.</p> <p>This reference set is also bound to the <i>Specimen Characteristic</i> data element of (DE-11015) which is under the <i>Specimen Detail</i> data group (DG-11005) within <i>Pathology Result Report SDT</i>.</p>
Example of content	<ul style="list-style-type: none"> • 281276009 <i>Sample cloudy</i> • 84567002 <i>Specimen obscured by blood</i>
Plan for future work	
File name and version	der2_Refset_SpecimenCharacteristicReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	33
Contact	help@nehta.gov.au

58 Specimen foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Specimen foundation reference set</i> provides the broadest possible terminology to support the recording of information about specimens that are obtained (usually from a patient) for examination or pathological analysis in Australian e-health implementations.
Scope	This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets with content relating to specimens are yet to be developed. • As the basis for developing further use-case specific reference sets for specimen content, through a process of constraint. • As a benchmark against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to specimens.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 119350003 <i>Calculus specimen</i> • 119297000 <i>Blood specimen</i>
Plan for future work	
File name and version	der2_Refset_SpecimenFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	1,236
Contact	help@nehta.gov.au

59 Specimen qualifier reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Specimen qualifier reference set</i> provides suitable concepts for qualifying a description of a specimen that is relevant to a pathology investigation and is required for the purpose of specimen collection, analysing or result reporting.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p>
Scope	<p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Result Report SDT</i> [9].</p>
Target client	NEHTA ePathology Programme.
Other clients	
Definitive bindings	This reference set is bound to the <i>Specimen Qualifier</i> data element (DE-11009) which is under the <i>Specimen Detail</i> data group (DG-11005) within the <i>Pathology Result Report SDT</i> .
Example of content	<ul style="list-style-type: none"> • 123027009 24 hours • 263675000 Antenatal
Plan for future work	
File name and version	der2_Refset_SpecimenQualifierReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	20091130
Initial no. of members	85
Contact	help@nehta.gov.au

60 Specimen quality reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Specimen quality reference set</i> provides suitable concepts for recording an indication of whether the specimen is suitable for the required laboratory tests. This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient. This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [5] and the <i>Pathology Result Report SDT</i> [9].
Target client	NEHTA ePathology Programme.
Other clients	
Definitive bindings	This reference set is bound to the <i>Adequacy for Testing</i> data element within the <i>Pathology Test Result DCM</i> . This reference set is also bound to the <i>Specimen Quality</i> data element (DE-11016) which is under the <i>Specimen Detail</i> data group (DG-11005) within the <i>Pathology Result Report SDT</i> .
Example of content	<ul style="list-style-type: none"> • 125152006 <i>/Specimen satisfactory for evaluation/</i> • 125154007 <i>/Specimen unsatisfactory for evaluation/</i>
Plan for future work	
File name and version	der2_Refset_SpecimenQualityReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	2
Contact	help@nehta.gov.au

61 Specimen type reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Specimen type reference set</i> provides suitable concepts for describing the sample to be collected or tested in a pathology investigation.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p>
Scope	<p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>Content has been constrained with respect to reusability and the information models to which this reference set is bound.</p> <p>This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [5] and the <i>Pathology Result Report SDT</i> [9].</p>
Target client	This reference set is developed for those who are implementing the <i>Pathology Test Result DCM</i> or the <i>Pathology Result Report SDT</i> .
Other clients	NEHTA ePathology Programme.
Definitive bindings	<p>This reference set is bound to the <i>Specimen Type</i> data element (DE-11008) which is under the:</p> <ul style="list-style-type: none"> • <i>Specimen Detail</i> data group (DG-11005) within the <i>Pathology Result Report SDT</i>; and the • <i>Pathology Test Specimen Detail</i> data group (DG-16156) within the <i>Pathology Test Result DCM</i>. The data element is named <i>Specimen Tissue Type</i> in this DCM.
Example of content	<ul style="list-style-type: none"> • 119373006 Amniotic fluid specimen • 119350003 Calculus specimen
Plan for future work	
File name and version	der2_Refset_SpecimenTypeReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	102
Contact	help@nehta.gov.au

62 Staging and scales foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Staging and scales foundation reference set</i> provides the broadest possible terminology to support the recording of information about tumour staging and assessment scales in Australian e-health implementations.
Scope	<p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for tumour staging and assessment scales are yet to be developed. • As the basis for developing further use-case specific reference sets for tumour staging and assessment scales, through a process of constraint. • As a benchmark against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to tumour staging and assessment scales.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	106241006 <i>Gleason grading system for prostatic cancer</i>
Plan for future work	
File name and version	der2_Refset_StagingAndScalesFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	1,196
Contact	help@nehta.gov.au

63 Substance foundation reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Substance foundation reference set</i> provides the broadest possible terminology to support the recording of substances in Australian e-health implementations.
Scope	<p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for substances are yet to be developed. • As the basis for developing further use-case specific reference sets for substances, through a process of constraint. • As a benchmark against which use-case specific reference sets that have been developed by the SNOMED CT-AU user community can be tested to assure that they are logical constraints of content relating to substances.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is not bound to any specific clinical information specifications.
Example of content	<ul style="list-style-type: none"> • 52454007 Albumin • 59905008 Isoantibody
Plan for future work	
File name and version	der2_Refset_SubstanceFoundationReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	23,618
Contact	help@nehta.gov.au

64 Substance to SNOMED CT-AU mapping reference set

Terminology	AMT
Reference set developer	NCTIS
Description	<p>The <i>Substance to SNOMED CT-AU mapping reference set</i> is developed for the implementers of AMT, SNOMED CT-AU and NEHTA DCMs to enable development of decision support systems.</p> <p>AMT and SNOMED CT-AU are currently separate terminologies; therefore the relationships between AMT products, their ingredients, and SNOMED CT-AU substances are not stated. The AMT <i>Substance to SNOMED CT-AU mapping reference set</i> will contain all AMT substances that are used in a modelled AMT product with a corresponding equivalent or supertype (i.e. the nearest relevant parent concept) map to a substance in SNOMED CT-AU.</p>
Scope	This reference set can be used by decision support systems to link adverse reaction substances (recorded using SNOMED CT-AU) to AMT products with equivalent substances, and can assist with prescribing alerts.
Target client	This reference set has been developed for those who are implementing decision support systems in conjunction with the NEHTA specifications.
Other clients	N/A
Definitive bindings	N/A
Example of content	<p>Nicotine in AMT: 2393011000036109 <i>nicotine (AU substance)</i> is mapped to</p> <p>Nicotine in SNOMED CT-AU: 68540007 <i>Nicotine (substance)</i> </p>
Plan for future work	<p>This reference set is subject to further development based on feedback from implementations.</p> <p>Monthly maintenance is performed on this reference set to ensure new AMT substances are mapped to SNOMED CT-AU substances.</p> <p>With future SNOMED CT-AU releases it is planned to further improve the coverage of substances through content submissions to the IHTSDO. This will effectively reduce supertype mappings by increasing equivalent mappings.</p>
File name and version	der2_csRefset_SubstanceToSnomedCtauMappingReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	20120330
Initial number of active members	2015
Contact	help@nehta.gov.au

65 Testing method reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Testing method reference set</i> provides suitable concepts for describing the analytical methods that may be used to complete a pathology investigation.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p>
Scope	<p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [5] and the <i>Pathology Result Report SDT</i> [9].</p>
Target client	NEHTA ePathology Programme.
Other clients	
Definitive bindings	<p>This reference set is bound to the <i>Testing Method</i> data element within the <i>Pathology Test Result DCM</i>.</p> <p>This reference set is also bound to the <i>Testing Method</i> data element (DE-11025) which is under the <i>Structured Result Entry</i> data group (DG-11008) within the <i>Pathology Result Report SDT</i>.</p>
Example of content	<ul style="list-style-type: none"> • 67047002 <i>Microbial wet smear</i> • 117036006 <i>Alcian blue stain method</i>
Plan for future work	
File name and version	der2_Refset_TestingMethodReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	1,276
Contact	help@nehta.gov.au

66 Therapeutic good benefit eligibility reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Therapeutic good benefit eligibility reference set</i> provides terminology for the <i>Medical Benefit Category Type</i> data element within the <i>ePrescription SDT</i> [12] and the <i>Prescription Request SDT</i> [13].
Scope	This reference set can be used within implementations of the <i>Medication Instruction and Action DCM</i> [10], <i>ePrescription SDT</i> and <i>Prescription Request SDT</i> .
Target client	This reference set has been developed for those who are implementing the <i>ePrescription SDT</i> and <i>Prescription Request SDT</i> .
Other clients	
Definitive bindings	This reference set is bound to the <i>Medical Benefit Category Type</i> data element which is within the <i>ePrescription SDT</i> and <i>Prescription Request SDT</i> . This reference set is also bound to the <i>Concessions Benefit</i> data element within the <i>Medication Instruction and Action DCM</i> .
Example of content	<ul style="list-style-type: none"> • 32570831000036108 Eligible for PBS subsidy • 32570861000036102 Not eligible for a pharmaceutical subsidy
Plan for future work	
File name and version	der2_Refset_TherapeuticGoodBenefitEligibilityReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20110531
Initial no. of members	4
Contact	help@nehta.gov.au

67 Therapeutic good claim category reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	The <i>Therapeutic good claim category reference set</i> provides terminology for the <i>Claim Category Type</i> data element within the <i>Dispense Record</i> specification.
Scope	This reference set can be used within implementations of the <i>Medication Instruction and Action DCM</i> [10] and the <i>Dispense Record SDT</i> [14].
Target client	This reference set has been developed for those who are implementing the <i>Dispense Record SDT</i> .
Other clients	
Definitive bindings	This reference set is bound to the <i>Claim Category Type</i> data element within the <i>Dispense Record SDT</i> and the <i>Medication Instruction and Action DCM</i> .
Example of content	<ul style="list-style-type: none"> • 32570741000036106 <i>General PBS benefit</i> • 32570781000036102 <i>RPBS benefit</i>
Plan for future work	
File name and version	der2_Refset_TherapeuticGoodClaimCategoryReleaseType_AU1000036_YYYYMMDD.txt
Date of initial release	20110531
Initial no. of members	6
Contact	help@nehta.gov.au

68 Trade product pack reference set

Terminology	AMT
Reference set developer	NCTIS
Description	The <i>Trade product pack reference set</i> provides terminology to describe in a health record the packaged product (medication) that is supplied for direct patient use.
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is bound to the following data elements within specific DCMs: <ul style="list-style-type: none"> • The Medicine data element within the Medication Instruction and Action DCM [10]. • The Substance/Agent data element within the Adverse Reaction DCM [4]. • The Specific Substance/Agent data element within the Adverse Reaction DCM.
Example of content	<ul style="list-style-type: none"> • 12167011000036107 <i>Adalat 20 mg tablet: film-coated, 60 tablets</i> • 11482011000036107 <i>Diazepam USP (DBL) 10 mg/2 ml injection: solution, 5 x 2 ml ampoules</i>
Plan for future work	
File name and version	der2_cRefset_TradeProductPackReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	v2.21 March 2011
Initial no. of members	11,935
Contact	help@nehta.gov.au

69 Trade product reference set

Terminology	AMT
Reference set developer	NCTIS
Description	The <i>Trade product reference set</i> provides terminology to describe in a health record the product (medication) brand name or the grouping of products into a "family", for either single component products or components of multi-component products.
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is bound to the following data elements within specific DCMs: <ul style="list-style-type: none"> • The <i>Medicine</i> data element within the <i>Medication Instruction and Action DCM</i> [10]. • The <i>Substance/Agent</i> data element within the <i>Adverse Reaction DCM</i> [4]. • The <i>Specific Substance/Agent</i> data element within the <i>Adverse Reaction DCM</i>.
Example of content	<ul style="list-style-type: none"> • 65136011000036105 <i>Brolene Eye Drops</i> • 3422011000036106 <i>Pepzan</i>
Plan for future work	
File name and version	der2_cRefset_TradeProductReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	v2.21 March 2011
Initial no. of members	3,994
Contact	help@nehta.gov.au

70 Trade product unit of use reference set

Terminology	AMT
Reference set developer	NCTIS
Description	The <i>Trade product unit of use reference set</i> provides terminology to describe in a health record a single dose unit of a finished dose form that contains a specified amount of an active ingredient substance and is grouped within a particular Trade Product.
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions.
Target client	NCTIS
Other clients	Australian e-health clinical information systems.
Definitive bindings	This reference set is bound to the following data elements within specific DCMs: <ul style="list-style-type: none"> • The Medicine data element within the Medication Instruction and Action DCM [10]. • The Substance/Agent data element within the Adverse Reaction DCM [4]. • The Specific Substance/Agent data element within the Adverse Reaction DCM.
Example of content	<ul style="list-style-type: none"> • 6355011000036103 Alprim (trimethoprim 300 mg) tablet: uncoated, 1 tablet • 65669011000036108 Nurofen (ibuprofen 5% (50 mg/g)) gel
Plan for future work	
File name and version	der2_cRefset_TradeProductUnitOfUseReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	v2.21 March 2011
Initial no. of members	8,031
Contact	help@nehta.gov.au

71 Unexpected result indicator reference set

Terminology	SNOMED CT-AU
Reference set developer	NCTIS
Description	<p>The <i>Unexpected result indicator reference set</i> provides suitable concepts for recording an indication of the degree of diagnostic significance associated with a pathology investigation result based on all the available clinical information.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p>
Scope	This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.
Target client	NEHTA ePathology Programme.
Other clients	
Definitive bindings	This reference set is bound to the <i>Unexpected Result Indicator</i> data element (DE-11027) which is under the <i>Structured Result Entry</i> data group (DG-11008) within the <i>Pathology Result Report SDT</i> [9].
Example of content	<ul style="list-style-type: none"> • 394845008 Potentially abnormal • 260369004 Increasing
Plan for future work	
File name and version	der2_Refset_UnexpectedResultIndicatorReleaseType_AU1000036_yyyymmdd.txt
Date of initial release	20091130
Initial no. of members	28
Contact	help@nehta.gov.au

References

1. NEHTA. *AMT v3 Development Approach for Reference Sets*. Sydney: NEHTA; 2015. Available from: <http://www.nehta.gov.au/implementation-resources/ehealth-foundations/australian-medicines-terminology-common>.
2. NEHTA. *Development approach for reference sets: SNOMED CT-AU*. Sydney: NEHTA; 2015. 20150531 release. Available from: <http://www.nehta.gov.au/implementation-resources/ehealth-foundations/snomed-ct-au-common>.
3. NEHTA. *Australian Implementation Guidance: SNOMED CT-AU*. Sydney: NEHTA; 2015. 20150531 release. Available from: <http://www.nehta.gov.au/implementation-resources/ehealth-foundations/snomed-ct-au-common>.
4. NEHTA. *Adverse Reaction Detailed Clinical Model Specification*. Sydney: NEHTA; 2011. v3.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
5. NEHTA. *Pathology Test Result Detailed Clinical Model Specification*. Sydney: NEHTA; 2011. v2.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
6. NEHTA. *Imaging Examination Result Detailed Clinical Model Specification*. Sydney: NEHTA; 2011. v2.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
7. NEHTA. *Procedure Detailed Clinical Model Specification*. Sydney: NEHTA; 2011. v3.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
8. NEHTA. *Problem/Diagnosis Detailed Clinical Model Specification*. Sydney: NEHTA; 2011. v3.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
9. NEHTA. *Pathology Result Report Structured Document Template*. Sydney: NEHTA; 2009. v1.0. Available from: https://www.nehta.gov.au/component/docman/doc_details/776-pathology-result-report-structured-document-template-v1-0-20090630?Itemid.
10. NEHTA. *Medication Instruction and Action Detailed Clinical Model Specification*. Sydney: NEHTA; 2013. v2.2. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
11. NEHTA. *Participation Data Specification*. Sydney: NEHTA; 2011. v3.2. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/participation-data-specification>.
12. NEHTA. *ePrescription Structured Document Template*. Sydney: NEHTA; 2010. v3.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/electronic-transfer-of-prescription>.
13. NEHTA. *Prescription Request Structured Document Template*. Sydney: NEHTA; 2010. v1.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/electronic-transfer-of-prescription>.
14. NEHTA. *Dispense Record Structured Document Template*. Sydney: NEHTA; 2010. v3.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/electronic-transfer-of-prescription>.
15. IHTSDO. *SNOMED CT Technical Implementation Guide*. Copenhagen: IHTSDO; 2015. January 2015 release. Available from: <http://www.snomed.org/doc>.