

### e-Discharge Summary CDA Implementation Guide

7 March 2012 v3.4 Approved for external use Document ID: NEHTA-0960:2012 Australian Digital Health Agency ABN 84 425 496 912, Level 25, 175 Liverpool Street, Sydney, NSW 2000 Telephone 1300 901 001 or email <u>help@digitalhealth.gov.au</u> www.digitalhealth.gov.au

#### Acknowledgements

The Australian Digital Health Agency is jointly funded by the Australian Government and all state and territory governments.

#### **Regenstrief Institute (LOINC)**

This material contains content from LOINC (<u>http://loinc.org</u>). LOINC is copyright © 1995–2025, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at <u>http://loinc.org/license</u>. LOINC® is a registered United States trademark of Regenstrief Institute, Inc.

#### **IHTSDO (SNOMED CT)**

This material includes SNOMED Clinical Terms<sup>™</sup> (SNOMED CT<sup>®</sup>) which is used by permission of the International Health Terminology Standards Development Organisation (IHTSDO). All rights reserved. SNOMED CT<sup>®</sup> was originally created by The College of American Pathologists. "SNOMED" and "SNOMED CT" are registered trademarks of the IHTSDO.

#### **HL7** International

This document includes excerpts of HL7<sup>TM</sup> International standards and other HL7 International material. HL7 International is the publisher and holder of copyright in the excerpts. The publication, reproduction and use of such excerpts is governed by the <u>HL7 IP Policy</u> and the HL7 International License Agreement. HL7 and CDA are trademarks of Health Level Seven International and are registered with the United States Patent and Trademark Office.

#### Disclaimer

The Australian Digital Health Agency ("the Agency") makes the information and other material ("Information") in this document available in good faith but without any representation or warranty as to its accuracy or completeness. The Agency cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

#### **Document control**

This document is maintained in electronic form and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is the latest revision.

#### Copyright © 2025 Australian Digital Health Agency

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means – graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems – without the permission of the Australian Digital Health Agency. All copies of this document must include the copyright and other information contained on this page.

#### OFFICIAL

#### **Document information**

#### Key information

Owner	Director, Interoperability Products	
Contact for enquiries	Australian Digital Health Agency Help Centre	
	Phone	<u>1300 901 001</u>
	Email	help@digitalhealth.gov.au

#### Product or document version history

Product or document version	Date	Release comments
3.4	07 March 2012	
3.4	06 June 2025	The document presentation has been enhanced to align with current branding guidelines, however the content has not been changed.

#### **Related documents**

Name	Version / Release Date
e-Discharge Summary Structured Document Template	Version 3.4
Business Requirements Specification	Discharge Summary Release 1.0 Version 0.14, Issued 31 July 2009
e-Discharge Summary - Core Information Components	Version 1.0, Release 1.1, Issued 30 August 2010
Pathology Result Report Structured Document Template	Version 1.0, Issued 30 June 2009
Participation Data Specification	Version 3.2, Issued 20 July 2011

#### Transition of terms

Certain terms used within the context of this document have changed. The table provides a clear comparison of the historical terms used in text and their current equivalents for your reference.

Historical term	Current term
National eHealth Transition Authority (NEHTA)	The Australian Digital Health Agency (ADHA)

Page is intentionally left blank

### Table of Contents

1. Introduction	1
1.1. Document Purpose and Scope	1
1.2. e-Discharge Summary Definition	1
1.3. HL7 Clinical Document Architecture	1
1.4. Intended Audience	2
1.5. Document Map	2
1.6. Acronyms	3
1.7. Keywords	3
1.8. Conformance	4
1.9. Known Issues	5
2. Guide for Use	7
2.1. Clinical Document Architecture Release 2	7
2.2. Mapping Interpretation	9
2.3. CDA Extensions	19
2.4. W3C XML Schema	20
2.5. Schematron	21
2.6. Implementation Strategies	22
3. e-Discharge Summary Data Hierarchy	23
4. Administrative Observations	
5. CDA Header	37
5.1. ClinicalDocument	
5.1.1. LegalAuthenticator	42
5.1.2. InformationRecipient	
5.1.3. Custodian	54
6. Context Data Specification - CDA Mapping	59
6.1. e-Discharge Summary	59
6.1.1. DOCUMENT AUTHOR	63
6.1.2. SUBJECT OF CARE	70
6.1.3. FACILITY	87
7. Content Data Specification - CDA Mapping	93
7.1. e-Discharge Summary	93
7.1.1. EVENT	97
7.1.1.1. ENCOUNTER	101
7.1.1.1.1. RESPONSIBLE HEALTH PROFESSIONAL AT TIME OF DISCHARGE	
7.1.1.1.2. OTHER PARTICIPANT	115
7.1.1.2. PROBLEMS/DIAGNOSES THIS VISIT	
7.1.1.2.1. EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES	127
7.1.1.2.2. PROBLEM/DIAGNOSIS	132
7.1.1.3. CLINICAL INTERVENTIONS PERFORMED THIS VISIT	137
7.1.1.4. CLINICAL SYNOPSIS	142
7.1.1.5. DIAGNOSTIC INVESTIGATIONS	147
7.1.1.5.1. PATHOLOGY TEST RESULT	151
7.1.1.5.1.1. TEST SPECIMEN DETAIL	163
7.1.1.5.1.2. PATHOLOGY TEST RESULT GROUP	175
7.1.1.5.1.2.1. RESULT GROUP SPECIMEN DETAIL	
7.1.1.5.2. IMAGING EXAMINATION RESULT	
7.1.1.5.2.1. IMAGING EXAMINATION RESULT GROUP	
7.1.1.5.2.2. EXAMINATION REQUEST DETAILS	
7.1.2. MEDICATIONS	
7.1.2.1. CURRENT MEDICATIONS ON DISCHARGE	
7.1.2.1.1. EXCLUSION STATEMENT - MEDICATIONS	
7.1.2.1.2. THERAPEUTIC GOOD	241
7.1.2.2. CEASED MEDICATIONS	
7.1.2.2.1. EXCLUSION STATEMENT - MEDICATIONS	
7.1.2.2.2. THERAPEUTIC GOOD	
7.1.3.1.1. NOMINATED PRIMARY HEALTHCARE PROVIDER	

7.1.3.1.1.1. NOMINATED PRIMARY HEALTHCARE PROVIDER - PERSON	278
7.1.3.1.1.2. NOMINATED PRIMARY HEALTHCARE PROVIDER - ORGANISATION	283
7132 ADVERSE REACTIONS	288
7 1 3 2 1 EXCLUSION STATEMENT - ADVERSE REACTION	292
7 1 3 2 2 ADVERSE REACTION	298
7 1 3 3 AI FRTS	305
	211
	321
7.1.4.2. RECORD OF RECOMMENDATIONS AND INFORMATION PROVIDED	
7.1.4.2.1. RECOMMENDATIONS PROVIDED.	
7.1.4.2.1.1. RECOMMENDATION RECIPIENT.	
7.1.4.2.1.1.1. RECOMMENDATION RECIPIENT - PERSON	345
7.1.4.2.1.1.2. RECOMMENDATION RECIPIENT - ORGANISATION	351
7.1.4.2.2. INFORMATION PROVIDED	356
8. Common Patterns	
8.1. code	
8.2. id	
8.3. time	
8.4. Entity Identifier	
8.5. Person Name	
8.6. Address	
8.7. Electronic Communication Detail	
8.8. Employment	
9. Australian CDA Extensions	381
9 1 ClinicalDocument completionCode	
9.2 EntityIdentifier	
9.3 Entitlement	384
9.0. Endicine Rinth	385
9.4. Multiple Difut	386
9.0. Aufilitistrative Genuer Code	
9.0. Dituit Tille	
9.7. Deceased Time	
9.8. Employment	
9.9. Qualifications	
9.10. Container	
10. Vocabularies/Code Sets	
10.1. HL7 v3: TelecommunicationAddressUse	
10.2. AS 5017-2006 Health Care Client Identifier Sex	
10.3. AS 5017-2006: Health Care Client Name Usage	
10.4. AS 4846-2006: Health Care Provider Organisation Name Usage	
10.5. AS 5017-2006: Health Care Client Source of Death Notification	
10.6. AS 5017-2006: Health Care Client Identifier Address Purpose	
10.7. AS 5017-2006: Health Care Client Identifier Geographic Area	
10.8. AS 5017-2006: Health Care Client Electronic Communication Medium	
10.9. AS 5017-2006: Health Care Client Electronic Communication Usage Code	
10.10. AS 5017-2006 Australian State/Territory Identifier - Postal	403
10.11. AS 5017-2006 Health Care Client Identifier Date Accuracy Indicator	
10.12. NCTIS: Admin Codes - Document Status	
10.13. NCTIS: Admin Codes - Global Statement Values	
10.14. NCTIS: Admin Codes - Entitlement Type	408
10 15 HI 7 v2 4 <sup>·</sup> Table 0123 Result Status	400 م <u>م</u> لا
10.16. HI 7 v3 CDA: Act moodCode	
10.17. HL7 V3 CDA. Additiouououe	410 114
10.12 OIDe	
10.10. METAOD 201026: Indiannous Status	
10.13. IVIETEUR 231030. ITIUIYETIOUS SIGIUS	
10.20. NG HS: Admin Godes - Kesuit Status	
10.21. HL/ V3: ObservationInterpretationNormality	415

A. CDA Narratives	417
B. Log of Changes	419
Reference List	443

Page is intentionally left blank

## List of Examples

2.1. Mapping Interpretation	16
4.1. Administrative Observations XML Fragment	36
5.1. ClinicalDocument Body XML Fragment	41
5.2. LegalAuthenticator XML Fragment	46
5.3. InformationRecipient XML Fragment	52
5.4. Custodian Body XML Fragment	57
6.1. e-Discharge Summary Context XML Fragment	62
6.2. Document Author XML Fragment	68
6.3. Subject of Care XML Fragment	83
6.4. Facility XML Fragment	91
7.1. e-Discharge Summary Body XML Fragment	96
7.2. Event XML Fragment	100
7.3. Encounter XML Fragment	
7.4. Responsible Health Professional at Time of Discharge XML Fragment	113
7.5. Other Participant XML Fragment	120
7.6. Problems Diagnoses This Visit XML Fragment	126
7.7. Exclusion Statement - Problems and Diagnoses XML Fragment	130
7.8. Problem/Diagnosis XML Fragment	135
7.9. Clinical Interventions Performed This Visit XML Fragment	140
7.10. Clinical Synopsis XML Fragment	145
7.11. Diagnostic Investigations XML Fragment	150
7.12. Pathology Test Result XML Fragment	159
7.13. Test Specimen Detail XML Fragment	171
7.14. Pathology Test Result Group XML Fragment	181
7.15. Result Group Specimen Detail XML Fragment	
7.16. Imaging Examination Result XML Fragment	204
7.17. Imaging Examination Result Group XML Fragment	214
7.18. Imaging Examination Result XML Fragment	
7.19. Medications XML Fragment	231
7.20. Current Medications on Discharge XML Fragment	235
7.21. Exclusion Statement - Medications XML Fragment	239
7.22. Therapeutic Good XML Fragment	250
7.23. Ceased Medications XML Fragment	
7.24. Exclusion Statement - Medications XML Fragment	
7.25. Therapeutic Good XML Fragment	
7.26. Health Profile XML Fragment	
7.27. Nominated Primary Healthcare Provider - Person XML Fragment	
7.28. Nominated Primary Healthcare Provider - Organisation XML Fragment	
7.29. Adverse Reactions XML Fragment	291
7.30. Exclusion Statement - Adverse Reaction XML Fragment	
7.31. Adverse Reaction XML Fragment	
7.32. Alerts XML Fragment	
7.33. Plan XML Fragment	
7.34. Arranged Services XML Fragment	
7.35. Service Provider - Person XML Fragment	
7.36. Service Provider - Organisation XML Fragment	
7.37. Record of Recommendations and Information Provided XML Fragment	
7.38. Recommendations Provided XML Fragment	
7.39. Recommendation Recipient - Person XML Fragment	
7.40. Recommendation Recipient - Organisation XML Fragment	
7.41. Information Provided XML Fragment.	
8.1. code	
8.2. id	
8.3. Simple timestamp	364
8.4. Low time	
8.5. Interval timestamp 1	
8.6. Interval timestamp 2	365
8.7. Width time	365

8.8. Entity Identifier	367
8.9. Person Name	369
8.10. Address	374
8.11. Electronic Communication Detail	376
8.12. Employment	379
10.1. All values	393
10.2. One value	393

# **1** Introduction

# **1.1 Document Purpose and Scope**

The purpose of this document is to provide a guide to implementing the 'logical' model detailed by NEHTA's e-Discharge Summary Structured Document Template (eDS SDT) as an HL7 Clinical Document Architecture Release 2 (CDA) XML document. This guide is based on Version 3.3 of the eDS SDT [NEHT2011br]. The primary aim of the guide is to take implementers step by step through mapping each data component of the eDS SDT to a corresponding CDA attribute or element.

The guide contains descriptions of both constraints on the CDA and, where necessary, custom extensions to the CDA, for the purposes of fulfilling the requirements for Australian implementations of an e-Discharge Summary. The resulting CDA document would be used for the electronic exchange of e-Discharge Summaries between healthcare providers.

In addition, this guide presents conformance requirements against which implementers can attest the conformance of their systems.

This release is intended to inform and seek feedback from prospective software system designers and their clinical consultants. The content of this release is not suitable for implementation in live clinical systems. The National Clinical Terminology and Information Service (NCTIS) values your questions, comments and suggestions about this document. Please direct your questions or feedback to <u>help@digitalhealth.gov.au</u>.

# **1.2 e-Discharge Summary Definition**

A e-Discharge Summary is defined in eDS SDT [NEHT2011br] as:

A collection of information about events during care by a provider or organisation, which is released when the subject of care is discharged from the care of the provider organisation.

# **1.3 HL7 Clinical Document Architecture**

CDA is a document markup standard that specifies the structure and semantics of clinical documents for the purpose of exchange and unambiguous interpretation both at human and system levels.

CDA has been chosen as the format for electronic clinical documents, as it is consistent with NEHTA's commitment to a service and document oriented approach to electronic information exchange, contributing to future electronic health records.

Some of the advantages of CDA are:

- It is machine computable and human readable.
- It provides a standardised display of clinical information without loss of clinical meaning.
- It provides assurance of clinical quality and safety more effectively than message-based interfaces by storing and displaying the clinical data as entered by the clinician.
- It provides better support than HL7 V2 messages for:
  - · more complex information structures, such as pathology synoptic reporting; and
  - terminologies such as SNOMED CT-AU®.<sup>1</sup>

<sup>&</sup>lt;sup>1</sup>SNOMED CT-AU® is a registered trademark of the International Health Terminology Standards Development Organisation.

- It supports legal attestation by the clinician (requiring that a document has been signed manually or electronically by the responsible individual).
- It is able to be processed by unsophisticated applications (displayed in web browsers, for instance).
- It provides a number of levels of compliance to assist with technical implementation and migration.
- It aligns Australia with e-health initiatives in other countries (such as Canada, UK, USA, Brazil, Germany and Finland).

### **1.4 Intended Audience**

This document is intended to be read and understood by software architects and developers, implementers of Clinical Information Systems in various healthcare settings, IT-aware clinicians who wish to evaluate the clinical suitability of NEHTA-endorsed standards and researchers who wish to explore certain aspects of NEHTA-endorsed standards.

This document and related artefacts are very technical in nature and the audience is expected to be familiar with the language of health data specifications and to have some familiarity with health information standards and specifications such as CDA, and "Standards Australia AS 4700.6" [SA2007a]. Definitions and examples are provided to clarify relevant terminology usage and intent.

### 1.5 Document Map

This Implementation Guide is not intended to be used in isolation. Companion documents are listed below:



1. Data Types in NEHTA Specifications [NEHT2010c] - a detailed description of the data types used within the Structured Document Template.

2. Participation Data Specification [NEHT2011v] – contains the full specification which forms the basis of all participations contained in NEHTA Structured Document Templates.

3. e-Discharge Summary – Structured Document Template [NEHT2011br] – clinical content specification describing the logical data structures, data components, and value domains which constitute an e-Discharge Summary.

### **1.6 Acronyms**

CDA	Clinical Document Architecture
UUID	Universally Unique Identifier
HL7	Health Level Seven
RIM	Reference Information Model
SDT	Structured Document Template
XHTML	Extensible Hypertext Markup Language
XML	Extensible Markup Language
XSL	Extensible Stylesheet Language

For a complete listing of all relevant acronyms, abbreviations and a glossary of terms please refer to "NEHTA Acronyms, Abbreviations and Glossary of Terms, Version 1.2" [NEHT2005a].

## 1.7 Keywords

Where used in this document, the keywords **SHALL**, **SHOULD**, **MAY**, **SHALL NOT** and **SHOULD NOT** are to be interpreted as described in "Key words for use in RFCs to Indicate Requirement Levels" [RFC2119].

Keywords	used	in this	document
----------	------	---------	----------

Keyword	Interpretation
SHALL	This word, or the terms ' <b>REQUIRED</b> ' or ' <b>MUST</b> ', means that the definition is an absolute requirement of the specification.
SHOULD	This word, or the adjective ' <b>RECOMMENDED</b> ', means that there may exist valid reasons in particular circumstances to ignore a particular item, but the full implications must be understood and carefully weighed before choosing a different course.
MAY	This word, or the adjective ' <b>OPTIONAL</b> ', means that an item is truly optional. One implementer may choose to include the item because a particular implementation requires it, or because the implementer determines that it enhances the implementation while another implementer may omit the same item. An implementation which does not include a particular option must be prepared to interoperate with another implementation which does include the option, perhaps with reduced functionality. In the same vein, an implementation which does not include a particular option must be prepared to interoperate with another implementation which does include the option (except of course, for the feature the option provides).
SHALL NOT	This phrase, or the phrase ' <b>MUST NOT</b> ' means that the definition is an absolute prohibition of the specification.
SHOULD NOT	This phrase, or the phrase ' <b>NOT RECOMMENDED</b> ' means that there may exist valid reasons in partic- ular circumstances when the particular behaviour is acceptable or even useful, but the full implications should be understood and the case carefully weighed before implementing any behaviour described with this label.

# **1.8 Conformance**

This document describes how an e-Discharge Summary SDT is implemented as a CDA document. Conformance claims are not made against this Implementation Guide directly; rather, they are made against additional conformance profiles documented elsewhere. Any document that claims conformance to any derived conformance profile must meet these base requirements:

- It SHALL be a valid HL7 CDA instance. In particular:
  - It SHALL be valid against the HL7 CDA Schema (once extensions have been removed, see W3C XML Schema).
  - It **SHALL** conform to the HL7 V3 R1 data type specification.
  - It **SHALL** conform to the semantics of the RIM and Structural Vocabulary.
  - It **SHALL** render correctly using the HL7 provided CDA transform.
- It **SHALL** be valid against the Australian CDA Schema that accompanies this specification after any additional extension not in the NEHTA extension namespace have been removed, along with any other CDA content no described by this implementation guide.
- It SHALL use the mappings as they are stated in this document.
- It SHALL use all fixed values as specified in the mappings. (e.g. @attribute="FIXED\_VALUE").
- If the vocabulary has been explicitly stated as 'NS' it must be interpreted as:

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>HL7 code set registration procedure</u><sup>2</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they **SHALL** be used and the non-standard code sets **SHALL** be deprecated.

- It **SHALL** be valid against the additional conformance requirements that are established in this document (i.e. any use of the word "SHALL" in uppercase and bold typeface).
- The narrative SHALL conform to the requirements described in this guide.
- The document SHALL conform to the requirements specified in the CDA Rendering Specification.
- The data as contained in the data types SHALL conform to the additional data type specification [NEHT2010c].
- Any additional content included in the CDA document that is not described by this implementation guide **SHALL** not qualify or negate content described by this guide and it **SHALL** be clinically safe for receivers of the document to ignore the non-narrative additions when interpreting the existing content.

A system that *consumes* e-Discharge Summary CDA documents may claim conformance if it correctly processes conformant instance documents, including correctly understanding all the information in the header. It may, but is not required to, reject non-conformant documents. Conformant systems that consume e-Discharge Summary CDA documents are not required to process any or all of the structured data entries in the CDA document but they **SHALL** be able to correctly render the document for end-users when appropriate (see 2.1 Clinical Document Architecture Release 2).

Conformance Profiles of this document may make additional rules that override this document in regard to:

- · Allowing the use of alternative value sets in place of the value sets specified in this document
- Allowing the use of alternative identifiers in place of the HI Service identifiers
- Making required data elements and/or section divisions optional

<sup>&</sup>lt;sup>2</sup> http://www.hl7.org/oid/index.cfm?ref=footer

# **1.9 Known Issues**

This section lists known issues with this specification at the time of publishing. NEHTA are working on solutions to these issues, but we encourage and invite comments to further assist the development of these solutions.

Reference	Description
Document Status	As a NEHTA Managed Specification, the contents of this document are the result of extensive clinical collaboration and editorial review, and the specification is considered to be 'Final'. Nonetheless, as software implementations and standards review of this specification progress, normative updates may be required.
See the section called "CDA Mapping" > Relationship to Subject of Care	Relationship to Subject of Care is currently not mapped.
See the section called "CDA Mapping" > Care Setting	This data group is currently not mapped to CDA.
See the section called "CDA Mapping" > Health Event Identification	This data group is currently not mapped to CDA.
AS 5017-2006: Health Care Client Identifier Geographic Area	The Health Care Client Identifier Geographic Area vocabulary table lists displayName, code, codeSystem- Name and codeSystem while only the displayName is used in the mapping. Verification of using only the display- Name needs to be performed.
Throughout document	Australian vs American spelling - in cases where definitions have been taken from HL7 documentation, the American spelling has been preserved, e.g. organization rather than organisation.
Thoughout document	While every effort has been taken to ensure that the ex- amples are consistent with consistent with the normative mappings in this message specification, care need to be taken when copying XML examples for implementation and validation.

Page is intentionally left blank

# 2 Guide for Use

This document describes how to properly implement the Australian eDS SDT as a conformant HL7 CDA XML document. The e-Discharge Summary is built in two parts:

- 1. A Structured Document Template (SDT), which, in conjunction with its related documents (see Document Map), describes the e-Discharge Summary, in a form that is consistent with other NEHTA specifications. It has the potential to be implemented in multiple different exchange formats as is most suitable for a particular context. It describes the data content of an e-Discharge Summary as a hierarchy of data components, and provides documentation concerning their use and meaning.
- 2. A CDA Implementation Guide (this document) which specifies how the data described in the SDT is properly represented in a CDA document.

In order to properly implement this specification, the reader should be familiar with the eDS SDT, with the HL7 CDA documentation and how to read this document.

For further information regarding NEHTA Structured Document Templates, see the links in Document Map.

### 2.1 Clinical Document Architecture Release 2

A CDA document is an XML document built following the rules described in the CDA specification which conforms to the HL7 CDA Schema provided by HL7. The CDA document is based on the semantics provided by the HL7 Reference Information Model, Data Types, and Vocabulary.

A CDA document has two main parts: the header and the body.

The CDA document header is consistent across all CDA documents regardless of document type. The header identifies and classifies the document and provides information on authentication, the encounter, the patient, and the involved providers.

The body contains the clinical report, and can be marked-up text (narrative, renderable text) or a combination of both marked-up text and structured data. The marked up text can be transformed to XHTML and displayed to a human. The structured data allows machine processing of the information shown in the narrative section.

CDA contains a requirement that all of its clinical information must be marked up in CDA narratives. These narratives are CDA defined hypertext, able to be rendered in web browsers with only a standard accompanying transformation. This transformation is produced and distributed by HL7.

As noted, it is a conformance requirement that the rendered narrative must be able to stand alone as a source of authenticated information for consuming parties. No content from the CDA body may be omitted from the narrative.

Further information and guidance on the CDA narrative is available in Appendix A, CDA Narratives.

These references are recommended to gain a better understanding of CDA:

CDA specification: [HL7CDAR2]

- RIM, Data types and Vocabulary: [HL7V3DT]
- Useful CDA examples repository: [RING2009]
- CDA validation tools: [INFO2009]

### **2.2 Mapping Interpretation**

The core of this guide is a mapping from the eDS SDT to the CDA document representation.

The mappings may not be deterministic; in some cases the differences in approach between the logical model specified in SDT and CDA document implementation specifications makes it inappropriate to have a 1:1 mapping, or any simple mapping that can be represented in a transform. This is especially true for names and addresses, where the SDT requirements, based on Australian Standards such as AS 5017 2006, differ from the HL7 data types and vocabularies which are not based on these standards.

Many of the mappings use one of a few common patterns for mapping between the SDT and the CDA document. These common mapping patterns are described in 8 Common Patterns.

An example of a mapping section of this guide is illustrated below:

#### **x.x ITEM NAME**

#### **Identification (normative)**

NameITEM NAMEMetadata typeMetadata type e.g. Section, Data Group or Data Element

### **Relationships (normative)**

Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
Icon illustrating the Metadata or Data type.	ITEM NAME This is a link to another section containing the mapping for this item. Item names in upper case indicate that the item is a section or data group. Item names in start case indicate that the item is a data element.	Obligation of this child item to the item described on this page.	The number of instances of this child item that may occur.

#### Parent

Data Type	Name	Obligation	Occurrence
Icon illustrating the Metadata or Data type.	ITEM NAME This is a link to another section containing the mapping for this item. Item names in upper case indicate that the item is a section or data group. Item names in start case indicate that the item is a data element.	Obligation of the item described on this page to this parent item.	The number of instances of the item described on this page that may occur.

#### **CDA R-MIM Representation**

The text contains an explanation of the mapping (this text is non-normative).

The model is a constrained representation of the R-MIM (this diagram is non-normative). The colours used in the CDA model align with the usage in the R-MIM. In many cases the cardinalities shown in the model will be less constrained than those shown in the mapping table.



Figure 2.1. Example - Header Part



Figure 2.2. Example - Body Part

## **CDA Mapping (normative)**

NEHTA SDT Data Com-	Data Com- ponent	Card	CDA Schema Data Element	Vocab	Comments			
ponent	Definition							
CDA Element Type (Header, Body Level 2 etc.)		el 2 etc.)	Context: Parent of elements below					
CDA Element Type I The path in the SDT. Each section in this document corres- ponds to an SDT section or data group, and is scoped by that sec- tion or data group. The hierarchical path uses ">" as a separator for paths within the SDT data hierarchy. If there is a name in round brackets after the path, this is the name of the reused data group for the SDT component. The data component for this row. i.e. Parent Data Component > Child Data Component	(Header, Body Leve The definition of the item from the SDT.	The cardinality of the data element in the SDT. The cardinality of the data element in the SDT maps to the cardinality of the data element in the SDT maps to the cardinality of the element in the CDA document. Where the cardinal- ity of the SDT data element is more constrained that the cardinality of the CDA element then the SDT car- dinality takes pre- cedence. i.e. if an element is mandat- ory in the SDT and optional in CDA then it will also be- come mandatory in the CDA docu- ment. If an item with a maximum cardinal- ity > 1 maps to an xml attribute, the attribute will con- tain multiple values separated by spaces. No such item will have valid values that them- selves contain spaces.	Context: Parent of elements below The schema element(s) in the CDA document that correspond(s) to the SDT data component. The sryntax for this is similar to XPath: (/name[index])n(/ <patern>) Where: • {} indicates optional • {} (n means a section that may repeat • <patern> contains a link to a common pattern • <index 1.="" <address="" a="" act="" component="" differentiates="" examples:="" mappings="" participation[inf_prov]="" role="" similar="" two=""> 2. participant participant participant/@spectode="ORG" participant participant/associatedEntity participant/associatedEntity participant/associatedEntity participant/associatedEntity/edlassCode="SDLOC" participant/associatedEntity/edlassCode="SDLOC" participant/associatedEntity/edlassCode="SDLOC" participant/associatedEntity/code A sequence of names refers to the XML path in the CDA document. The path always starts from a defined context which is defined in the grey header row above each group of mapping rows. The last name is shown in bold to make the path easier to read. The last name may be a reference to an attribute or an element, as defined in the Australian CDA Schema. The cardinalities of the items may through from the SDT. It is possible to specify an index after the name, such as 'participant[intpov] in Example 1. The presence of the index means there are two or more mappings to the same participation class that differ only in the inner details. The indexes show which of the multiple mappings is the parent of the inner detail. Note that ach of the indexed participations may exist more than one c GAS Schema element as in Example 2. Any fixed attribute values are represented as a separate line of the mapping such as those shown in Example 2.</index></patern></patern>	The name of the vocabu- lary.	Helpful additional information about the mapping.			
			following the pattern as shown in the name (which is a link to the appropriate pattern in this document).					

#### How to interpret the following example mapping:

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements			Context: ClinicalDocument		
Subject of Care	Identifies the person about whom the healthcare event/encounter/clinical interaction has been cap- tured and/or interchanged, that led to the creation of the document.In other words, the subject of the information.	11	recordTarget/ <b>patientRole</b>		
n/a	n/a	11	recordTarget/patientRole/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA ele- ment. If there are any enti- tlements for Subject of Care this value <b>SHALL</b> be the same as: ClinicalDocu- ment/ component/ structuredBody/ component[ad- min_obs]/ section/ entry/ act/ parti- cipant/participan- tRole/ id where parti- cipantRole/ @classCode = "PAT".
Subject of Care > Participant > <b>Person</b>	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare ser- vice, or is in some way related to, or a representative of, a subject of care (patient).	11	n/a		Not mapped directly, encompassed impli- citly in recordTarget/ patientRole/ patient.
Subject of Care > Participant > Person > Person Name	The appellation by which an individual may be iden- tified separately from any other within a social con- text.	1*	recordTarget/patientRole/patient/ <person name=""></person>		See common pat- tern: Person Name.

The Subject of Care (Patient) section is part of the context section of the SDT (as opposed to being part of the content section of the SDT). Although it is located in the context section of the SDT, it contains data components that map to the CDA body as well as data components that map to the CDA header. The information specifying the location of the elements is in the shaded context header row located above each group of mapping rows. The context remains the same until a new context header row starts.

The first row of the mapping (after the context header row), 'Subject of Care', is a CDA Header Element and has a context of 'ClinicalDocument' (the root element of a CDA document). Adding together the context and the mapping using '/' gives a full path of:

1. ClinicalDocument/recordTarget/patientRole

Due to the fact that 'Subject of Care' is part of the context section of the SDT (as opposed to a content element), information about it and its child elements can be located in the SDT document by finding the data component 'Subject of Care' in the table of contents under the context section and navigating to the relevant page.

If the data component were part of the content section of the SDT, information about it could be located by finding the data component (or its parent) in the table of contents under the content section of the SDT.

- The next row in the mapping (n/a) is a row that is not defined in the SDT but which is required by CDA. The CDA schema data element is recordTarget/patientRole/id. This is a technical identifier that is used for system purposes such as matching the Entitlement details back to the Subject of Care (patient). This identifier must be a UUID.
- 3. The next row in the mapping table (Subject of Care > Participant > Person) is defined in the SDT but is not mapped directly to the CDA because it is already encompassed implicitly by CDA in recordTarget/patientRole/patient.

Moving to the next row in the table (Subject of Care > Participant > Person > **Person Name**) and concatenating the context and the mapping, we get:

4. ClinicalDocument/recordTarget/patientRole/patient/<Person Name>

<PersonName> holds a link to the common pattern section where a new table lays out the mapping for the Person Name common pattern.

Moving down the table to the context row 'CDA Body Level 3 Data Elements', any data components after this row (until the occurrence of a new context row) map to the CDA body. Because there is no equivalent concept in CDA, an Australian CDA extension has been added in order to represent Entitlement. This extension is indicated by the presence of the 'ext:' prefix. For the data component 'Entitlement', adding together the context and the mapping using '/' gives the following paths for the CDA body level 3 data elements ([index] is dependent on context):

- 5. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/@typeCode="COVBY"
- 6. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement
- 7. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/@classCode="COV"
- 8. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/@moodCode="EVN"

9. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:participant/@typeCode="BEN"

10. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/@classCode="PAT"

11. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ext:id

This id is also a technical identifier and must hold the same value as the ClinicalDocument/recordTarget/patientRole/id mentioned above in comment 1.

The order of the SDT data components is not always the same as the order of the CDA elements. In addition, the CDA elements need to be in the order specified in the Australian CDA Schema.

The "id" element is not specified in the SDT and should be filled with a UUID. This element may be used to reference the act from other places in the CDA document.

The next row in the table (Subject of Care > Participant > Entitlement > Entitlement Number) maps to the id element:

12. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:id

The next row in the table (Subject of Care > Participant > Entitlement > Entitlement Type) maps to the code element:

13. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:code

The next row in the table (Subject of Care > Participant > Entitlement > Entitlement Validity Duration) maps to the effectiveTime element:

14. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:effectiveTime

See comments in the example below.

#### **Example 2.1. Mapping Interpretation**

```
<!-- Begin Subject of Care - Header Part -->
<!-- Begin Subject of Care - Header Part -->
<!-- 1 Corresponds to:
    '//recordTarget/patientRole/id'
</pre>
```

```
in the mapping -->
      <id root="04A103C4-7924-11DF-A383-FC69DFD72085"/>
      <telecom value="tel:0499999999" use="H"/>
      <!-- 3 -->
      <patient>
         <!-- 4 Corresponds to:
               '//recordTarget/patientRole/patient/<Person Name>'
            in the mapping -->
         <name use="L">
            <prefix>Ms</prefix>
            <given>Sallv</given>
            <family>Grant</family>
         </name>
         ....
      </patient>
   </patientRole>
</recordTarget>
<!-- End Subject of Care - Header Part -->
<!-- Begin CDA Body -->
<component>
   <structuredBody>
      <!-- Begin section -->
      <component>
         <section>
            ....
            <!-- Begin Subject of Care Entitlement -->
            <!- 5 Corresponds to:
                  '//ext:coverage2'
               in the mapping. -->
            <ext:coverage2 typeCode="COVBY">
               <!-- 6, 7, 8 Corresponds to:
                     '//ext:coverage2/ext:entitlement',
                     '//ext:coverage2/ext:entitlement/@classCode="COV"',
                     '//ext:coverage2/ext:entitlement/@moodCode="EVN"'
                  in the mapping -->
               <ext:Entitlement classCode="COV" moodCode="EVN">
                  <!-- 12 Corresponds to:
                        '//ext:coverage2/ext:entitlement/ext:id'
                     in the mapping -->
                  <ext:id root="1.2.36.174030967.0.5" extension="1234567892"</pre>
                    assigningAuthorityName="Medicare Australia"/>
                  <!-- 13 Corresponds to:
                     '//ext:coverage2/ext:entitlement/ext:code'
                  in the mapping -->
                  <ext:code code="1"
       codeSystem="1.2.36.1.2001.1001.101.104.16047"
       codeSystemName="NCTIS Entitlement Type Values"
       displayName="Medicare Benefits">
                  <!-- 14 Corresponds to:
                        '//ext:coverage2/ext:entitlement/ext:effectiveTime'
                     in the mapping -->
                  <ext:effectiveTime>
                     <low value="200701010101"/>
                     <high value="202701010101"/>
```

```
</ext:effectiveTime>
      <!-- 9 Corresponds to:
            '//ext:coverage2/ext:entitlement/ext:participant/@typeCode="BEN"'
         in the mapping -->
      <ext:participant typeCode="BEN">
         <!-- 10 Corresponds to:
              '//ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/@classCode="PAT"'
            in the mapping -->
         <ext:participantRole classCode="PAT">
            <!-- 11 Corresponds to:
                 '//ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ext:id'
               in the mapping -->
            <!-- Same as recordTarget/patientRole/id -->
            <ext:id root="04A103C4-7924-11DF-A383-FC69DFD72085"/>
         </ext:participantRole>
      </ext:participant>
   </ext:Entitlement>
</ext:coverage2>
<!-- End Entitlement -->
```

...

</section> </component> <!-- End section -->

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

#### **2.3 CDA Extensions**

The SDT is based on Australian requirements, either as expressed in existing Australian Standards, or based upon extensive consultation with major stakeholders. Not all of these requirements are supported by HL7 Clinical Document Architecture Release 2 (CDA).

CDA provides a mechanism for handling this. Implementation guides are allowed to define extensions, provided some key rules are followed:

- Extensions must have a namespace other than the standard HL7v3 namespace.
- The extension cannot alter the intent of the standard CDA document. For example, an extension cannot be used to indicate that an observation does not apply where the CDA document requires it.
- HL7 encourages users to get their requirements formalised in a subsequent version of the standard so as to maximise the use of shared semantics.

Accordingly, a number of extensions to CDA have been defined in this *Implementation Guide*. To maintain consistency, the same development paradigm has been used as CDA, and all the extensions have been submitted to HL7 for inclusion into a future release of CDA (Release 3 currently under development).

Version 3.0 of these extensions are incorporated in the namespace <http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0> as shown in the CDA example output throughout this document. Future versions of will be versioned as per the following example:

<http://ns.electronichealth.net.au/Ci/Cda/Extensions/4.0>

### 2.4 W3C XML Schema

This document refers to an accompanying e-Discharge Summary CDA W3C XML Schema (referred to in this document as the eDS CDA Schema). This schema differs from the base HL7 CDA W3C XML Schema (referred to in this document as the HL7 CDA Schema) in two ways:

- CDA features that are not used in this implementation guide have been removed from the eDS CDA Schema; and
- Australian CDA extensions have been added to the eDS CDA Schema.

The modified eDS CDA Schema specifies the same document format with some components removed and Australian CDA extensions added.

CDA documents which include extensions will fail to validate against the HL7 CDA Schema - this is a known limitation.

e-Discharge Summaries that conform to this specification **SHALL** validate against the eDS CDA Schema that accompanies this specification, and **SHALL** validate against the HL7 CDA Schema once the extensions have been removed. Note that merely passing schema validation does not ensure conformance; for more information, refer to Conformance.

### 2.5 Schematron

Many of the rules this document makes about CDA documents cannot be captured in the W3C XML Schema language (XSD) as XSD does not provide a mechanism to state that the value or presence of one attribute is dependent on the values or presence of other attributes (co-occurrence constraints).

Schematron is a rule-based validation language for making assertions about the presence or absence of patterns in XML trees. The rules defined by this document may be captured as Schematron rules. As of this release, the matching Schematron assertions have not yet been developed: NEHTA is considering the distribution of these rules in association with future releases of this guide.

### **2.6 Implementation Strategies**

There are many platform specific implementation options for readers pursuing the implementation of a CDA document according to this guide. Examples of these implementation options include:

- Read or write CDA documents directly using a Document Object Model (DOM) and/or 3rd Generation Language (3GL) code.
- Transform an existing XML format to and from a CDA document.
- Use a toolkit to generate a set of classes from HL7 CDA Schema or the eDS CDA Schema provided with this implementation guide, to read or write documents.
- Use existing libraries, possibly open source, which can read and write CDA documents.

The best approach for any given implementation is strongly dictated by existing architecture, technology and legacy constraints of the implementation project or existing system.

# **3 e-Discharge Summary Data Hierarchy**

The data hierarchy below provides a logical representation of the data structure of the eDS SDT data components.

The data hierarchy is a logical representation of the data components of an e-Discharge Summary, and is not intended to represent how the data contents are represented in a CDA document.

-	e-Dis	charge	arge Summary										
CON	TEXT												
	70	DateTime Attested											
	8	DOCUMENT AUTHOR											
	8	SUBJECT OF CARE											
	8	FACILITY											
	001011001	Care Setting											
	~	Health Event Identification											
		Health Event Identifier											
		DateTime Health Event Started											
		70	DateTime Health Event Ended	01									
CON	TENT												
	2	EVEN	т	11									
		~	ENCOUNTER	11									
			Encounter Period	11									
			Separation Mode	11									
			Specialty	1*									
			T Location of Discharge	11									
			RESPONSIBLE HEALTH PROFESSIONAL AT TIME OF DISCHARGE	11									
			CTHER PARTICIPANT	0*									
		~	PROBLEMS/DIAGNOSES THIS VISIT	11									
			EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES	01									
			Global Statement	11									

		1											
			001011001	Probl	em Dia	gnosis Type	11						
			001011001	Probl	em Dia	gnosis Description	11						
	Ŷ	CLIN		NTERV	'ENTIC	NS PERFORMED THIS VISIT	01						
		~	Clinic	al Inter		1*							
			001011001	Clinical Intervention Description									
	~	CLIN	ICAL S	YNOP	SIS		11						
		T	Clinic	al Syn	opsis D	escription	11						
	2	DIAG	NOSTI	IC INVI	ESTIG/	ATIONS	01						
		ð	PATH	IOLOG	Y TES	TRESULT	0*						
			001011001	Patho	ology T	est Result Name	11						
			001011001	Diagr	nostic S	ervice	01						
			~	TEST	SPEC	IMEN DETAIL	1*						
				001011001	Speci	men Tissue Type	01						
				001011001	Collee	tion Procedure	01						
				Ŷ	Anato	mical Location	0*						
					~	Specific Location	01						
						Anatomical Location Name	01						
						Side	01						
					Т	Anatomical Location Description	01						
					001011001	Anatomical Location Image	0*						
				~	Physi	cal Properties of an Object	0*						
						Weight	01						
					~	Dimensions	01						
						Volume	01						

				T	Object Description	01
				001011001	Image	01
			~~	Collec	tion and Handling	01
				001011001	Sampling Preconditions	01
			~	Handl	ing and Processing	11
				<b>7</b> 7	Collection DateTime	11
				T	Collection Setting	01
				<b>17</b> 00	DateTime Received	01
			~~	Identif	iers	01
				46 X 89 A	Specimen Identifier	01
				46 X 89 A	Parent Specimen Identifier	01
				46 X 89 A	Container Identifier	01
		001011001	Overa	all Path	plogy Test Result Status	11
		$\mathbf{T}$	Clinic	al Infor	mation Provided	01
		~	PATH	IOLOG	Y TEST RESULT GROUP	0*
			001011001	Patho	logy Test Result Group Name	11
			~~	Individ	lual Pathology Test Result	1*
				001011001	Individual Pathology Test Result Name	11
					Individual Pathology Test Result Value	01
				001011001	Individual Pathology Test Result Value Normal Status	01
				~	Individual Pathology Test Result Value Reference Range Details	0*
					Individual Pathology Test Result Value Reference Range Meaning	11
					Individual Pathology Test Result Value Reference Range	11
				T	Individual Pathology Test Result Comment	0*

			T	Individ	dual Pathology Reference Range Guidance	01				
			001011001	Individual Pathology Test Result Status						
		~	RESI	ESULT GROUP SPECIMEN DETAIL						
			001011001	Speci	men Tissue Type	01				
			001011001	Collec	Ilection Procedure					
			2	Anato	omical Location					
				~~	Specific Location	01				
					Anatomical Location Name	01				
					Side	01				
				Τ	Anatomical Location Description	01				
				001011001	Anatomical Location Image	0*				
			Ŷ	Physi	cal Properties Of An Object	0*				
				3	Weight	01				
				~~	Dimensions	01				
					Volume	01				
				Τ	Object Description	01				
				001011001	Image	01				
			Ŷ	Collec	tion And Handling	01				
				001011001	Sampling Preconditions	01				
			Ŷ	Handl	ing And Processing	11				
				7.0	Collection DateTime	11				
				Т	Collection Setting	01				
				7.0	DateTime Received	01				
			~~	Identif	iers	01				
				46 X A	Specimen Identifier	01				
			Parent Specimen Identifier	01						
--	---	-----------	---------------------------------------	----						
			Container Identifier	01						
		001011001	Pathological Diagnosis	0*						
		Т	Pathology Test Conclusion	01						
		001011001	Test Result Representation	01						
			Test Comment	01						
		~	Test Request Details	0*						
			Test Requested Name	0*						
			Laboratory Test Result Identifier	01						
		70	Pathology Test Result DateTime	11						
	~	IMAG	GING EXAMINATION RESULT	0*						
		001011001	Imaging Examination Result Name	11						
		001011001	Imaging Modality	01						
		~	Anatomical Location	0*						
			Specific Location	01						
			Anatomical Location Name	01						
			Side	01						
			Anatomical Location Description	01						
			Anatomical Location Image	0*						
		001011001	Imaging Examination Result Status	11						
		Т	Clinical Information Provided	01						
		T	Findings	01						
		~	IMAGING EXAMINATION RESULT GROUP	0*						
			Imaging Examination Result Group Name	11						
			Ndividual Imaging Examination Result	1*						

				001011001	Individual Imaging Examination Result Name	11
					Individual Imaging Examination Result Value	01
				001011001	Imaging Examination Result Value Normal Status	01
				~	Imaging Examination Result Value Reference Range Details	0*
					Imaging Examination Result Value Reference Range Meaning	11
					Imaging Examination Result Value Reference Range	11
				Т	Result Comment	0*
			~	Anato	mical Location	01
				Ŷ	Specific Location	01
					Anatomical Location Name	01
					Side	01
				Т	Anatomical Location Description	01
				001011001	Anatomical Location Image	0*
		001011001	Exam	ination	Result Representation	01
		~~	Exam	ination	Request Details	0*
			T	Exam	ination Requested Name	0*
			4699A	DICO	M Study Identifier	01
			4699A	Repo	rt Identifier	01
			2	Image	e Details	0*
				49	Image Identifier	01
				4693	DICOM Series Identifier	01
				001011001	Image View Name	01
				Т	Subject Position	01
				70	Image DateTime	01

			Image	01
		7	Imaging Examination Result DateTime	11
2	MEDI	CATIONS		11
	<b>~</b>	CURREN	T MEDICATIONS ON DISCHARGE	11
		es Ex	CLUSION STATEMENT - MEDICATIONS	01
		0010	Global Statement	11
		<b>₩</b> Tŀ	ERAPEUTIC GOOD	0*
		0010	Therapeutic Good Identification	11
			Dosage	11
			Dose Instruction	11
		]	Unit Of Use Quantity Dispensed	01
		]	Reason For Therapeutic Good	01
		]	Additional Comments	01
			Medication History	11
			Item Status	11
			Change Detail	01
			Changes Made	11
			Reason For Change	01
			Medication Duration	01
	~	CEASED	MEDICATIONS	11
		es Ex	CLUSION STATEMENT - MEDICATIONS	01
		0010	Global Statement	11
			ERAPEUTIC GOOD	0*
		0010	Therapeutic Good Identification	11

			~	Medio	dication History			
				001011001	Item S	itatus	11	
				~	Chan	ge Detail	11	
					001011001	Changes Made	11	
					Т	Reason For Change	11	
~	HEAL	TH PR	OFILE				11	
	~	HEAL	THCA	RE PR	OVIDE	RS	01	
		8	NOM	INATE	DPRIM	ARY HEALTHCARE PROVIDER	1*	
	~	ADVE	RSE F	REACT	IONS		11	
		EXCLUSION STATEMENT - ADVERSE REACT				EMENT - ADVERSE REACTION	01	
		Global Statement			al State	nent	11	
		~	ADVERSE REACTION			ON	0*	
			001011001	Agen	t Descr	ption	11	
			001011001	Adve	rse Rea	ction Type	11	
			~	Reac	tion De	ail	0*	
 				001011001	React	ion Description	11	
	~	ALER	TS				01	
		~	Alert				1*	
			001011001	Alert	Туре		11	
			001011001	Alert	Descrip	tion	11	
~~	PLAN						11	
	~	ARRA	NGEE	) SER\	/ICES		01	
		~	Arran	ged Se	ervice		1*	
			001011001	Arran	ged Se	rvice Description	11	
				Servi	ce Corr	mencement Window	01	

			001011001	Servio	ervice Booking Status			
			~	Protoc	col	01		
					SERVICE PROVIDER	01		
	<b>*</b>	RECO	RECORD OF RECOMMENDATIONS AND INFORMATION PROVIDED 1.					
		~	Reco	mmenc	endations Provided			
				RECO	ECOMMENDATION RECIPIENT			
			T	Recor	Recommendation Note			
		~~	Inform	nation I	on Provided			
			Т	Inform	nation Provided To Subject Of Care and/or Relevant Parties	11		

This page is left intentionally blank

# **4** Administrative Observations

The eDS SDT contains a number of data elements that are logically part of the SDT context, but for which there are no equivalent data elements in the CDA header. These data elements are considered to be "Administrative Observations" about the encounter, the patient or some other participant. Administrative Observations is a CDA section that is created to hold these data components in preference to creating extensions for them.

# **CDA R-MIM Representation**

Figure 4.1, "Administrative Observations" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Administrative Observations section is composed of a Section class related to its context ClinicalDocument.structuredBody through a component relationship.



Figure 4.1. Administrative Observations

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody		
n/a	n/a	01	component/section/[admin_obs]/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
		11	component/section/[admin_obs]/code		
			component/section/[admin_obs]/code/@code="102.16080"		
			component/section/[admin_obs]/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component/section/[admin_obs]/code/@codeSystemName="NCTIS Data Components"		
			component/section/[admin_obs]/code/@displayName="Administrative Observations"		
			component[admin_obs]/section/title="Administrative Observations"		
			component[admin_obs]/section/text		See Appendix A, CDA Narratives

#### **Example 4.1. Administrative Observations XML Fragment**

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" .... > <!-- Begin CDA Header --> .... <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBody> .... <!-- Begin Administrative Observations section --> <component><!-- [admin obs] --> <section> <id root="88CDBCA4-EFD1-11DF-8DE4-E4CDDFD72085"/> <code code="102.16080" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Administrative Observations"/> <title>Administrative Observations</title> <!-- Narrative text for Administrative Observations --> <text/>

</section>
</component><!-- [admin\_obs] -->
<!-- End Administrative Observations section -->

</structuredBody> </component> <!-- End CDA Header --> </ClinicalDocument>

# **5 CDA Header**

This chapter contains elements that are not specified in the eDS SDT specification. These elements include CDA specific header elements (both required and optional) and data elements described in the Endpoint Specification (EPS). The CDA header elements are specified in the CDA Schema Data Element column and where they map to Endpoint specification elements is indicated in the EPS Element column.

All the definitions in this chapter are sourced from "HL7 Clinical Document Architecture, Release 2" [HL7CDAR2].

# **5.1 ClinicalDocument**

### Identification

 Name
 ClinicalDocument

 Definition
 The ClinicalDocument class is the entry point into the CDA R-MIM, and corresponds to the <ClinicalDocument> XML element that is the root element of a CDA document.

### **Relationships**

#### Children Not Included in Mapping for This Section

Name	Obligation	Occurrence
LegalAuthenticator	Optional	01
InformationRecipient	Optional	0*
Custodian	Essential	11

## **CDA R-MIM Representation**

Figure 5.1, "ClinicalDocument"

ClinicalDocument classCode\*: <= DOCCLIN moodCode\*: <= EVN id\*: II [1..1] code\*: CE CWE [1..1] < DocumentType effectiveTime: GTS [1..1] confidentialityCode\*: CE CWE [1..1] <= x\_BasicConfidentialityKind languageCode: CS CNE [0..1] < HumanLanguage setId: II [0..1] versionNumber: INT [0..1] "1"

Figure 5.1. ClinicalDocument

CDA Schema Data Element	Definition	Card	Vocab	EPS Element	Comments
Context: /					
ClinicalDocument	The ClinicalDocument class is the entry point into the CDA R-MIM, and corresponds to the <clinicaldocument> XML element that is the root element of a CDA document.</clinicaldocument>	11			
ClinicalDocument/typeld	A technology-neutral explicit reference to this CDA, Release	11			
ClinicalDocument/typeId/@extension="POCD_HD000040"	Two specification.	11			The unique identifier for the CDA, Release Two Hierarchical Description.
ClinicalDocument/typeId/@root="2.16.840.1.113883.1.3"		11			The OID for HL7 Registered models.
ClinicalDocument/templateld		1*			One or more template identifiers that indicate constraints on the CDA document that this document conforms to. One of the identifiers must be the templateld that identifies this specification (see immedi- ately below). Additional tem- plate identifiers may be re- quired by other specifications, such as the CDA Rendering Specification. Systems are not required to recognise any other the tem- plate identifiers than the one below in order to understand the document as a [type] but these identifiers may influ- ence how the document must be handled.
ClinicalDocument/templateId/@root="1.2.36.1.2001.1001.101.100.1002.4"		11		docType	The healthcare context-specif- ic name of the published e- Discharge Summary CDA Implementaion Guide.
ClinicalDocument/templateId/@extension="3.4"		11			The identifier of the version that was used to create the document instance.
ClinicalDocument/id	Represents the unique instance identifier of a clinical document.	11		docld	

CDA Schema Data Element	Definition	Card	Vocab	EPS Element	Comments
ClinicalDocument/code	The code specifying the particular kind of document (e.g.	11			A collection of information
ClinicalDocument/code/@code="18842-5"	<ul> <li>History and Physical, Discharge Summary, Progress Note).</li> </ul>				about events during care by a provider or organisation, which is released when the
ClinicalDocument/code/@codeSystem="2.16.840.1.113883.6.1"					
ClinicalDocument/code/@codeSystemName="LOINC"					from the care of the provider
ClinicalDocument/code/@displayName="Discharge Summarization Note"					organisation.
ClinicalDocument/effectiveTime	Signifies the document creation time, when the document first came into being. Where the CDA document is a transform from an original document in some other format, the Clinical- Document.effectiveTime is the time the original document is created.	11		creationTime	
ClinicalDocument/confidentialityCode/@nullFlavor="NA"	Codes that identify how sensitive a piece of information is and/or that indicate how the information may be made avail- able or disclosed.	11			
ClinicalDocument/languageCode		01	[RFC3066] – Tags for the Identification of Languages		<language code=""> – <country code=""></country></language>
ClinicalDocument/setId	Represents an identifier that is common across all document revisions.	01	UUID This is a technical iden- tifier that is used for system purposes such as matching. If a suit- able internal key is not available, a UUID may be used.		
ClinicalDocument/versionNumber/@value	An integer value used to version successive replacement documents.	01			
ClinicalDocument/ext:completionCode	The lifecycle status of a document.	11	NCTIS: Admin Codes - Document Status	docStatus	See Australian CDA exten- sion: ClinicalDocument.com- pletionCode

### Example

#### Example 5.1. ClinicalDocument Body XML Fragment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="CDA-eDS-V3 0.xsd"> <typeId extension="POCD HD000040" root="2.16.840.1.113883.1.3"/> <templateId root="1.2.36.1.2001.1001.101.100.1002.4" extension="3.4"/> <id root="8BC3406A-B93F-11DE-8A2B-6A1C56D89593"/> <code code="18842-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Discharge Summarization Note"/> <effectiveTime value="200910201235"/> <confidentialityCode nullFlavor="NA"/> <languageCode code="en-AU"/> <setId root="6C6BA56C-BC92-11DE-A170-D85556D89593"/> <versionNumber value="1"/> <ext:completionCode code="F" codeSystem="1.2.36.1.2001.1001.101.104.20104" codeSystemName="NCTIS Document Status Values" displayName="Final"/>

<!-- Begin CDA Header -->

...

 $<\!!\,--$  End CDA Header -->

<!-- Begin CDA Body -->

...

<!-- End CDA Body --> </ClinicalDocument>

# 5.1.1 LegalAuthenticator

### Identification

Name	LegalAuthenticator
Definition	Represents a participant who has legally authenticated the document.

### Relationships

#### Parent

Name	Obligation	Occurrence
ClinicalDocument	Optional	01

### **CDA R-MIM Representation**

Figure 5.2, "LegalAuthenticator" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The LEGAL AUTHENTICATOR data group maps to the CDA Header element legalAuthenticator. The legalAuthenticator participation class represents who has legally authenticated the document. The role is AssignedEntity and is represented by the Person and/or Organization entities.



Figure 5.2. LegalAuthenticator



### Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>1</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

CDA Schema Data Element	Definition	Card	Vocab	Comments
Context: ClinicalDocument				
legalAuthenticator	Represents a participant who has legally authenticated the document.	01		
legalAuthenticator/time/@value	Indicates the time of authentication.	11		
legalAuthenticator/signatureCode/@code="S"	Indicates that the signature has been affixed and is on file.	11		
legalAuthenticator/assignedEntity/code	The specific kind of role.	01	NS	See <code> for available attrib- utes.</code>
legalAuthenticator/assignedEntity/id	A unique identifier for the player entity in this role.	11	UUID	
			This is a technical identifier that is used for system purposes such as match- ing. If a suitable internal key is not available, a UUID may be used.	
legalAuthenticator/assignedEntity	A legalAuthenticator is a person in the role of an assigned entity (AssignedEntity class). An assigned entity is a person assigned to the role by the scoping organization. The entity playing the role is a person (Person class). The entity scoping the role is an organization (Organization class).	11		
legalAuthenticator/assignedEntity/assignedPerson	The entity playing the role (assignedEntity) is a person.	01		
legalAuthenticator/assignedEntity/assignedPerson/ <entity identifier=""></entity>	The entity identifier of the person.	0*		See common pattern: Entity Identifier.
legalAuthenticator/assignedEntity/ <address></address>	A postal address for the entity (assignedPerson) while in the role (assignedEntity).	0*		See common pattern: Address.
legalAuthenticator/assignedEntity/ <electronic communication="" detail=""></electronic>	A telecommunication address for the entity (assignedPerson) while in the role (assignedEntity).	0*		See common pattern: Electronic Communication Detail.
legalAuthenticator/assignedEntity/assignedPerson/ <person name=""></person>	A non-unique textual identifier or moniker for the entity (assignedPerson).	0*		See common pattern: Person Name.
legalAuthenticator/assignedEntity/representedOrganization	The entity scoping the role (assignedEntity).	01		

<sup>1</sup> http://www.hl7.org/oid/index.cfm?ref=footer

CDA Schema Data Element	Definition	Card	Vocab	Comments
legalAuthenticator/assignedEntity/representedOrganization/ <entity identifier=""></entity>	A unique identifier for the scoping entity (represented organization) in this role (assignedEntity).	0*		See common pattern: Entity Identifier.
legalAuthenticator/assignedEntity/representedOrganization/name	A non-unique textual identifier or moniker for the entity (represente- dOrganization).	0*		

### Example

#### Example 5.2. LegalAuthenticator XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
 xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 >
 <!-- Begin CDA Header -->
  <!-- Begin legalAuthenticator -->
  <legalAuthenticator>
  <time value="201001061149"/>
  <signatureCode code="S"/>
  <assignedEntity>
   <id root="123F9366-78EC-11DF-861B-EE24DFD72085"/>
    <code code="253111"
     codeSystem="2.16.840.1.113883.13.62"
      codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification
           of Occupations, First Edition, 2006"
      displayName="General Medical Practitioner"/>
    <!-- Address -->
    <addr use="H">
     <streetAddressLine>1 Clinician Street</streetAddressLine>
     <city>Nehtaville</city>
     <state>QLD</state>
     costalCode>5555/postalCode>
     <additionalLocator>32568931</additionalLocator>
    </addr>
    <!-- Electronic Communication Detail -->
    <telecom use="WP" value="tel:0712341234"/>
    <assignedPerson>
     <!-- Person Name -->
     <name>
      <prefix>Dr.</prefix>
      <given>Prescribing</given>
     <family>Doctor</family>
     </name>
     <!-- Entity Identifier -->
     <ext:asEntityIdentifier classCode="IDENT">
      <ext:id assigningAuthorityName="HPI-I" root="1.2.36.1.2001.1003.0.8003611234567890"/>
      <ext:assigningGeographicArea classCode="PLC">
       <ext:name>National Identifier</ext:name>
      </ext:assigningGeographicArea>
     </ext:asEntityIdentifier>
    </assignedPerson>
```

<representedOrganization>

<!-- Organisation Name --> <name>Primary Healthcare Clinic Name</name>

<!-- Entity Identifier -->
<ext:asEntityIdentifier classCode="IDENT">
<ext:asEntityIdentifier classCode="IDENT">
<ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.80036255555"/>
<ext:assigningGeographicArea classCode="PLC">
<ext:assigningGeographicArea classCode="PLC">
</ext:assigningGeographicArea classCode="PLC">
</ext:asEntityIdentifier>
<//ext:asEntityIdentifier>
<//ext:asEntityLodentifier>
<//ext:asEntity

<!-- End CDA Header -->

....

....

<!-- Begin CDA Body --> <component> <structuredBody>

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

# 5.1.2 InformationRecipient

### Identification

Name	Information Recipient
Definition	Represents a recipient who should receive a copy of the document.

### Relationships

#### Parent

Name	Obligation	Occurrence
ClinicalDocument	Optional	0*

### **CDA R-MIM Representation**

Figure 5.3, "InformationRecipient" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The INFORMATION RECIPIENT data group maps to the CDA Header element informationRecipient. The informationRecipient participation class represents who should receive a copy of the document. The role is IntendedRecipient and is represented by the Person and/or Organization entities.



#### Figure 5.3. InformationRecipient



### Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>2</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

CDA Schema Data Element	Definition	Card	Vocab	Comments		
Context: ClinicalDocument						
informationRecipient	Represents a recipient who should receive a copy of the document.	0*				
informationRecipient/@typeCode	Type of recipient	11	PRCP (primary recipient) [default]: Recipient to whom the document is primarily directed. TRC (secondary recipient): A secondary recipient to whom the document is dir- ected.			
informationRecipient/intendedRecipient/id	A unique identifier for the player entity in this role.	0*	UUID This is a technical identifier that is used for system purposes such as match- ing. If a suitable internal key is not available, a UUID may be used.			
informationRecipient/intendedRecipient	A informationRecipient is a person in the role of an assigned entity (AssignedEntity class). An assigned entity is a person assigned to the role by the scoping organization. The entity playing the role is a person (Person class). The entity scoping the role is an organization (Organization class).	11				
informationRecipient/intendedRecipient/informationRecipient	The entity playing the role (intendedRecipient) is a person.	01				
informationRecipient/intendedRecipient/informationRecipient/ <entity identifier=""></entity>	The entity identifier of the person.	0*		See common pattern: Entity Identifier.		
informationRecipient/intendedRecipient/ <address></address>	A postal address for the entity (informationRecipient) while in the role (intendedRecipient).	0*		See common pattern: Address.		
informationRecipient/intendedRecipient/ <electronic communication="" detail=""></electronic>	A telecommunication address for the entity (informationRecipient) while in the role (intendedRecipient).	0*		See common pattern: Electronic Communication Detail.		

<sup>&</sup>lt;sup>2</sup> http://www.hl7.org/oid/index.cfm?ref=footer

CDA Schema Data Element	Definition	Card	Vocab	Comments
informationRecipient/intendedRecipient/informationRecipient/ <person name=""></person>	A non-unique textual identifier or moniker for the entity (information-Recipient).	0*		See common pattern: Person Name.
informationRecipient/intendedRecipient/receivedOrganization	The entity scoping the role (intendedRecipient).	01		
informationRecipient/intendedRecipient/receivedOrganization/ <entity identifier=""></entity>	A unique identifier for the scoping entity (represented organization) in this role (intendedRecipient).	0*		See common pattern: Entity Identifier.
informationRecipient/intendedRecipient/receivedOrganization/name	A non-unique textual identifier or moniker for the entity (represente- dOrganization).	0*		

### Example

#### **Example 5.3. InformationRecipient XML Fragment**

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
 xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 >
 <!-- Begin CDA Header -->
 <!-- Start Information Recipient - Primary -->
 <informationRecipient typeCode="PRCP">
  <intendedRecipient>
  <!-- ID is used for system purposes such as matching -->
  <id root="8AF5F8F4-0CD0-11E0-AC48-9350DFD72085"/>
   <addr use="WP">
   <streetAddressLine>1 Primary Care Provider Street</streetAddressLine>
    <city>Nehtaville</city>
    <state>QLD</state>
    <postalCode>55555</postalCode>
    <additionalLocator>32568931</additionalLocator>
    <country>Australia</country>
  </addr>
   <telecom use="WP" value="tel:0712341245"/>
  <informationRecipient>
    <!-- Person Name -->
    <name>
     <prefix>Dr.</prefix>
     <given>Information</given>
     <family>Recipient</family>
    </name>
    <!-- Entity Identifier -->
    <ext:asEntityIdentifier classCode="IDENT">
     <ext:id assigningAuthorityName="HPI-I" root="1.2.36.1.2001.1003.0.8003611222567890"/>
     <ext:assigningGeographicArea classCode="PLC">
     <ext:name>National Identifier</ext:name>
     </ext:assigningGeographicArea>
    </ext:asEntityIdentifier>
  </informationRecipient>
   <receivedOrganization>
   <name>Information Recipient Clinic Name</name>
    <!-- Entity Identifier -->
    <ext:asEntityIdentifier classCode="IDENT">
     <ext:id assigningAuthorityName="HPI-O" root="1.2.36.1.2001.1003.0.8003621771167888"/>
```

<ext:assigningGeographicArea classCode="PLC">
<ext:name>National Identifier</ext:name>
</ext:assigningGeographicArea>
</ext:asEntityIdentifier>

</receivedOrganization> </intendedRecipient> </informationRecipient> <!-- End Information Recipient - Primary -->

<!-- End CDA Header -->

...

...

<!-- Begin CDA Body --> <component> <structuredBody>

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

## 5.1.3 Custodian

### Identification

Name	Custodian
Definition	Represents the organization that is in charge of maintaining the document. The custodian is the steward that is entrusted with the care of the document. Every
	CDA document has exactly one custodian.

### Relationships

#### Parent

Name	Obligation	Occurrence
ClinicalDocument	Essential	11

### **CDA R-MIM Representation**

Figure 5.4, "Custodian" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The CUSTODIAN data group maps to the CDA Header element custodian. The custodian participation class represents the organization that is in charge of maintaining the document. The role is AssignedCustodian and is represented by the CustodianOrganization entity.



Figure 5.4. Custodian

CDA Schema Data Element	Definition	Card	Vocab	Comments
Context: ClinicalDocument				
custodian	Represents the organization that is in charge of maintaining the document. The custodian is the steward that is entrusted with the care of the document. Every CDA document has exactly one custodian.	11		
custodian/assignedCustodian	A custodian is a scoping organization in the role of an assigned custodian.	11		
custodian/assignedCustodian/representedCustodianOrganization	The steward organization (CustodianOrganization class) is an entity scoping the role of AssignedCustodian.	11		
custodian/assignedCustodian/representedCustodianOrganization/ <b>id</b>	A unique identifier for the scoping entity (representedCustodianOr- ganization) in this role.	1*	UUID This is a technical identifier that is used for system purposes such as match- ing. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.</id>
custodian/assignedCustodian/representedCustodianOrganization/ <entity identifier=""></entity>	The entity identifier of the custodian organization.	0*		See common pattern: Entity Identifier.
custodian/assignedCustodian/representedCustodianOrganization/name	The name of the steward organization.	01		
custodian/assignedCustodian/representedCustodianOrganization/ <electronic communication="" detail=""></electronic>	The telecom of the steward organization.	01		See common pattern: Electronic Communication Detail.
custodian/assignedCustodian/representedCustodianOrganization/ <address></address>	The address of the steward organization	01		See common pattern: Address.

### Example

#### Example 5.4. Custodian Body XML Fragment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

```
<ClinicalDocument
xmlns="urn:hl7-org;v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
>
  <!-- Begin CDA Header -->
   <!-- Begin Custodian -->
 <custodian>
  <assignedCustodian>
  <representedCustodianOrganization>
   <id root="072EC7BC-78EC-11DF-B9AC-D524DFD72085"/>
    <!-- Organisation Name -->
    <name>Oz Health Clinic</name>
    <!-- Electronic Communication Detail -->
    <telecom use="WP" value="tel:0712341234"/>
    <!-- Address -->
    <addr use="H">
     <streetAddressLine>99 Clinician Street</streetAddressLine>
    <city>Nehtaville</city>
    <state>OLD</state>
     <postalCode>5555</postalCode>
    <additionalLocator>32568931</additionalLocator>
    </addr>
    <!-- Entity Identifier -->
    <ext:asEntityIdentifier classCode="IDENT">
    <ext:id assigningAuthorityName="HPI-O" root="1.2.36.1.2001.1003.0.8003621234567890"/>
     <ext:assigningGeographicArea classCode="PLC">
     <ext:name>National Identifier</ext:name>
    </ext:assigningGeographicArea>
    </ext:asEntitvIdentifier>
   </representedCustodianOrganization>
  </assignedCustodian>
 </custodian>
<!-- End Custodian -->
  <!-- End CDA Header -->
  <!-- Begin CDA Body -->
  <component>
      <structuredBody>
```

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

...

# **6 Context Data Specification - CDA Mapping**

# 6.1 e-Discharge Summary

### Identification

NameDISCHARGE SUMMARYMetadata TypeStructured DocumentIdentifierSD-20000

### **Relationships**

Children Not Included in Mapping for This Section (Context Data Components)

Data Type	Name	Obligation	Occurrence
<b>a</b>	DOCUMENT AUTHOR	Essential	11
<b>a</b>	SUBJECT OF CARE	Essential	11
<b>a</b>	FACILITY	Essential	11

### **CDA R-MIM Representation**

Figure 6.1, "CDA Header Model for e-Discharge Summary Context" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

1*	ClinicalDocument
author	classCode*: <= DOCCLIN
typeCode*: <= AUT	moodCode*: <= EVN
time*: TS [11]	id*: II [11]

Figure 6.1. CDA Header Model for e-Discharge Summary Context

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments	
CDA Header Data Elements						
e-Discharge Summary	A collection of information about events during care	11	ClinicalDocument/code			
	by a provider or organisation, which is released when the subject of care is discharged from the care of		ClinicalDocument/code/@code="18842-5"			
	the provider organisation.		ClinicalDocument/code/@codeSystem="2.16.840.1.113883.6.1"			
			ClinicalDocument/code/@codeSystemName="LOINC"			
			ClinicalDocument/code/@displayName="Discharge Summarization Note"			
			ClinicalDocument/effectiveTime		Document creation time.	
e-Discharge Summary > DateTime At- tested	The date (and time if known) that the document au- thor or document authoriser/approver confirms (usually by signature) that a document is complete and genuine.	11	ClinicalDocument/legalAuthenticator/time		See <time> for available attributes.</time>	
e-Discharge Summary > <b>Subject of</b> Care	See: SUBJECT OF CARE					
e-Discharge Summary > <b>Document</b> Author	See: DOCUMENT AUTHOR					
e-Discharge Summary > <b>Facility</b>	See: FACILITY					
e-Discharge Summary > <b>Care Setting</b>	A description of the type of care setting within which health care services have been provided to the subject of care.	01	See: Known Issues			
e-Discharge Summary > Health Event Identification	Identifies or labels a health story or focus against which one or more related healthcare events can be grouped.	01	See: Known Issues			
e-Discharge Summary > Health Event Identification > Health Event Identifier	The unique label/identifier for a specific health story or focus to which the clinical document is linked or with which it is associated.	01	See: Known Issues		This is used for loc- al definition and loc- al use cases and is not used by a nation- al IHI Service.	
e-Discharge Summary > Health Event Identification > DateTime Health Event Started	The date and time of the start of the healthcare event/encounter/clinical interaction that the document or document set relates to.	11	See: Known Issues			
e-Discharge Summary > Health Event Identification > DateTime Health Event Ended	The date and time of the end of the health event that the document or document set relates to.	01	See: Known Issues			

For CDA Header mappings and model which are not explicitly included in the SDT, see ClinicalDocument.

#### Example 6.1. e-Discharge Summary Context XML Fragment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence --> <ClinicalDocument xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="CDA-eDS-V3 0.xsd" xmlns="urn:hl7-org:v3" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"> .... <code code="18842-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Discharge Summarization Note"/> <effectiveTime value="200910201235"/> > ... <!-- Begin CDA Header --> .... <!-- Begin Authenticator --> <legalAuthenticator> <!-- DateTime Attested --> <time value="200910201235"/> </legalAuthenticator> <!-- End Authenticator --> .... <!-- End CDA Header --> <!-- Begin CDA Body --> .... <!-- End CDA Body --> </ClinicalDocument>
# 6.1.1 DOCUMENT AUTHOR

## Identification

Name	DOCUMENT AUTHOR
Metadata Type	Data Group
Identifier	DG-10296

# Relationships

#### Parent

Data Type	Name	Obligation	Occurrence
•	e-Discharge Summary	Essential	11

Figure 6.2, "Document Author" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The DOCUMENT AUTHOR data group is related to its context of ClinicalDocument by the author participation class. An author is a person in the role of assignedAuthor (AssignedAuthor class). The entity playing the role is assignedAuthorChoice (Person class). The entity identifier of the participant is mapped to the EntityIdentifier class (Australian CDA extension) and is associated to the assignedAuthorChoice.



Figure 6.2. Document Author

# **CDA Mapping**

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements			Context: ClinicalDocument		
Document Author	The healthcare provider who is the main author of the document.	11	author		
Document Author > Participation Period	The time interval during which the participation in the health care event occurred.	01	author/time	This element will hold the same value as e-Discharge Summary > Date- Time Attested (Clinic- alDocument/ leg- alAuthenticator/ time) Although the defini- tion of this element states that it is a time interval, the following applies: "The end of the participation peri- od of a Document Author participation is the time associ- ated with the comple- tion of editing the content of a docu- ment." Thus only the end time need be re- corded.	Required CDA element.
Document Author > Participation Type	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	n/a	Participation Type SHALL have an im- plementation-specific fixed value equival- ent to "Document Author".	Not mapped directly, encompassed impli- citly in au- thor/typeCode="AUT" (optional, fixed value).

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Document Author > <b>Role</b>	The involvement or role of the participant in the re- lated action from a healthcare perspective rather than the specific participation perspective.	11	author/assignedAuthor/code	Role <b>SHOULD</b> have a value chosen from 1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Oc- cupations, First Edi- tion, 2006 - METeOR 350899. [ABS2006]. However, if a suit- able value in this set cannot be found, then any code set that is both re- gistered with HL7 and publically avail- able <b>MAY</b> be used.	See <code> for available attributes.</code>
n/a	n/a	11	author/assignedAuthor/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA ele- ment.
Document Author > Participant	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	11	author/assignedAuthor/assignedPerson		
Document Author > Participant > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	author/assignedAuthor/assignedPerson/ <entity identifier=""></entity>	The value of one En- tity Identifier <b>SHALL</b> be an Australian HPI-I.	See common pat- tern: Entity Identifier.
Document Author > Participant > Ad- dress	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	0*	author/assignedAuthor/ <address></address>	AUSTRALIAN OR INTERNATIONAL ADDRESS <b>SHALL</b> be instantiated as an AUSTRALIAN AD- DRESS.	See common pat- tern: Address.
Document Author > Participant > Elec- tronic Communication Detail	The electronic communication details of entities.	0*	author/assignedAuthor/ <electronic communication="" detail=""></electronic>		See common pat- tern: Electronic Communication De- tail.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Document Author > Participant > Per- son or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	11	n/a	PERSON OR OR- GANISATION OR DEVICE SHALL be instantiated as a PERSON.	This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.
Document Author > Participant > Per- son or Organisation or Device > <b>Person</b>	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare ser- vice, or is in some way related to, or a representative of, a subject of care (patient).	11	n/a		Not mapped directly, encompassed impli- citly in author/as- signedAuthor/as- signedPerson.
Document Author > Participant > Per- son or Organisation or Device > Person > <b>Person Name</b>	The appellation by which an individual may be iden- tified separately from any other within a social con- text.	1*	author/assignedAuthor/assignedPerson/ <person name=""></person>		See common pat- tern: Person Name.
Document Author > Participant > Per- son or Organisation or Device > Person > Employment Detail	A person's occupation and employer.	01	author/assignedAuthor/assignedPerson/ <employment< td=""><td></td><td>See common pat- tern: Employment.</td></employment<>		See common pat- tern: Employment.

#### **Example 6.2. Document Author XML Fragment**

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ~
 <!-- Begin Document Author -->
 <author>
  <!-- Must hold same value as DateTime attested (ClinicalDocument.legalAuthenticator.time) -->
  <time value="200910201235" />
  <assignedAuthor>
  <!-- ID is used for system purposes such as matching -->
  <id root="7FCB0EC4-0CD0-11E0-9DFC-8F50DFD72085" />
  <!-- Role -->
  <code code="253317" codeSystem="2.16.840.1.113883.13.62"</pre>
   codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006"
   displayName="Intensive Care Specialist" />
  <!-- Address -->
   <addr use="WP">
   <streetAddressLine>1 Clinician Street</streetAddressLine>
    <city>Nehtaville</city>
    <state>QLD</state>
    <postalCode>5555</postalCode>
    <additionalLocator>32568931</additionalLocator>
    <country>Australia</country>
  </addr>
  <!-- Electronic Communication Detail -->
  <telecom use="WP" value="tel:0712341234" />
  <!-- Participant -->
  <assignedPerson>
    <!-- Person Name -->
    <name>
     <prefix>Dr.</prefix>
     <given>Good</given>
     <family>Doctor</family>
    </name>
    <!-- Entity Identifier -->
    <ext:asEntityIdentifier classCode="IDENT">
     <ext:id assigningAuthorityName="HPI-I" root="1.2.36.1.2001.1003.0.8003611234567890" />
     <ext:assigningGeographicArea classCode="PLC">
     <ext:name>National Identifier</ext:name>
     </ext:assigningGeographicArea>
    </ext:asEntityIdentifier>
    <!-- Employment Details -->
    <ext:asEmployment classCode="EMP">
```

```
<!-- Position In Organisation -->
     <ext:code>
     <originalText>Senior Intensive Care Specialist</originalText>
     </ext:code>
     <!-- Occupation -->
     <ext:jobCode code="253317" codeSystem="2.16.840.1.113883.13.62"</pre>
     codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006"
      displayName="Intensive Care Specialist" />
     <!-- Employment Type -->
     cext:jobClassCode code="FT" codeSystem="2.16.840.1.113883.5.1059" codeSystemName="HL7:EmployeeJobClass"
     displayName="full-time" />
     <!-- Employer Organisation -->
     <ext:employerOrganization>
      <!-- Department/Unit -->
      <name>Acme Hospital One</name>
      <asOrganizationPartOf>
       <wholeOrganization>
       <!-- Organisation Name -->
        <name use="ORGB">Acme Hospital Group</name>
        <!-- Entity Identifier -->
        <ext:asEntitvIdentifier classCode="IDENT">
         <ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.8003621231167899" />
         <ext:assigningGeographicArea classCode="PLC">
         <ext:name>National Identifier</ext:name>
         </ext:assigningGeographicArea>
        </ext:asEntityIdentifier>
       </wholeOrganization>
      </asOrganizationPartOf>
     </ext:employerOrganization>
    </ext:asEmployment>
   </assignedPerson>
  </assignedAuthor>
</author>
<!-- End Document Author -->
  ....
<component>
 <structuredBody>
  ....
 </structuredBody>
</component>
</ClinicalDocument>
```

# 6.1.2 SUBJECT OF CARE

## Identification

Name	SUBJECT OF CARE
Metadata Type	Data Group
Identifier	DG-10296

# Relationships

#### Parent

Data Type	Name	Obligation	Occurrence
•	e-Discharge Summary	Essential	11

Figure 6.3, "Subject of Care - Header Data Elements" and Figure 6.4, "Subject of Care - Body Data Elements" show a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to both CDA Header and CDA Body elements.

The SUBJECT OF CARE data group maps mostly to CDA Header elements. The recordTarget participation class represents the medical record to which this document belongs. The recordTarget is associated to the Patient class by the PatientRole class. In order to represent the Date of Death of a SUBJECT OF CARE, Patient.deceasedTime has been added as an Australian CDA extension.



#### Figure 6.3. Subject of Care - Header Data Elements



## Note

Several data elements contained in the SUBJECT OF CARE data group could not be mapped to CDA Header elements. These data elements have been mapped to Observations in the Administrative Observations section (see 4 Administrative Observations).



Figure 6.4. Subject of Care - Body Data Elements

## **CDA Mapping**



## Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>1</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments		
CDA Header Data Elements			Context: ClinicalDocument				
Subject of Care	Identifies the person about whom the healthcare event/encounter/clinical interaction has been cap- tured and/or interchanged, that led to the creation of the document.In other words, the subject of the in- formation.	11	recordTarget/patientRole				
n/a	n⁄a	11	recordTarget/patientRole/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA ele- ment. If there are any enti- tlements for Subject of Care this value <b>MUST</b> be the same as: ClinicalDocu- ment/ component/ structuredBody/ component[ad- min_obs]/ section/ entry/ act/ parti- cipant/ participan- tRole/ id where parti- cipantRole/ @classCode = "PAT".		
Subject of Care > <b>Participation Type</b>	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	n/a	Participation Type SHALL have an im- plementation-specific fixed value equival- ent to "Subject of Care".	Not mapped directly, encompassed impli- citly in recordTarget/ typeCode = "RCT" (optional, fixed value).		

<sup>&</sup>lt;sup>1</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care >Role	The involvement or role of the participant in the re- lated action from a healthcare perspective rather than the specific participation perspective.	11	n/a	Role <b>SHALL</b> have an implementation- specific fixed value equivalent to "Pa- tient".	Not mapped directly, encompassed impli- citly in recordTarget/ patientRole/ classCode = "PAT".
Subject of Care > <b>Participant</b>	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	11	recordTarget/patientRole/ <b>patient</b>		
Subject of Care > Participant > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	recordTarget/patientRole/patient/ <entity identifier=""></entity>	The value of one En- tity Identifier <b>SHALL</b> be an Australian IHI.	See common pat- tern: Entity Identifier. The Subject of Care's Medicare card number is recorded in Entitlement, not Entity Identifier.
Subject of Care > Participant > Ad- dress	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	1*	recordTarget/patientRole/ <b><address></address></b>	Address <b>SHALL</b> have an Address Purpose value of "Residential" or "Temporary Accom- modation".	See common pat- tern: Address.
Subject of Care > Participant > Elec- tronic Communication Detail	The electronic communication details of entities.	0*	recordTarget/patientRole/ <electronic communication="" detail=""></electronic>		See common pat- tern: Electronic Communication De- tail.
Subject of Care > Participant > Person or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	11	n/a	PERSON OR OR- GANISATION OR DEVICE SHALL be instantiated as a PERSON.	This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.
Subject of Care > Participant > Person or Organisation or Device > <b>Person</b>	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare ser- vice, or is in some way related to, or a representative of, a subject of care (patient).	11	n/a		Not mapped directly, encompassed impli- citly in recordTarget/ patientRole/ patient.
Subject of Care > Participant > Person or Organisation or Device > Person > Person Name	The appellation by which an individual may be iden- tified separately from any other within a social con- text.	1*	recordTarget/patientRole/patient/ <person name=""></person>		See common pat- tern: Person Name.
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data	Additional characteristics of a person that may be useful for identification or other clinical purposes.	11	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > <b>Sex</b>	The biological distinction between male and female. Where there is inconsistency between anatomical and chromosomal characteristics, sex is based on anatomical characteristics.	11	recordTarget/patientRole/patient/administrativeGenderCode	AS 5017-2006 Health Care Client Identifier Sex	
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > <b>Date of Birth</b> <b>Detail</b>	Details of the accuracy, origin and value of a person's date of birth.	11	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth De- tail > <b>Date of Birth</b>	The date of birth of the person.	11	recordTarget/patientRole/patient/ <b>birthTime</b>		See <time> for avail- able attributes.</time>
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[admin_obs]/section (See 4 Administ	rative Observations)	
Subject of Care > Participant > Person	Indicates whether or not a person's date of birth has been derived from the value in the Age data element.	01	entry[calc_age]		
or Organisation or Device > Person > Demographic Data > Date of Birth De- tail > Date of Birth is Calculated From Age			entry[calc_age]/observation		
			entry[calc_age]/observation/@classCode="OBS"		
			entry[calc_age]/observation/@moodCode="EVN"		
			entry[calc_age]/observation/code		
			entry[calc_age]/observation/code/@code="103.16233"		
			entry[calc_age]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[calc_age]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[calc_age]/observation/code/@displayName="Date of Birth is Calculated From Age"		
			entry[calc_age]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entry[calc_age]/observation/value:BL		If the date of birth has been calculated from age this is true, otherwise it is false.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person	The level of certainty or estimation of a person's date	01	entry[dob_acc]		
or Organisation or Device > Person > Demographic Data > Date of Birth De-	of birth.		entry[dob_acc]/observation		
tail > Date of Birth Accuracy Indicator			entry[dob_acc]/observation/@classCode="OBS"		
			entry[dob_acc]/observation/@moodCode="EVN"		
			entry[dob_acc]/observation/code		
			entry[dob_acc]/observation/code/@code="102.16234"		
			entry[dob_acc]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[dob_acc]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[dob_acc]/observation/code/@displayName="Date of Birth Accuracy Indicator"		
			entry[dob_acc]/observation/id entry[dob_acc]/observation/value:CS	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used. AS 5017-2006 Health Care Client	See <id> for avail- able attributes.</id>
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth De- tail > Date of Birth Accuracy Indicator	The accuracy of the day component of a person's date of birth.	11	n/a	Identifier Date Accur- acy Indicator	Encompassed in the mapping for Date of Birth Accuracy Indicator (above).
> Date of Birth Day Accuracy Indicat- or					
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth De- tail > Date of Birth Accuracy Indicator > Date of Birth Month Accuracy Indic- ator	The accuracy of the month component of a person's date of birth.	11	n/a		Encompassed in the mapping for Date of Birth Accuracy Indicator (above).
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth De- tail > Date of Birth Accuracy Indicator > Date of Birth Year Accuracy Indic- ator	The accuracy of the year component of a person's date of birth.	11	n/a		Encompassed in the mapping for Date of Birth Accuracy Indicator (above).

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > <b>Age Detail</b>	Details of the accuracy and value of a person's age.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Age Detail > Age       The age of a person/subject of care at the time.	The age of a person/subject of care at the time.	11	entry[age]		
		entry[age]/observation			
			entry[age]/observation/@classCode="OBS"		
			entry[age]/observation/@moodCode="EVN"		
			entry[age]/observation/code		
			entry[age]/observation/code/@code="103.20109"		
			entry[age]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[age]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[age]/observation/code/@displayName="Age"		
			entry[age]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entry[age]/observation/value:PQ		

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person	The accuracy of a person's age.	01	entry[age_acc]		
or Organisation or Device > Person > Demographic Data > Age Detail > Age			entry[age_acc]/observation		
Accuracy Indicator		entry[age_acc]/observation/@classCode="OBS"			
			entry[age_acc]/observation/@moodCode="EVN"		
		entry[age_acc]/observation/code			
		entry[age_acc]/observation/code/@code="103.16279"			
		entry[age_acc]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"			
		entry[age_acc]/observation/code/@codeSystemName="NCTIS Data Components"			
			entry[age_acc]/observation/code/@displayName="Age Accuracy Indicator"		
			entry[age_acc]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.</id>
			entry[age_acc]/observation/value:BL		If the age is con- sidered to be accur- ate this is true, other- wise it is false.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person	An indicator of multiple birth, showing the total num-	01	entry[brth pir]		
or Organisation or Device > Person >	ber of births resulting from a single pregnancy.	-	entry[brth_plr]/observation		
			entry[brth_plr]/observation/@classCode="OBS"		
			entry[brth_plr]/observation/@moodCode="EVN"		
			entry[brth_plr]/observation/code		
			entry[brth_plr]/observation/code/@code="103.16249"		
			entry[brth_plr]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[brth_plr]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[brth_plr]/observation/code/@displayName="Birth Plurality"		
CDA Header Data Elements		entry[brth_plr]/observation/id entry[brth_plr]/observation/value:INT Context: ClinicalDocument recordTarget/patientRole/patient/ext-multipleBirthInd	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>	
or Organisation or Device > Person > Demographic Data > <b>Birth Order</b>	regardless of live or still birth.	01	record Larget/patientRole/patient/ext:multipleBirthInd recordTarget/patientRole/patient/ext:multipleBirthOrderNumber		extension: Multiple Birth.
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > <b>Date of Death</b> <b>Detail</b>	Details of the accuracy and value of a person's date of death.	01	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death	The date or date and time at which a person was estimated or certified to have died.	11	recordTarget/patientRole/patient/ <b>ext:deceasedInd</b>		See Australian CDA extension: Deceased Time.
Detail > Date of Death			recordTarget/patientRole/patient/ext:deceasedTime		See <time> for avail- able attributes.</time>
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[admin_obs]/section (See 4 Administ	rative Observations)	

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accuracy Indic-	The level of certainty or estimation of a person's date of death.	01	entry[dod_acc]		This logical NEHTA data component has no mapping to CDA.
ator					The cardinality of this component propagates to its children.
			entry[dod_acc]/observation		
			entry[dod_acc]/observation/@classCode="OBS"		
			entry[dod_acc]/observation/@moodCode="EVN"		
			entry[dod_acc]/observation/code		
			entry[dod_acc]/observation/code/@code="102.16252"		
		entry[dod_acc]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"			
		entry[dod_acc]/observation/code/@codeSystemName="NCTIS Data Components"			
			entry[dod_acc]/observation/code/@displayName="Date of Death Accuracy Indicator"		
		entry[dod_acc]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>	
		entry[doc_acc]/observation/value:CS	AS 5017-2006 Health Care Client Identifier Date Accur- acy Indicator		
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accuracy Indic- ator > Date of Death Day Accuracy Indicator	The accuracy of the day component of a person's date of death.	11	n/a		Encompassed in the mapping for Date of Death Accuracy Indicator (above).
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accuracy Indic- ator > Date of Death Month Accuracy Indicator	The accuracy of the month component of a person's date of death.	11	n/a		Encompassed in the mapping for Date of Death Accuracy Indicator (above).

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments		
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accuracy Indic- ator > Date of Death Year Accuracy Indicator	The accuracy of the year component of a person's date of death.	11	n/a		Encompassed in the mapping for Date of Death Accuracy Indic- ator (above).		
CDA Header Data Elements		•	Context: ClinicalDocument				
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > <b>Country of Birth</b>	The country in which the person was born.	01	recordTarget/patientRole/patient/ <b>birthplace/place/addr/country</b>	Australia Bureau of Statistics, Standard Australian Classifica- tion of Countries (SACC) Cat. No. 1269 [ABS2008]	Use the name, not the numbered code.		
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > State/Territory of Birth	The identifier of the Australian state or territory where a person is born.	01	recordTarget/patientRole/patient/birthplace/place/addr/state	AS 5017-2006 Aus- tralian State/Territory Identifier - Postal			
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Indigenous Status	Indigenous Status is a measure of whether a person identifies as being of Aboriginal or Torres Strait Is- lander origin.	01	recordTarget/patientRole/patient/ethnicGroupCode	METeOR 291036: Indigenous Status			
CDA Body Level 3 Data Elements		_	Context: ClinicalDocument/component/structuredBody/component[admin_obs]/section				
Subject of Care > Participant > Entitle- ment	The entitlement or right of a participant to act in a given capacity (as defined by Entitlement Type) within a healthcare context.	0*	ext:coverage2/@typeCode="COVBY"		See Australian CDA extension: Entitle- ment.		
			ext:coverage2/ext:entitlement				
			ext:coverage2/ext:entitlement/@classCode="COV"				
			ext:coverage2/ext:entitlement/@moodCode="EVN"				
			ext:coverage2/ext:entitlement/ext:participant/@typeCode="BEN"				
			ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/@classCode="PAT"				
			ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ <b>ext:id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	SHALL hold the same value as Clinic- alDocument/ re- cordTarget/ patien- tRole/ id.		
Subject of Care > Participant > Entitle- ment > Entitlement Number	A number or code issued for the purpose of identify- ing the entitlement or right of a participant to act in a given capacity (as defined by Entitlement Type) within a healthcare context.	11	ext:coverage2/ext:entitlement/ext:id				

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Entitle- ment > Entitlement Type	The description of the scope of an entitlement.	11	ext:coverage2/ext:entitlement/ <b>ext:code</b>	NCTIS: Admin Codes - Entitlement Type	See <code> for available attributes.</code>
Subject of Care > Participant > Entitle- ment > Entitlement Validity Duration	The time interval for which an entitlement is valid.	01	ext:coverage2/ext:entitlement/ext:effectiveTime		See <time> for avail- able attributes.</time>

#### Example 6.3. Subject of Care XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
>
  <!-- Begin Patient - Header Part -->
 <recordTarget>
  <patientRole>
  --- This system generated id is used for matching patient details such as Entitlement, Date of Birth Details and Age Details -->
  <id root="7AA0BAAC-0CD0-11E0-9516-4350DED72085"/>
  <!-- Address -->
   <addr use="H">
    <streetAddressLine>1 Clinician Street</streetAddressLine>
    <citv>Nehtaville</city>
    <state>OLD</state>
    <postalCode>5555</postalCode>
    <additionalLocator>32568931</additionalLocator>
    <country>Australia</country>
   </addr>
   <!-- Electronic Communication Detail -->
   <telecom use="H" value="tel:0499999999"/>
   <!-- Participant -->
   <patient>
    <!-- Person Name -->
    <name use="L">
     <prefix>Ms</prefix>
    <given>Sally</given>
     <family>Grant</family>
    </name>
    <!-- Sex -->
    <administrativeGenderCode code="F"
              codeSystem="2.16.840.1.113883.13.68"
              codeSystemName="AS 5017-2006 Health Care Client Identifier Sex"/>
    <!-- Date of Birth -->
    <birthTime value="19480607"/>
    <!-- Indigenous Status -->
    <ethnicGroupCode code="4" codeSystem="2.16.840.1.113883.3.879" codeSystemName="METEOR Indigenous Status"</pre>
    displayName="Neither Aboriginal nor Torres Strait Islander origin" />
    <!-- Multiple Birth Indicator -->
    <ext:multipleBirthInd value="true"/>
    <ext:multipleBirthOrderNumber value="2"/>
    <!-- Date of Death -->
    <ext:deceasedInd value="true"/>
    <ext:deceasedTime value="20101201"/>
```

```
<!-- Country of Birth -->
  <br/>dirthplace>
   <place>
   <addr>
    <country>Australia</country>
    <state>NSW</state>
   </addr>
   </place>
  </birthplace>
  <!-- Entity Identifier -->
  <ext:asEntityIdentifier classCode="IDENT">
   <ext:id assigningAuthorityName="IHI" root="1.2.36.1.2001.1003.0.8003601234512345"/>
   <ext:assigningGeographicArea classCode="PLC">
   <ext:name>National Identifier</ext:name>
   </ext:assigningGeographicArea>
  </ext:asEntityIdentifier>
 </patient>
</patientRole>
</recordTarget>
<!-- End Patient - Header Part -->
 <!-- Begin CDA Body -->
 <component>
   <structuredBody>
      ....
      <!-- Begin Section Administrative Observations -->
 <component><!-- [admin obs] -->
  <section>
   <code code="102.16080"
    codeSystem="1.2.36.1.2001.1001.101"
    codeSystemName="NCTIS Data Components"
    displayName="Administrative Observations"/>
   <title>Administrative Observations</title>
   <!-- Narrative text -->
   <text>
   Date of Birth is Calculated From Age
      True
     Date of Birth Accuracy Indicator
      AAA
     Age
      54
     Age Accuracy Indicator
      True
     Birth Plurality
      3
```

...

<!-- Begin Patient - Body --> <!-- Begin Date of Birth is Calculated From Age --> <entry><!-- [calc age] --> <observation classCode="OBS" moodCode="EVN"> <id root="DA10C13E-EFD0-11DE-91AE-B5CCDED72085"/> <code code="103.16233" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Date of Birth is Calculated From Age"/> <value value="true" xsi:type="BL"/> </observation> </entry><!-- [calc age] --> <!-- End Date of Birth is Calculated From Age --> <!-- Begin Date of Birth Accuracy Indicator--> <entry><!-- [dob acc] --> <observation classCode="OBS" moodCode="EVN"> <id root="D253216C-EFD0-11DF-A686-ADCCDFD72085"/> <code code="102.16234" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Date of Birth Accuracy Indicator"/> <value code="AAA" xsi:type="CS"/> </observation> </entry><!-- [dob acc] --> <!-- End Date of Birth Accuracy Indicator--> <!-- Begin Age --> <entry><!-- [age] --> <observation classCode="OBS" moodCode="EVN"> <id root="CCF0D55C-EFD0-11DF-BEA2-A6CCDFD72085"/> <code code="103.20109" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Age"/> <value xsi:type="PQ" value="54" unit="a" /> </observation> </entry><!-- [age] --> <!-- End Age --> <!-- Age Accuracy Indicator --> <entry><!-- [age\_acc] --> <observation classCode="OBS" moodCode="EVN"> <id root="C629C9F4-EFD0-11DF-AA9E-96CCDFD72085"/> <code code="103.16279" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Age Accuracy Indicator"/> <value value="true" xsi:type="BL"/> </observation> </entry><!-- [age\_acc] --> <!-- Birth Plurality --> <entry><!-- [birth plr] --> <observation classCode="OBS" moodCode="EVN"> <id root="C1EE2646-EFD0-11DF-8D9C-95CCDFD72085"/> <code code="103.16249" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"

```
displavName="Birth Plurality"/>
    <value value="3" xsi:type="INT"/>
   </observation>
  </entry><!-- [birth plr] -->
  <!-- Begin Date of Death Accuracy Indicator-->
   <entry><!-- [dod acc] -->
    <observation classCode="OBS" moodCode="EVN">
     <!-- ID is used for system purposes such as matching -->
     <id root="D253216C-EFD0-11DF-A686-ADCCDFD72085"/>
     <code code="102.16252"
     codeSystem="1.2.36.1.2001.1001.101"
     codeSystemName="NCTIS Data Components"
     displayName="Date of Death Accuracy Indicator"/>
     <value code="AAA" xsi:type="CS"/>
    </observation>
   </entry><!-- [dod acc] -->
   <!-- End Date of Death Accuracy Indicator-->
  <!-- Begin Entitlement -->
   <ext:coverage2 typeCode="COVBY">
    <ext:entitlement classCode="COV" moodCode="EVN">
     <ext:id root="To Be Advised" extension="1234567892" assigningAuthorityName="Australian Medicare number" />
     <ext:code code="11" codeSystem="1.2.36.1.2001.1001.101.104.16047" codeSystemName="NCTIS Entitlement Type Values" displayName="Medicare Benefits"/>
     <ext:effectiveTime>
     <low value="20090101"/>
     <high value="20110101"/>
     </ext:effectiveTime>
     <ext:participant typeCode="BEN">
     <ext:participantRole classCode="PAT">
      <ext:id root="7AA0BAAC-0CD0-11E0-9516-4350DFD72085" />
      </ext:participantRole>
     </ext:participant>
    </ext:entitlement>
   </ext:coverage2>
  <!-- End Entitlement -->
  <!-- End Patient - Body -->
 </section>
</component>
<!-- End Section Administrative Observations -->
```

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

# 6.1.3 FACILITY

## Identification

Name	FACILITY
Metadata Type	Data Group
Identifier	DG-10296

# Relationships

#### Parent

Data Type	Name	Obligation	Occurrence
•	e-Discharge Summary	Essential	11

Figure 6.5, "Facility" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The FACILITY data group is mapped to the location class. The location participant relates a healthcare facility (HealthCareFacility class) to an encounter (Context: ClinicalDocument/componentOf/encompassingEncounter) to indicate where the encounter took place. The entity scoping the HealthCareFacility role is an organisation (Organization class). The department/unit name is mapped to serviceProviderOrganization.name (Organization class) and the organisation name is mapped to the wholeOrganization (Organization class) which represents a whole-part relationship using the OrganizationPartOf role. The organisation entity identifier is represented by the EntityIdentifier class (Australian CDA extension) which is associated to the wholeOrganization.



Figure 6.5. Facility

# **CDA Mapping**

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements	•		Context: ClinicalDocument/componentOf/encompassingEncounter		
Facility	Details pertaining to the identification of a Healthcare Organisation/Facility which is involved in or associ- ated with the delivery of the healthcare services to the patient, or caring for his/her wellbeing.	11	location		
Facility > <b>Participation Type</b>	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	n/a	Participation Type SHALL have an im- plementation-specific fixed value equival- ent to "Facility".	Not mapped directly, encompassed impli- citly in loca- tion/typeCode="LOC" (optional, fixed value).
n/a	n/a	01	location/healthCareFacility/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
Facility > <b>Role</b>	The involvement or role of the participant in the re- lated action from a healthcare perspective rather than the specific participation perspective.	11	location/healthCareFacility/ <b>code</b>	Role <b>SHALL</b> have a value representing the type of Facility e.g. Hospital, Clinic.	
Facility > <b>Participant</b>	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	11	location/healthCareFacility/serviceProviderOrganization/asOrganizationPartOf/wholeOrganization		
Facility > Participant > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	location/healthCareFacility/serviceProviderOrganization/asOrganizationPartOf/wholeOrganization/ <entity Identifier&gt;</entity 	The value of one En- tity Identifier <b>SHALL</b> be an Australian HPI-O.	See common pat- tern: Entity Identifier.
Facility > Participant > Address	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	1*	location/healthCareFacility/serviceProviderOrganization/asOrganizationPartOf/ wholeOrganization/ <address></address>		Australian or Interna- tional Address SHALL be instanti- ated as an Australian Address. See common pat- tern: Address.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Facility > Participant > Electronic Communication Detail	The electronic communication details of entities.	0*	Iocation/healthCareFacility/serviceProviderOrganization/asOrganizationPartOf/ wholeOrganization/ <electronic communication="" detail=""></electronic>	The value of at least one Electronic Com- munication Medium SHALL be "Tele- phone" or "Mobile telephone". The value of at least one Electronic com- munication Medium SHALL be "Facsim- ile machine".	See common pat- tern: Electronic Communication De- tail.
Facility > Participant > <b>Person or Or- ganisation or Device</b>	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	11	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children. PERSON OR OR- GANISATION OR DEVICE <b>SHALL</b> be instantiated as a ORGANISATION.
Facility > Participant > Person or Organ- isation or Device > <b>Organisation</b>	Any organisation of interest to, or involved in, the business of healthcare service provision.	11	n/a		Not mapped directly, encompassed impli- citly in location/ healthCareFacility/ serviceProviderOr- ganization/asOrgan- izationPartOf/whole- Organization.
Facility > Participant > Person or Organ- isation or Device > Organisation > <b>Or-</b> ganisation Name	The name by which an organisation is known or called.	11	location/healthCareFacility/serviceProviderOrganization/asOrganizationPartOf/wholeOrganization/name		
Facility > Participant > Person or Organ- isation or Device > Organisation > De- partment/Unit	The name by which a department or unit within a larger organisation is known or called.	01	location/healthCareFacility/serviceProviderOrganization/name		
Facility > Participant > Person or Organ- isation or Device > Organisation > <b>Or- ganisation Name Usage</b>	The classification that enables differentiation between recorded names for an organisation or service location.	01	location/healthCareFacility/serviceProviderOrganization/asOrganizationPartOf/wholeOrganization/ name/@use	AS 4846-2006: Health Care Provider Organisation Name Usage	

#### **Example 6.4. Facility XML Fragment**

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence --> <ClinicalDocument xmlns="urn.hl7-org.v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" .... > <!-- Begin CDA Header --> <!-- Begin Encounter --> <componentOf> <encompassingEncounter> <!-- Begin Facility --> <location> <healthCareFacility> <!-- ID is used for system purposes such as matching --> <id root="9B63D0F4-0CE8-11E0-95F4-6E69DFD72085"/> <!-- Role --> <code code="HOSP" codeSystem="2.16.840.1.113883.1.11.17660" codeSystemName="HL7 ServiceDeliveryLocatonRoleType" displayName="Hospital"/> <!-- Participant --> <serviceProviderOrganization> <!-- Department/Unit --> <name>Emergency Department</name> <asOrganizationPartOf> <!-- ID is used for system purposes such as matching --> <id root="A5D3F450-0CD0-11E0-9272-C850DFD72085"/> <wholeOrganization> <!-- Organisation Name --> <name use="ORGB">Nehtaville Hospital</name> <!-- Electronic Communication Detail --> <telecom use="WP" value="tel:0799999999"/> <!-- Address --> <addr> <streetAddressLine>1 Hospital Street</streetAddressLine> <city>Nehtaville</city> <state>QLD</state> <postalCode>5555</postalCode> <additionalLocator>32568931</additionalLocator> <country>Australia</country> </addr>

<!-- Entity Identifier --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.8003633771167888"/> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name> </ext:assigningGeographicArea> </ext:asEntityIdentifier> </wholeOrganization> </asOrganizationPartOf> </serviceProviderOrganization> </healthCareFacility> </location> <!-- End Facility --> </encompassingEncounter> </componentOf> <!-- End Encounter --> <!-- End CDA Header --> <!-- Begin CDA Body -->

. . .

<!-- End CDA Body </ClinicalDocument>

# 7 Content Data Specification - CDA Mapping

# 7.1 e-Discharge Summary

## Identification

NameDISCHARGE SUMMARYMetadata TypeStructured DocumentIdentifierSD-20000

# **Relationships**

Children Not Included in Mapping for This Section (Content Data Components)

| Data Type | Name           | Obligation | Occurrence |
|-----------|----------------|------------|------------|
| •         | EVENT          | Essential  | 11         |
| •••       | MEDICATIONS    | Essential  | 11         |
| •         | HEALTH PROFILE | Essential  | 11         |
| •         | PLAN           | Essential  | 11         |

Figure 7.1, "e-Discharge Summary" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The e-Discharge Summary is composed of a ClinicalDocument, which is the entry point into the CDA R-MIM. The ClinicalDocument is associated with the bodyChoice through the component relationship. The structuredBody class represents a CDA document body that is comprised of one or more document sections.



Figure 7.1. e-Discharge Summary

# **CDA Mapping**

| NEHTA SDT Data Compon-<br>ent  | Data Component Definition   | Card | CDA Schema Data Element                   | Vocab | Comments |
|--------------------------------|---|------|---|-------|----------|
| CDA Header Data Elements       |   |      |   |       |          |
| e-Discharge Summary            | A collection of information about events during care<br>by a provider or organisation, which is released when<br>the subject of care is discharged from the care of<br>the provider organisation. | 11   | ClinicalDocument                          |       |          |
| CDA Body Level 2 Data Elements |   |      |   |       |          |
| e-Discharge Summary (Body)     | See above.  | 11   | ClinicalDocument/component/structuredBody |       |          |

#### Example 7.1. e-Discharge Summary Body XML Fragment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<<u>ClinicalDocument</u> <u>xmlns="urn:hl7-org:v3"</u>

....

...

xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"

... <!-- Begin CDA Header -->

<!-- End CDA Header -->

<!-- Begin CDA Body --> <component> <structuredBody>

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.1 EVENT

## Identification

Name	EVENT
Metadata Type	Section
Identifier	S-16006

# Relationships

#### Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
**	ENCOUNTER	Essential	11
•	PROBLEMS/DIAGNOSES THIS VISIT	Essential	11
•	CLINICAL INTERVENTIONS PERFORMED THIS VISIT	Optional	01
**	CLINICAL SYNOPSIS	Essential	11
~	DIAGNOSTIC INVESTIGATIONS	Optional	01

#### Parent

Data Type	Name	Obligation	Occurrence
	e-Discharge Summary	Essential	11

Figure 7.2, "Event" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.



Figure 7.2. Event
NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody		
Event	Details of the subject of care's stay in a healthcare	11	component[event]/section/code		
facility which instigated the creation of the discharge summary.		component[event]/section/code/@code="101.16006"			
		component[event]/section/code/@codeSystem="1.2.36.1.2001.1001.101"			
		component[event]/section/code/@codeSystemName="NCTIS Data Components"			
		component[event]/section/code/@displayName="Event"			
		component[event]/section/title="Event"			
			component[event]/section/text		See Appendix A, CDA Narratives

### Example 7.2. Event XML Fragment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" ... > <!-- Begin CDA Header --> <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBodv> .... <!-- Begin Event section --> <component><!-- [event] --> <section> <code code="101.16006" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displavName="Event"/> <title>Event</title> <text>Event narrative goes here.</text> . . . </section> </component> <!-- End Event section --> ... </structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.1.1 ENCOUNTER

## Identification

Name	ENCOUNTER
Metadata Type	Data Group
Identifier	DG-16057

## Relationships

### Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
<b>a</b>	RESPONSIBLE HEALTH PROFESSIONAL AT TIME OF DISCHARGE	Essential	11
۵	OTHER PARTICIPANT	Optional	0*

Data Type	Name	Obligation	Occurrence
•	EVENT	Essential	11

Figure 7.3, "Encounter - Header" and Figure 7.4, "Encounter - Body" show a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to both CDA Header and CDA Body elements.

The CDA Header part of the ENCOUNTER data group comprises the EncompassingEncounter class, which represents the setting of the clinical encounter during which the documented act(s) occurred, which is related to the ClinicalDocument by the component relationship and a Participant representing the Location of Discharge.



#### Figure 7.3. Encounter - Header

The CDA Body part of the ENCOUNTER data group comprises an instance of the Observation class containing a list of Specialties. The Observation class is related to the Administrative Observations Section by an entry relationship.



Figure 7.4. Encounter - Body

Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> procedure<sup>1</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements			Context: ClinicalDocument		
Encounter	Administrative details of the subject of care's stay in a healthcare facility.	11	componentOf[enc]/encompassingEncounter		
Encounter > Encounter Period	The date (and optionally time) of the start and end of the encounter that this discharge summary refers to.	11	componentOf[enc]/encompassingEncounter/effectiveTime		See <time> for available attributes.</time>
Encounter > Separation Mode	Status at separation of the subject of care and place to which the person is released.	11	componentOf[enc]/encompassingEncounter/dischargeDispositionCode	AIHW Mode of Separ- ation [AIHW2005]	
Encounter > Location of Discharge The physical location from which the patient was discharged. In the case of admitted patients, this should be the ward in which they were located at	The physical location from which the patient was	01	participant		
	discharged. In the case of admitted patients, this should be the ward in which they were located at		participant/@ <b>typeCode="ORG"</b>		
	the time of discharge. For non-admitted patients,		participant/associatedEntity		
	occurred.		participant/associatedEntity/@classCode="SDLOC"		
		0*	participant/associatedEntity/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
		11	participant/associatedEntity/ <b>code/originalText</b>		
DA Body Level 3 Data Elements Context: ClinicalDocument/component/structuredBody/component/section[admin_obs]					

<sup>1</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Encounter > Specialty	The clinical specialty under which the patient was	1*	entry[specialty]		
treated during the encounter.	treated during the encounter.		entry[specialty]/@typeCode="DRIV"		
			entry[specialty]/observation		
			entry[specialty]/observation/@classCode="OBS"		
		entry[specialty]/observation/@moodCode="EVN"			
		entry[specialty]/observation/ <b>code</b>	Medical Board of Australia: Medical Specialties and Spe- cialty Fields [MBA2010a]	See <code> for available attributes.</code>	
		entry[specialty]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>	
			entry[specialty]/observation/value:LIST <cd></cd>	NS	

### Example 7.3. Encounter XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ~
  <!-- Begin CDA Header -->
  <!-- Begin Location of Discharge -->
 <participant typeCode="ORG">
  <associatedEntity classCode="SDLOC">
  <!-- ID is used for system purposes such as matching -->
  <id root="88373F16-0CE8-11E0-81E5-6969DFD72085"/>
  <code>
   <originalText>Ward B</originalText>
  </code>
  </associatedEntity>
 </participant>
 <!-- End Location of Discharge -->
  <!-- Begin Encounter (header part) -->
 <componentOf>
  <encompassingEncounter>
  <!-- Encounter Period -->
  <effectiveTime>
   <low value="20090101"/>
   <high value="20090125"/>
  </effectiveTime>
  <!-- Separation Mode -->
  <dischargeDispositionCode code="8"</pre>
             codeSystem="2.16.840.1.113883.13.65"
             codeSystemName="Episode of admitted patient care-separation mode"
             displayName="Other (includes discharge to usual residence, own accommodation/welfare institution
                   (includes prisons, hostels and group homes providing primarily welfare services))"/>
  . . .
 </encompassingEncounter>
 </componentOf>
 <!-- End Encounter (header part) -->
  <!-- End CDA Header -->
  <!-- Begin CDA Body -->
  <component>
      <structuredBody>
         <!-- Begin Section Administrative Observations -->
         <component>
            <section>
```

```
<code code="102.16080" codeSystem="1.2.36.1.2001.1001.101"
              codeSystemName="NCTIS Data Components" displayName="Administrative Observations" />
           <title>Administrative Observations</title>
           <text>
              2tm
                       Specialties
                       Dermatology, Paediatric cardiology, Rheumatology
                    \langle tr \rangle
                  </text>
           <!-- Begin Encounter - Specialty (Administrative Observations) -->
  <entry typeCode="DRIV"><!-- [specialty] -->
   <observation classCode="OBS" moodCode="EVN">
   <!-- ID is used for system purposes such as matching -->
   <id root="A27F2F28-C379-11DE-9550-A59055D89593"/>
   <code code="103.16028"
     codeSystem="1.2.36.1.2001.1001.101"
     codeSystemName="NCTIS Data Components"
     displayName="Specialty"/>
    <value code="394582007"
      codeSystem="2.16.840.1.113883.6.96"
      codeSystemName="SNOMED-CT"
      codeSystemVersion="20090731"
      displayName="Dermatology"
      xsi:type="CD"/>
    <value code="408459003"
      codeSystem="2.16.840.1.113883.6.96"
      codeSystemName="SNOMED-CT"
      codeSystemVersion="20090731"
      displayName="Paediatric cardiology"
      xsi:type="CD"/>
    <value code="394810000"
      codeSystem="2.16.840.1.113883.6.96"
      codeSystemName="SNOMED-CT"
      codeSystemVersion="20090731"
      displayName="Rheumatology"
      xsi:type="CD"/>
   </observation>
  </entry>
 <!-- End Encounter - Specialty (Administrative Observations) -->
 </section>
</component>
<!-- End Section Administrative Observations -->
```

```
</structuredBody>
</component>
<!-- End CDA Body -->
</ClinicalDocument>
```

# 7.1.1.1.1 RESPONSIBLE HEALTH PROFESSIONAL AT TIME OF DISCHARGE

### Identification

Name	RESPONSIBLE HEALTH PROFESSIONAL AT TIME OF DISCHARGE
Metadata Type	Data Group
Identifier	DG-10296

## Relationships

Data Type	Name	Obligation	Occurrence
**	ENCOUNTER	Essential	11

Figure 7.5, "Responsible Health Professional at Time of Discharge" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The Responsible Health Professional at Time of Discharge is represented by the EncounterParticipant class.



Figure 7.5. Responsible Health Professional at Time of Discharge

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements			Context: ClinicalDocument/componentOf/encompassingEncounter		
Responsible Health Professional at Time of Discharge	The healthcare provider who has the overall respons- ibility for the care given to the subject of care at the time of discharge.	11	encounterParticipant		
Responsible Health Professional at Time of Discharge > <b>Participation</b> <b>Type</b>	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	encounterParticipant/@ <b>typeCode="DIS</b> "	Participation Type SHALL have an im- plementation-specific fixed value equival- ent to "Responsible Health Professional at Time of Dis- charge".	
Responsible Health Professional at Time of Discharge > <b>Role</b>	The involvement or role of the participant in the re- lated action from a healthcare perspective rather than the specific participation perspective.	11	encounterParticipant/assignedEntity/code	Role <b>SHOULD</b> have a value chosen from 1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Oc- cupations, First Edi- tion, 2006 - METeOR 350899. [ABS2006]. However, if a suit- able value in this set cannot be found, then any code set that is both re- gistered with HL7 and publically avail- able <b>MAY</b> be used.	See <code> for available attributes.</code>
Responsible Health Professional at Time of Discharge > <b>Participation</b> <b>Period</b>	The time interval during which the participation in the health care event occurred.	01	encounterParticipant/time		See <time> for avail- able attributes.</time>
n/a	n/a	11	encounterParticipant/assignedEntity/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA ele- ment.
Responsible Health Professional at Time of Discharge > <b>Participant</b>	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	11	encounterParticipant/assignedEntity/assignedPerson		

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Responsible Health Professional at Time of Discharge > Participant > En- tity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	encounterParticipant/assignedEntity/assignedPerson/ <entity identifier=""></entity>	The value of one En- tity Identifier <b>SHALL</b> be an Australian HPI-I.	See common pat- tern: Entity Identifier.
Responsible Health Professional at Time of Discharge > Participant > Ad- dress	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	0*	encounterParticipant/assignedEntity/ <address></address>	AUSTRALIAN OR INTERNATIONAL ADDRESS SHALL be instantiated as an AUSTRALIAN AD- DRESS.	See common pat- tern: Address.
Responsible Health Professional at Time of Discharge > Participant > Electronic Communication Detail	The electronic communication details of entities.	0*	encounterParticipant/assignedEntity/ <electronic communication="" detail=""></electronic>		See common pat- tern: Electronic Communication De- tail.
Responsible Health Professional at Time of Discharge > Participant > Per- son or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	11	n/a		PERSON OR OR- GANISATION OR DEVICE <b>SHALL</b> be instantiated as a PERSON. This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.
Responsible Health Professional at Time of Discharge > Participant > Per- son or Organisation or Device > <b>Person</b>	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare ser- vice, or is in some way related to, or a representative of, a subject of care (patient).	11	n/a		Not mapped directly, encompassed impli- citly in encounterPar- ticipant/assignedEn- tity/assignedPerson.
Responsible Health Professional at Time of Discharge > Participant > Per- son or Organisation or Device > Person > Person Name	The appellation by which an individual may be iden- tified separately from any other within a social con- text.	1*	encounterParticipant/assignedEntity/assignedPerson/ <person name=""></person>		See common pat- tern: Person Name.
Responsible Health Professional at Time of Discharge > Participant > Per- son or Organisation or Device > Person > Employment Detail	A person's occupation and employer.	01	>encounterParticipant/assignedEntity/assignedPerson/ <employment></employment>		See common pat- tern: Employment.

#### Example 7.4. Responsible Health Professional at Time of Discharge XML Fragment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence --> <ClinicalDocument xmlns="urn·hl7-org·v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" > <!-- Begin CDA Header --> <!-- Begin Encounter (header part) --> <componentOf> <encompassingEncounter> . . . <!-- Begin Responsible Health Professional at Time of Discharge --> <encounterParticipant typeCode="DIS"> <!-- Participation period --> <time> <low value="20090101" /> <high value="20090125" /> </time> <assignedEntity> <!-- ID is used for system purposes such as matching --> <id root="A19A7C1A-0CD0-11E0-AE84-C750DFD72085" /> <!-- Role --> <code code="253314 " codeSystem="2.16.840.1.113883.13.62" codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition" displayName="Medical Oncologist" /> <!-- Address --> <addr use="WP"> <streetAddressLine>1 Clinician Street</streetAddressLine> <city>Nehtaville</city> <state>QLD</state> <postalCode>55555</postalCode> <additionalLocator>32568931</additionalLocator> <country>Australia</country> </addr> <!-- Electronic Communication Detail --> <telecom value="mailto:doctor@hospital.com.au" /> <assignedPerson> <!-- Person Name --> <name use="L"> <prefix>Miss</prefix> <given>Good</given> <family>Oncologist</family> </name> <!-- Entity Identifier --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-I" root="1.2.36.1.2001.1003.0.8003615234567890" />

<ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name> </ext:assigningGeographicArea> </ext:asEntityIdentifier> <!-- Employment Details --> <ext:asEmployment classCode="EMP"> <!-- Position In Organisation --> <ext · code> <originalText>Senior Medical Oncologist</originalText> </ext:code> <!-- Occupation --> <ext:jobCode code="253314 " codeSystem="2.16.840.1.113883.13.62"</pre> codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition" displayName="Medical Oncologist" /> <!-- Employment Type --> <ext:jobClassCode code="FT" codeSystem="2.16.840.1.113883.5.1059" codeSystemName="HL7:EmployeeJobClass"</pre> displayName="full-time" /> <!-- Employer Organisation --> <ext:employerOrganization> <!-- Department/Unit --> <name>Acme Hospital One</name> <asOrganizationPartOf> <wholeOrganization> <!-- Organisation Name --> <name use="ORGB">Acme Hospital Group</name> <!-- Entity Identifier --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-O" root="1.2.36.1.2001.1003.0.8003621231167899" /> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name> </ext:assigningGeographicArea> </ext:asEntityIdentifier> </wholeOrganization> </asOrganizationPartOf> </ext:employerOrganization> </ext:asEmployment> </assignedPerson> </assignedEntity> </encounterParticipant> <!-- End Responsible health professional at time of discharge --> . . .

</encompassingEncounter> </componentOf> <!-- End Encounter (header part) --> <!-- End CDA Header -->

</ClinicalDocument>

# 7.1.1.1.2 OTHER PARTICIPANT

## Identification

Name	OTHER PARTICIPANT
Metadata Type	Data Group
Identifier	DG-10296

### Relationships

Data Type	Name	Obligation	Occurrence
~	ENCOUNTER	Optional	0*

Figure 7.6, "Other Participant" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The OTHER PARTICIPANT data group is related to its context of ClinicalDocument by the participant participation class. A participant is a person in the role of associatedEntity (AssociatedEntity class). The entity plaving the role is associatedPerson (Person class). The entity identifier of the participant is mapped to the EntityIdentifier class (NEHTA CDA Extension) which is associated to the associatedEntity.



### Figure 7.6. Other Participant



# Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>2</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements			Context: ClinicalDocument		
Other Participant	Other healthcare providers who were involved in the encounter, or individuals associated with the patient at the time of the encounter, and the role that they played – e.g. registrar, referred specialist, referring clinician, emergency contact.	0*	participant		
Other Participant > <b>Participation Type</b>	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	participant/@ <b>typeCode="PART"</b>	Participation Type SHALL have an im- plementation-specific fixed value equival- ent to "Other Parti- cipant".	
Other Participant > Role	The involvement or role of the participant in the re- lated action from a healthcare perspective rather	11	participant/associatedEntity/@classCode	HL7:RoleClassAsso- ciative	
	than the specific participation perspective.		participant/associatedEntity/code	Role <b>SHOULD</b> have a value chosen from 1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Oc- cupations, First Edi- tion, 2006 - METeOR 350899. [ABS2006]. However, if a suit- able value in this set cannot be found, then any code set that is both re- gistered with HL7 and publically avail- able <b>MAY</b> be used.	See <code> for available attributes.</code>
Other Participant > Participation Peri- od	The time interval during which the participation in the health care event occurred.	01	participant/time		See <time> for avail- able attributes.</time>

<sup>2</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
n/a	n/a	0*	participant/associatedEntity/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	
Other Participant > <b>Participant</b>	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	11	participant/associatedEntity/associatedPerson		
Other Participant > Participant > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*/ 0*	participant/associatedEntity/associatedPerson/ <entity identifier=""></entity>	If the Other Parti- cipant has an Aus- tralian HPI-I, then Entity Identifier is <b>ESSENTIAL</b> , other- wise it is <b>OPTION-</b> <b>AL</b> . If the Other Parti- cipant has an Aus- tralian HPI-I, then one value of Entity Identifier <b>SHALL</b> be an Australian HPI-I.	See common pat- tern: Entity Identifier.
Other Participant > Participant > Ad- dress	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	0*	participant/associatedEntity/ <address></address>		See common pat- tern: Address.
Other Participant > Participant > Elec- tronic Communication Detail	The electronic communication details of entities.	0*	participant/associatedEntity/ <electronic communication="" detail=""></electronic>		See common pat- tern: Electronic Communication De- tail.
Other Participant > Participant > Per- son or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	11	n⁄a		Person OR Organisa- tion OR Device SHALL be instanti- ated as a Person. This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Other Participant > Participant > Person or Organisation or Device > <b>Person</b>	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare ser- vice, or is in some way related to, or a representative of, a subject of care (patient).	11	n/a		Not mapped directly, encompassed impli- citly in participant/as- sociatedEntity/associ- atedPerson.
Other Participant > Participant > Person or Organisation or Device > Person > Person Name	The appellation by which an individual may be iden- tified separately from any other within a social con- text.	1*	participant/associatedEntity/associatedPerson/ <person name=""></person>		See common pat- tern: Person Name.
Other Participant > Participant > Person or Organisation or Device > Person > Relationship to Subject of Care	The relationship of a participant to a subject of care (patient).	01	See: Known Issues		
Other Participant > Participant > Person or Organisation or Device > Person > Employment Detail	A person's occupation and employer.	01	participant/associatedEntity/associatedPerson/ <employment></employment>		See common pat- tern: Employment.

#### **Example 7.5. Other Participant XML Fragment**

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ~
  <!-- Begin CDA Header -->
 <!-- Begin Other Participant (No HPI-O) -->
 <participant typeCode="PART">
 <!-- Participation Period -->
  <time>
  <low value="20090101" />
  <high value="20090125" />
  </time>
  <associatedEntity classCode="CAREGIVER">
  <!-- ID is used for system purposes such as matching -->
  <id root="5D2CFA72-0CE8-11E0-8796-2A69DFD72085" />
  <!-- Role -->
  <code>
   <originalText>Primary Carer</originalText>
  </code>
  <!-- Address -->
  <addr use="H">
   <streetAddressLine>55 Carer Street</streetAddressLine>
    <city>Nehtaville</city>
    <state>QLD</state>
    <postalCode>5555</postalCode>
   <additionalLocator>32568931</additionalLocator>
    <country>Australia</country>
  </addr>
  <!-- Electronic Communication Detail -->
  <telecom use="H" value="tel:0711111111" />
   <associatedPerson>
    <!-- Name -->
    <name>
     <prefix>Mr.</prefix>
     <family>Carer</family>
    </name>
  </associatedPerson>
  </associatedEntity>
 </participant>
 <!-- End Other Participant (No HPI-O) -->
 <!-- Begin Other Participant (With HPI-0) -->
 <participant typeCode="PART">
```

```
<!-- Participation Period -->
<time>
<low value="20090101" />
<high value="20090125" />
</time>
<associatedEntity classCode="PROV">
<!-- TD is used for system purposes such as matching -->
<id root="5D2CFA72-0CE8-11E0-8796-2A69DFD72085" />
<!-- Role -->
<code code="253318 " codeSystem="2.16.840.1.113883.13.62"</pre>
 codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006"
 displavName="Neurologist" />
 <!-- Address -->
 <addr use="WP">
 <streetAddressLine>55 Specialist Road</streetAddressLine>
 <citv>Nehtaville</citv>
 <state>QLD</state>
 <postalCode>55555</postalCode>
 <additionalLocator>32568931</additionalLocator>
 <country>Australia</country>
 </addr>
 <!-- Electronic Communication Detail -->
 <telecom use="WP" value="tel:0722222222" />
 <associatedPerson>
 <!-- Person Name -->
 <name>
  <prefix>Dr.</prefix>
  <family>Specialist</family>
 </name>
 <!-- Entity Identifier -->
  <ext:asEntityIdentifier classCode="IDENT">
  <ext:id assigningAuthorityName="HPI-I" root="1.2.36.1.2001.1003.0.8003614444567890" />
  <ext:assigningGeographicArea classCode="PLC">
   <ext:name>National Identifier</ext:name>
   </ext:assigningGeographicArea>
 </ext:asEntityIdentifier>
 <!-- Employment Details -->
 <ext:asEmployment classCode="EMP">
  <!-- Position In Organisation -->
  <ext:code>
   <originalText>Senior Neurologist</originalText>
   </ext:code>
  <!-- Occupation -->
   <ext:jobCode code="253318 " codeSystem="2.16.840.1.113883.13.62"</pre>
   codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006"
   displayName="Neurologist" />
  <!-- Employment Type -->
   <ext:jobClassCode code="FT" codeSystem="2.16.840.1.113883.5.1059" codeSystemName="HL7:EmployeeJobClass"</pre>
    displayName="full-time" />
   <!-- Employer Organisation -->
   <ext:employerOrganization>
```

```
<!-- Department/Unit -->
     <name>Neurology Specialists</name>
     <asOrganizationPartOf>
      <wholeOrganization>
       <!-- Organisation Name -->
       <name use="ORGB">Specialist Clinics</name>
       <!-- Entity Identifier -->
       <ext:asEntityIdentifier classCode="IDENT">
        <ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.8003621231164512" />
        <ext:assigningGeographicArea classCode="PLC">
         <ext:name>National Identifier</ext:name>
        </ext:assigningGeographicArea>
       </ext:asEntityIdentifier>
      </wholeOrganization>
     </asOrganizationPartOf>
    </ext:employerOrganization>
   </ext:asEmployment>
  </associatedPerson>
 </associatedEntity>
</participant>
<!-- End Other Participant (With HPI-0)-->
. . .
<!-- End CDA Header -->
  <!-- Begin CDA Body -->
  <component>
     <structuredBody>
     </structuredBody>
  </component>
  <!-- End CDA Body -->
</ClinicalDocument>
```

# 7.1.1.2 PROBLEMS/DIAGNOSES THIS VISIT

## Identification

Name	PROBLEMS DIAGNOSES THIS VISIT
Metadata Type	Section
Identifier	S-16142

## Relationships

### Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
<b>%</b>	EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES	Optional	01
~	PROBLEM/DIAGNOSIS	Optional	0*

Data Type	Name	Obligation	Occurrence
•	EVENT	Essential	11

Figure 7.7, "Problems Diagnoses This Visit" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

Problems/Diagnoses This Visit comprise of a Section class nested using the component relationship under the Event Section class.



Figure 7.7. Problems Diagnoses This Visit

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component/section[event]		
Problems/Diagnoses This Visit         Describes the diagnostic labels or problem statements assigned by the healthcare provider to describe the diagnoses or health/medical problems relevant to the subject of care during the encounter.	11	component[prob_visit]/section/code			
	ments assigned by the healthcare provider to de- scribe the diagnoses or health/medical problems		component[prob_visit]/section/code/@code="101.16142"		
		component[prob_visit]/section/code/@codeSystem="1.2.36.1.2001.1001.101"			
			component[prob_visit]/section/code/@codeSystemName="NCTIS Data Components"		
		component[prob_visit]/section/code/@displayName="Problems/Diagnoses This Visit"			
		component[prob_visit]/section/title="Problems/Diagnoses This Visit"			
			component[prob_visit]/section/text		See Appendix A, CDA Narratives

### Example 7.6. Problems Diagnoses This Visit XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
 xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 ~
  <!-- Begin CDA Header -->
   ....
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
  <component>
    <structuredBodv>
     ....
     <!-- Begin Event section -->
   <component><!-- [event] -->
    <section>
     . . .
     <!-- Begin Problems/Diagnoses this Visit section -->
     <component><!-- [prob visit] -->
      <section>
       <code code="101.16142"
        codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components"
         displayName="Problems/Diagnoses This Visit"/>
       <title>Problems/Diagnoses This Visit</title>
       <text/>
       . . .
      </section>
     </component>
     <!-- End Problems/Diagnoses this Visit section -->
    </section>
   </component>
  <!-- End Event section -->
    </structuredBody>
   </component>
   <!-- End CDA Body -->
</ClinicalDocument>
```

## 7.1.1.2.1 EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES

## Identification

Name	EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES
Metadata Type	Data Group
Identifier	DG-16138

### Relationships

Data Type	Name	Obligation	Occurrence
~~	PROBLEMS/DIAGNOSES THIS VISIT	Optional	01

Figure 7.8, "Exclusion Statement - Problems and Diagnoses" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Exclusion Statement - Problems and Diagnoses data group is represented by an observation class and is related to its containing section by an entry relationship.



Figure 7.8. Exclusion Statement - Problems and Diagnoses



# Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>3</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they **SHALL** be used and the non-standard code sets **SHALL** be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section/component[prob_visit	ection	
Exclusion Statement - Problems and	Global statements about the exclusion.	11	entry[gbl_prob]		
Diagnoses > Global Statement			entry[gbl_prob]/observation		
		entry[gbl_prob]/observation/@classCode="OBS"			
		entry[gbl_prob]/observation/@moodCode="EVN"			
		entry[gbl_prob]/observation/code			
		entry[gbl_prob]/observation/code/@code="103.16302.4.3.1"			
		entry[gbl_prob]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"			
			entry[gbl_prob]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[gbl_prob]/observation/code/@displayName="Global Statement"		
			entry[gbl_prob]/observation/value:CD	NCTIS: Admin Codes - Global Statement Values	See <code> for available attributes.</code>

<sup>&</sup>lt;sup>3</sup> http://www.hl7.org/oid/index.cfm?ref=footer

### Example 7.7. Exclusion Statement - Problems and Diagnoses XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ...
 ~
 <!-- Begin CDA Header -->
  ...
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
    <structuredBodv>
     ....
     <!-- Begin Event section -->
   <component><!-- [event] -->
    <section>
     <!-- Begin Problems/Diagnoses this Visit section -->
     <component><!-- [prob visit] -->
     <section>
       <!-- Begin Exclusion Statement - Problems and Diagnoses -->
       <!-- Global Statement -->
       <entrv>
        <!-- [gbl prob] -->
        <observation classCode="OBS" moodCode="EVN">
         <code code="103.16302.4.3.1" codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components" displayName="Global Statement" />
         <value code="01" codeSystem="1.2.36.1.2001.1001.101.104.16299"</pre>
          codeSystemName="Global Statement Values"
          displayName="None known" xsi:type="CD" />
        </observation>
       </entry>
       <!-- End Exclusion Statement - Problems and Diagnoses -->
       . . .
     </section>
     </component>
     <!-- End Problems/Diagnoses this Visit section -->
     . . .
   </section>
   </component>
  <!-- End Event section -->
```

</structuredBody> <component> <!-- End CDA Body -->

</ClinicalDocument>

# 7.1.1.2.2 PROBLEM/DIAGNOSIS

## Identification

Name	Problem/Diagnosis
Metadata Type	Data Group
Identifier	DG-15530

### Relationships

Data Type	Name	Obligation	Occurrence
•	PROBLEMS/DIAGNOSES THIS VISIT	Optional	0*

Figure 7.9, "Problem/Diagnosis This Visit" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

Each PROBLEM/DIAGNOSIS data group is represented by an Observation related to the Problems/Diagnoses This Visit Section class by an entry relationship.



Figure 7.9. Problem/Diagnosis This Visit



NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> procedure<sup>4</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements Context: ClinicalDocument/component/structuredBody/component[event]/section/component[prob_visit]/section					
Problems/Diagnosis	Describes a diagnostic label or problem statement assigned by the healthcare provider to describe the diagnoses or health/medical problems affecting the subject of care.	0*	entry[prob]		
			entry[prob]/observation		
			entry[prob]/observation/@classCode="OBS"		
			entry[prob]/observation/@moodCode="EVN"		
			entry[prob]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
Problems/Diagnosis > <b>Problem/Dia-</b> gnosis Type	The type used to categorise the problem/diagnosis.	11	entry[prob]/observation/code	NS	See <code> for available attributes.</code>
Problems/Diagnosis > Problem/Dia- gnosis Description	An identifying description of the problem/diagnosis.	11	entry[prob]/observation/value:CD	SNOMED CT-AU Problem/Diagnosis Reference Set	

<sup>4</sup> http://www.hl7.org/oid/index.cfm?ref=footer
#### Example 7.8. Problem/Diagnosis XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
>
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
    <structuredBodv>
    <!-- Begin Event section -->
   <component><!-- [event] -->
    <section>
     <!-- Begin Problems/Diagnoses this Visit section -->
     <component><!-- [prob visit] -->
      <section>
      <!-- Begin Problem/Diagnosis -->
       <entry><!-- [prob] -->
        <observation classCode="OBS" moodCode="EVN">
         <!-- ID is used for system purposes such as matching -->
         <id root="81FEB786-C465-11DE-B347-E8CA56D89593"/>
         <!-- Problem/Diagnosis Type -->
         <code code="116223007"
          codeSystem="2.16.840.1.113883.6.96"
           codeSystemName="SNOMED-CT"
           codeSystemVersion="20090731"
           displayName="Comorbidity"/>
         <!-- Problem/Diagnosis Description -->
         <value xsi:type="CD"
           code="236629009"
           codeSystem="2.16.840.1.113883.6.96"
           codeSystemName="SNOMED-CT"
            codeSystemVersion="20090731"
            displayName="Chronic radiation cystitis"/>
        </observation>
       </entry>
       <!-- End Problem/Diagnosis -->
      . . .
```

```
</section>
</component>
```

<!-- End Problems/Diagnoses this Visit section -->

</ClinicalDocument>

# 7.1.1.3 CLINICAL INTERVENTIONS PERFORMED THIS VISIT

# Identification

Metadata Type     Section       Identifier     S-20109	Name	CLINICAL INTERVENTIONS PERFORMED THIS VISIT
Identifier S-20109	Metadata Type	Section
	Identifier	S-20109

# Relationships

Data Type	Name	Obligation	Occurrence
•	EVENT	Optional	01

Figure 7.10, "Clinical Interventions Performed This Visit" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

Clinical Interventions Performed This Visit is comprised of a Section class nested using the component relationship under the Event Section class. Each CLINICAL INTERVENTION data group is represented by a Procedure related to the Clinical Interventions Performed This Visit Section class by an entry relationship.



Figure 7.10. Clinical Interventions Performed This Visit

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section		
Clinical Interventions Performed This	Describes the clinical interventions (including opera-	01	component[inter_visit]/section/code		
VISIC	tions, procedures and relevant nursing and allied health interventions) performed on the subject of		component[inter_visit]/section/code/@code="101.20109"		
	care during the healthcare encounter.		component[inter_visit]/section/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component[inter_visit]/section/code/@codeSystemName="NCTIS Data Components"		
			component[inter_visit]/section/code/@displayName="Clinical Interventions Performed This Visit"		
			component[inter_visit]/section/title="Clinical Interventions Performed This Visit"		
			component[inter_visit]/section/text		See Appendix A, CDA Narratives
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section		
Clinical Interventions Performed This Visit > Clinical Intervention	Describes an intervention carried out by a healthcare provider to improve, maintain or assess the health	1*	component[inter_visit]/section/entry[inter]		See <code> for available attributes.</code>
	of a subject of care, in a clinical situation that may require clinical judgement to produce a subjective finding (i.e. an 'action' that may include an 'evalu- ation').		component[inter_visit]/section/entry[inter]/@typeCode="DRIV"		
			component[inter_visit]/section/entry[inter]/procedure		
			component[inter_visit]/section/entry[inter]/procedure/@classCode="PROC"		
			component[inter_visit]/section/entry[inter]/procedure/@moodCode="EVN"		
			component[inter_visit]/section/entry[inter]/procedure/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
Clinical Interventions Performed This Visit > Clinical Intevention > Clinical Intervention Description	Describes the clinical intervention undertaken on or provided to the subject of care.	11	component[inter]/section/entry/procedure/code	SNOMED CT-AU Procedure foundation reference set	See <code> for available attributes.</code>

#### Example 7.9. Clinical Interventions Performed This Visit XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 ~
  <!-- Begin CDA Header -->
  ....
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
    <structuredBodv>
    ....
  <!-- Begin Event section -->
  <component><!-- [event] -->
   <section>
     . . .
     <!-- Begin Clinical Interventions Performed This Visit section -->
     <component><!-- [inter_visit] -->
      <section>
      <code code="101.20109"
        codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components"
         displayName="Clinical Interventions Performed This Visit"/>
       <title>Clinical Interventions Performed This Visit</title>
       <text/>
       <!-- Clinical Intervention -->
       <entry typeCode="DRIV"><!-- [inter] -->
        classCode="PROC" moodCode="EVN">
         <!-- ID is used for system purposes such as matching -->
         <id root="81FEB786-C465-11DE-B347-E8CA56D89593"/>
         <!-- Clinical Intervention Description -->
         <code code="430698003"
          codeSystem="2.16.840.1.113883.6.96"
          codeSystemName="SNOMED-CT"
          codeSystemVersion="20090731"
          displayName="Replacement of total knee joint"/>
        </procedure>
       </entry>
      </section>
     </component>
     <!-- End Clinical Interventions Performed This Visit section -->
```

</section> </component> <!-- End Event section --> </structuredBody> <component> <!-- End CDA Body -->

</ClinicalDocument>

# 7.1.1.4 CLINICAL SYNOPSIS

# Identification

Name	CLINICAL SYNOPSIS
Metadata Type	Data Group
Identifier	DG-15513

# Relationships

Data Type	Name	Obligation	Occurrence
•	EVENT	Essential	11

Figure 7.11, "Clinical Synopsis" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

Clinical Synopsis data group comprises of a Section class related to its parent section by a component relationship. The Clinical Synopsis is represented by an Act related to the Section class by an entry relationship.



Figure 7.11. Clinical Synopsis

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section		
Clinical Synopsis	Summary information or comments about the clinical	11	component[synop]/section/code		
	is of diagnoses/problems identified during the		component[synop]/section/code/@code="102.15513.4.1.1"		
	healthcare encounter. It may also include health-re-		component[synop]/section/code/@codeSystem="1.2.36.1.2001.1001.101"		
	a clinical interpretation of relevant investigations and		component[synop]/section/code/@codeSystemName="NCTIS Data Components"		
	observations performed on the subject of care (in- cluding pathology and diagnostic imaging).		component[synop]/section/code/@displayName="Clinical Synopsis"		
			component[synop]/section/title="Clinical Synopsis"		
			component[synop]/section/text		See Appendix A, CDA Narratives
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section		
			component[synop]/section/entry		See <code> for available attributes.</code>
			component[synop]/section/entry/@typeCode="DRIV"		
			component[synop]/section/entry/act		
			component[synop]/section/entry/act/@classCode="ACT"		
			component[synop]/section/entry/act/@moodCode="EVN"		
			component[synop]/section/entry/act/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			component[synop]/section/entry/act/code		
			component[synop]/section/entry/act/@code="103.15582"		
			component[synop]/section/entry/act/@codeSystem="1.2.36.1.2001.1001.101"		
			component[synop]/section/entry/act/@codeSystemName="NCTIS Data Components"		
			component[synop]/section/entry/act/@displayName="Clinical Synopsis Description"		
Clinical Synopsis > Clinical Synopsis Description	The clinical synopsis, written in free text. The descrip- tion may include a summary of the issues/problems, management strategies, outcomes/progress and possible prognosis.	11	component[synop]/section/entry/act/text:ST		

#### Example 7.10. Clinical Synopsis XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.bl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
   <!-- Begin CDA Header -->
   <!-- End CDA Header -->
<!-- Begin CDA Body -->
 <component>
   <structuredBody>
    <!-- Begin Event section -->
   <component><!-- [event] -->
   <section>
     <!-- Begin Clinical Synopsis section -->
     <component><!-- [synop] -->
      <section>
      <code code="102.15513.4.1.1"
        codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components"
         displayName="Clinical Synopsis"/>
       <title>Clinical Synopsis</title>
       <text/>
       <entry typeCode="DRIV">
       <act classCode="ACT" moodCode="EVN">
         <!-- ID is used for system purposes such as matching -->
         <id root="39655E76-C465-11DE-8B04-0BC756D89593"/>
         <!-->
         <code code="103.15582"
          codeSystem="1.2.36.1.2001.1001.101"
          codeSystemName="NCTIS Data Components"
           displayName="Clinical Synopsis Description"/>
         <!-- Clinical Synopsis Description -->
         <text xsi:type="ST">This 61yo female was admitted for elective, right, total knee replacement. Past history of mild
          COPD, mild anaemia, and radiation cystitis. A cemented prosthesis was inserted without difficulty
          under combined lumbar epidural and general anaesthetic. On day 2, she developed bilateral basal
          atelectasis. Ongoing problems with inadequate pain management because of persistent hypotension
          secondary to the epidural. The epidural was ceased and the patient was switched to a morphine PCA
          regime. Due to concern about the potential for pneumonia in the presence of COPD she was commenced on
          oral antibiotics and given regular chest physiotherapy. Due to mild anaemia prior to surgery and
          subsequent operative blood loss she required a blood transfusion of three units. She was given regular
          enoxaparin (Clexane) to reduce the risk of DVT. The patient subsequently makes steady progress,
          regaining good mobility in her knee and is able to mobilise with the aid of a stick. She is on
          regular paracetamol and codeine for pain relief, as well as her usual medications for COPD. The
```

Celecoxib was ceased. Aspirin is to be recommenced at the discretion of the GP. Discharged with post-op analgesics and oral antibiotics.</text> </act> </section> </component> <!-- End Clinical Synopsis section -->

#### </section> </component> <!-- End Event section -->

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.1.5 DIAGNOSTIC INVESTIGATIONS

# Identification

Metadata Type Section	
Identifier S-20117	

# Relationships

### Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
<b>\$</b>	PATHOLOGY TEST RESULT	Optional	0*
<b>\$</b>	IMAGING EXAMINATION RESULT	Optional	0*

Data Type	Name	Obligation	Occurrence
•	EVENT	Optional	01

Figure 7.12, "Diagnostic Investigations" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

Diagnostic Investigations comprises of a Section class related to its parent section by a component relationship.



Figure 7.12. Diagnostic Investigations

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section		
Diagnostic Investigations	Describes the diagnostic tests or procedures per-	01	component[diag_inv]/section		
	event, that are considered to be relevant to the		component[diag_inv]/section/code		
	subject of care's ongoing care.		component[diag_inv]/section/code/@code="101.20117"		
			component[diag_inv]/section/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component[diag_inv]/section/code/@codeSystemName="NCTIS Data Components"		
			component[diag_inv]/section/code/@displayName="Diagnostic Investigations"		
			component[diag_inv]/section/title="Diagnostic Investigations"		
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/		
Diagnostic Investigations > Pathology Test Result	The result of a laboratory test which may be used to record a single valued test but will often be spe- cialised or templated to represent multiple value or 'panel' tests.	0*	See: PATHOLOGY TEST RESULT		
Diagnostic Investigations > Imaging Examination Result	The result of an imaging examination which may be used to record a single valued test but will often be specialised or templated to represent multiple value or 'panel' tests.	0*	See: IMAGING EXAMINATION RESULT		

#### Example 7.11. Diagnostic Investigations XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
 xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ...
>
  <!-- Begin CDA Header -->
   ....
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
    <structuredBodv>
    <!-- Begin Event section -->
   <component><!-- [event] -->
    <section>
     . . .
     <!-- Begin Diagnostic Investigations section -->
     <component>
      <section>
       <code code="101.20117"
        codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components"
         displayName="Diagnostic Investigations"/>
       <title>Diagnostic Investigations</title>
      </section>
     </component>
     <!-- End Diagnostic Investigations section -->
    </section>
   </component>
   <!-- End Event section -->
    </structuredBody>
 <component>
  <!-- End CDA Body -->
</ClinicalDocument>
```

# 7.1.1.5.1 PATHOLOGY TEST RESULT

### Identification

Name	Pathology Test Result
Metadata Type	Data Group
Identifier	DG-16144

### Relationships

### Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
**	TEST SPECIMEN DETAIL	Essential	1*
**	PATHOLOGY TEST RESULT GROUP	Optional	0*

Data Type	Name	Obligation	Occurrence
~	DIAGNOSTIC INVESTIGATIONS	Optional	0*

Figure 7.13, "Pathology Test Result" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Pathology Test Result data group is a component Section of its containing Section. Related to the Pathology Test Result Section by an entry relationship is an Observation. The Observation.id represents the Laboratory Test Result Identifier, the Observation.code represents the Pathology Test Result Name and Observation.value is the Test Result Representation.

There are five Observations related to the base Pathology Test Result Observation: Diagnostic Service, Overall Pathology Test Result Status, Pathological Diagnosis, Pathology Test Conclusion, Pathology Test Result DateTime.

There are three Acts related to the base Pathology Test Result Observation: Clinical Information Provided, Test Comment and Test Request Details.

The Test Request Details has two related Acts of its own which are Test Request Name and Received Order Identifier.

	entryRelationship	
	<b>typeCode*</b> : <= x_ActRelationshipEntryRelationship inversionInd: BL [01]	hip
		Clinical Statement
	0* clinical Statement	Act
	component         typeCode*: <= COMP         contextConductionInd*: BL [11] "true"	classCode*: <= x_ActClassDocumentEntryAct moodCode*: <= x_DocumentActMood id: SET <ii>[0*] code*: CD CWE [11] &lt; ActCode negationInd: BL [01] text: ED [01] statusCode: CS CNE [01] &lt; ActStatus effectiveTime: IVL<ts> [01] priorityCode: CE CWE [01] &lt; ActPriority languageCode: CS CNE [01] &lt; HumanLanguage</ts></ii>
Section classCode*: <= DOCSECT moodCode*: <= EVN id: II [01] code: CE CWE [01] <= DocumentSectionType title: ST [01] text*: ED [01]	0* section 0* clinical Statement entry typeCode*: <= x_ActRelationshipEntry contextConductionInd*: BL [11] "true"	Observation classCode*: <= OBS moodCode*: <= x_ActMoodDocumentObservation id: SET <ii>[0*] code*: CD CWE [11] &lt; ObservationType effectiveTime: IVL<ts> [01] value: ANY CWE [01] &lt; ObservationValue</ts></ii>

Figure 7.13. Pathology Test Result

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments		
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/				
Pathology Test Result	The result of a laboratory test which may be used	0*	component[path_test]/section				
	to record a single valued test but will often be spe- cialised or templated to represent multiple value or		component[path_test]/section/code				
	'panel' tests.		component[path_test]/section/@code="102.16144"				
			component[path_test]/section/@codeSystem="1.2.36.1.2001.1001.101"				
			component[path_test]/section/@codeSystemName="NCTIS Data Components"				
			component[path_test]/section/@displayName="Pathology Test Result"				
			component[path_test]/section/title="Pathology Test Result"				
		component[path_test]/section/text		See Appendix A, CDA Narratives			
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/component[	ection/component[path_te	est]/section/		
Pathology Test Result > Pathology	thology Test Result > Pathology       Identification of the pathology test performed, sometimes including specimen type.         st Result Name       Identification of the pathology test performed, sometimes including specimen type.	11	entry[path_test_res]/observation				
Test Result Name			entry[path_test_res]/observation@classCode="OBS"				
			entry[path_test_res]/observation@moodCode="EVN"				
			entry[path_test_res]/observation/code	NS	See <code> for available attributes.</code>		
Pathology Test Result > Diagnostic	The diagnostic service that performs the examina-	01	entry[path_test_res]/observation/entryRelationship[diag_serv]/@typeCode="COMP"				
Service	uon.		entry[path_test_res]/observation/entryRelationship[diag_serv]/observation				
			entry[path_test_res]/observation/entryRelationship[diag_serv]observation/@classCode="OBS"				
			entry[path_test_res]/observation/entryRelationship[diag_serv]/observation/@moodCode="EVN"				
			entry[path_test_res]/observation/entryRelationship[diag_serv]/observation/code				
			entry[path_test_res]/observation/entryRelationship[diag_serv]/observation/code/@code="310074003"				
			entry[path_test_res]/observation/entryRelationship[diag_serv]/observation/code/@codeSystem= "2.16.840.1.113883.6.96"				
			entry[path_test_res]/observation/entryRelationship[diag_serv]/observation/code/@codeSystemVersion= "20110531"				
			entry[path_test_res]/observation/entryRelationship[diag_serv]/observation/code/@codeSystemName= "SNOMED CT-AU"				
			entry[path_test_res]/observation/entryRelationship[diag_serv]/observation/code/@displayName= "pathology service"				
			entry[path_test_res]/observation/entryRelationship[diag_serv]/observation/ <b>value:CD</b>	HL7 Diagnositc Ser- vice Values (table 0074)	See <code> for available attributes.</code>		

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Pathology Test Result > <b>Test Specimen</b> <b>Detail</b>	Details about specimens to which this test result refers.	1*	See: TEST SPECIMEN DETAIL.		
Pathology Test Result > Overall	The status of the pathology test result as a whole.	11	entry[path_test_res]/observation/entryRelationship/@typeCode="COMP"		
Pathology Test Result Status			entry[path_test_res]/observation/entryRelationship[res_stat]/observation		
			entry[path_test_res]/observation/entryRelationship[res_stat]/observation/@classCode="OBS"		
			entry[path_test_res]/observation/entryRelationship[res_stat]/observation/@moodCode="EVN"		
			entry[path_test_res]/observation/entryRelationship[res_stat]/observation/code		
			entry[path_test_res]/observation/entryRelationship[res_stat]/observation/code/@code="308552006"		
			entry[path_test_res]/observation/entryRelationship[res_stat]/observation/code/@codeSystem= "2.16.840.1.113883.6.96"		
			entry[path_test_res]/observation/entryRelationship[res_stat]/observation/code/@codeSystemVersion= "20110531"		
			entry[path_test_res]/observation/entryRelationship[res_stat]/observation/code/@codeSystemName= "SNOMED CT-AU"		
			entry[path_test_res]/observation/entryRelationship[res_stat]/observation/code/@displayName="report status"		
			entry[path_test_res]/observation/entryRelationship[res_stat]/observation/value:CD	NCTIS: Admin Codes - Result Status	See <code> for available attributes.</code>
Pathology Test Result > Clinical Inform-	Description of clinical information available at the	01	entry[path_test_res]/observation/entryRelationship[clin_info_prov]/@typeCode="COMP"		
ation Provided	al clinical information provided in the test request.		entry[path_test_res]/observation/entryRelationship[clin_info_prov]/act		
			entry[path_test_res]/observation/entryRelationship[clin_info_prov]/act/@classCode="INFRM"		
			entry[path_test_res]/observation/entryRelationship[clin_info_prov]/act/@moodCode="EVN"		
			entry[path_test_res]/observation/entryRelationship[clin_info_prov]/act/code		
			entry[path_test_res]/observation/entryRelationship[clin_info_prov]/act/code/@code="55752-0"		
			entry[path_test_res]/observation/entryRelationship[clin_info_prov]/act/code/@codeSystem= "2.16.840.1.113883.6.1"		
			entry[path_test_res]/observation/entryRelationship[clin_info_prov]/act/code/@codeSystemName= "LOINC"		
			entry[path_test_res]/observation/entryRelationship[clin_info_prov]/act/code/@displayName="Clinical information"		
			entry[path_test_res]/observation/entryRelationship[clin_info_prov]/act/text:ST		
Pathology Test Result > Pathology Test Result Group	A group of results.	0*	See: PATHOLOGY TEST RESULT GROUP		

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Pathology Test Result > Pathological	Single word, phrase or brief description representing	0*	entry[path_test_res]/observation/entryRelationship[path_diag]/@typeCode="REFR"		
Diagnosis	pathologist.		entry[path_test_res]/observation/entryRelationship[path_diag]/observation		
			entry[path_test_res]/observation/entryRelationship[path_diag]/observation/@classCode="OBS"		
			entry[path_test_res]/observation/entryRelationship[path_diag]/observation/@moodCode="EVN"		
			entry[path_test_res]/observation/entryRelationship[path_diag]/observation/code		
			entry[path_test_res]/observation/entryRelationship[path_diag]/observation/code/@code="88101002"		
			entry[path_test_res]/observation/entryRelationship[path_diag]/observation/code/@codeSystem= "2.16.840.1.113883.6.96"		
			entry[path_test_res]/observation/entryRelationship[path_diag]/observation/code/@codeSystemVersion= "20110531"		
			entry[path_test_res]/observation/entryRelationship[path_diag]/observation/code/@codeSystemName= "SNOMED CT-AU"		
			entry[path_test_res]/observation/entryRelationship[path_diag]/observation/code/@displayName= "pathology diagnosis"		
			entry[path_test_res]/observation/entryRelationship[path_diag]/observation/value:CD[LIST]	NS	The cardinality (0*) of this component is represented by a list of value:CD.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Pathology Test Result > Pathology	Concise and clinically contextualised narrative inter-	01	entry[path_test_res]/observation/entryRelationship[path_conc]/@typeCode="REFR"		
Test Conclusion	pretation of the pathology test results.		entry[path_test_res]/observation/entryRelationship[path_conc]/observation		
			entry[path_test_res]/observation/entryRelationship[path_conc]/observation/@classCode="OBS"		
			entry[path_test_res]/observation/entryRelationship[path_conc]/observation/@moodCode="EVN"		
			entry[path_test_res]/observation/entryRelationship[path_conc]/observation/id	UUID	See <id> for avail-</id>
				This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	able attributes.
			entry[path_test_res]/observation/entryRelationship[path_conc]/observation/code		
			entry[path_test_res]/observation/entryRelationship[path_conc]/observation/code/@code="386344002"		
			entry[path_test_res]/observation/entryRelationship[path_conc]/observation/code/@codeSystem= "2.16.840.1.113883.6.96"		
			entry[path_test_res]/observation/entryRelationship[path_conc]/observation/code/@codeSystemVersion= "20110531"		
			entry[path_test_res]/observation/entryRelationship[path_conc]/observation/code/@codeSystemName= "SNOMED CT-AU"		
			entry[path_test_res]/observation/entryRelationship[path_conc]/observation/code/@displayName= "laboratory findings data interpretation"		
			entry[path_test_res]/observation/entryRelationship[path_conc]/observation/value:ST		
Pathology Test Result > <b>Test Result</b> <b>Representation</b>	Rich text representation of the entire result as issued by the diagnostic service.	01	entry[path_test_res]/observation/value:ED		
Pathology Test Result > <b>Test Comment</b>	Additional narrative about the test not captured in	01	entry[path_test_res]/observation/entryRelationship[tst_cmt]/@typeCode="COMP"		
	other helds.		entry[path_test_res]/observation/entryRelationship[tst_cmt]/act		
			entry[path_test_res]/observation/entryRelationship[tst_cmt]/act/@classCode="INFRM"		
			entry[path_test_res]/observation/entryRelationship[tst_cmt]/act/@moodCode="EVN"		
			entry[path_test_res]/observation/entryRelationship[tst_cmt]/act/code		
			entry[path_test_res]/observation/entryRelationship[tst_cmt]/act/@code="103.16468"		
			entry[path_test_res]/observation/entryRelationship[tst_cmt]/act/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entry[path_test_res]/observation/entryRelationship[tst_cmt]/act/code/@codeSystemName="NCTIS Data Components"		
			entry[path_test_res]/observation/entryRelationship[tst_cmt]/act/code/@displayName="Test Comment"		
			entry[path_test_res]/observation/entryRelationship[tst_cmt]/act/text:ST		

NEHTA SDT Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Pathology Test Result > Test Request	Details concerning a single pathology test requested.	0*	entry[path_test_res]/observation/entryRelationship[req_dets]/@typeCode="SUBJ"		
Details			entry[path_test_res]/observation/entryRelationship[req_dets]/@inversionInd="true"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/@classCode="ACT"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/@moodCode="EVN"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/code		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/code/@code="102.16160"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/code/@codeSystemName="NCTIS Data Components"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/code/@displayName="Test Request Details"		
Pathology Test Result > Test Request Details > <b>Test Requested Name</b>	Identification of pathology test requested, where the test requested differs from the test actually performed.	0*	entry[path_test_res]/observation/entryRelationship[req_dets]/act/entryRelationship[req_name]/ @typeCode="COMP"		
			$entry [path\_test\_res] / observation / entry Relationship [req\_dets] / act / entry Relationship [req\_name] / observation / entry Relationship [req\_dets] / act / entry Relationship [req\_name] / observation / entry Relationship [req\_dets] / act / entry Relationship [req\_name] / observation / entry Relationship [req\_dets] / act / entry Relationship [req\_name] / observation / entry Relationship [req\_dets] / act / entry Relationship [req\_name] / observation / entry Relationship [req\_dets] / act / entry Relationship [req\_name] / observation / entry Relationship [req\_dets] / act / entry Relationship [req\_name] / observation / entry Relationship [req\_dets] / act / entry Relationship [req\_name] / observation / entry Relationship [req\_dets] / act / entry Relationship [req\_name] / observation / entry Relationship [req\_dets] / act / entry Relationship [req\_dets] / ac$		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/entryRelationship[req_name]/ observation/@classCode="OBS"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/entryRelationship[req_name]/ observation/@moodCode="RQO"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/entryRelationship[req_name]/ observation/code		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/entryRelationship[req_name]/observation/ code/@code="103.11017"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/entryRelationship[req_name]/observation/ code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/entryRelationship[req_name]/observation/ code/@codeSystemName="NCTIS Data Components"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/entryRelationship[req_name]/observation/ code/@displayName="Test Requested Name"		
			entry[path_test_res]/observation/entryRelationship[req_dets]/act/entryRelationship[req_name]/ observation/value:CD	NS	
Pathology Test Result > Test Request Details > Laboratory Test Result Identifier	The identifier given to the laboratory test result of a pathology investigation.	01	entry[path_test_res]/observation/id		See <id> for avail- able attributes.</id>

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Pathology Test Result > Pathology	The date and, optionally, time of the Pathology Test	11	entry[path_test_res]/observation/entryRelationship[tst_date]/@typeCode="COMP"		
Test Result Date Time	Duration is non-zero, it is the time at which the		entry[path_test_res]/observation/entryRelationship[tst_date]/observation		
	Pathology Test Result observation was completed,		entry[path_test_res]/observation/entryRelationship[tst_date]/observation/@classCode="OBS"		
	Pathology Test Result Duration.		entry[path_test_res]/observation/entryRelationship[tst_date]/observation/@moodCode="EVN"		
			entry[path_test_res]/observation/entryRelationship[tst_date]/observation/code		
			entry[path_test_res]/observation/entryRelationship[tst_date]/observation/code/@code="103.16605"		
			entry[path_test_res]/observation/entryRelationship[tst_date]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entry[path_test_res]/observation/entryRelationship[tst_date]/observation/code/@codeSystemName= "NCTIS Data Components"		
			entry[path_test_res]/observation/entryRelationship[tst_date]/observation/code/@displayName="Pathology Test Result DateTime"		
			entry[path_test_res]/observation/entryRelationship[tst_date]/observation/effectiveTime		See <time> for available attributes.</time>

#### Example 7.12. Pathology Test Result XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
>
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
   <structuredBodv>
    ....
    <!-- Begin Event section -->
  <component>
   <section>
      ...
    <!-- Begin Diagnostic Investigations section -->
     <component>
     <section>
      . . .
      <!-- Begin Pathology Test Result section -->
      <component>
       <section>
        <code code="102.16144" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
        displayName="Pathology Test Result" />
        <title>Pathology Test Result</title>
        <text>
        <thead>
          Test
           Value
           Units
           Reference Range
           Interpretation
          </thead>
          Serum Creatinine
           0.06
           mmol/L
           0.04-0.11
           N
          Serum Uric Acid
           0.41
```

```
mmol/L
   0.14-0.35
   HH
  \langle tr \rangle
  </text>
<entrv>
<observation classCode="OBS" moodCode="EVN">
 <!-- Begin Laboratory Result Identifier -->
  <id root="8FC201B4-F2FA-11E0-906B-E4D04824019B"/>
 <!-- End Laboratory Result Identifier -->
 <!-- Begin Pathology Test Result Name -->
 <code code="18719-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
  displayName="Chemistry studies (set)" />
  <!-- End Pathology Test Result Name -->
 <!-- Begin Test Result Representation -->
  <value mediaType="application/pdf">
  <reference value="pathresult.pdf" />
  </value>
 <!-- End Test Result Representation -->
  <!-- Begin Diagnostic Service -->
  <entryRelationship typeCode="COMP">
  <observation classCode="OBS" moodCode="EVN">
   <code code="310074003" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT-AU"</pre>
    codeSystemVersion="20110531" displayName="pathology service" />
   <value code="CH" codeSystem="2.16.840.1.113883.12.74" displayName="Chemistry"
    xsi:type="CD" />
  </observation>
  </entryRelationship>
  <!-- End Diagnostic Service -->
  <!-- Test Specimen Details -->
  <entryRelationship typeCode="SUBJ">
  <observation classCode="OBS" moodCode="EVN">
  </observation>
  </entryRelationship>
  <!-- End Test Specimen Details -->
  <!-- Begin Overall Pathology Test Result Status -->
  <entryRelationship typeCode="COMP">
  <observation classCode="OBS" moodCode="EVN">
   <code code="308552006" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT-AU"
    codeSystemVersion="20110531" displayName="Report Status" />
   <value code="3" codeSystem="1.2.36.2001.1001.101.104.16501"</pre>
    codeSystemName="NCTIS Result Status Values" displayName="Final" xsi:type="CD" />
  </observation>
  </entryRelationship>
  <!-- End Overall Pathology Test Result Status -->
  <!-- Begin Clinical Information Provided -->
  <entryRelationship typeCode="COMP">
  <act classCode="INFRM" moodCode="EVN">
   <code code="55752-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
    displayName="Clinical information" />
   <text>Bloods for evaluation.</text>
  </act>
  </entryRelationship>
```

```
<!-- End Clinical Information Provided -->
<!-- Pathology Test Result Group -->
<entryRelationship typeCode="COMP">
<organizer classCode="BATTERY" moodCode="EVN">
 ...
 </organizer>
</entryRelationship>
<!-- End Pathology Test Result Group -->
<!-- Begin Pathological Diagnosis -->
<entryRelationship typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">
 <code code="88101002" codeSystem="2.16.840.1.113883.6.96"
  codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531" displayName="pathology diagnosis" />
 <value code="236425005" codeSystem="2.16.840.1.113883.6.96"</pre>
  codeSystemName="SNOMED CT-AU" displayName="chronic kidney disease" xsi:type="CD" />
 </observation>
</entryRelationship>
<!-- End Pathological Diagnosis -->
<!-- Begin Pathology Test Conclusion -->
<entryRelationship typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">
 <id root="060588DE-F2F9-11E0-ABE7-C7CE4824019B" />
 <code code="386344002" codeSystem="2.16.840.1.113883.6.96"
   codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531" displayName="laboratory findings data interpretation" />
 <value xsi:type="ST">Chronic Kidney Disease.</value>
 </observation>
</entryRelationship>
<!-- End Pathology Test Conclusion -->
<!-- Begin Test Comment -->
<entrvRelationship typeCode="COMP">
<act classCode="INFRM" moodCode="EVN">
 <code code="103.16468" codeSystem="1.2.36.1.2001.1001.101"
  codeSystemName="NCTIS Data Components" displayName="Test Comment" />
 <text>Known PKD</text>
 </act>
</entryRelationship>
<!-- End Test Comment -->
<!-- Begin Test Request Details -->
<entryRelationship typeCode="SUBJ" inversionInd="true">
 <act classCode="ACT" moodCode="EVN">
 <code code="102.16160" codeSystem="1.2.36.1.2001.1001.101"
  codeSystemName="NCTIS Data Components" displayName="Test Request Details" />
 <!-- Begin Test Requested Name -->
  <entryRelationship typeCode="COMP">
   <observation classCode="OBS" moodCode="RQO">
    <code code="103.11017" codeSystem="1.2.36.1.2001.1001.101"
    codeSystemName="NCTIS Data Components" displayName="Test Requested Name" />
    <value xsi:type="CD" code="883080000" codeSystem="2.16.840.1.113883.6.96"
          codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531"
          displayName="Blood Cell Count">
   </observation>
  </entryRelationship>
  <!-- End Test Requested Name -->
 </act>
</entryRelationship>
<!-- End Test Request Details -->
```

• • •

</section> </component> <!-- End Diagnostic Investigations section -->

• • •

</section> </component> <!-- End Event Section -->

...

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

### 7.1.1.5.1.1 TEST SPECIMEN DETAIL

### Identification

Name	Test Specimen Detail
Metadata Type	Data Group
Identifier	DG-16156.2.2.1

#### Relationships

Data Type	Name	Obligation	Occurrence
~	PATHOLOGY TEST RESULT	Essential	1*

Figure 7.14, "Test Specimen Detail" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The Test Specimen Detail data group is represented by an Observation related to its containing section by an entry relationship. The Collection Procedure is mapped to the methodCode of the Observation, the Anatomical Location is mapped to the targetSiteCode and the Collection DateTime is represented by the effectiveTime. There is a specimen.specimenRole.playingEntity that contains details about the specimen such as Specimen Tissue Type, Volume, Description and Specimen Identifier. The Container Identifier is mapped to the Container Australian CDA Extension.



Figure 7.14. Test Specimen Detail



# Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>5</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they **SHALL** be used and the non-standard code sets **SHALL** be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/component[path	_test]/section/entry[path_te	st_res]/observation/
Test Specimen Detail	Details about the individual specimen to which these	1*	entryRelationship[spec]/@typeCode="SUBJ"		
	multiple specimens is required.		entryRelationship[spec]/observation		
			entryRelationship[spec]/observation/@classCode="OBS"		
			entryRelationship[spec]/observation/@moodCode="EVN"		
			entryRelationship[spec]/observation/code		
			entryRelationship[spec]/observation/code/@code="102.16156.2.2.1"		
			entryRelationship[spec]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entryRelationship[spec]/observation/code/@codeSystemName="NCTIS Data Components"		
			entryRelationship[spec]/observation/code/@displayName="Test Specimen Detail"		
Test Specimen Detail > Specimen Tis- sue Type	The type of specimen to be collected.	01	entryRelationship[spec]/observation/specimen/specimenRole/specimenPlayingEntity/code	NS	See <code> for available attributes.</code>
Test Specimen Detail > Collection Procedure	The method of collection to be used.	01	entryRelationship[spec]/observation/methodCode	NS	See <code> for available attributes.</code>
Test Specimen Detail > Anatomical Site (Anatomical Location)	The anatomical site(s) from where the specimen was taken.	0*	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.

<sup>&</sup>lt;sup>5</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Test Specimen Detail > Anatomical Site > Specific Location	Specific and identified anatomical location.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Test Specimen Detail > Anatomical Site > Specific Location > Anatomical Loc- ation Name	The name of an anatomical location.	01	entryRelationship[spec]/observation/targetSiteCode	SNOMED CT-AU Body Structure Foundation Reference Set	See <code> for available attributes.</code>
Test Specimen Detail > Anatomical Site	The lateraility of an anatomical location.	01	entryRelationship[spec]/observation/targetSiteCode/qualifier		
> Specific Location > Side			entryRelationship[spec]/observation/targetSiteCode/qualifier/name		
			entryRelationship[spec]/observation/targetSiteCode/qualifier/name/@code="78615007"		
			entryRelationship[spec]/observation/targetSiteCode/qualifier/name/@codeSystem= "2.16.840.1.113883.6.96"		
			entryRelationship[spec]/observation/targetSiteCode/qualifier/name/@codeSystemName="SNOMED CT-AU"		
			entryRelationship[spec]/observation/targetSiteCode/qualifier/name/@codeSystemVersion="20110531"		
			entryRelationship[spec]/observation/targetSiteCode/qualifier/name/@displayName="with laterality"		
			entryRelationship[spec]/observation/targetSiteCode/qualifier/value	SNOMED CT-AU Lat- erality Reference Set	See <code> for available attributes.</code>
Test Specimen Detail > Anatomical Site > Anatomical Location Description	Description of the Anatomical location.	01	entryRelationship[spec]/observation/targetSiteCode/originalText		

NEHTA SDT Data Compon-	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
ent					
Test Specimen Detail > Anatomical Site > Anatomical Location Image	Image or images used to identify a location.	0*	entryRelationship[spec]/observation/entryRelationship[ana_im]/@typeCode="SPRT"		The image may or may not be attested to and is therefore mapped to observa- tionMedia.
			entryRelationship[spec]/observation/entryRelationship[ana_im]/observationMedia		
			entryRelationship[spec]/observation/entryRelationship[ana_im]/observationMedia/@classCode="OBS"		
			entryRelationship[spec]/observation/entryRelationship[ana_im]/observationMedia/@moodCode="EVN"		
			entryRelationship[spec]/observation/entryRelationship[ana_imc]/observationMedia/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.</id>
			entryRelationship[spec]/observation/entryRelationship[ana_im]/observationMedia/value		
Test Specimen Detail > Physical De- tails (Physical Properties of an Ob- ject)	Record of physical details such as weight and dimen- stions, of a body part, device, device, lesion or spe- cimen.	0*	entryRelationship[spec]/observation/specimen/specimenRole/specimenPlayingEntity		
Test Specimen Detail > Physical Details > Weight	Weight of the object.	01	entryRelationship[spec]/observation/specimen/specimenRole/specimenPlayingEntity/quantity:PQ		Either Weight OR Volume may be used mutually ex- clusive.
Test Specimen Detail > Physical Details > <b>Dimensions</b>	The dimensions of the object.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Test Specimen Detail > Physical Details > Dimensions > <b>Volume</b>	Volume of the object.	01	entryRelationship[spec]/observation/specimen/specimenRole/specimenPlayingEntity/quantity:PQ		Either Weight OR Volume may be used mutually ex- clusive.
Test Specimen Detail > Physical Details > Description (Object Description)	A general description of the specimen preparation.	01	entryRelationship[spec]/observation/specimen/specimenRole/specimenPlayingEntity/desc:ST		

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Fest Specimen Detail > Physical Details       A picture of the specimen.         > Image	01	entryRelationship[spec]/observation/entryRelationship[spec_im]/@typeCode="SPRT"		The image may or may not be attested to and is therefore mapped to observa- tionMedia.	
			entryRelationship[spec]/observation/entryRelationship[spec_im]/observationMedia		
			entryRelationship[spec]/observation/entryRelationship[spec_im]/observationMedia/@classCode="OBS"		
			entryRelationship[spec]/observation/entryRelationship[spec_im]/observationMedia/@moodCode="EVN"		
			entryRelationship[spec]/observation/entryRelationship[spe_imc]/observationMedia/id	UUID	See <id> for avail-</id>
			This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	adie attributes.	
			entryRelationship[spec]/observation/entryRelationship[spec_im]/observationMedia/value		
Test Specimen Detail > <b>Collection and</b> handling	Collection and handling requirements.	01	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
Test Specimen Detail > Collection and	Any conditions to be met before the sample should be taken.	01	entryRelationship[spec]/observation/entryRelationship[smp_pre]/@typeCode="COMP"		
handling > Sampling Preconditions			entryRelationship[spec]/observation/entryRelationship[smp_pre]/observation		
			entryRelationship[spec]/observation/entryRelationship[smp_pre]/observation/@classCode="OBS"		
			entryRelationship[spec]/observation/entryRelationship[smp_pre]/observation/@moodCode="EVN"		
			entryRelationship[spec]/observation/entryRelationship[smp_pre]/observation/code		
			entryRelationship[spec]/observation/entryRelationship[smp_pre]/observation/code/@code="103.16171"		
			entryRelationship[spec]/observation/entryRelationship[smp_pre]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entryRelationship[spec]/observation/entryRelationship[smp_pre]/observation/code/@codeSystemName= "NCTIS Data Components"		
			entryRelationship[spec]/observation/entryRelationship[smp_pre]/observation/code/@displayName= "Sampling Preconditions"		
			entryRelationship[spec]/observation/entryRelationship[smp_pre]/observation/value:CD	NS	See <code> for available attributes.</code>

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Test Specimen Detail > Handling and Processing	Workflow of specimen processing/handling.	11	N/A		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Test Specimen Detail > Handling and Processing > <b>Collection DateTime</b>	The date and time that collection has been ordered to take place or has taken place.	11	entryRelationship[spec]/observation/effectiveTime		See <time> for available attributes.</time>
Test Specimen Detail > Handling and	Identification of the setting at which the specimen was collected from a subject of care.	01	entryRelationship[spec]/observation/entryRelationship[coll_set]/@typeCode="COMP"		
Processing > Collection Setting			entryRelationship[spec]/observation/entryRelationship[coll_set]/observation		
			$entry Relationship [spec]/observation/entry Relationship [coll_set]/observation/@classCode="OBS" and the set of the set$		
			entryRelationship[spec]/observation/entryRelationship[coll_set]/observation/@moodCode="EVN"		
			entryRelationship[spec]/observation/entryRelationship[coll_set]/observation/code		
			entryRelationship[spec]/observation/entryRelationship[coll_set]/observation/code/@code="103.16529"		
			entryRelationship[spec]/observation/entryRelationship[coll_set]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entryRelationship[spec]/observation/entryRelationship[coll_set]/observation/code/@codeSystemName= "NCTIS Data Components"		
			entryRelationship[spec]/observation/entryRelationship[coll_set]/observation/code/@displayName= "Collection Setting"		
			entryRelationship[spec]/observation/entryRelationship[coll_set]/observation/value:ST		
Test Specimen Detail > Handling and	The date and time that the sample was received at the laboratory.	01	entryRelationship[spec]/observation/entryRelationship[date_rec]/@typeCode="COMP"		
Processing > Date i ime Received			entryRelationship[spec]/observation/entryRelationship[date_rec]/observation		
			entryRelationship[spec]/observation/entryRelationship[date_rec]/observation/@classCode="OBS"		
			entryRelationship[spec]/observation/entryRelationship[date_rec]/observation/@moodCode="EVN"		
			entryRelationship[spec]/observation/entryRelationship[date_rec]/observation/code		
			$entry Relationship [spec]/observation/entry Relationship [date\_rec]/observation/code/@code="103.11014" test in the second seco$		
			entryRelationship[spec]/observation/entryRelationship[date_rec]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entryRelationship[spec]/observation/entryRelationship[date_rec]/observation/code/@codeSystemName= "NCTIS Data Components"		
			entryRelationship[spec]/observation/entryRelationship[date_rec]/observation/code/@displayName= "DateTime Received"		
			entryRelationship[spec]/observation/entryRelationship[date_rec]/observation/value:TS		See <time> for available attributes.</time>

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Test Specimen Detail > Identifiers	Sample identifications.	01	N/A		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Test Specimen Detail > Identifiers > Specimen Identifier	Unique identifier of the specimen, normally assigned by the laboratory.	01	entryRelationship[spec]/observation/specimen/specimenRole/id		See <id> for avail- able attributes.</id>
Test Specimen Detail > Identifiers > Parent Specimen Identifier	Unique identifier of the parent specimen, where the specimen is split into sub-samples.	01	entryRelationship[spec]/observation/entryRelationship[prnt_id]/@typeCode="COMP"		
			entryRelationship[spec]/observation/entryRelationship[prnt_id]/observation		
			entryRelationship[spec]/observation/entryRelationship[prnt_id]/observation/@classCode="OBS"		
			entryRelationship[spec]/observation/entryRelationship[prnt_id]/observation/@moodCode="EVN"		
			entryRelationship[spec]/observation/entryRelationship[prnt_id]/observation/code		
			entryRelationship[spec]/observation/entryRelationship[prnt_id]/observation/code/@code="103.16187"		
			entryRelationship[spec]/observation/entryRelationship[prnt_id]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entryRelationship[spec]/observation/entryRelationship[prnt_id]/observation/code/@codeSystemName= "NCTIS Data Components"		
			entryRelationship[spec]/observation/entryRelationship[prnt_id]/observation/code/@displayName="Parent Specimen Identifier"		
			entryRelationship[spec]/observation/entryRelationship[prnt_id]/observation/specimen/specimenRole/ id		See <id> for avail- able attributes.</id>
Test Specimen Detail > Identifiers > Container Identifier	Unique identifier given to the container in which the specimen is transported or processed.	01	entryRelationship[spec]/observation/specimen/specimenRole/ specimenPlayingEntity/ext:asSpecimenInContainer		See Australian CDA extension: Contain- er
			entryRelationship[spec]/observation/specimen/specimenRole/specimenPlayingEntity/ ext:asSpecimenInContainer/@classCode="CONT"		
			entryRelationship[spec]/observation/specimen/specimenRole/specimenPlayingEntity/ ext:asSpecimenInContainer/ext:container		
			entryRelationship[spec]/observation/specimen/specimenRole/specimenPlayingEntity/ ext:asSpecimenInContainer/ext:container/ <b>ext:id</b>		See <id> for avail- able attributes.</id>
#### Example 7.13. Test Specimen Detail XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
>
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
    <structuredBodv>
     ....
  <!-- Event -->
   <component>
    <section>
    . . .
    <!-- Diagnostic Investigations -->
     <component>
     <section>
      . . .
       <!-- Pathology Test Result -->
       <component>
        <section>
         <entry>
          <observation classCode="OBS" moodCode="EVN">
           <!-- Begin Test Specimen Detail -->
           <entryRelationship typeCode="SUBJ">
            <observation classCode="OBS" moodCode="EVN">
            <!-- Begin Specimen Tissue Type -->
            <code code="102.16156.2.2.1" codeSystem="1.2.36.1.2001.1001.101"
              codeSystemName="NCTIS Data Components" displayName="Test Specimen Detail" />
            <!-- End Specimen Tissue Type -->
             <!-- Begin Specimen Collection DateTime -->
            <effectiveTime value="201112141120+1000" />
            <!-- End Specimen Collection DateTime -->
            <!-- Begin Collection Procedure -->
             <methodCode code="396540005" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT-AU"
              displayName="blood draw" />
             <!-- End Collection Procedure -->
            <!-- Begin Anatomical Location Name -->
             <targetSiteCode code="50496004" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
```

displavName="cubital fossa"> <!-- Begin Anatomical Location Description --> <originalText>left cubital fossa</originalText> <!-- End Anatomical Location Description --> <!-- Begin Side --> <qualifier> <name code="78615007" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT-AU"</pre> codeSystemVersion="20110531" displayName="with laterality" /> <value xsi:type="CD" code="7771000" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"</pre> displayName="left" /> </gualifier> <!-- End Side --> </targetSiteCode> <!-- End Anatomical Location Name --> <!-- Begin Physical Details --> <specimen> <specimenRole> <!-- Begin Specimen Identifier --> <id root="1.2.3456.123" /> <!--End Specimen Identifier --> <specimenPlayingEntity> <code code="SER" codeSystem="2.16.840.1.113883.12.70" displayName="Serum" /> <!-- Begin Weight/Volume --> <quantity unit="mL" value="10" /> <!-- End Weight/Volume --> <!-- Begin Description (Physical Description) --> <desc xsi:type="ST">10 mL</desc> <!-- End Description (Physical Description) --> <!-- Begin Continer Identifier --> <ext:asSpecimenInContainer classCode="CONT"> <ext:container> <ext:id root="1.2.123.654321" /> </ext:container> </ext:asSpecimenInContainer> <!-- End Continer Identifier --> </specimenPlayingEntity> </specimenRole> </specimen> <!-- End Physical Details --> <!-- Begin Image --> <entryRelationship typeCode="SPRT"> <observationMedia classCode="OBS" moodCode="EVN"> <id root="62C6AEDE-F08A-11E0-AA3F-10824824019B" /> <value mediaType="image/jpeg"> <reference value="image.jpeg" /> </value> </observationMedia> </entryRelationship> <!-- End Image --> <!-- Begin Sampling Preconditions --> <entryRelationship typeCode="COMP"> <observation classCode="OBS" moodCode="EVN"> <code code="103.16171" codeSystem="1.2.36.1.2001.1001.101"

```
codeSystemName="NCTIS Data Components" displayName="Sampling Preconditions" />
   <value code="182923009" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT-AU"
    displayName="fasting patient" xsi:type="CD" />
  </observation>
 </entryRelationship>
 <!-- End Sampling Preconditions -->
 <!-- Begin Collection Setting -->
 <entryRelationship typeCode="COMP">
  <observation classCode="OBS" moodCode="EVN">
   <code code="103.16529" codeSystem="1.2.36.1.2001.1001.101"</pre>
    codeSystemName="NCTIS Data Components" displayName="Collection Setting" />
   <value xsi:type="ST" value="Pathology Clinic" />
  </observation>
 </entryRelationship>
 <!-- End Collection Setting -->
 <!-- Begin DateTime Received -->
 <entryRelationship typeCode="COMP">
  <observation classCode="OBS" moodCode="EVN">
   <code code="103.11014" codeSystem="1.2.36.1.2001.1001.101"
    codeSystemName="NCTIS Data Components" displayName="DateTime Received" />
   <value value="201112141120+1000" xsi:type="TS" />
  </observation>
 </entryRelationship>
 <!-- End DateTime Received -->
 <!-- Begin Parent Specimen Identifier -->
 <entryRelationship typeCode="COMP">
  <observation classCode="OBS" moodCode="EVN">
   <code code="103.16187" codeSystem="1.2.36.1.2001.1001.101"
    codeSystemName="NCTIS Data Components" displayName="Parent Specimen Identifier" />
   <specimen>
    <specimenRole>
     <id root="1.2.3456.321" />
    </specimenRole>
   </specimen>
  </observation>
  </entryRelationship>
 <!-- End Parent Specimen Identifier -->
 <!-- Begin Anatomical Location Image -->
 <entryRelationship typeCode="SPRT">
  <observationMedia classCode="OBS" moodCode="EVN">
   <id root="62C6AEDE-F08A-11E0-AA3F-10824824019B" />
   <value mediaType="image/jpeg">
    <reference value="location.jpeg" />
   </value>
  </observationMedia>
  </entryRelationship>
 <!-- End Anatomical Location Image -->
 <!-- Begin Image -->
 <entryRelationship typeCode="SPRT">
  <observationMedia classCode="OBS" moodCode="EVN">
   <id root="62C6AEDE-F08A-11E0-AA3F-10824824019B" />
   <value mediaType="image/jpeg">
    <reference value="specimen.jpeg" />
   </value>
  </observationMedia>
  </entryRelationship>
 <!-- End Image -->
</observation>
</entryRelationship>
```

<!-- End Test Specimen Detail -->

...
</observation>

</observation> </entry> </section> </component> <!-- End Pathology Test Result -->

</section> </component>

<!-- End Diagnostic Investigations -->

</section> </component> <!-- End Event -->

. . .

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

#### 7.1.1.5.1.2 PATHOLOGY TEST RESULT GROUP

#### Identification

Name	Pathology Test Result Group
Metadata Type	Data Group
Identifier	DG-16469

#### Relationships

### Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
**	RESULT GROUP SPECIMEN DETAIL	Optional	01

#### Parent

Data Type	Name	Obligation	Occurrence
~	PATHOLOGY TEST RESULT	Optional	0*

#### **CDA R-MIM Representation**

Figure 7.15, "Pathology Test Result Group" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

Pathology Test Result Group is represented by a Organizer related to an Observation by a component relationship. The code on the Organizer holds the Pathology Test Result Group Name. Each Individual Pathology Test Result is mapped to a component Observation whose code is the Individual Pathology Test Result Name, whose value is the Result Value and whose interpretationCode is the Result Value Normal Status. The Reference Range Details are mapped to an ObservationRange class related to the Observation by the ReferenceRange. Individual Pathology Test Result Status is mapped to component Observations off the Organizer.



Figure 7.15. Pathology Test Result Group

## CDA Mapping

NEHTA SDT Data Compon-	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments			
ent								
CDA Body Level 3 Data Elements			entry[path_test_res]/observation/					
Pathology Test Result Group	A group of results.	0*	entryRelationship[res_gp]/@typeCode="COMP"					
			entryRelationship[res_gp]/ <b>organizer</b>					
			entryRelationship[res_gp]/organizer/@classCode="BATTERY"					
			entryRelationship[res_gp]/organizer/@moodCode="EVN"					
		entryRelationship[res_gp]/organizer/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>				
			entryRelationship[res_gp]/organizer/statusCode/@code="completed"		Required CDA ele- ment.			
Pathology Test Result Group > Patho- logy Test Result Group Name	The name of a group of pathology test results.	11	entryRelationship[res_gp]/organizer/code	NS	See <code> for available attributes.</code>			
Pathology Test Result Group > Individu-	Specific detailed result, including both the value of the result item, and additional information that may be useful for clinical interpretation	1*	entryRelationship[res_gp]/organizer/component[ind_res]/					
al Pathology Test Result			entryRelationship[res_gp]/organizer/component[ind_res]/observation					
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/@classCode="OBS"					
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/@moodCode="EVN"					
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>			
Pathology Test Result Group > Individu- al Pathology Test Result > Individual Pathology Test Result Name	The name of an individual pathology test result.	11	entryRelationship[res_gp]/organizer/component[ind_res]/observation/code	NS	See <code> for available attributes.</code>			
Pathology Test Result Group > Individu- al Pathology Test Result > Individual Pathology Test Result Value	Actual value of the result.	01	entryRelationship[res_gp]/organizer/component[ind_res]/observation/value		Although value is of datatype 'ANY', use only CD, PQ, BL, ST, INT, RTO, IVL_PQ or PPD.			

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Pathology Test Result Group > Individu- al Pathology Test Result > Individual Pathology Test Result Value Normal Status	An interpretation of an observation to indicate whether the result is considered normal or abnormal.	01	entryRelationship[res_gp]/organizer/component[ind_res]/observation/interpretationCode	HL7 V3: Observation- InterpretationNormal- ity	See <code> for available attributes.</code>
Pathology Test Result Group > Individu- al Pathology Test Result > Individual	Tagged reference ranges for this value in its particu- lar measurement context.	0*	entryRelationship[res_gp]/organizer/component[ind_res]/observation/referenceRange/@typeCode= "REFV"		
Pathology Test Result Value Refer- ence Range Details			entryRelationship[res_gp]/organizer/component[ind_res]/observation/referenceRange/observationRange		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/referenceRange/observation-Range/classCode="OBS"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/referenceRange/observation-Range/moodCode="EVN.CRT"		
Pathology Test Result Group > Individu- al Pathology Test Result > Individual Result Value Reference Range Details >Individual Pathology Test Result Value Reference Range Meaning	Term whose value indicates the meaning of this range.	11	entryRelationship[res_gp]/organizer/component[ind_res]/observation/referenceRange/ observationRange/ <b>code</b>	NS	See <code> for available attributes.</code>
Pathology Test Result Group > Individu- al Pathology Test Result > Individual Result Value Reference Range Details >Individual Pathology Test Result Value Reference Range	The data range for the associated meaning.	11	entryRelationship[res_gp]/organizer/component[ind_res]/observation/referenceRange/ observationRange/value:IVL_PQ		
Pathology Test Result Group > Individu- al Pathology Test Result > Individual	Comments that may include statements about signi- ficant, unexpected or unreliable values, or informa- tion about the source of the value where this may be relevant to the interpretation of the result.	0*	entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_cmt]/ @typeCode="COMP"		
Pathology Test Result Comment			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_cmt]/act		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_cmt]/ act/@classCode="INFRM"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_cmt]/ act/@moodCode="EVN"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_cmt]/act/code		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_cmt]/act/ code/@code="281296001"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_cmt]/act/code/@codeSystem="2.16.840.1.113883.6.96"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_cmt]/act/ code/@codeSystemVersion="20110531"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_cmt]/act/ code/@codeSystemName="SNOMED CT-AU"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_cmt]/act/ code/@displayName="result comments"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_cmt]/ act/text:ST		

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Pathology Test Result Group > Individu- al Pathology Test Result > Individual Pathology Test Reference Range Guidance	Additional advice on the applicability of the reference range.	01	entryRelationship[res_gp]/organizer/component[ind_res]/observation/ entryRelationship[ref_guide]/@typeCode="COMP"		
			$entry Relationship [res\_gp]/organizer/component [ind\_res]/observation/entry Relationship [ref\_guide]/actionship $		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[ref_guide]/ act/@classCode="INFRM"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[ref_guide]/ act/@moodCode="EVN"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[ref_guide]/act/code		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[ref_guide]/act/ code/@code="281298000"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[ref_guide]/act/ code/@codeSystem="2.16.840.1.113883.6.96"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[ref_guide]/act/ code/@codeSystemVersion="20110531"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[ref_guide]/act/ code/@codeSystemName="SNOMED CT-AU"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[ref_guide]/act/ code/@displayName="reference range comments"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[ref_guide]/ act/text:ST		

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Pathology Test Result Group > Individu- al Pathology Test Result > Individual Pathology Test Result Status	The status of the result value.	11	entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_stat]/ @typeCode="COMP"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/ entryRelationship[res_stat]/observation		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_stat]/ observation/@classCode="OBS"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_stat]/ observation/@moodCode="EVN"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_stat]/ observation/code		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_stat]/ observation/code/@code="308552006"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_stat]/ observation/code/@codeSystem="2.16.840.1.113883.6.96"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_stat]/ observation/code/@codeSystemVersion="20110531"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_stat]/ observation/code/@codeSystemName="SNOMED CT-AU"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_stat]/ observation/code/@displayName="report status"		
			entryRelationship[res_gp]/organizer/component[ind_res]/observation/entryRelationship[res_stat]/ observation/value:CD	NCTIS: Admin Codes - Result Status	See <code> for available attributes.</code>
Pathology Test Result Group > <b>Result</b> Group Specimen Detail	Details about the individual specimen to which these 'Result group' test results refer, where testing of multiple specimens is required.	01	See: RESULT GROUP SPECIMEN DETAIL		

#### Example 7.14. Pathology Test Result Group XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
>
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
    <structuredBodv>
    . . .
  <!-- Event section -->
  <component>
   <section>
    . . .
    <!-- Diagnostic Investigations section -->
     <component>
     <section>
       . . .
       <!-- Pathology Test Result section -->
       <component>
        <section>
         <!-- Pathology Test Result entry -->
         <entry>
          <observation>
           . . .
           <!-- Begin Pathology Test Result Group -->
           <entryRelationship typeCode="COMP">
            <organizer classCode="BATTERY" moodCode="EVN">
            <id root="9BE931D2-F085-11E0-9831-1E7C4824019B" />
             <!-- Begin Pathology Test Result Group Name -->
             <code code="18719-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"</pre>
             displayName="Chemistry studies (set)" />
             <!-- End Pathology Test Result Group Name -->
             <statusCode code="completed" />
             <!-- Begin Individual Pathology Test Result -->
             <component>
              <observation classCode="OBS" moodCode="EVN">
               <id root="3802BA7A-F086-11E0-8A74-147D4824019B" />
```

```
<!-- Begin Individual Pathology Test Result Name -->
<code code="14682-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"</pre>
displayName="Serum Creatinine" />
<!-- End Individual Pathology Test Result Name -->
<!-- Begin Result Value -->
<value unit="mmol/L" value="0.06" xsi:tvpe="PO" />
<--- End Result Value -->
<!-- Begin Result Value Normal Status -->
<interpretationCode code="N" codeSystemName="HL7 ObservationInterpretationNormality"</pre>
     codeSystem="2.16.840.1.113883.5.83" displayName="Normal" />
<!-- End Result Value Normal Status -->
<!-- Begin Result Comment -->
<entryRelationship typeCode="COMP">
 <act classCode="INFRM" moodCode="EVN">
  <code code="281296001" codeSystem="2.16.840.1.113883.6.96"
  codeSvstemName="SNOMED CT-AU" codeSystemVersion="20110531"
  displavName="result comments" />
  <text>Within normal range.</text>
 </act>
</entryRelationship>
<!-- End Result Comment -->
<!-- Begin Reference Range Guidance -->
<entryRelationship typeCode="COMP">
 <act classCode="INFRM" moodCode="EVN">
  <code code="281298000" codeSystem="2.16.840.1.113883.6.96"
  codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531"
  displayName="reference range comments" />
  <text>Within normal range +/- 5% .</text>
 </act>
</entryRelationship>
<!-- End Reference Range Guidance -->
<!-- Begin Individual Pathology Test Result Status -->
<entryRelationship typeCode="COMP">
 <observation classCode="OBS" moodCode="EVN">
  <code code="308552006" codeSystem="2.16.840.1.113883.6.96"
  codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531"
  displayName="report status" />
  <value code="3" codeSystem="1.2.36.1.2001.1001.101.104.16501"</pre>
  codeSystemName="NCTIS Result Status Values" displayName="Final" xsi:type="CD" />
 </observation>
</entryRelationship>
<!-- End Individual Pathology Test Result Status -->
<!-- Begin Result Value Reference Range Details -->
<referenceRange typeCode="REFV">
 <observationRange classCode="OBS" moodCode="EVN.CRT">
  <!-- Begin Result Value Reference Range Meaning -->
  <code code="260395002" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"</pre>
  displayName="normal range" />
  <!-- End Result Value Reference Range Meaning -->
  <!-- Begin Result Value Reference Range -->
  <value xsi:type="IVL PQ">
   <low value="0.04" />
  <high value="0.11" />
  </value>
  <!-- End Result Value Reference Range -->
```

</observationRange> </referenceRange> <!-- End Result Value Reference Range Details --> </observation> </component> <!-- Begin Individual Pathology Test Result --> <component> <observation classCode="OBS" moodCode="EVN"> <id root="888FBD14-F089-11E0-8B47-D1804824019B" /> <code code="14933-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"</pre> displayName="Serum Uric Acid" /> <value unit="mmol/L" value="0.41" xsi:tvpe="PO" /> <interpretationCode code="HH" codeSystemName="HL7ObservationInterpretationNormality"</pre> codeSystem="2.16.840.1.113883.5.83" displayName="High alert" /> <entrvRelationship typeCode="COMP"> <act classCode="INFRM" moodCode="EVN"> <code code="281296001" codeSystem="2.16.840.1.113883.6.96"</pre> codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531" displayName="result comments" /> <text>High alert.</text> </act> </entryRelationship> <entryRelationship typeCode="COMP"> <act classCode="INFRM" moodCode="EVN"> <code code="281298000" codeSystem="2.16.840.1.113883.6.96"</pre> codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531" displayName="reference range comments" /> <text>High alert.</text> </act> </entryRelationship> <entryRelationship typeCode="COMP"> <observation classCode="OBS" moodCode="EVN"> <code code="308552006" codeSystem="2.16.840.1.113883.6.96"</pre> codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531" displayName="report status" /> <value code="3" codeSystem="1.2.36.1.2001.1001.101.104.16501"</pre> codeSystemName="NCTIS Result Status Values" displayName="Final" xsi:type="CD" /> </observation> </entryRelationship> <referenceRange typeCode="REFV"> <observationRange classCode="OBS" moodCode="EVN.CRT"> <code code="260395002" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="normal range" /> <value xsi:type="IVL PQ"> <low value="0.14" /> <high value="0.35" /> </value> </observationRange> </referenceRange> </observation> </component> </organizer> </entryRelationship> <!-- End Patholgy Test Result Group --> </observation> </entry> <!-- End Pathology Test Result entry -->

```
</section>
</component>
<!-- End Pathology Test Result section -->
</section>
</component>
<!-- End Diagnositic Investigations section -->
</section>
<!-- End Event Section -->
```

. . .

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

#### 7.1.1.5.1.2.1 RESULT GROUP SPECIMEN DETAIL

#### Identification

Name	Result Group Specimen Detail
Metadata Type	Data Group
Identifier	DG-16156.2.2.2

#### Relationships

#### Parent

Data Type	Name	Obligation	Occurrence
~	PATHOLOGY TEST RESULT GROUP	Optional	01

186

#### CDA R-MIM Representation

Figure 7.16, "Result Group Specimen Detail" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

Result Group Specimen Detail is a data group is represented by an Observation related to its containing section by an entry relationship. The Collection Procedure is mapped to the methodCode of the Observation, the Anatomical Location is mapped to the targetSiteCode and the Collection DateTime is represented by the effectiveTime. There is a specimen.specimenRole.playingEntity that contains details about the specimen such as Specimen Tissue Type, Volume, Description and Specimen Identifier. The Container Identifier is mapped to the Container Australian CDA Extension.



## **CDA Mapping**



# Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>6</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they **SHALL** be used and the non-standard code sets **SHALL** be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/component[path_test]/section/entry[path_test_res]/observation/entryRelationship[res_gp]/organizer/	tion	
Result Group Specimen Detail Detail	Details about the individual specimen to which these	01	component		
	multiple specimens is required.		component/observation		
			component/observation/@classCode="OBS"		
			component/observation/@moodCode="EVN"		
			component/observation/code		
			component/observation/code/@code="102.16156.2.2.2"		
			component/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component/observation/code/@codeSystemName="NCTIS Data Components"		
			component/observation/code/@displayName="Result Group Specimen Detail"		
Result Group Specimen Detail > <b>Speci-</b> men Tissue Type	The type of specimen to be collected.	01	component/observation/specimen/specimenRole/specimenPlayingEntity/code	NS	See <code> for available attributes.</code>
Result Group Specimen Detail > Collec- tion Procedure	The method of collection to be used.	01	component/observation/methodCode	NS	See <code> for available attributes.</code>
Result Group Specimen Detail > Ana- tomical Site (Anatomical Location)	The anatomical site(s) from where the specimen was taken.	0*	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.

<sup>&</sup>lt;sup>6</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Result Group Specimen Detail > Anatom- ical Site > <b>Specific Location</b>	Specific and identified anatomical location.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Result Group Specimen Detail > Anatom- ical Site > Specific Location > Anatom- ical Location Name	The name of an anatomical location.	01	component/observation/targetSiteCode	SNOMED CT-AU Body Structure Foundation Reference Set	See <code> for available attributes.</code>
Result Group Specimen Detail > Anatom-	The lateraility of an anatomical location.	01	component/observation/targetSiteCode/qualifier		
Ical Site > Specific Location > Side			component/observation/targetSiteCode/qualifier/name		
			component/observation/targetSiteCode/qualifier/name/@code="78615007"		
			component/observation/targetSiteCode/qualifier/name/@codeSystem="2.16.840.1.113883.6.96"		
			component/observation/targetSiteCode/qualifier/name/@codeSystemName="SNOMED CT-AU"		
			component/observation/targetSiteCode/qualifier/name/@codeSystemVersion="20110531"		
			component/observation/targetSiteCode/qualifier/name/@displayName="with laterality"		
			component/observation/targetSiteCode/qualifier/value	SNOMED CT-AU Lat- erality Reference Set	See <code> for available attributes.</code>
Result Group Specimen Detail > Anatom- ical Site > Anatomical Location De- scription	Description of the Anatomical location.	01	component/observation/targetSiteCode/originalText		
Result Group Specimen Detail > Anatom- ical Site > Anatomical Location Image	Image or images used to identify a location.	0*	component/observation/entryRelationship[ana_im]/@typeCode="SPRT"		The image may or may not be attested to and is therefore mapped to observa- tionMedia.
			component/observation/entryRelationship[ana_im]/observationMedia		
			component/observation/entryRelationship[ana_im]/observationMedia/@classCode="OBS"		
			component/observation/entryRelationship[ana_im]/observationMedia/@moodCode="EVN"		
			component/observation/entryRelationship[ana_imc]/observationMedia/id	UUID	See <id> for avail-</id>
				This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	aure aundutes.
			component/observation/entryRelationship[ana_im]/observationMedia/value		

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Result Group Specimen Detail > Phys- ical Details (Physical Properties of an Object)	Record of physical details such as weight and dimen- sions of a body part, device, lesion or specimen.	0*	component/observation/specimen/specimenRole/specimenPlayingEntity		
Result Group Specimen Detail > Physic- al Details > <b>Weight</b>	Weight of the object.	01	component/observation/specimen/specimenRole/specimenPlayingEntity/quantity:PQ		Either Weight OR Volume may be used mutually ex- clusive.
Result Group Specimen Detail > Physic- al Details > <b>Dimensions</b>	The dimensions of the object.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Result Group Specimen Detail > Physic- al Details > Dimensions > <b>Volume</b>	Volume of the object.	01	component/observation/specimen/specimenRole/specimenPlayingEntity/quantity:PQ		Either Weight OR Volume may be used mutually ex- clusive.
Result Group Specimen Detail > Physic- al Details > <b>Description (Object De- scription)</b>	A general description of the specimen preparation.	01	component/observation/specimen/specimenRole/specimenPlayingEntity/desc:ST		
Result Group Specimen Detail > Physic- al Details > Image	A picture of the specimen.	01	component/observation/entryRelationship[spec_im]/@typeCode="SPRT"		The image may or may not be attested to and is therefore mapped to observa- tionMedia.
			component/observation/entryRelationship[spec_im]/observationMedia		
			component/observation/entryRelationship[spec_im]/observationMedia/@classCode="OBS"		
			component/observation/entryRelationship[spec_im]/observationMedia/@moodCode="EVN"		
			component/observation/entryRelationship[spe_imc]/observationMedia/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			component/observation/entryRelationship[spec_im]/observationMedia/value		

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Result Group Specimen Detail > Collec- tion and handling	Collection and handling requirements.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Result Group Specimen Detail > Collec-	Any conditions to be met before the sample should	01	component/observation/entryRelationship[smp_pre]/@typeCode="COMP"		
tion and handling > Sampling Precon- ditions	be taken.		component/observation/entryRelationship[smp_pre]/observation		
			component/observation/entryRelationship[smp_pre]/observation/@classCode="OBS"		
			component/observation/entryRelationship[smp_pre]/observation/@moodCode="EVN"		
			component/observation/entryRelationship[smp_pre]/observation/code		
			component/observation/entryRelationship[smp_pre]/observation/code/@code="103.16171"		
			component/observation/entryRelationship[smp_pre]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			component/observation/entryRelationship[smp_pre]/observation/code/@codeSystemName="NCTIS Data Components"		
			component/observation/entryRelationship[smp_pre]/observation/code/@displayName="Sampling Preconditions"		
			component/observation/entryRelationship[smp_pre]/observation/value:CD	NS	See <code> for available attributes.</code>
Result Group Specimen Detail > Hand- ling and Processing	Workflow of specimen processing/handling.	11	N/A		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Result Group Specimen Detail > Hand- ling and Processing > Collection Date- Time	The date and time that collection has been ordered to take place or has taken place.	11	component/observation/ <b>effectiveTime</b>		See <time> for available attributes.</time>

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Result Group Specimen Detail > Hand-	Identification of the setting at which the specimen	01	component/observation/entryRelationship[coll_set]/@typeCode="COMP"		
ling and Processing > Collection Set- ting	was collected from a subject of care.		component/observation/entryRelationship[coll_set]/observation		
Ū.			component/observation/entryRelationship[coll_set]/observation/@classCode="OBS"		
			component/observation/entryRelationship[coll_set]/observation/@moodCode="EVN"		
			component/observation/entryRelationship[coll_set]/observation/code		
			component/observation/entryRelationship[coll_set]/observation/code/@code="103.16529"		
			component/observation/entryRelationship[coll_set]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			component/observation/entryRelationship[coll_set]/observation/code/@codeSystemName="NCTIS Data Components"		
			component/observation/entryRelationship[coll_set]/observation/code/@displayName="Collection Setting"		
			component/observation/entryRelationship[coll_set]/observation/value:ST		
Result Group Specimen Detail > Hand- ling and Processing > DateTime Re- ceived The laboratory.	The date and time that the sample was received at	01	component/observation/entryRelationship[date_rec]/@typeCode="COMP"		
	the laboratory.		component/observation/entryRelationship[date_rec]/observation		
			component/observation/entryRelationship[date_rec]/observation/@classCode="OBS"		
			component/observation/entryRelationship[date_rec]/observation/@moodCode="EVN"		
			component/observation/entryRelationship[date_rec]/observation/code		
			component/observation/entryRelationship[date_rec]/observation/code/@code="103.11014"		
			component/observation/entryRelationship[date_rec]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			component/observation/entryRelationship[date_rec]/observation/code/@codeSystemName="NCTIS Data Components"		
			component/observation/entryRelationship[date_rec]/observation/code/@displayName="DateTime Received"		
			component/observation/entryRelationship[date_rec]/observation/value:TS		See <time> for available attributes.</time>
Result Group Specimen Detail > Identi- fiers	Sample identifications.	01	N/A		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Result Group Specimen Detail > Identi- fiers > <b>Specimen Identifier</b>	Unique identifier of the specimen, normally assigned by the laboratory.	01	component/observation/specimen/specimenRole/id		See <id> for avail- able attributes.</id>

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Result Group Specimen Detail > Identi-	Unique identifier of the parent specimen, where the	01	component/observation/entryRelationship[prnt_id]/@typeCode="COMP"		
Tiers > Parent Specimen Identifier specimen is split into sub-samples.	specimen is split into sub-samples.		component/observation/entryRelationship[prnt_id]/observation		
			component/observation/entryRelationship[prnt_id]/observation/@classCode="OBS"		
			component/observation/entryRelationship[prnt_id]/observation/@moodCode="EVN"		
			component/observation/entryRelationship[prnt_id]/observation/code		
			component/observation/entryRelationship[prnt_id]/observation/code/@code="103.16187"		
		component/observation/entryRelationship[prnt_id]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"			
		component/observation/entryRelationship[prnt_id]/observation/code/@codeSystemName="NCTIS Data Components"			
		$component/observation/entry Relationship[prnt_id]/observation/code/@displayName="Parent Specimen Identifier"$			
			component/observation/entryRelationship[prnt_id]/observation/specimen/specimenRole/id		See <id> for avail- able attributes.</id>
Result Group Specimen Detail > Identi- fiers > Container Identifier	Unique identifier given to the container in which the specimen is transported or processed.	01	component/observation/specimen/specimenRole/specimenPlayingEntity/ext:asSpecimenInContainer		See Australian CDA extension: Contain- er
			component/observation/specimen/specimenRole/specimenPlayingEntity/ ext:asSpecimenInContainer/@classCode="CONT"		
			component/observation/specimen/specimenRole/specimenPlayingEntity/ ext:asSpecimenInContainer/ext:container		
			component/observation/specimen/specimenRole/specimenPlayingEntity/ext:asSpecimenInContainer/ext:container/ext:id		See <id> for avail- able attributes.</id>

#### Example 7.15. Result Group Specimen Detail XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 >
   <!-- Begin CDA Header -->
   <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
    <structuredBodv>
    . . .
    <!-- Event -->
   <component>
    <section>
     . . .
       <!-- Diagnostic Investigations -->
     <component>
      <section>
         . . .
         <!-- Pathology Test Result -->
       <component>
        <section>
         <entry>
          <observation classCode="OBS" moodCode="EVN">
           . . .
           <!-- Begin Pathology Test Result Group -->
           <entryRelationship typeCode="COMP">
            <organizer classCode="BATTERY" moodCode="EVN">
            <!-- Begin Result Group Specimen Detail -->
            <component>
             <observation classCode="OBS" moodCode="EVN">
              <!-- Begin Specimen Tissue Type -->
              <code code="102.16156.2.2.2" codeSystem="1.2.36.1.2001.1001.101"
               codeSystemName="NCTIS Data Components" displayName="Result Group Specimen Detail" />
              <!-- End Specimen Tissue Type -->
              <!-- Begin Collection DateTime -->
              <effectiveTime value="201112141120+1000" />
```

<!-- End Collection DateTime --> <!-- Begin Collection Procedure --> <methodCode code="396540005" codeSystem="2.16.840.1.113883.6.96"</pre> codeSystemName="SNOMED CT-AU" displayName="blood draw" /> <!-- End Collection Procedure --> <!-- Begin Antomical Location Name --> <targetSiteCode code="50496004" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="cubital fossa"> <!-- Begin Anatomical Location Description --> <originalText>left cubital fossa</originalText> <!-- End Anatomical Location Description --> <!-- Begin Side --> <qualifier> <name code="78615007" codeSystem="2.16.840.1.113883.6.96"</pre> codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531" displayName="with laterality" /> <value xsi:type="CD" code="7771000" codeSystem="2,16,840,1,113883,6,96" codeSystemName="SNOMED CT"</pre> displayName="left" /> </gualifier> <!-- End Side --> </targetSiteCode> <!-- End Antomical Location Name --> <!-- Begin Physical Details --> <specimen> <specimenRole> <!-- Begin Specimen Identifier --> <id root="1.2.3456.123" /> <!-- End Specimen Identifier --> <specimenPlayingEntity> <code code="SER" codeSystem="2.16.840.1.113883.12.70" displayName="Serum" /> <!-- Begin Weight/Volue --> <quantity unit="mL" value="10" /> <!-- End Weight/Volue --> <!-- Begin Description (Physical Details) --> <desc xsi:type="ST">10 mL</desc> <!-- End Description (Physical Details) --> <!-- Begin Container Identifier --> <ext:asSpecimenInContainer classCode="CONT"> <ext:container> <ext:id root="1.2.123.654321" /> </ext:container> </ext:asSpecimenInContainer> <!-- End Container Identifier --> </specimenPlayingEntity> </specimenRole> </specimen> <!-- End Physical Details --> <!-- Begin Sampling Preconditions --> <entryRelationship typeCode="COMP"> <observation classCode="OBS" moodCode="EVN"> <code code="103.16171" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Sampling Preconditions" />

<value code="182923009" codeSystem="2.16.840.1.113883.6.96"</pre> codeSystemName="SNOMED CT-AU" displayName="fasting patient" xsi:type="CD" /> </observation> </entryRelationship> <!-- End Sampling Preconditions --> <!-- Begin Collection Setting --> <entryRelationship typeCode="COMP"> <observation classCode="OBS" moodCode="EVN"> <code code="103.16529" codeSystem="1.2.36.1.2001.1001.101"</pre> codeSvstemName="NCTIS Data Components" displayName="Collection Setting" /> <value xsi:type="ST" value="Pathology Clinic" /> </observation> </entryRelationship> <!-- End Collection Setting --> <!-- Begin DateTime Received --> <entryRelationship typeCode="COMP"> <observation classCode="OBS" moodCode="EVN"> <code code="103.11014" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="DateTime Received" /> <value value="201112141120+1000" xsi:type="TS" /> </observation> </entryRelationship> <!-- End DateTime Received --> <!-- Begin Parent Specimen Identifier --> <entryRelationship typeCode="COMP"> <observation classCode="OBS" moodCode="EVN"> <code code="103.16187" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Parent Specimen Identifier" /> <specimen> <specimenRole> <id root="1.2.3456.321" /> </specimenRole> </specimen> </observation> </entryRelationship> <!-- End Parent Specimen Identifier --> <!-- Begin Anatomical Location Image --> <entryRelationship typeCode="SPRT"> <observationMedia classCode="OBS" moodCode="EVN"> <id root="62C6AEDE-F08A-11E0-AA3F-10824824019B" /> <value mediaType="image/jpeg"> <reference value="location.jpeg" /> </value> </observationMedia> </entryRelationship> <!-- End Anatomical Location Image --> <!-- Begin Image --> <entryRelationship typeCode="SPRT"> <observationMedia classCode="OBS" moodCode="EVN"> <id root="62C6AEDE-F08A-11E0-AA3F-10824824019B" /> <value mediaType="image/jpeg"> <reference value="specimen.jpeg" /> </value> </observationMedia> </entryRelationship> <!-- End Image --> </observation> </component> <!-- End Result Group Specimen Detail -->

</organizer> </organizer> </organizer> </organizer> </organizer> </organizer> </component> </component> </section> </

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

## 7.1.1.5.2 IMAGING EXAMINATION RESULT

Identification

Name	Imaging Examination Result
Metadata Type	Data Group
Identifier	DG-16145

#### Relationships

#### Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
**	IMAGING EXAMINATION RESULT GROUP	Optional	0*
•	EXAMINATION REQUEST DETAILS	Optional	0*

#### Parent

Data Type	Name	Obligation	Occurrence
~	DIAGNOSTIC INVESTIGATIONS	Optional	0*

#### **CDA R-MIM Representation**

Figure 7.17, "Imaging Examination Result" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Imaging Examination Result data group is a component Section of its containing Section. Related to the Imaging Examination Result Section by an entry relationship is an Observation. The Observation code represents the Imaging Examination Result Name, the methodCode represents teh Imaging Modality and Observation text is the Examination Result Representation.

There are three Observations related to the base Imaging Examination Result Observation: Imaging Examination Result DateTime, Findings, and Imaging Examination Result Status

There are one Act for Clinical Information Provided related to the base Imaging Examination Result Observation.

The Anatomical Location details are contained in the targetSiteCode.

Figure 7.17. Imaging Examination Result

Section

id: II [0..1]

title: ST [0..1] text\*: ED [0..1]

moodCode\*: <= EVN



## **CDA Mapping**



# Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>7</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they **SHALL** be used and the non-standard code sets **SHALL** be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments		
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/				
Imaging Examination Result	The result of an imaging examination which may be	0*	component[img_exam]/section				
	used to record a single valued test but will often be specialised or templated to represent multiple value		component[img_exam]/section/code				
	or 'panel' tests.		component[img_exam]/section/@code="102.16145"				
			component[img_exam]/section/@codeSystem="1.2.36.1.2001.1001.101"				
			component[img_exam]/section/@codeSystemName="NCTIS Data Components"				
		component[img_exam]/section/@displayName="Imaging Examination Result"					
			component[img_exam]/section/title="Imaging Examination Result"				
			component[img_exam]/section/text		See Appendix A, CDA Narratives		
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/component[img_exam]/section/				
Imaging Examination Result > Imaging	Identification of the imaging examination or proced-	11	entry[img_exam_res]/observation				
Examination Result Name	anatomical location (including laterality).		entry[img_exam_res]/observation/@classCode="OBS"				
			entry[img_exam_res]/observation/@moodCode="EVN"				
			entry[img_exam_res]/observation/id				
			entry[img_exam_res]/observation/code	NS	See <code> for available attributes.</code>		
Imaging Examination Result > Imaging Modality	The imaging method used to perform the examina- tion.	01	entry[img_exam_res]/observation/methodCode	NS	See <code> for available attributes.</code>		
Imaging Examination Result > Anatom-       De         ical Site (Anatomical Location)       ex	Details about the anatomical locations to which this examination result refers.	0*	n/a		This logical NEHTA data component has no mapping to CDA.		
					The cardinality of this component propagates to its children.		

<sup>7</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Imaging Examination Result > Anatom- ical Site > <b>Specific Location</b>	Specific and identified anatomical location.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Imaging Examination Result > Anatom- ical Site > Specific Location > Anatom- ical Location Name	The name of an anatomical location.	01	entry[img_exam_res]/observation/targetSiteCode	SNOMED CT-AU Body Structure Foundation Refer- ence Set	See <code> for available attributes.</code>
Imaging Examination Result > Anatom-	The lateraility of an anatomical location.	01	entry[img_exam_res]/observation/targetSiteCode/qualifier		
ical Site > Specific Location > Side			entry[img_exam_res]/observation/targetSiteCode/qualifier/name		
			entry[img_exam_res]/observation/targetSiteCode/qualifier/name/@code="78615007"		
			$entry [img\_exam\_res]/observation/targetSiteCode/qualifier/name/@codeSystem="2.16.840.1.113883.6.96" and the set of the $		
			entry[img_exam_res]/observation/targetSiteCode/qualifier/name/@codeSystemName="SNOMED CT-AU"		
			$entry [img\_exam\_res] / observation / target SiteCode / qualifier / name / @codeSystemVersion="20110531" + 100 + $		
			entry[img_exam_res]/observation/targetSiteCode/qualifier/name/@displayName="with laterality"		
			entry[img_exam_res]/observation/targetSiteCode/qualifier/value	SNOMED CT-AU Lat- erality Reference Set	See <code> for available attributes.</code>
Imaging Examination Result > Anatom- ical Site > Anatomical Location De- scription	Description of anatomical location.	01	entry[img_exam_res]/observation/targetSiteCode/originalText		

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Imaging Examination Result > Anatom- ical Site > Anatomical Location Image	Image or images used to identify a location.	0*	entry[img_exam_res]/observation/entryRelationship[img]/@typeCode="REFR"		The image may or may not be attested to and is therefore mapped to observa- tionMedia.
			entry[img_exam_res]/observation/entryRelationship[img]/observationMedia/observationMedia		
			entry[img_exam_res]/observation/entryRelationship[img]/observationMedia/@classCode="OBS"		
			entry[img_exam_res]/observation/entryRelationship[img]/observationMedia/@moodCode="EVN"		
			entry[img_exam_res]/observation/entryRelationship[img]/observationMedia/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entry[img_exam_res]/observation/entryRelationship[img]/observationMedia/value		
Imaging Examination Result > Imaging	The status of the examination result as a whole.	11	entry[img_exam_res]/observation/entryRelationship[res_stat]/@typeCode="COMP"		
Examination Result Status			entry[img_exam_res]/observation/entryRelationship[res_stat]/observation		
			entry[img_exam_res]/observation/entryRelationship[res_stat]/observation/@classCode="OBS"		
			entry[img_exam_res]/observation/entryRelationship[res_stat]/observation/@moodCode="EVN"		
			entry[img_exam_res]/observation/entryRelationship[res_stat]/observation/code		
			entry[img_exam_res]/observation/entryRelationship[res_stat]/observation/code/@code="308552006"		
			entry[img_exam_res]/observation/entryRelationship[res_stat]/observation/code/@codeSystem= "2.16.840.1.113883.6.96"		
			entry[img_exam_res]/observation/entryRelationship[res_stat]/observation/code/@codeSystemVersion= "20110531"		
			entry[img_exam_res]/observation/entryRelationship[res_stat]/observation/code/@codeSystemName= "SNOMED CT-AU"		
			entry[img_exam_res]/observation/entryRelationship[res_stat]/observation/code/@displayName="report status"		
			entry[img_exam_res]/observation/entryRelationship[res_stat]/observation/value:CD	NCTIS: Admin Codes - Result Status	See <code> for available attributes.</code>

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Imaging Examination Result > Clinical	Description of clinical information available at the time of interpretation of results, or a link to the origin- al clinical information provided in the examination	01	entry[img_exam_res]/observation/entryRelationship[clin_inf]/@typeCode="COMP"		
Information Provided			entry[img_exam_res]/observation/entryRelationship[clin_inf]/act		
	request.		entry[img_exam_res]/observation/entryRelationship[clin_inf]/act/@classCode="INFRM"		
			entry[img_exam_res]/observation/entryRelationship[clin_inf]/act/@moodCode="EVN"		
			entry[img_exam_res]/observation/entryRelationship[clin_inf]/act/code		
			entry[img_exam_res]/observation/entryRelationship[clin_inf]/act/code/@code="55752-0"		
			entry[img_exam_res]/observation/entryRelationship[clin_inf]/act/code/@codeSystem= "2.16.840.1.113883.6.1"		
			entry[img_exam_res]/observation/entryRelationship[clin_inf]/act/code/@codeSystemName="LOINC"		
		entry[img_exam_res]/observation/entryRelationship[clin_inf]/act/code/@displayName="Clinical information"			
			entry[img_exam_res]/observation/entryRelationship[clin_inf]/act/text:ST		
Imaging Examination Result > Findings Narrative description of findings, including compar-	01	entry[img_exam_res]/observation/entryRelationship[find]/@typeCode="REFR"			
	ative findings.		entry[img_exam_res]/observation/entryRelationship[find]/observation		
		entry[img_exam_res]/observation/entryRelationship[find]/observation/@classCode="OBS"			
			entry[img_exam_res]/observation/entryRelationship[find]/observation/@moodCode="EVN"		
			entry[img_exam_res]/observation/entryRelationship[find]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entry[img_exam_res]/observation/entryRelationship[find]/observation/code		
			entry[img_exam_res]/observation/entryRelationship[find]/observation/code/@code="103.16503"		
			entry[img_exam_res]/observation/entryRelationship[find]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entry[img_exam_res]/observation/entryRelationship[find]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[img_exam_res]/observation/entryRelationship[find]/observation/code/@displayName="Findings"		
			entry[img_exam_res]/observation/entryRelationship[find]/observation/text:ST		
Imaging Examination Result > Imaging Examination Result Group	A group of structured results.	0*	See: IMAGING EXAMINATION RESULT GROUP.		
Imaging Examination Result > Examin- ation Result Representation	Rich text representation of the entire result as issued by the diagnostic service.	01	entry[img_exam_res]/observation/text		

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Imaging Examination Result > Examination Request Details	Details concerning a single examination requested.	0*	See: EXAMINATION REQUEST DETAILS		
Imaging Examination Result > Imaging Examination Result DateTime       The date and, optionally, time when the Imaging Examination Result became available.	11	entry[img_exam_res]/observation/entryRelationship[res_date]/@typeCode="COMP"		See <time> for available attributes.</time>	
		entry[img_exam_res]/observation/entryRelationship[res_date]/observation			
	-	entry[img_exam_res]/observation/entryRelationship[res_date]/observation/@classCode="OBS"			
		entry[img_exam_res]/observation/entryRelationship[res_date]/observation/@moodCode="EVN"			
		entry[img_exam_res]/observation/entryRelationship[res_date]/observation/code			
			entry[img_exam_res]/observation/entryRelationship[res_date]/observation/code/@code="103.16589"		
			entry[img_exam_res]/observation/entryRelationship[res_date]/observation/code/@codeSys- tem="1.2.36.1.2001.1001.101"		
			entry[img_exam_res]/observation/entryRelationship[res_date]/observation/code/@codeSystemName="NC-TIS Data Components"		
			entry[img_exam_res]/observation/entryRelationship[res_date]/observation/code/@displayName="Imaging Examination Result DateTime"		
		entry[img_exam_res]/observation/entryRelationship[res_date]/observation/effectiveTime		See <time> for available attributes.</time>	

#### Example 7.16. Imaging Examination Result XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 <!-- Begin CDA Header -->
 . . .
 <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
 <structuredBody>
  ...
 <!-- Event -->
  <component>
  <section>
  <!-- Diagnostic Investigations -->
  <component>
   <section>
    <!-- Begin Imaging Examination Result -->
    <component>
     <section>
      <code code="102.16145" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
       displayName="Imaging Examination Result" />
      <title>Imaging Examination Result</title>
      <text>
       <thead>
         Imaging Examination
          Result
          Result Status
         </thead>
        Chest X-ray
          <paragraph>The lungs and pleura appear clear.</paragraph>
           <paragraph>Cardiac and mediastinal contours are within normal limits./paragraph>
          Normal
         </text>
       <entry>
       <observation classCode="OBS" moodCode="EVN">
```

```
<id root="D3C0BC62-F08D-11E0-A994-06864824019B" />
<!-- Begin Imaging Examination Result Name -->
<code code="399208008" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
displavName="chest x-ray" />
<!-- End Imaging Examination Result Name -->
<!-- Begin Examination Result Representation -->
<text mediaType="application/pdf">
<reference value="result.pdf" />
</text>
<!-- End Examination Result Representation -->
<!-- Begin Imaging Modality -->
<methodCode code="363680008" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
displavName="x-ray" />
<!-- End Imaging Modality -->
<!-- Begin Anatomical Location Name -->
<targetSiteCode code="51185008" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
codeSystemVersion="20110531" displayName="thorax">
 <!-- Begin Anatomical Location Description -->
 <originalText>Chest/Thorax</originalText>
 <!-- End Anatomical Location Description -->
 <!-- Begin Side (if appropriate) -->
 <gualifier>
  <name code="78615007" codeSystem="2.16.840.1.113883.6.96"</pre>
  codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531"
  displayName="with laterality" />
  <value xsi:type="CD" code="7771000" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
  displavName="left" />
 </gualifier>
 <!-- End Side -->
</targetSiteCode>
<!-- End Anatomical Location Name -->
<!-- Begin Anatomical Location Image -->
<entryRelationship typeCode="REFR">
 <observationMedia classCode="OBS" moodCode="EVN">
  <id root="1E311BD0-E092-11E0-8852-0E8B4824019B" />
  <value mediaType="image/jpeg">
  <reference value="location.jpeg" />
 </value>
 </observationMedia>
</entryRelationship>
<!-- End Anatomical Location Image -->
<!-- Begin Imaging Examination result Status -->
<entryRelationship typeCode="COMP">
 <observation classCode="OBS" moodCode="EVN">
  <code code="308552006" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT-AU"
  codeSystemVersion="20110531" displayName="report status" />
  <value code="3" codeSystem="1.2.36.1.2001.1001.101.104.16501"</pre>
  codeSystemName="NCTIS Result Status Values" displayName="Final" xsi:type="CD" />
 </observation>
</entryRelationship>
<!-- End Imaging Examination result Status -->
<!-- Begin Clinical Information Provided -->
<entryRelationship typeCode="COMP">
 <act classCode="INFRM" moodCode="EVN">
  <code code="55752-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"</pre>
```

```
displayName="Clinical Information" />
        <text>Fluid Retention.</text>
       </act>
      </entryRelationship>
      <!-- End Clinical Information Provided -->
      <!-- Begin Findings -->
      <entryRelationship typeCode="REFR">
       <observation classCode="OBS" moodCode="EVN">
        <id root="D1ECC286-F093-11E0-9BC8-508D4824019B" />
        <code code="103.16503" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
        displayName="Findings" />
        <text>The lungs and pleura appear clear. Cardiac and mediastinal contours are within normal
        limits.</text>
       </observation>
      </entryRelationship>
      <!-- End Findings -->
      <!-- Imaging Examination Result Group -->
      <entryRelationship typeCode="COMP">
       <organizer classCode="BATTERY" moodCode="EVN">
      </organizer>
      </entryRelationship>
      <!-- End Imaging Examination Result Group -->
      <!-- Examination Request Details -->
      <entryRelationship typeCode="SUBJ" inversionInd="true">
       <act classCode="ACT" moodCode="EVN">
      </act>
      </entryRelationship>
      <!-- End Examination Request Details -->
      <!-- Begin Imaging Examination Result DateTime -->
      <entryRelationship typeCode="COMP">
       <observation classCode="OBS" moodCode="EVN">
        <code code="103.16589" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"</pre>
        displayName="Imaging Examination Result DateTime" />
        <effectiveTime value="201112141120+1000" />
       </observation>
      </entryRelationship>
      <!-- End Imaging Examination Result DateTime -->
     </observation>
    </entry>
   </section>
  </component>
  <!-- End Imaging Examination Result -->
</section>
</component>
<!-- End Diagnositc Investigations -->
```

. . .
...

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.1.5.2.1 IMAGING EXAMINATION RESULT GROUP

## Identification

Name	Imaging Examination Result Group
Metadata Type	Data Group
Identifier	DG-16504

# Relationships

Data Type	Name	Obligation	Occurrence
**	IMAGING EXAMINATION RESULT	Optional	0*

Figure 7.18, "Imaging Examination Result Group" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Imaging Examination Result Group is represented by a Organizer related to an Observation by a component relationship. The code on the Organizer holds the Imaging Examination Result Group Name. Each Individual Imaging Examination Result is mapped to a component Observation whose code is the Individual Imaging Examination Result Name, whose value is the Result Value and whose interpretationCode is the Result Value Normal Status. The Reference Range Details are mapped to an ObservationRange class related to the Observation by the ReferenceRange. The Anatomical Site details are mapped to the targetSiteCode of a component Organisation.

entryRelationship typeCode*: <= x_ActRelationshipEntryR	Relationship			
		clinicalStatement		
0* clinicalStatement	Observ	ation		
	classCod moodCod id: SET <i code*: CE text: ED [I statusCod value: AN targetSite</i 	le*: <= OBS de*: <= x_ActMoodDocumentObservation > [0*] 0 CWE [11] < ObservationType 01] de: CS CNE [01] < ActStatus Y CWE [01] < ObservationValue Code: SET <cd> CWE [0*] &lt;= ActSite</cd>	0* observationRange referenceRange typeCode*: <= REFV	ObservationRange classCode*: <= OBS moodCode*: <= EVN.CRT code: CD CWE [01] < ActCode value: ANY CWE [01]
	Organiz classCod id: SET <ii code: CD statusCod</ii 	zer le*: <= x_ActClassDocumentEntryOrganizer de*: <= EVN > [01] CWE [01] < ActCode de*: CS CNE [11] < ActStatus	0* clinicalStatement	
Ļ			typeCode*: <= COMP contextConductionInd*: BL [ sequenceNumber: INT [01] seperatableInd: BL [01]	11] "true"

Figure 7.18. Imaging Examination Result Group

## **CDA Mapping**



NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> procedure<sup>8</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements		Context: ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/component[	ection/component[im_e	kam]/section/	
Imaging Examination Result Group	A group of structured results.	0*	entryRelationship[im_res_gp]/@typeCode="COMP"		
			entryRelationship[im_res_gp]/organizer		
			entryRelationship[im_res_gp]/organizer/@classCode="BATTERY"		
			entryRelationship[im_res_gp]/organizer/@moodCode="EVN"		
			entryRelationship/[im_res_gp]/organizer/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entryRelationship/[im_res_gp]/organizer/statusCode="completed"		Required CDA ele- ment.
Imaging Examination Result Group > Imaging Examination Result Group Name	The name of a group of structured results.	11	entryRelationship[im_res_gp]/organizer/code	NS	See <code> for available attributes.</code>

<sup>8</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Imaging Examination Result Group >	Specific detailed result, including both the value of	1*	entryRelationship[im_res_gp]/organizer/component[ind_im_res]		
Individual Imaging Examination Res-	the result item and additional information that may		entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/@classCode="OBS"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/@moodCode="EVN"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If	See <id> for avail- able attributes.</id>
				a suitable internal key is not available, a UUID may be used.	
Imaging Examination Result Group > Individual Imaging Examination Result > Individual Imaging Examination Result Name	The name of a specific detailed result.	11	entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/code	NS	See <code> for available attributes.</code>
Imaging Examination Result Group > Individual Imaging Examination Result > Imaging Examination Result Value	Actual value of the result.	01	entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/ <b>value</b>		Although <b>value</b> is datatype 'ANY', use only CD, PQ.
Imaging Examination Result Group > Individual Imaging Examination Result > Imaging Examination Result Value Normal Status	An interpretation of an observation to indicate whether the result is considered normal or abnormal.	01	entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/interpretationCode	HL7 V3: Observation- InterpretationNormal- ity	See <code> for available attributes.</code>
Imaging Examination Result Group > Individual Imaging Examination Result	Tagged reference ranges for this value in its particular measurement context.	0*	entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/referenceRange/ @typeCode= "REFV"		
> Imaging Examination Result Value Reference Range Details			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/ referenceRange/observationRange		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/referenceRange/ observationRange/classCode="OBS"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/referenceRange/ observationRange/moodCode="EVN.CRT"		
Imaging Examination Result Group > Individual Imaging Examination Result > Imaging Examination Result Value Reference Range Details > Imaging Examination Result Value Reference Range Meaning	Term whose value indicates the meaning of this range.	11	entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/referenceRange/observa- tionRange/ <b>code</b>	NS	See <code> for available attributes.</code>
Imaging Examination Result Group > Individual Imaging Examination Result > Imaging Examination Result Value Reference Range Details > Imaging Examination Result Value Reference Range	The data range for the associated meaning.	11	entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/referenceRange/observa- tionRange/value:IVL_PQ		

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Imaging Examination Result Group > Individual Imaging Examination Result	May include statements about significant, unexpec- ted or unreliable values, or information about the	0*	entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/ entryRelationship/@typeCode="COMP"		
> Result Comment	source of the value where this may be relevant to the interpretation of the result.		entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship/act		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship/ act/@classCode="INFRM"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship/ act/@moodCode="EVN"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship/act/code		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship/act/ code/@code="281296001"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship/act/ code/@codeSystem="2.16.840.1.113883.6.96"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship/act/ code/@codeSystemVersion="20110531"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship/act/ code/@codeSystemName="SNOMED CT-AU"		
				entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship/act/ code/@displayName="result comments"	
			$entry Relationship [im\_res\_gp]/organizer/component [ind\_im\_res]/observation/entry Relationship/act/text:ST$		
Imaging Examination Result Group > Anatomical Location	Details about the individual anatomical location to which these 'Result group' examination results refer, where finer-grained representation of Anatomical location is required.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Imaging Examination Result Group > Anatomical Location > <b>Specific Loca-</b> <b>tion</b>	Specific and identified anatomical location.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Imaging Examination Result Group > Anatomical Location > Specific Location > Anatomical Location Name	The name of an anatomical location.	01	entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/targetSiteCode	SNOMED CT-AU Body Structure Foundation Refer- ence Set	See <code> for available attributes.</code>

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Imaging Examination Result Group >	The lateraility of an anatomical location.	01	entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/targetSiteCode/qualifier		
Anatomical Location > Specific Location > Side			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/targetSiteCode/qualifier/name		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/targetSiteCode/qualifier/ name/@code="78615007"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/targetSiteCode/qualifier/ name/@codeSystem="2.16.840.1.113883.6.96"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/targetSiteCode/qualifier/ name/@codeSystemName="SNOMED CT-AU"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/targetSiteCode/qualifier/ name/@codeSystemVersion="20110531"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/targetSiteCode/qualifier/ name/@displayName="with laterality"		
		entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/targetSiteCode/qualifier/value	SNOMED CT-AU Lat- erality Reference Set	See <code> for available attributes.</code>	
Imaging Examination Result Group > Anatomical Location > Anatomical Location Description	Description of anatomical location.	01	entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/targetSiteCode/originalText		
Imaging Examination Result Group > Anatomical Location > Anatomical	Image or images used to identify a location.	0*	entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/ entryRelationship[img]/@typeCode="REFR"		
Location Image			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship[img]/observationMedia		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship[img]/observationMedia/@classCode="OBS"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship[img]/observationMedia/@moodCode="EVN"		
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship[img]/observationMedia/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entryRelationship[im_res_gp]/organizer/component[ind_im_res]/observation/entryRelationship[img]/observationMedia/ <b>value</b>		

#### Example 7.17. Imaging Examination Result Group XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 <!-- Begin CDA Header -->
 . . .
 <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
 <structuredBody>
  ...
  <!-- Begin Event section-->
  <component>
    <section>
     <!-- Begin Diagnostic Investigations section -->
     <component>
     <section>
       <!-- Begin Imaging Examination Result section-->
       <component>
        <section>
             <entry>
          <observation classCode="OBS" moodCode="EVN">
           <!-- Begin Imaging Examination Result Group organizer -->
           <entryRelationship typeCode="COMP">
            <organizer classCode="BATTERY" moodCode="EVN">
             <id root="061116F4-F097-11E0-BF4C-10914824019B" />
             <!-- Begin Imaging Examination Result Group Name -->
             <code code="399208008" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
             displayName="chest x-ray" />
             <!-- End Imaging Examination Result Group Name -->
             <statusCode code="completed" />
             <!-- Begin Individual Imaging Examination Result -->
             <component>
              <observation classCode="OBS" moodCode="EVN">
              <id root="2C600DDA-F09A-11E0-9BDE-8D944824019B" />
               <!-- Begin Individual Imaging Examination Result Name -->
               <code nullFlavor="UNK">
                <originalText>Cardiothoricic Ratio</originalText>
               </code>
```

<!-- End Individual Imaging Examination Result Name --> <!-- Begin Result Value --> <value value="0.45" xsi:type="PO" /> <--- En Result Value --> <!-- Begin Result Value Normal Status --> <interpretationCode code="N" codeSystemName="HL7ObservationInterpretationNormality"</pre> codeSystem="2.16.840.1.113883.5.83" displayName="Normal" /> <!-- End Result Value Normal Status --> <!-- Begin Anatomical Location Name --> <targetSiteCode code="80891009" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="heart"> <!-- Begin Anatomical Location Description --> <originalText>Heart</originalText> <!-- Begin Anatomical Location Description --> <!-- Begin Side (if appropriate) --> <qualifier> <name code="78615007" codeSystem="2.16.840.1.113883.6.96"</pre> codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531" displayName="with laterality" /> <value xsi:type="CD" code="7771000" codeSystem="2,16,840,1,113883,6,96" codeSystemName="SNOMED CT"</pre> displayName="left" /> </gualifier> <!-- End Side --> </targetSiteCode> <!-- End Anatomical Location Name --> <!-- Begin Anatomical Location Image --> <entryRelationship typeCode="REFR"> <observationMedia classCode="OBS" moodCode="EVN"> <id root="218F125E-F304-11E0-99C9-46DC4824019B" /> <value mediaType="image/jpeg"> <reference value="location.jpeg" /> </value> </observationMedia> </entryRelationship> <!-- End Anatomical Location Image --> <!-- Begin Result Comment --> <entryRelationship typeCode="COMP"> <act classCode="INFRM" moodCode="EVN"> <code code="281296001" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT-AU" codeSystemVersion="20110531" displayName="result comments" /> <text>CTR within normal limits.</text> </act> </entryRelationship> <!-- End Result Comment --> <!-- Begin Result Value Reference Range Details --> <referenceRange typeCode="REFV"> <observationRange classCode="OBS" moodCode="EVN.CRT"> <!-- Begin Result Value Reference Range Meaning --> <code code="260395002" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="normal range" /> <!-- End Result Value Reference Range Meaning --> <!-- Begin Result Value Reference Range -->

<value xsi:type="IVL\_PQ"> <low value="0.25" />

<high value="0.50" /> </value> <!-- End Result Value Reference Range --> </observationRange> </referenceRange> <!-- End Result Value Reference Range Details --> </observation> </component> <!-- End Individual Imaging Examination Result --> </organizer> </entryRelationship> <!-- End Imaging Examination Result Group --> <observation> <entry> </section> </component> <!-- End Imaging Examination Result section -->

</section> </component> <!-- End Diagnositc Investigations section -->

</section> </component> <!-- End Event section-->

. . .

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

## 7.1.1.5.2.2 EXAMINATION REQUEST DETAILS

Identification

Name	Examination Request Details
Metadata Type	Data Group
Identifier	DG-16511

### Relationships

Data Type	Name	Obligation	Occurrence
~	IMAGING EXAMINATION RESULT	Optional	0*

Figure 7.19, "Examination Request Details" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Examination Request Details data group maps to a component Act of a containing Observation. The Examination Requested Name is mapped to a component Observation and the Report Identifier is also mapped to a component Observation. The Receiver Order Identifier and the DICOM Study Identifier are mapped to related Acts. The Image Details are mapped to a component Act whose id is the Image Identifier, whose value is the Image View Name and whose effectiveTime is the Image DateTime. The DICOM Series Identifier is mapped to a component Act. The Image is mapped to a related ObservationMedia class.



Figure 7.19. Examination Request Details

# **CDA Mapping**



# Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>9</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they **SHALL** be used and the non-standard code sets **SHALL** be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/component[	ection/component[im_ex	am]/section/
Examination Request Details	Details concerning a single examination requested.	0*	entryRelationship[exam_req]/@typeCode="SUBJ"		
			entryRelationship[exam_req]/@inversionInd="true"		
			entryRelationship[exam_req]/act		
			entryRelationship[exam_req]/act/@classCode="ACT"		
			entryRelationship[exam_req]/act/@moodCode="EVN"		
			entryRelationship[exam_req]/act/code		
			entryRelationship[exam_req]/act/code/@code="102.16511"		
			entryRelationship[exam_req]/act/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entryRelationship[exam_req]/act/code/@codeSystemName="NCTIS Data Components"		
			entryRelationship[exam_req]/act/code/@displayName="Examination Request Details"		

<sup>&</sup>lt;sup>9</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Examination Request Details > Examin- ation Requested Name	Identification of imaging examination or procedure	0*	entryRelationship[exam_req]/act/entryRelationship[im_req_exam_nm]/@typeCode="REFR"		
ation Requested Name	from the examination actually performed.		entryRelationship[exam_req]/act/entryRelationship[im_req_exam_nm]/observation		
			entryRelationship[exam_req]/act/entryRelationship[im_req_exam_nm]/observation/@classCode="OBS"		
			entryRelationship[exam_req]/act/entryRelationship[im_req_exam_nm]/observation/@moodCode="EVN"		
			entryRelationship[exam_req]/act/entryRelationship[im_req_exam_nm]/observation/code		
			entryRelationship[exam_req]/act/entryRelationship[im_req_exam_nm]/observation/code/@code= "103.16512"		
			entryRelationship[exam_req]/act/entryRelationship[im_req_exam_nm]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entryRelationship[exam_req]/act/entryRelationship[im_req_exam_nm]/observation/ code/@codeSystemName="NCTIS Data Components"		
		6	entryRelationship[exam_req]/act/entryRelationship[im_req_exam_nm]/observation/code/@displayName= "Examination Requested Name"		
			entryRelationship[exam_req]/act/entryRelationship[im_req_exam_nm]/observation/text:ST		
Imaging Examination Result >Examination Reguest Details > DICOM Study         Unique identifier of this study allocate ging service.	Unique identifier of this study allocated by the ima- ging service.	01	entryRelationship[exam_req]/act/entryRelationship[exam_perf]/@typeCode="SUBJ"		See <id> for avail- able attributes.</id>
Identifier			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/@classCode="ACT"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/@moodCode="EVN"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/code		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/code/@code="103.16513"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/code/@codeSys- tem="1.2.36.1.2001.1001.101"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/code/@codeSystemName="NCTIS Data Components"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/code/@displayName="DICOM Study Identifier"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/id		See <id> for avail- able attributes.</id>

NEHTA SDT Data Compon-	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
ent					
Examination Request Details > Report	Data Component Definition         The local identifier given to the imaging examination report.         Images referred to, or provided, to assist clinical understanding of the examination.         Images referred to, or provided, to assist clinical understanding of the examination.         Unique identifier of this image allocated by the imaging endocated by	01	entryRelationship[exam_req]/act/entryRelationship/@typeCode="COMP"		
Identifier	report.		entryRelationship[exam_req]/act/entryRelationship[im_rep_id]/observation		
			entryRelationship[exam_req]/act/entryRelationship[im_rep_id]/observation/@classCode="OBS"		
			entryRelationship[exam_req]/act/entryRelationship[im_rep_id]/observation/@moodCode="EVN"		
			entryRelationship[exam_req]/act/entryRelationship[im_rep_id]/observation/id		See <id> for avail- able attributes.</id>
			entryRelationship[exam_req]/act/entryRelationship[im_rep_id]/observation/code		
			entryRelationship[exam_req]/act/entryRelationship[im_rep_id]/observation/code/@code="103.16514"		
			entryRelationship[exam_req]/act/entryRelationship[im_rep_id]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entryRelationship[exam_req]/act/entryRelationship[im_rep_id]/observation/code/@codeSystemName= "NCTIS Data Components"		
			entryRelationship[exam_req]/act/entryRelationship[im_rep_id]/observation/code/@displayName="Report Identifier"		
Examination Request Details > Image Images referred to, or provided, to assist clinical understanding of the examination.	0*	entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/ @typeCode="COMP"			
	s understanding of the examination.		entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observa- tion/@classCode="OBS"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observa- tion/@moodCode="EVN"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observa- tion/code		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observa- tion/code/@code="103.16515"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observa- tion/code/@codeSystem="1.2.36.1.2001.1001.101"		
		-	entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observa- tion/code/@codeSystemName="NCTIS Data Components"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observa- tion/code/@displayName="Image Details"		
Examination Request Details > Image Details > Image Identifier	Unique identifier of this image allocated by the ima- ging service (often the DICOM image instance UID).	01	entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/ observation/id		See <id> for avail- able attributes.</id>

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Examination Request Details > Image Details > <b>DICOM Series Identifier</b>	Unique identifier of this series allocated by the ima- ging service.	01	entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/ observation/entryRelationship[dicom_ser]/@typeCode="REFR"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/ observation/entryRelationship[dicom_ser]/act/		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[dicom_ser]/act/@classCode="ACT"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[dicom_ser]/act/@moodCode="EVN"		
		entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[dicom_ser]/act/id		See <id> for avail- able attributes.</id>	
				NB. The DICOM Series Identifier is placed in the root attribute.	
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[dicom_ser]/act/code		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[dicom_ser]/act/code/@code="103.16517"		
		entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[dicom_ser]/act/code/@codeSystem="1.2.36.1.2001.1001.101"			
		entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[dicom_ser]/act/code/@codeSystemName="NCTIS Data Components"			
		entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[dicom_ser]/act/code/@displayName="DICOM Series Identifier"			
Examination Request Details > Image Details > Image View Name	The name of the imaging view e.g Lateral or Anteroposterior (AP).	01	entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/ observation/value:CD	NS	See <code> for available attributes.</code>

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Examination Request Details > Image Details > <b>Subject Position</b>	Description of the subject of care's position when the image was performed.	01	entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/ observation/entryRelationship/@typeCode="REFR"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[sub_pos]/ <b>observation/</b>		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[sub_pos]/observation/@classCode="OBS"		
		entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[sub_pos]/observation/@moodCode="EVN"			
		entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[sub_pos]/observation/code			
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[sub_pos]/observation/code/@code="103.16519"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[sub_pos]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[sub_pos]/observation/code/@codeSystemName="NCTIS Data Components"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[sub_pos]/observation/code/@displayName="Subject Position"		
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship[sub_pos]/observation/value:ST		
Examination Request Details > Image Details > Image DateTime	Specific date/time the imaging examination was performed.	01	entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/ observation/effectiveTime		See <time> for available attributes.</time>

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Examination Request Details > Image Details > Image	An attached or referenced image of a current view.	01	entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship/@typeCode="SPRT"		
		entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship/ <b>observationMedia</b>		The image may or may not be attested to and is therefore mapped to observa- tionMedia.	
		entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship/observationMedia/@classCode="OBS"			
		entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship/observationMedia/@moodCode="EVN"			
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship/ <b>observationMedia/id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observation/ entryRelationship/observationMedia/value:ED		

#### Example 7.18. Imaging Examination Result XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
<!-- Begin CDA Header -->
<!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
 <structuredBody>
   . . .
  <!-- Begin Event section -->
   <component>
    <section>
     <!-- Begin Diagnostic Investigations section -->
     <component>
      <section>
       <!-- Imaging Examination Result section -->
       <component>
        <section>
         <!-- Begin Imaging Examination Result observation -->
         <entry>
          <observation>
           <!-- Begin Examination Request Details -->
           <entryRelationship inversionInd="true" typeCode="SUBJ">
            <act classCode="ACT" moodCode="EVN">
            <code code="102.16511" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"</pre>
              displayName="Examination Request Details" />
            <!-- Begin Examination Requested Name -->
             <entryRelationship typeCode="REFR">
              <observation classCode="OBS" moodCode="EVN">
               <code code="103.16512" codeSystem="1.2.36.1.2001.1001.101"
               codeSystemName="NCTIS Data Components" displayName="Examination Requested Name" />
               <text>Chest X-ray</text>
              </observation>
             </entryRelationship>
             <!-- End Examination Requested Name -->
             <!-- Begin DICOM Study Identifier -->
             <entryRelationship typeCode="SUBJ">
```

```
<act classCode="ACT" moodCode="EVN">
<id root="1.2.312.1264.124654654.12456456301" />
<code code="103.16513" codeSystem="1.2.36.1.2001.1001.101"
 codeSystemName="NCTIS Data Components" displayName="DICOM Study Identifier" />
<!-- Begin Image DateTime -->
 <effectiveTime value="201012141120+1000" />
<!-- End Image DateTime -->
<!-- Begin Image Details -->
 <entryRelationship typeCode="COMP">
  <observation classCode="OBS" moodCode="EVN">
  <!-- Begin Image Identifier -->
  <id root="1.2.3.4.5.123654789654" />
  <!-- End Image Identifier -->
  <code code="103.16515" codeSystem="1.2.36.1.2001.1001.101"
   codeSystemName="NCTIS Data Components" displayName="Image Details" />
  <!-- Begin Image DateTime -->
  <effectiveTime value="201012141120+1000"/>
  <!-- End Image DateTime -->
  <!-- Begin Image View Name -->
  <value code="67632007" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"</pre>
   displayName="diagnostic radiography of chest, PA" xsi:type="CD" />
  <!-- End Image View Name -->
  <!-- Begin DICOM Series Identifier -->
  <entryRelationship typeCode="REFR">
   <act classCode="ACT" moodCode="EVN">
    <id root="1.2.3.1.2.2654654654654564" />
     <code code="103.16517" codeSystem="1.2.36.1.2001.1001.101"
     codeSystemName="NCTIS Data Components" displayName="DICOM Series Identifier"/>
   </act>
  </entryRelationship>
  <!-- End DICOM Series Identifier -->
  <!-- Begin Subject Position -->
  <entryRelationship typeCode="REFR">
   <observation classCode="OBS" moodCode="EVN">
    <code code="103.16519" codeSystem="1.2.36.1.2001.1001.101"
     codeSystemName="NCTIS Data Components" displayName="Subject Position" />
    <value xsi:type="ST">PA Erect</value>
   </observation>
  </entryRelationship>
  <!-- End Subject Position -->
  <!-- Begin Image -->
  <entryRelationship typeCode="SPRT">
   <observationMedia classCode="OBS" moodCode="EVN">
    <id root="CD85BBA8-F2E6-11E0-B5BD-9FB84824019B" />
    <value mediaType="image/jpeg">
     <reference value="xray.jpeg" />
     </value>
   </observationMedia>
  </entryRelationship>
  <!-- End Image -->
  </observation>
 </entryRelationship>
<!-- End Image Details -->
</act>
```

```
</entryRelationship>
            <!-- End DICOM Study Identifier -->
            <!-- Begin Report Identifier -->
            <entryRelationship typeCode="COMP">
              <observation classCode="OBS" moodCode="EVN">
              <id root="DDB50F06-F304-11E0-A7F3-5ADD4824019B"/>
               <code code="103.16514" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
               displayName="Report Identifier" />
              </observation>
             </entryRelationship>
            <!-- End Report Identifier -->
            </act>
           </entryRelationship>
           <!-- End Examination Request Details -->
          <observation>
         <entry>
         <!-- End Imaging Examination Result observation -->
       <observation>
       <entrv>
       <!-- End Imaging Examination Result section -->
     </section>
     </component>
     <!-- End Diagnositc Investigations section -->
   </section>
   </component>
   <!-- End Event section -->
  </structuredBody>
</component>
<!-- End CDA Body -->
</ClinicalDocument>
```

. . .

# 7.1.2 MEDICATIONS

# Identification

Name	MEDICATIONS
Metadata Type	Section
Identifier	S-16022

# Relationships

## Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
•	CURRENT MEDICATIONS ON DISCHARGE	Essential	11
~~	CEASED MEDICATIONS	Essential	11

Data Type	Name	Obligation	Occurrence
	e-Discharge Summary	Essential	11

Figure 7.20, "Medications" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Medications section is composed of a Section class related to its context ClinicalDocument.structuredBody through a component relationship.



Figure 7.20. Medications

# **CDA Mapping**

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody	•	
Medications Therapeutic G	Therapeutic Goods which are/were prescribed for	11	component[meds]/section		
	the patient of the patient has/had been taking.		component[meds]/section/code		
			component[meds]/section/code/@code="101.16022"		
			component[meds]/section/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component[meds]/section/code/@codeSystemName="NCTIS Data Components"		
			component[meds]/section/code/@displayName="Medications"		
			component[meds]/section/title="Medications"		
			component[meds]/section/text		See Appendix A, CDA Narratives
Medications > Current Medications on Discharge	Medications that the subject of care will continue or commence on discharge.	11	See: CURRENT MEDICATIONS ON DISCHARGE		
Medications > Ceased Medications	Medications that the subject of care was taking at the start of the healthcare encounter (e.g. on admis- sion), that have been stopped during the encounter or on discharge, and that are not expected to be re- commenced.	11	See: CEASED MEDICATIONS		

### **Example 7.19. Medications XML Fragment**

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org;v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
>
   <!-- Begin CDA Header -->
   ....
   <!-- End CDA Header -->
<!-- Begin CDA Body -->
 <component>
    <structuredBodv>
     ....
    <!-- Begin Medications section -->
   <component><!-- [meds] -->
    <section>
     <code code="101.16022"
      codeSystem="1.2.36.1.2001.1001.101"
       codeSystemName="NCTIS Data Components"
      displavName="Medications"/>
     <title>Medications</title>
     <text>...</text>
    </section>
   </component>
   <!-- End Medications section -->
    </structuredBody>
 <component>
  <!-- End CDA Body -->
</ClinicalDocument>
```

# 7.1.2.1 CURRENT MEDICATIONS ON DISCHARGE

# Identification

Name	CURRENT MEDICATIONS ON DISCHARGE
Metadata Type	Section
Identifier	S-16146

# Relationships

## Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
•	EXCLUSION STATEMENT - MEDICATIONS	Optional	01
**	THERAPEUTIC GOOD	Optional	0*

Data Type	Name	Obligation	Occurrence
•	MEDICATIONS	Essential	11

Figure 7.21, "Current Medications on Discharge" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The CURRENT MEDICATIONS ON DISCHARGE data group is related to its context by a component relationship into a new section.



Figure 7.21. Current Medications on Discharge

# **CDA Mapping**

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component[meds]/section		
Current Medications on Discharge	ent Medications on Discharge Medications that the subject of care will continue or	11	component[current]/section/code	ļ	
commence on discharge.	commence on discharge.		component[current]/section/code/@code="101.16146.4.1.1"	1	
			component[current]/section/code/@codeSystem="1.2.36.1.2001.1001.101"	ļ	
			component[current]/section/code/@codeSystemName="NCTIS Data Components"	1	
			component[current]/section/code/@displayName="Current Medications on Discharge"	1	
			component[current]/section/title="Current Medications on Discharge"		
			component[current]/section/text		See Appendix A, CDA Narratives

### Example 7.20. Current Medications on Discharge XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 >
   <!-- Begin CDA Header -->
   <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
    <structuredBodv>
     <!-- Begin Medications section -->
   <component><!-- [meds] -->
    <section>
     ...
     <!-- Begin Current medications on discharge -->
     <component><!-- [current] -->
      <section>
       <code code="101.16146.4.1.1"
        codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components"
         displayName="Current Medications On Discharge"/>
       <title>Current Medications On Discharge</title>
       <text>...</text>
        . . .
      </section>
     </component>
     <!-- End Current medications on discharge -->
    </section>
   </component>
   <!-- End Medications section -->
    </structuredBody>
 <component>
   <!-- End CDA Body -->
</ClinicalDocument>
```

# 7.1.2.1.1 EXCLUSION STATEMENT - MEDICATIONS

### Identification

Name	EXCLUSION STATEMENT - MEDICATIONS
Metadata Type	Data Group
Identifier	DG-16136

## Relationships

Data Type	Name	Obligation	Occurrence
•	CURRENT MEDICATIONS ON DISCHARGE	Optional	01

Figure 7.22, "Exclusion Statement - Medications" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Exclusion Statement - Medications data group is represented by an observation class and is related to its containing section by an entry relationship.



Figure 7.22. Exclusion Statement - Medications

# **CDA Mapping**

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements		•	Context: ClinicalDocument/component/structuredBody/component[meds]/section/component[current]/section		
Exclusion Statement - Medications	Assertion that no medication information is included in this section of the document.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Exclusion Statement - Medications >	The statement about the absence or exclusion of certain medication.	11	entry[gbl_meds]		
Global Statement			entry[gbl_meds]/observation		
			entry[gbl_meds]/observation/@classCode="OBS"		
			entry[gbl_meds]/observation/@moodCode="EVN"		
			entry[gbl_meds]/observation/code		
			entry[gbl_meds]/observation/code/@code="103.16302.4.3.2"		
			entry[gbl_meds]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[gbl_meds]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[gbl_meds]/observation/code/@displayName="Global Statement"		
			entry[gbl_meds]/observation/ <b>value:CD</b>	NCTIS: Admin Codes - Global Statement Values	See <code> for available attributes.</code>

#### Example 7.21. Exclusion Statement - Medications XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
>
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
    <structuredBodv>
    <!-- Begin Medications section -->
   <component><!-- [meds] -->
    <section>
     ...
     <!-- Begin Current Medications on discharge-->
     <component><!-- [current] -->
     <section>
       . . .
       <!-- Begin Exclusion Statement - Medications-->
       <!-- Global Statement -->
       <entry>
        <!-- [gbl meds] -->
        <observation classCode="OBS" moodCode="EVN">
         <code code="103.16302.4.3.2" codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components" displayName="Global Statement" />
         <value code="02" codeSystem="1.2.36.1.2001.1001.101.104.16299"</pre>
         codeSystemName="Global Statement Values" displayName="Not asked"
         xsi:type="CD" />
       </observation>
       </entry>
       <!-- End Exclusion Statement - Medications-->
       . . .
      </section>
      </component>
     <!-- End Current Medications on discharge -->
     . . .
   </section>
   </component>
  <!-- End Medications section -->
```

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.2.1.2 THERAPEUTIC GOOD

# Identification

Name	THERAPEUTIC GOOD
Metadata Type	Data Group
Identifier	DG-16211

## Relationships

Data Type	Name	Obligation	Occurrence
~~	CURRENT MEDICATIONS ON DISCHARGE	Optional	0*

Figure 7.23, "Therapeutic Good" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Therapeutic Good data group is described by a SubstanceAdministration which is related to the containing section by an entry. SubstanceAdministration has five related clinicalStatements: a subject Observation to represent Item Status, a reason Act to represent Reason for Medication, a reason Observation to represent Reason for Change, a reference Supply to represent Unit of Use, a supporting Observation to represent the CHANGE DETAIL data group and a component Observation to represent Additional Comments. Therapeutic Good Description maps to consumable.manufacturedProduct.manufacturedMaterial.


Figure 7.23. Therapeutic Good

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements		Context for > Current Medications >: ClinicalDocument/component/structuredBody/component[meds]/section/component[current]/section			
Therapeutic Good	Information pertaining to one or more therapeutic	0*	entry[sbadm]		
	goods that is represented to achieve, or is likely to achieve, its principal intended action by pharmacolo-		entry[sbadm]/substanceAdministration		
gical, chemical, immunological or metabolic means in or on the body of a human.		entry[sbadm]/substanceAdministration/@moodCode="EVN"			
		entry[sbadm]/substanceAdministration/@classCode="SBADM"			
			entry[sbadm]/substanceAdministration/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.</id>
			entry[sbadm]/substanceAdministration/statusCode="active"		

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Therapeutic Good > Therapeutic Good Identification	Identifies a therapeutic good, which is broadly defined as a good which is represented in any way to be, or is likely to be taken to be, for therapeutic use (unless specifically excluded or included under Section 7 of the Therapeutic Goods Act 1989). Therapeutic use means use in or in connection with: • preventing, diagnosing, curing or alleviating a disease, ailment, defector injury; • influencing, inhibiting or modifying a physiological process; • testing the susceptibility of persons to a disease or ailment; • influencing, controlling or preventing conception; • testing for pregnancy; • replacement or modification of parts of the ana- tomy.	11	entry[sbadm]/substanceAdministration/consumable/manufacturedProduct/manufacturedMaterial/ code	<ul> <li>The set of values is ConceptIDs and Pre- ferred Terms from AMT (Australian Medicines Termino- logy) concepts which have one of the fol- lowing modelled rela- tionships:</li> <li>IS A Medicinal Product Unit of Use (MPUU);</li> <li>IS A Medicinal Product Pack (MPP);</li> <li>IS A Trade Product Pack (MPP);</li> <li>IS A Trade Product Pack (TPP);</li> <li>IS A Trade Product Pack (TPP);</li> <li>IS A Containered Trade Product Pack (CTPP).</li> <li>Specifically for MPUU: only MPUU concepts that have no child MPUUs are to be included.</li> <li>Where an MPUU, the parent MPUU is to be omitted.</li> </ul>	See <code> for available attributes.</code>
Therapeutic Good > <b>Dosage</b>	The regimen governing the amount (in a single ad- ministration, i.e. dose quantity), [the] frequency and the number of doses of a therapeutic agent to be administered to a subject of care.	11	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Therapeutic Good > Dosage > Dose Instruction	A description of the dose quantity, frequency and route instruction that determines how the prescribed therapeutic substance is administered to, or taken by, the subject of care.	11	entry[sbadm]/substanceAdministration/text:ST		Dose Instruction and Instructions for Use are mutually exclus- ive - Dose Instruction is to be used for a medication and In- structions for Use is to be used for a therapeutic good other than a medica- tion.
Therapeutic Good > Unit of Use Quantity Dispensed	A statement of the total number of units or physical amount of the therapeutic good that is dispensed or supplied to the subject of care.	01	entry[sbadm]/substanceAdministration/entryRelationship[sply]/supply/text:ST		
Therapeutic Good > <b>Reason for</b> Therapeutic Good	The clinical justification (e.g. specific therapeutic effect intended) for this subject of care's use of the therapeutic good.	01	entry[sbadm]/substanceAdministration/entryRelationship[reason]/@typeCode="RSON"		
			entry[sbadm]/substanceAdministration/entryRelationship[reason]/act		
			entry[sbadm]/substanceAdministration/entryRelationship[reason]/act/@classCode="INFRM"		
			entry[sbadm]/substanceAdministration/entryRelationship[reason]/act/@moodCode="RQO"		
			entry[sbadm]/substanceAdministration/entryRelationship[reason]/act/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	
			entry[sbadm]/substanceAdministration/entryRelationship[reason]/act/code		
			entry[sbadm]/substanceAdministration/entryRelationship[reason]/act/code/@code="103.10141"		
			entry[sbadm]/substanceAdministration/entryRelationship[reason]/act/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entry[sbadm]/substanceAdministration/entryRelationship[reason]/act/code/@codeSystemName="NCTIS Data Components"		
			entry[sbadm]/substanceAdministration/entryRelationship[reason]/act/code/@displayName="Reason for Therapeutic Good"		
			entry[sbadm]/substanceAdministration/entryRelationship[reason]/act/text:ST		

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Therapeutic Good > Additional Com-	Any additional information that may be needed to	01	entry[sbadm]/substanceAdministration/entryRelationship[cmts]/@typeCode="COMP"		
ments	ensure the continuity of supply, proper use, or appro- priate medication management.		entry[sbadm]/substanceAdministration/entryRelationship[cmts]/act		
			entry[sbadm]/substanceAdministration/entryRelationship[cmts]/act/@classCode="INFRM"		
			entry[sbadm]/substanceAdministration/entryRelationship[cmts]/act/@moodCode="EVN"		
			entry[sbadm]/substanceAdministration/entryRelationship[cmts]/act/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entry[sbadm]/substanceAdministration/entryRelationship[cmts]/act/code		
			entry[sbadm]/substanceAdministration/entryRelationship[cmts]/act/code/@code="103.16044"		
			entry[sbadm]/substanceAdministration/entryRelationship[cmts]/act/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entry[sbadm]/substanceAdministration/entryRelationship[cmts]/act/code/@codeSystemName="NCTIS Data Components"		
			entry[sbadm]/substanceAdministration/entryRelationship[cmts]/act/code/@displayName="Additional Comments"		
			entry[sbadm]/substanceAdministration/entryRelationship[cmts]/act/text:ST		
Therapeutic Good > Medication His- tory	Details of the history of the use of this therapeutic good by the subject of care.	11	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Therapeutic Good > Medication History	The status of the medication item at a specific point	11	entry[sbadm]/substanceAdministration/entryRelationship[item_status]		
> Item Status	in time, e.g. at discharge.		entry[sbadm]/substanceAdministration/entryRelationship[item_status]/@typeCode="SUBJ"		
			entry[sbadm]/substanceAdministration/entryRelationship[item_status]/@inversionInd="true"		
			entry[sbadm]/substanceAdministration/entryRelationship[item_status]/observation		
			entry[sbadm]/substanceAdministration/entryRelationship[item_status]/observation/@classCode="OBS"		
			$entry [sbadm] / substance Administration / entry Relationship [item\_status] / observation / @moodCode="EVN" the status of the $		
			entry[sbadm]/substanceAdministration/entryRelationship[item_status]/observation/code	NS	See <code> for available attributes.</code>
			entry[sbadm]/substanceAdministration/entryRelationship[item_status]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	
Therapeutic Good > Medication History	Describes information about any relevant changes	01	entry[sbadm]/substanceAdministration/entryRelationship[change_detail]		
> Change Detail	healthcare encounter, and the reason for that change.		entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/@typeCode="SPRT"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation		
			$entry [sbadm] / substance Administration / entry Relationship [change_detail] / observation / @ type Code="OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code="OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code="OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code="OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code= "OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code= "OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code= "OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code= "OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code= "OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code= "OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code= "OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code= "OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code= "OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code= "OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Code= "OBS" and the substance Administration / entry Relationship [change_detail] / observation / @ type Administration / entry Relationship [change_detail] / observation / entry Relationship [change_detail] / observation / @ type Administration / entry Relation / entry Re$		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/@moodCode= "EVN"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.</id>
Therapeutic Good > Medication History > Change Detail > <b>Changes Made</b>	Description of any change made during the health- care encounter where the change is intended to continue after the end of the healthcare encounter.	11	entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/code	NS	

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Therapeutic Good > Medication History > Change Detail > <b>Reason for Change</b>	The justification for the stated change in medication.	01	entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/@typeCode="RSON"		
		entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act			
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/@classCode="INFRM"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/@moodCode="EVN"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/ <b>code</b>		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/code/@code="103.10177"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/code/@codeSystemName="NCTIS Data Components"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/code/@displayName="Reason for Change"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/text:ST		
Therapeutic Good > Medication History > Medication Duration	The time period that the patient has taken or will take the prescribed medication.	01	entry[sbadm]/substanceAdministration/effectiveTime:IVL_TS		See <time> for avail- able attributes.</time>

### Example 7.22. Therapeutic Good XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 ~
  <!-- Begin CDA Header -->
  ....
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
    <structuredBodv>
     ....
     <!-- Begin Medications section -->
   <component><!-- [meds] -->
    <section>
     <!-- Begin Current Medications on Discharge section -->
     <component><!-- [current] -->
      <section>
       . . .
       <!-- Therapeutic Good -->
       <entry><!-- [med instr] -->
        <substanceAdministration classCode="SBADM" moodCode="EVN">
         <!-- ID is used for system purposes such as matching -->
         <id root="080C5AC2-C835-11DE-81C9-B16456D89593" />
         <!-- Dose Instruction -->
         <text xsi:type="ST">2 tablets daily after breakfast</text>
         <statusCode code="active" />
         <!-- Medication duration -->
         <effectiveTime xsi:type="IVL TS">
          <low value="20091001" />
         <high value="20101001" />
         </effectiveTime>
         <!-- Therapeutic Good Identification -->
         <consumable>
          <manufacturedProduct>
           <manufacturedMaterial>
            <code code="23641011000036102" codeSystem="1.2.36.1.2001.1004.100"
             codeSystemName="Australian Medicinces Terminology (AMT)"
            displayName="paracetamol 500 mg + codeine phosphate 30 mg tablet" />
           </manufacturedMaterial>
          </manufacturedProduct>
         </consumable>
         <!-- Item status -->
```

```
<!-- Reason for Therapeutic Good -->
<entryRelationship typeCode="RSON">
<!-- [reason] -->
<act classCode="INFRM" moodCode="R00">
 <!-- ID is used for system purposes such as matching -->
 <id root="3F399418-C83C-11DE-99FA-D5C756D89593" />
 <code code="103.10141" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
  displayName="Reason for Therapeutic Good" />
 <text xsi:type="ST">Pain control.</text>
</act>
</entryRelationship>
<entryRelationship inversionInd="true" typeCode="REFR">
supply classCode="SPLY" moodCode="EVN">
 <!-- Unit of Use Ouantity Dispensed -->
 <text xsi:type="ST">25 tablets</text>
</supply>
</entryRelationship>
<!-- Change detail -->
<entryRelationship typeCode="SPRT">
 <observation classCode="OBS" moodCode="EVN">
 <id root="986C93E4-C843-11DE-B62C-609C55D89593" />
 <!-- Changes made -->
 <code code="182877009" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT"
  codeSystemVersion="20090731" displayName="Drug dosage altered" />
 <!-- Reason for change -->
 <entryRelationship typeCode="RSON">
  <act classCode="INFRM" moodCode="EVN">
   <id root="93CCA164-C850-11DE-A4CA-EE4756D89593" />
   <code code="103.10177" codeSystem="1.2.36.1.2001.1001.101"
    codeSystemName="NCTIS Data Components" displayName="Reason for Change" />
   <text xsi:type="ST">Optimise drug therapy.</text>
  </act>
 </entryRelationship>
</observation>
</entryRelationship>
<!-- Additional comments -->
<entryRelationship typeCode="COMP">
<act classCode="INFRM" moodCode="EVN">
 <!-- ID is used for system purposes such as matching -->
 <id root="13DC242A-C855-11DE-BFE5-3F7A56D89593" />
 <code code="103.16044" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
  displayName="Additional Comments" />
 <text>Dosage to be reviewed in 10 days.</text>
```

<code code="309633003" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT"

codeSystemVersion="20090731" displayName="Prescription dose change" />

<entryRelationship inversionInd="true" typeCode="SUBJ">
<br/>

</observation> </entryRelationship>

```
</act>
```

</entryRelationship> </substanceAdministration>

</entry>

</section> </component> <!-- End Current Medications on Discharge section -->

</section> </component> <!-- End Medications section -->

...

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.2.2 CEASED MEDICATIONS

## Identification

Name	CEASED MEDICATIONS
Metadata Type	Section
Identifier	S-16146

## Relationships

## Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
2	EXCLUSION STATEMENT - MEDICATIONS	Optional	01
~	THERAPEUTIC GOOD	Optional	0*

Data Type	Name	Obligation	Occurrence
~	MEDICATIONS	Essential	11

## **CDA R-MIM Representation**

Figure 7.24, "Ceased Medications" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The CEASED MEDICATIONS data group is related to its context by a component relationship into a new section.



### Figure 7.24. Ceased Medications



# Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>10</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SDT Data Compon-	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
ent					
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component[meds]/section		
Ceased Medications Medications that the subject of care was taking at the start of the healthcare encounter (e.g. on admission), that have been stopped during the encounter or on discharge, and that are not expected to be recommenced.	Medications that the subject of care was taking at	11	component[ceased]/section/code		
		component[ceased]/section/code/@code="101.16146.4.1.2"			
		component[ceased]/section/code/@codeSystem="1.2.36.1.2001.1001.101"			
		component[ceased]/section/code/@codeSystemName="NCTIS Data Components"			
		component[ceased]/section/code/@displayName="Ceased Medications"			
		component[ceased]/section/title="Ceased Medications"			
			component[ceased]/section/text		See Appendix A, CDA Narratives

<sup>&</sup>lt;sup>10</sup> http://www.hl7.org/oid/index.cfm?ref=footer

### Example 7.23. Ceased Medications XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
 xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ...
 ~
  <!-- Begin CDA Header -->
  ...
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
     <structuredBody>
    ....
    <!-- Begin Medications section -->
   <component><!-- [meds] -->
    <section>
     . . .
     <!-- Begin Ceased medications -->
     <component>
      <section>
       <code code="101.16146.4.1.2"
        codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components"
         displayName="Ceased Medications"/>
       <title>Ceased Medications</title>
       <text>...</text>
       . . .
      </section>
     </component>
     <!-- End Ceased medications -->
    </section>
   </component>
  <!-- End Medications section -->
    </structuredBody>
 <component>
  <!-- End CDA Body -->
</ClinicalDocument>
```

## 7.1.2.2.1 EXCLUSION STATEMENT - MEDICATIONS

Identification

Name	EXCLUSION STATEMENT - MEDICATIONS
Metadata Type	Data Group
Identifier	DG-16136

## Relationships

Data Type	Name	Obligation	Occurrence
•	CEASED MEDICATIONS	Optional	01

## **CDA R-MIM Representation**

Figure 7.22, "Exclusion Statement - Medications" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Exclusion Statement - Medications data group is represented by an observation class and is related to its containing section by an entry relationship.



Figure 7.25. Exclusion Statement - Medications

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments		
CDA Body Level 3 Data Elements	•	•	Context: ClinicalDocument/component/structuredBody/component[meds]/section/component[current]/section				
Exclusion Statement - Medications	Assertion that no medication information is included in this section of the document.	01	n/a		This logical NEHTA data component has no mapping to CDA.		
					The cardinality of this component propagates to its children.		
Exclusion Statement - Medications > The statement about the absence or exclusion of certain medication.	11	entry[gbl_meds]					
		entry[gbl_meds]/observation					
		entry[gbl_meds]/observation/@classCode="OBS"					
			entry[gbl_meds]/observation/@moodCode="EVN"				
			entry[gbl_meds]/observation/code				
			entry[gbl_meds]/observation/code/@code="103.16302.4.3.3"				
			entry[gbl_meds]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"				
			entry[gbl_meds]/observation/code/@codeSystemName="NCTIS Data Components"				
			entry[gbl_meds]/observation/code/@displayName="Global Statement"				
			entry[gbl_meds]/observation/ <b>value:CD</b>	NCTIS: Admin Codes - Global Statement Values	See <code> for available attributes.</code>		

### Example 7.24. Exclusion Statement - Medications XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 ~
  <!-- Begin CDA Header -->
  ....
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
   <structuredBodv>
    ....
   <!-- Begin Medications section -->
   <component><!-- [meds] -->
    <section>
     . . .
     <!-- Begin Ceased Medications-->
     <component><!-- [ceased] -->
      <section>
       . . .
       <!-- Begin Exclusion Statement - Medications-->
       <!-- Global Statement -->
       <entry>
       <!-- [gbl meds] -->
        <observation classCode="OBS" moodCode="EVN">
        <id root="711DB4F4-3894-11E0-8F9D-B8DDDKD72085" />
         <code code="103.16302.4.3.3" codeSystem="1.2.36.1.2001.1001.101"
          codeSystemName="NCTIS Data Components" displayName="Global Statement" />
         <value code="02" codeSystem="1.2.36.1.2001.1001.101.104.16299"</pre>
          codeSystemName="Global Statement Values" displayName="Not asked" xsi:type="CD" />
        </observation>
       </entry>
       <!-- End Exclusion Statement - Medications-->
      </section>
     </component>
     <!-- End Ceased Medications-->
   </section>
  </component>
  <!-- End Medications section -->
   </structuredBody>
 <component>
  <!-- End CDA Body -->
```

</ClinicalDocument>

## 7.1.2.2.2 THERAPEUTIC GOOD

## Identification

Name	THERAPEUTIC GOOD
Metadata Type	Data Group
Identifier	DG-16211

## Relationships

Data Type	Name	Obligation	Occurrence
**	CEASED MEDICATIONS	Optional	0*

### **CDA R-MIM Representation**

Figure 7.23, "Therapeutic Good" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Therapeutic Good data group is described by a SubstanceAdministration which is related to the containing section by an entry. SubstanceAdministration has five related clinicalStatements: a subject Observation to represent Item Status, a reason Act to represent Reason for Medication, a reason Observation to represent Reason for Change, a reference Supply to represent Unit of Use, a supporting Observation to represent the CHANGE DETAIL data group and a component Observation to represent Additional Comments. Therapeutic Good Description maps to consumable.manufacturedProduct.manufacturedMaterial.



Figure 7.26. Therapeutic Good

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
			Context for > Ceased Medications >: ClinicalDocument/component/structuredBody/component[meds]/	section/component[ceas	ed]/section
Therapeutic Good Information pertaining to one or more therapeutic goods that is represented to achieve, or is likely to achieve, its principal intended action by pharmacolo- gical, chemical, immunological or metabolic means in or on the body of a human	0*	entry[sbadm]			
	goods that is represented to achieve, or is likely to achieve, its principal intended action by pharmacolo-		entry[sbadm]/substanceAdministration		
		entry[sbadm]/substanceAdministration/@moodCode="EVN"			
			entry[sbadm]/substanceAdministration/@classCode="SBADM"		
			entry[sbadm]/substanceAdministration/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entry[sbadm]/substanceAdministration/statusCode="cancelled"		

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Therapeutic Good > Therapeutic Good Identification	Identifies a therapeutic good, which is broadly defined as a good which is represented in any way to be, or is likely to be taken to be, for therapeutic use (unless specifically excluded or included under Section 7 of the Therapeutic Goods Act 1989). Therapeutic use means use in or in connection with: • preventing, diagnosing, curing or alleviating a disease, ailment, defector injury; • influencing, inhibiting or modifying a physiological process; • testing the susceptibility of persons to a disease or ailment; • influencing, controlling or preventing conception; • testing for pregnancy; • replacement or modification of parts of the ana- tomy.	1.1	entry[sbadm]/substanceAdministration/consumable/manufacturedProduct/manufacturedMaterial/ code	<ul> <li>The set of values is ConceptIDs and Pre- ferred Terms from AMT (Australian Medicines Termino- logy) concepts which have one of the fol- lowing modelled rela- tionships:</li> <li>IS A Medicinal Product Unit of Use (MPUU);</li> <li>IS A Medicinal Product Pack (MPP);</li> <li>IS A Trade Product Pack (MPP);</li> <li>IS A Trade Product Pack (TPP);</li> <li>IS A Trade Product Pack (TPP);</li> <li>IS A Containered Trade Product Pack (CTPP).</li> <li>Specifically for MPUU: only MPUU concept shat have no child MPUUs are to be included. Where an MPUU concept is a parent of another MPUU is to be omitted.</li> </ul>	See <code> for available attributes.</code>
Therapeutic Good > Medication His- tory	Details of the history of the use of this therapeutic good by the subject of care.	11	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Therapeutic Good > Medication History	The status of the medication item at a specific point	11	entry[sbadm]/substanceAdministration/entryRelationship[item_status]		
> Item Status	in time, e.g. at discharge.		entry[sbadm]/substanceAdministration/entryRelationship[item_status]/@typeCode="SUBJ"		
			entry[sbadm]/substanceAdministration/entryRelationship[item_status]/@inversionInd="true"		
			entry[sbadm]/substanceAdministration/entryRelationship[item_status]/observation		
			entry[sbadm]/substanceAdministration/entryRelationship[item_status]/observation/@classCode="OBS"		
			entry[sbadm]/substanceAdministration/entryRelationship[item_status]/observation/@moodCode="EVN"		
			entry[sbadm]/substanceAdministration/entryRelationship[item_status]/observation/code	NS	See <code> for available attributes.</code>
			entry[sbadm]/substanceAdministration/entryRelationship[item_status]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	
Therapeutic Good > Medication History	Describes information about any relevant changes	11	entry[sbadm]/substanceAdministration/entryRelationship[change_detail]		
> Change Detail	> Change Detail made to the medication item during the patient's healthcare encounter, and the reason for that		entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/@typeCode="SPRT"		
	change.		entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation		
			$entry [sbadm]/substance Administration/entry Relationship [change_detail]/observation/@typeCode="OBS" the second statement of the second statement o$		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/@moodCode= "EVN"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
Therapeutic Good > Medication History > Change Detail > Changes Made	Description of any change made during the health- care encounter where the change is intended to continue after the end of the healthcare encounter.	11	entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/code	NS	

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Therapeutic Good > Medication History > Change Detail > <b>Reason for Change</b>	The reason why the medication was ceased.	11	entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/a/ entryRelationship[rsn_for_change]/@typeCode="RSON"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/@classCode="INFRM"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/@moodCode="EVN"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/ <b>code</b>		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/code/@code="103.10177"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/code/@codeSystemName="NCTIS Data Components"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/code/@displayName="Reason for Change"		
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act/ <b>text:ST</b>		

#### Example 7.25. Therapeutic Good XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
>
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
    <structuredBodv>
    <!-- Begin Medications section -->
   <component><!-- [meds] -->
    <section>
     . . .
      <!-- Begin Ceased Medications section -->
      <component><!-- [ceased] -->
      <section>
        . . .
        <!-- Therapeutic Good -->
        <entry>
        <!-- Item detail -->
         <substanceAdministration classCode="SBADM" moodCode="EVN">
          <!-- ID is used for system purposes such as matching -->
          <id root="A8921C16-CDB7-11DE-B34C-267655D89593" />
          <statusCode code="cancelled"/>
          <!-- Therapeutic Good Identification -->
          <consumable>
           <manufacturedProduct>
           <manufacturedMaterial>
            <code code="23641011000036102" codeSystem="1.2.36.1.2001.1004.100"
             codeSystemName="Australian Medicinces Terminology (AMT)"
              displayName="paracetamol 500 mg + codeine phosphate 30 mg tablet" />
            </manufacturedMaterial>
           </manufacturedProduct>
          </consumable>
          <!-- Item status -->
          <entryRelationship inversionInd="true" typeCode="SUBJ">
           <observation classCode="OBS" moodCode="EVN">
            <!-- ID is used for system purposes such as matching -->
```

```
<id root="9C9E3458-CDB7-11DE-8ED0-C37555D89593" />
```

```
<code>
            <originalText>Ceased</originalText>
           </code>
          </observation>
         </entryRelationship>
         <!-- Change detail -->
         <entryRelationship typeCode="SPRT">
          <observation classCode="OBS" moodCode="EVN">
           <!-- ID is used for system purposes such as matching -->
           <id root="90F4E89A-CDB7-11DE-A0BC-5E7555D89593" />
           <!-- Changes made -->
           <code code="274512008" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT"</pre>
            codeSystemVersion="20090731" displayName="Drug therapy discontinued" />
           <!-- Reason for change -->
          <entryRelationship typeCode="RSON">
           <act classCode="INFRM" moodCode="EVN">
            <!-- ID is used for system purposes such as matching -->
            <id root="BB6799BA-CDB7-11DE-86D5-957655D89593" />
            <code code="103.10177" codeSystem="1.2.36.1.2001.1001.101"
             codeSystemName="NCTIS Data Components" displayName="Reason for Change" />
            <text xsi:type="ST">Side effect.</text>
           </act>
          </entryRelationship>
          </observation>
         </entryRelationship>
        </substanceAdministration>
       </entry>
      </section>
     </component>
     <!-- End Ceased Medications section -->
    . . .
   </section>
  </component>
  <!-- End Medications section -->
   </structuredBody>
<component>
  <!-- End CDA Body -->
</ClinicalDocument>
```

# 7.1.3 HEALTH PROFILE

# Identification

Name	HEALTH PROFILE
Metadata Type	Section
Identifier	S-16011

# Relationships

## Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
**	HEALTHCARE PROVIDERS	Optional	01
•	ADVERSE REACTIONS	Essential	11
•	ALERTS	Optional	01

Data Type	Name	Obligation	Occurrence
	e-Discharge Summary	Essential	11

# **CDA R-MIM Representation**

Figure 7.27, "Health Profile" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Health Profile section is composed of a Section class related to its context ClinicalDocument.structuredBody through a component relationship.



Figure 7.27. Health Profile

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody		
Health Profile       Information pertaining to the health status or general health of the subject of care. Contains information related to the subject of care that is not specific to the healthcare encounter described by the discharge summary.       11	11	component[health]/section/code			
		component[health]/section/code/@code="101.16011"			
		component[health]/section/code/@codeSystem="1.2.36.1.2001.1001.101"			
		component[health]/section/code/@codeSystemName="NCTIS Data Components"			
		component[health]/section/code/@displayName="Health Profile"			
		component[health]/section/title="Health Profile"			
		component[health]/section/text		See Appendix A, CDA Narratives	

### Example 7.26. Health Profile XML Fragment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" ... > <!-- Begin CDA Header --> .... <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBodv> <!-- Begin Health Profile section --> <component> <section> <code code="101.16011" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Health Profile"/> <title>Health Profile</title> </section> </component> <!-- End Health Profile section --> </structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.3.1 HEALTHCARE PROVIDERS

## Identification

Metadata Type Data Group	
Identifier DG-20002	

## Relationships

## Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
**	NOMINATED PRIMARY HEALTHCARE PROVIDER	Essential	1*

Data Type	Name	Obligation	Occurrence
	HEALTH PROFILE	Optional	01

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements					
Healthcare Providers	The subject of care's healthcare providers.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.

## 7.1.3.1.1 NOMINATED PRIMARY HEALTHCARE PROVIDER

## Identification

Name	NOMINATED PRIMARY HEALTHCARE PROVIDER
Metadata Type	Data Group
Identifier	DG-10296

## Relationships

Data Type	Name	Obligation	Occurrence
~	HEALTHCARE PROVIDERS	Essential	1*

### 7.1.3.1.1.1 NOMINATED PRIMARY HEALTHCARE PROVIDER - PERSON

#### **CDA R-MIM Representation**

Figure 7.28, "Nominated Primary Healthcare Provider (Person)" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The Nominated Primary Healthcare Provider (Person) data group is related to its context of ClinicalDocument by the participant participation class. A participant is a person in the role of associatedEntity (AssociatedEntity class). The entity playing the role is associatedPerson (Person class). The entity identifier of the participant is mapped to the EntityIdentifier class (Australian CDA extension) which is associated to the associatedEntity.



Figure 7.28. Nominated Primary Healthcare Provider (Person)
NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements			Context: ClinicalDocument		
Nominated Primary Healthcare Pro- vider (Person)	The healthcare providers (person) nominated by the subject of care as being primarily responsible for their ongoing healthcare.	1*	participant		
Nominated Primary Healthcare Provider > Participation Type	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	participant/@ <b>typeCode="PART</b> "	Participation Type SHALL have an im- plementation-specific fixed value equival- ent to "Nominated Primary Healthcare Provider".	
			participant/functionCode/@code="PCP"		
Nominated Primary Healthcare Provider > Role	The involvement or role of the participant in the re- lated action from a healthcare perspective rather than the specific participation perspective.	11	participant/associatedEntity/code	Role <b>SHOULD</b> have a value chosen from 1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Oc- cupations, First Edi- tion, 2006 - METEOR 350899. [ABS2006]. However, if a suit- able value in this set cannot be found, then any code set that is both re- gistered with HL7 and publically avail- able <b>MAY</b> be used. HL7:RoleClassAsso-	See <code> for available attributes.</code>
				ciative (usually ="PROV")	
Nominated Primary Healthcare Provider  > Participant	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	11	participant/associatedEntity/ <b>associatedPerson</b>		
Nominated Primary Healthcare Provider > Participant > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	participant/associatedEntity/associatedPerson/ <entity identifier=""></entity>	The value of one En- tity Identifier <b>SHALL</b> be an Australian HPI-I.	See common pat- tern: Entity Identifier.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Nominated Primary Healthcare Provider > Participant > Address	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	1*	participant/associatedEntity/ <address></address>	AUSTRALIAN OR INTERNATIONAL ADDRESS SHALL be instantiated as an AUSTRALIAN AD- DRESS.	See common pat- tern: Address.
Nominated Primary Healthcare Provider > Participant > Electronic Communic- ation Detail	The electronic communication details of entities.	1*	participant/associatedEntity/ <electronic communication="" detail=""></electronic>		See common pat- tern: Electronic Communication De- tail.
Nominated Primary Healthcare Provider > Participant > Person or Organisa- tion or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	11	n/a		PERSON OR OR- GANISATION OR DEVICE <b>SHALL</b> be instantiated as a PERSON. This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.
Nominated Primary Healthcare Provider > Participant > Person or Organisation or Device > <b>Person</b>	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare ser- vice, or is in some way related to, or a representative of, a subject of care (patient).	11	n/a		Not mapped directly, encompassed impli- citly in participant/as- sociatedEntity/associ- atedPerson.
Nominated Primary Healthcare Provider > Participant > Person or Organisation or Device > Person > <b>Person Name</b>	The appellation by which an individual may be iden- tified separately from any other within a social con- text.	1*	participant/associatedEntity/associatedPerson/ <person name=""></person>		See common pat- tern: Person Name.
Nominated Primary Healthcare Provider > Participant > Person or Organisation or Device > Person > Employment Detail	A person's occupation and employer.	01	participant/associatedEntity/associatedPerson/ <employment></employment>		See common pat- tern: Employment.

#### Example 7.27. Nominated Primary Healthcare Provider - Person XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn·hl7-org·v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
>
  <!-- Begin CDA Header -->
   <!-- Begin Nominated Primary Healthcare Provider (person) -->
  <participant typeCode="PART">
  <functionCode code="PCP" />
   <associatedEntity classCode="PROV">
    <!-- ID is used for system purposes such as matching -->
    <id root="8FF6156A-0CE8-11E0-BE3B-6C69DFD72085" />
    <code code="253111" codeSystem="2.16.840.1.113883.13.62"</pre>
    codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006"
    displayName="General Medical Practitioner" />
    <!-- Address -->
    <addr use="WP">
     <streetAddressLine>55 GP Street</streetAddressLine>
     <city>Nehtaville</city>
     <state>OLD</state>
     <postalCode>5555</postalCode>
     <additionalLocator>32568931</additionalLocator>
     <countrv>Australia</countrv>
    </addr>
    <!-- Electronic Communication Detail -->
    <telecom use="WP" value="tel:077777777" />
    <!-- Person Name -->
    <associatedPerson>
     <name>
      <prefix>Dr.</prefix>
      <family>Generalist</family>
     </name>
     <!-- Entity Identifier -->
     <ext:asEntityIdentifier classCode="IDENT">
     <ext:id assigningAuthorityName="HPI-I" root="1.2.36.1.2001.1003.0.8003611234567890" />
      <ext:assigningGeographicArea classCode="PLC">
      <ext:name>National Identifier</ext:name>
      </ext:assigningGeographicArea>
     </ext:asEntityIdentifier>
     <!-- Employment Details -->
     <ext:asEmployment classCode="EMP">
      <!-- Position In Organisation -->
      <ext:code>
      <originalText>Senior General Practitioner</originalText>
      </ext:code>
      <!-- Occupation -->
      <ext:jobCode code="253111" codeSystem="2.16.840.1.113883.13.62"</pre>
```

```
codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006"
      displayName="General Medical Practitioner" />
     <!-- Employment Type -->
     cext;jobClassCode code="FT" codeSystem="2.16.840.1.113883.5.1059" codeSystemName="HL7:EmployeeJobClass"
      displayName="full-time" />
     <!-- Employer Organisation -->
     <ext:employerOrganization>
      <!-- Department/Unit -->
      <name>GP Clinic</name>
       <asOrganizationPartOf>
       <wholeOrganization>
        <!-- Organisation Name -->
        <name use="ORGB">GP Clinics</name>
        <!-- Entity Identifier -->
        <ext:asEntitvIdentifier classCode="IDENT">
         <ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.8003621231167899" />
         <ext:assigningGeographicArea classCode="PLC">
          <ext:name>National Identifier</ext:name>
         </ext:assigningGeographicArea>
        </ext:asEntityIdentifier>
       </wholeOrganization>
      </asOrganizationPartOf>
     </ext:employerOrganization>
    </ext:asEmployment>
   </associatedPerson>
  </associatedEntity>
 </participant>
 <!-- End Nominated Primary Healthcare Provider (person) -->
  <!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
   <structuredBody>
  ....
   </structuredBody>
 <component>
  <!-- End CDA Body -->
</ClinicalDocument>
```

#### 7.1.3.1.1.2 NOMINATED PRIMARY HEALTHCARE PROVIDER - ORGANISATION

#### **CDA R-MIM Representation**

Figure 7.29, "Nominated Primary Healthcare Provider (Organisation)" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The Nominated Primary Healthcare Provider (Organisation) data group is related to its context of ClinicalDocument by the participant Participation class. A participant is an organisation in the role of associatedEntity (AssociatedEntity class). The entity playing the role is scopingOrganization (Organization class). The department/unit name is mapped to scopingOrganization.name and the organisation name is mapped to the wholeOrganization (Organization class) which represents a whole-part relationship using the OrganizationPartOf role. The organisation entity identifier is represented by the EntityIdentifier class (Australian CDA extension) which is associated to the wholeOrganization.



Figure 7.29. Nominated Primary Healthcare Provider (Organisation)

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements			Context: ClinicalDocument		
Nominated Primary Healthcare Pro- vider (Organisation) (Organisation)	The healthcare providers (Organisation) nominated by the patient as being primarily responsible for their ongoing healthcare.	01	participant		
Nominated Primary Healthcare Provider (Organisation) > <b>Participation Type</b>	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	participant/@typeCode="PART"	Participation Type SHALL have an im- plementation-specific fixed value equival- ent to "Nominated Primary Healthcare Provider (Organisa- tion)".	
			participant/functionCode/@code="PCP"		
Nominated Primary Healthcare Provider (Organisation) > <b>Role</b>	The involvement or role of the participant in the re- lated action from a healthcare perspective rather than the specific participation perspective.	11	participant/ <b>associatedEntity/code</b>	Role <b>SHALL</b> have a value representing the type of Facility e.g. Hospital, Clinic.	See <code> for available attributes.</code>
			participant/associatedEntity/@classCode	HL7:RoleClassAsso- ciative (usually ="PROV")	
n/a	n/a	11	participant/associatedEntity/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA ele- ment.
Nominated Primary Healthcare Provider (Organisation) > Participant	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	11	participant/associatedEntity/ <b>scopingOrganization</b>		
Nominated Primary Healthcare Provider (Organisation) > Participant > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	participant/associatedEntity/scopingOrganization/asOrganizationPartOf/wholeOrganization/ <entity Identifier&gt;</entity 	The value of one En- tity Identifier <b>SHALL</b> be an Australian HPI-O.	See common pat- tern: Entity Identifier.
Nominated Primary Healthcare Provider (Organisation) > Participant > Address	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	1*	participant/associatedEntity/ <address></address>	AUSTRALIAN OR INTERNATIONAL ADDRESS SHALL be instantiated as an AUSTRALIAN AD- DRESS.	See common pat- tern: Address.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Nominated Primary Healthcare Provider (Organisation) > Participant > Electron- ic Communication Detail	The electronic communication details of entities.	1*	participant/associatedEntity/ <electronic communication="" detail=""></electronic>		See common pat- tern: Electronic Communication De- tail.
Nominated Primary Healthcare Provider (Organisation) > Participant > <b>Person</b> or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	11	n/a		PERSON OR OR- GANISATION OR DEVICE <b>SHALL</b> be instantiated as an ORGANISATION. This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.
Nominated Primary Healthcare Provider (Organisation) > Participant > Person or Organisation or Device > <b>Organisa-</b> <b>tion</b>	Any organisation of interest to, or involved in, the business of healthcare service provision.	11	n/a		Not mapped directly, encompassed impli- citly in participant/as- sociatedEntity/associ- atedPerson.
Nominated Primary Healthcare Provider (Organisation) > Participant > Person or Organisation or Device > Organisa- tion > <b>Organisation Name</b>	The name by which an organisation is known or called.	11	participant/associatedEntity/scopingOrganization/asOrganizationPartof/wholeOrganization/name		
Nominated Primary Healthcare Provider (Organisation) > Participant > Person or Organisation or Device > Organisa- tion > <b>Department/Unit</b>	The name by which a department or unit within a larger organisation is known or called.	01	participant/associatedEntity/scopingOrganization/ <b>name</b>		
Nominated Primary Healthcare Provider (Organisation) > Participant > Person or Organisation or Device > Organisa- tion > <b>Organisation Name Usage</b>	The classification that enables differentiation between recorded names for an organisation or service location.	01	participant/associatedEntity/scopingOrganization/asOrganizationPartOf/wholeOrganization/name/@use	AS 4846-2006: Health Care Provider Organisation Name Usage	

#### Example 7.28. Nominated Primary Healthcare Provider - Organisation XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 ~
  <!-- Begin CDA Header -->
  <!-- Begin Nominated primary healthcare provider (organisation) -->
 <participant typeCode="PART">
  <functionCode code="PCP" />
  <associatedEntity classCode="PROV">
  <!-- ID is used for system purposes such as matching -->
  <id root="96ABEE3E-0CE8-11E0-B59B-6D69DFD72085" />
  <!-- Role -->
  <code code="408443003" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT"</pre>
   codeSystemVersion="20090731" displayName="General medical practice" />
  <!-- Address -->
  <addr use="WP">
    <streetAddressLine>55 GP Street</streetAddressLine>
    <city>Nehtaville</city>
    <state>QLD</state>
    <postalCode>5555</postalCode>
    <additionalLocator>32568931</additionalLocator>
    <country>Australia</country>
  </addr>
  <!-- Electronic Communication Detail -->
  <telecom use="WP" value="tel:07888888888" />
  <scopingOrganization>
    <!-- Department/Unit -->
    <name use="ORGB">GP Practice</name>
    <asOrganizationPartOf>
     <wholeOrganization>
      <!-- Organisation Name -->
      <name use="ORGB">GP Practice Group</name>
      <!-- Entity Identifier -->
      <ext:asEntityIdentifier classCode="IDENT">
       <ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.8003621771137888" />
       <ext:assigningGeographicArea classCode="PLC">
       <ext:name>National Identifier</ext:name>
       </ext:assigningGeographicArea>
      </ext:asEntityIdentifier>
     </wholeOrganization>
    </asOrganizationPartOf>
  </scopingOrganization>
  </associatedEntity>
 </participant>
 <!-- End Nominated primary healthcare provider (organisation) -->
```

...

....

<!-- End CDA Header -->

<!-- Begin CDA Body --> <component> <structuredBody>

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.3.2 ADVERSE REACTIONS

## Identification

Name AL	ADVERSE REACTIONS
Metadata Type Se	Section
Identifier S-	6-20113

## Relationships

## Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
**	EXCLUSION STATEMENT - ADVERSE REACTION	Optional	01
**	ADVERSE REACTION	Optional	0*

#### Parent

Data Type	Name	Obligation	Occurrence
•	HEALTH PROFILE	Essential	11

### **CDA R-MIM Representation**

Figure 7.30, "Adverse Reactions" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The ADVERSE REACTIONS data group is related to its context (Health Profile section) by a component relationship to a new section.



Figure 7.30. Adverse Reactions

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component/section[health]		
Adverse Reactions         A section that groups together adverse reaction in- formation about the subject of care that is known to the provider/provider facility during a healthcare visit/encounter.         1	11	component[adverse]/section/code			
	formation about the subject of care that is known to the provider/provider facility during a healthcare visit/encounter.		component[adverse]/section/code/@code="101.20113"		
			component[adverse]/section/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component[adverse]/section/code/@codeSystemName="NCTIS Data Components"		
			component[adverse]/section/code/@displayName="Adverse Reactions"		
			component[adverse]/section/title="Adverse Reactions"		
			component[adverse]/section/text		See Appendix A, CDA Narratives

#### Example 7.29. Adverse Reactions XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 >
   <!-- Begin CDA Header -->
   ....
   <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
    <structuredBodv>
     <!-- Begin Health Profile section -->
   <component>
    <section>
     ...
     <!-- Begin Adverse Reactions section -->
     <component>
      <section>
       <code code="101.20113"
        codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components"
         displayName="Adverse Reactions"/>
       <title>Adverse reactions</title>
       <text>...</text>
       . . .
      </section>
     </component>
     <!-- End Adverse Reactions section -->
     . . .
    </section>
   </component>
   <!-- End Health Profile section -->
    </structuredBody>
 <component>
   <!-- End CDA Body -->
</ClinicalDocument>
```

## 7.1.3.2.1 EXCLUSION STATEMENT - ADVERSE REACTION

### Identification

Name	EXCLUSION STATEMENT - ADVERSE REACTION
Metadata Type	Data Group
Identifier	DG-16137

## Relationships

#### Parent

Data Type	Name	Obligation	Occurrence
•	ADVERSE REACTIONS	Optional	01

#### **CDA R-MIM Representation**

Figure 7.31, "Exclusion Statement - Adverse Reaction" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The EXCLUSION STATEMENT - ADVERSE REACTION data group is represented by an observation class and is related to its containing section by an entry relationship.



Figure 7.31. Exclusion Statement - Adverse Reaction



NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> procedure<sup>11</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements Conte			Context: ClinicalDocument/component/structuredBody/component[health]/section/component[adverse]/section		
Exclusion Statement - Adverse Reac- tions	Assertion that no adverse reaction information is in- cluded in this section of the document.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.

<sup>&</sup>lt;sup>11</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Exclusion Statement - Adverse Reac-	Global statements about the exclusion.	11	entry[gbl_adv]		
tions > Global Statement			entry[gbl_adv]/observation		
			entry[gbl_adv]/observation/@classCode="OBS"		
			entry[gbl_adv]/observation/@moodCode="EVN"		
			entry[gbl_adv]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entry[gbl_adv]/observation/code		
			entry[gbl_adv]/observation/code/@code="103.16302.4.3.4"		
			entry[gbl_adv]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[gbl_adv]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[gbl_adv]/observation/code/@displayName="Global Statement "		
			entry[gbl_adv]/observation/value:CD	NCTIS: Admin Codes - Global Statement Values	See <code> for available attributes.</code>

#### Example 7.30. Exclusion Statement - Adverse Reaction XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 ~
  <!-- Begin CDA Header -->
  ....
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
   <structuredBodv>
    ....
   <!-- Begin Health Profile section -->
   <component><!-- [health] -->
    <section>
     . . .
     <!-- Begin Adverse Reactions section -->
     <component><!-- [adverse] -->
      <section>
       . . .
       <!-- Begin Exclusion Statement - Adverse Reaction -->
       <!-- Global Statement -->
       <entry>
       <!-- [gbl adv] -->
        <observation classCode="OBS" moodCode="EVN">
        <id root="95BB617A-38CC-11E0-95D5-6815E0D72085" />
         <code code="103.16302.4.3.4" codeSystem="1.2.36.1.2001.1001.101"
          codeSystemName="NCTIS Data Components" displayName="Global Statement" />
         <value code="03" codeSystem="1.2.36.1.2001.1001.101.104.16299"</pre>
         codeSystemName="Global Statement Values" displayName="None supplied" xsi:type="CD" />
       </observation>
       </entry>
       <!-- Begin Exclusion Statement - Adverse Reaction -->
     </section>
     </component>
     <!-- End Adverse Reactions section -->
    . . .
    </section>
  </component>
  <!-- End Health Profile section -->
   </structuredBody>
 <component>
  <!-- End CDA Body -->
```

</ClinicalDocument>

# 7.1.3.2.2 ADVERSE REACTION

### Identification

Name	Adverse Reaction
Metadata Type	Data Group
Identifier	DG-15517

### Relationships

#### Parent

Data Type	Name	Obligation	Occurrence
•	ADVERSE REACTIONS	Optional	0*

#### **CDA R-MIM Representation**

Figure 7.32, "Adverse Reaction" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

Each ADVERSE REACTION data group modelled as an Observation which is related to the Adverse Reaction section by an entry relationship. This Observation has a related participant which represents the Agent Description. It also has a related inverted manifestation Observation to describe the Reaction Detail.



Figure 7.32. Adverse Reaction



NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> procedure<sup>12</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[health]/section/component[adverse]/sec	tion	
Adverse Reaction	A known adverse reaction for the subject of care	0*	entry		
	(including allergies and intolerances), and any relev- ant reaction details.		entry/observation		
			entry/observation/@classCode="OBS"		
			entry/observation/@moodCode="EVN"		
			entry/observation/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
			entry/observation/code		
			entry/observation/code/@code="102.15517"		
			entry/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry/observation/code/@codeSystemName="NCTIS Data Components"		
			entry/observation/code/@displayName="Adverse Reaction"		
Adverse Reaction > Agent Description	The agent causing the adverse reaction experienced	11	entry/observation/participant		
	by the subject of care.		entry/observation/participant/@typeCode="CAGNT"		
			entry/observation/participant/participantRole/playingEntity/code	NS	See <code> for available attributes.</code>
Adverse Reaction > Adverse Reaction Type	The type of reaction experienced by the subject of care to an agent.	11	entry/observation/ <b>value:CD</b>	NS	See <code> for available attributes.</code>

<sup>&</sup>lt;sup>12</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Adverse Reaction > Reaction Detail	Undesirable responses to an agent.	0*	entry/observation/entryRelationship/@typeCode="MFST"		
			entry/observation/entryRelationship/@inversionInd="true"		
			entry/observation/entryRelationship/observation		
			entry/observation/entryRelationship/observation/@classCode="OBS"		
			entry/observation/entryRelationship/observation/@moodCode="EVN"		
Adverse Reaction > Reaction Detail > Reaction Description	The signs and/or symptoms experienced or exhibited by the subject of care as a consequence of the ad- verse reaction to the specific agent.	11	entry[adv_reac]/observation/entryRelationship/observation/code	NS	

#### Example 7.31. Adverse Reaction XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 ~
  <!-- Begin CDA Header -->
  ....
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
   <structuredBodv>
    ....
     <!-- Begin Health Profile section -->
   <component><!-- [health] -->
    <section>
     . . .
     <!-- Begin Adverse Reactions section -->
     <component><!-- [adverse] -->
      <section>
       . . .
       <!-- Adverse Reaction -->
       <entry>
        <observation classCode="OBS" moodCode="EVN">
        <id root="AC8896B8-3D57-11E0-A777-F259DFD72085" />
         <code code="102.15517"
          codeSystem="1.2.36.1.2001.1001.101"
           codeSystemName="NCTIS Data Components"
           displayName="Adverse Reaction"/>
         <!-- Adverse Reaction Type -->
         <value xsi:type="CD"
            code="419199007"
            codeSystem="2.16.840.1.113883.6.96"
            codeSystemName="SNOMED-CT"
            codeSystemVersion="20090731"
            displayName="Allergy to substance"/>
         <!-- Agent Description -->
         <participant typeCode="CAGNT">
          <participantRole>
           <playingEntity>
            <code code="90580008"
              codeSystem="2.16.840.1.113883.6.96"
              codeSystemName="SNOMED-CT"
              codeSystemVersion="20090731"
              displayName="fish" />
           </playingEntity>
          </participantRole>
```

</participant>

<!-- Reaction Detail --> <entryRelationship inversionInd="true" typeCode="MFST"> <observation classCode="OBS" moodCode="EVN"> <!-- Reaction Description --> <code code="271807003" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT" codeSystemVersion="20090731" displayName="skin rash"/> </observation> </entryRelationship> <!-- Reaction Detail --> <entryRelationship inversionInd="true" typeCode="MFST"> <observation classCode="OBS" moodCode="EVN"> <!-- Reaction Description --> <code code="418290006" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT" codeSystemVersion="20090731" displavName="itchv"/> </observation> </entryRelationship> </observation> </entry> <!-- Adverse Reaction --> <entry> <observation classCode="OBS" moodCode="EVN"> <code code="102.15517" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Adverse Reaction"/> <!-- Adverse Reaction Type --> <value xsi:type="CD" code="416098002" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT" codeSystemVersion="20090731" displayName="Drug allergy"/> <!-- Agent Description --> <participant typeCode="CAGNT"> <participantRole> <playingEntity> <code code="6369005" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT" codeSystemVersion="20090731" displayName="penicillin"/> </playingEntity> </participantRole> </participant> <!-- Reaction Detail --> <entryRelationship inversionInd="true" typeCode="MFST"> <observation classCode="OBS" moodCode="EVN"> <!-- Reaction Description --> <code code="64305001"

codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT" codeSystemVersion="20090731" displayName="urticaria"/> </observation> </entryRelationship> <!-- Reaction Detail --> <entryRelationship inversionInd="true" typeCode="MFST"> <observation classCode="OBS" moodCode="EVN"> <!-- Reaction Description --> <code> <originalText>Nausea and vomiting</originalText> </code> </observation> </entryRelationship> </observation> </entry> <!-- CDA Entries for Adverse Reactions --> </section> </component> <!-- End Adverse Reactions section -->

...

</section> </component> <!-- End Health Profile section -->

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.3.3 ALERTS

## Identification

Name	ALERTS
Metadata Type	Section
Identifier	S-20112

# Relationships

#### Parent

Data Type	Name	Obligation	Occurrence
•	HEALTH PROFILE	Optional	01

## **CDA R-MIM Representation**

Figure 7.33, "Alerts" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Alerts section is related to its context (Health Profile section) by a component relationship to a new section. This section has a related entry observation for each ALERT data group.



Figure 7.33. Alerts



# Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>13</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments	
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component[health]/section			
Alerts Describe require s ents.	Describes alerts pertaining to the patient that may	01	component[alerts]/section/code			
	ents.		component[alerts]/section/code///@code="101.20021"			
			component[alerts]/section/code//@codeSystem="1.2.36.1.2001.1001.101"			
			component[alerts]/section/code//@codeSystemName="NCTIS Data Components"			
			component[alerts]/section/code//@displayName="Alerts"			
			component[alerts]/section/title="Alerts"			
		(	component[alerts]/section/text		See Appendix A, CDA Narratives	
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[health]/section			
Alerts > Alert	Describes information pertaining to a patient that	1*	component[alerts]/section/entry			
	may:		component[alerts]/section/entry/observation			
	<ul> <li>need special consideration by a healthcare provider before making a decision about his/her actions to</li> </ul>		component[alerts]/section/entry/observation/@classCode="OBS"			
	avert an unfavourable healthcare event;		component[alerts]/section/entry/observation/@moodCode="EVN"			
	<ul> <li>need consideration and/or action by a healthcare provider or facility in relation to the care and safety of the patient, staff and/or other individuals; or</li> <li>notify the healthcare provider of special circumstances that may be relevant in delivering care and/or interacting with the patient.</li> </ul>					

<sup>&</sup>lt;sup>13</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
n/a	n/a	01	component[alerts]/section/entry/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>
Alerts > Alert > Alert Type	The type of alert (e.g. infection risk, special needs, clinical, discharge circumstances, vulnerable famil- ies, psychosocial alerts etc).	11	component[alerts]/section/entry/observation/code	NS	See <code> for available attributes.</code>
Alerts > Alert > Alert Description	The nature of the alert.	11	component[alerts]/section/entry/observation/value:CD	NS	

#### Example 7.32. Alerts XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
>
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
    <structuredBodv>
    <!-- Begin Health Profile section -->
   <component><!-- [health] -->
    <section>
    <!-- Begin Alerts section -->
     <component><!-- [alerts] -->
      <section>
      <code code="101.20021"
        codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components"
         displayName="Alerts"/>
      <title>Alerts</title>
      <text>...</text>
      <!-- Begin Alert -->
       <entry>
        <observation classCode="OBS" moodCode="EVN">
         <!-- ID is used for system purposes such as matching -->
         <id root="98214104-D1D6-11DE-8E14-FE6B56D89593"/>
         <!-- Alert Type -->
         <code code="74188005"
          codeSystem="2.16.840.1.113883.6.96"
           codeSystemName="SNOMED-CT"
           codeSystemVersion="20090731"
           displayName="Medical"/>
         <!-- Alert Description -->
         <value code="78648007"
            codeSystem="2.16.840.1.113883.6.96"
           codeSystemName="SNOMED-CT"
            codeSystemVersion="20090731"
            displayName="At risk for infection"
            xsi:type="CD"/>
        </observation>
       </entry>
       <!-- End Alert -->
```

</section> </component> <!-- End Alerts section -->

</section> </component> <!-- End Health Profile section -->

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.4 PLAN

# Identification

Name	PLAN
Metadata Type	Section
Identifier	S-16020

# Relationships

### Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
•	ARRANGED SERVICES	Optional	01
	RECORD OF RECOMMENDATIONS AND INFORMATION PROVIDED	Essential	11

#### Parent

Data Type	Name	Obligation	Occurrence
	e-Discharge Summary	Essential	11

# **CDA R-MIM Representation**

Figure 7.34, "Plan" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Plan section is composed of a Section class related to its context ClinicalDocument.structuredBody through a component relationship.



Figure 7.34. Plan

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody		
Plan	Describes the services requested for the subject of care and the recommendations to the recipient healthcare providers and/or the subject of care.	11	component[rec]/section/code		
			component[rec]/section/code/@code="101.16020"		
			component[rec]/section/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component[rec]/section/code/@codeSystemName="NCTIS Data Components"		
			component[rec]/section/code/@displayName="Plan"		
			component[rec]/section/title="Plan"		
			component[rec]/section/text		See Appendix A, CDA Narratives

#### Example 7.33. Plan XML Fragment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<<u>ClinicalDocument</u> xmlns="urn:hl7-org:v3"

xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"

... >

<!-- Begin CDA Header -->

...

<!-- End CDA Header -->

<!-- Begin CDA Body --> <component> <structuredBody>

---

```
<!-- Begin Plan Section -->
<component><!-- [plan] -->
<section>
<code code="101.16020"
    codeSystem="1.2.36.1.2001.1001.101"
    codeSystemName="NCTIS Data Components"
    displayName="Plan"/>
<title>Plan//>
```

<text>...</text>

...

```
</section>
</component>
<!-- End Plan Section -->
```

. . .

```
</structuredBody>
<component>
<!-- End CDA Body -->
```

</ClinicalDocument>
# 7.1.4.1 ARRANGED SERVICES

# Identification

Name	ARRANGED SERVICES
Metadata Type	Section
Identifier	S-16021

# Relationships

## Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
**	PROTOCOL	Optional	01

## Parent

Data Type	Name	Obligation	Occurrence
	PLAN	Optional	01

# **CDA R-MIM Representation**

Figure 7.35, "Arranged Services" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Arranged Services section is related to its context (Plan section) by a component relationship to a new section. This section has a related entry Act for each ARRANGED SERVICE data group.



Figure 7.35. Arranged Services



# Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>14</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments	
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component[plan]/section			
Arranged Services	Describes services that have been provided for or	01	component[arranged]/section/code			
anangeo	arranged for the subject of care.		component[arranged]/section/code/@code="101.16021"			
			component[arranged]/section/code/@codeSystem="1.2.36.1.2001.1001.101"			
			component[arranged]/section/code/@codeSystemName="NCTIS Data Components"			
			component[arranged]/section/code/@displayName="Arranged Services"			
			component[arranged]/section/title="Arranged Services"			
			component[arranged]/section/text		See Appendix A, CDA Narratives	
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[health]/section			
Arranged Services > Arranged Service	Describes the types of service requested for, or	1*	component[arranged]/section/entry[service]			
	provided to, the subject of care.		component[arranged]/section/entry[service]/act			
			component[arranged]/section/entry[service]/act/@classCode="ACT"			
			component[arranged]/section/entry[service]/act/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for avail- able attributes.</id>	
Arranged Services > Arranged Service > Arranged Service Description	Describes the service arranged for, or provided to the subject of care.	11	component[arranged]/section/entry[service]/act/code	NS	See <code> for available attributes.</code>	
Arranged Services > Arranged Service > Service Commencement Window	The datetime or date range at/during which the ar- ranged service is scheduled to be provided to the subject of care.	01	component[arranged]/section/entry[service]/act/effectiveTime		See <time> for available attributes.</time>	

<sup>&</sup>lt;sup>14</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Arranged Services > Arranged Service > Service Booking Status	An indication of the booking status of the arranged service.	11	component[arranged]/section/entry[service]/act/@moodCode		HL7 v3 CDA: Act.moodCode

### Example 7.34. Arranged Services XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 >
   <!-- Begin CDA Header -->
   <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
    <structuredBodv>
    <!-- Begin Plan Section -->
   <component><!-- [plan] -->
    <section>
     ...
     <!-- Begin Arranged Services Section -->
     <component><!-- [arranged] -->
      <section>
       <code code="101.16021"
        codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components"
         displayName="Arranged Services"/>
       <title>Arranged Services</title>
       <text>...</text>
       <!-- Arranged Service -->
       <entry><!-- [service] -->
        <act classCode="ACT" moodCode="APT"><!-- Service Booking Status -->
         <!-- ID is used for system purposes such as matching -->
         <id root="3F5BAA62-D1DD-11DE-9F84-81A056D89593"/>
         <!-- Arranged Service Description -->
         <code>
          <originalText>Orthopaedic outpatient clinic appointment</originalText>
         </code>
         <!-- Service Commencement Window -->
         <effectiveTime>
         <low value="200912011315"/>
         </effectiveTime>
        </act>
       </entry>
      </section>
```

</component>
<!-- End Arranged Services Section -->
...
</section>
</component>
<!-- End Plan Section -->
...
</structuredBody>

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.4.1.1 PROTOCOL

# Identification

Name	PROTOCOL
Metadata Type	Data Group
Identifier	DG-16131

## Relationships

# Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
**	SERVICE PROVIDER	Optional	01

### Parent

Data Type	Name	Obligation	Occurrence
**	ARRANGED SERVICES	Optional	01

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements					
Arranged Services > Arranged Service > Protocol	Relevant non-clinical information.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.

# 7.1.4.1.1.1 SERVICE PROVIDER

## Identification

Name	Service Provider
Metadata Type	Data Group
Identifier	DG-10296

### Relationships

### Parent

Data Type	Name	Obligation	Occurrence
**	PROTOCOL	Optional	01

### 7.1.4.1.1.1 SERVICE PROVIDER - PERSON

### **CDA R-MIM Representation**

Figure 7.36, "Service Provider - Person" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Service Provider data group is represented by the performer participation of the ClinicalStatement.



Figure 7.36. Service Provider - Person

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments		
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[plan]/section/component[arranged]/entry[service]/act				
Service Provider (Person)	The provider (individual) who has been arranged to provide the service.	01	performer				
Service Provider > Participation Type	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	performer/@ <b>typeCode="PRF"</b>	Participation Type SHALL have an im- plementation-specific fixed value equival- ent to "Service Pro- vider".			
Service Provider > Role	The involvement or role of the participant in the re- lated action from a healthcare perspective rather than the specific participation perspective.	11	performer/assignedEntity/code	Role <b>SHOULD</b> have a value chosen from 1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Oc- cupations, First Edi- tion, 2006 - METeOR 350899. [ABS2006]. However, if a suit- able value in this set cannot be found, then any code set that is both re- gistered with HL7 and publically avail- able <b>MAY</b> be used.	See <code> for available attributes.</code>		
n/a Service Provider > <b>Participant</b>	n/a Details pertinent to the identification of an individual or organisation or device that has participated in a	11	performer/assignedEntity/id performer/assignedEntity/assignedPerson	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA ele- ment.		
Service Provider > Participant > Entity Identifier	healthcare event/encounter/clinical interaction. A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	performer/assignedEntity/assignedPerson/ <entity identifier=""></entity>	The value of one En- tity Identifier <b>SHALL</b> be an Australian HPI-I.	See common pat- tern: Entity Identifier.		

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Service Provider > Participant > Ad- dress	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	1*	performer/assignedEntity/ <address></address>	AUSTRALIAN OR INTERNATIONAL ADDRESS SHALL be instantiated as an AUSTRALIAN AD- DRESS.	See common pat- tern: Address.
Service Provider > Participant > Elec- tronic Communication Detail	The electronic communication details of entities.	0*	performer/assignedEntity/ <electronic communication="" detail=""></electronic>		See common pat- tern: Electronic Communication De- tail.
Service Provider > Participant > Person or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	11	n/a		PERSON OR OR- GANISATION OR DEVICE <b>SHALL</b> be instantiated as a PERSON. This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.
Service Provider > Participant > Person or Organisation or Device > <b>Person</b>	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare ser- vice, or is in some way related to, or a representative of, a subject of care (patient).	11	n/a		Not mapped directly, encompassed impli- citly in performer/as- signedEntity/as- signedPerson.
Service Provider > Participant > Person or Organisation or Device > Person > Person Name	The appellation by which an individual may be iden- tified separately from any other within a social con- text.	1*	performer/assignedEntity/assignedPerson/ <person name=""></person>		See common pat- tern: Person Name.
Service Provider > Participant > Person or Organisation or Device > Person > Employment Detail	A person's occupation and employer.	01	performer/assignedEntity/assignedPerson/ <employment></employment>		See common pat- tern: Employment.

#### Example 7.35. Service Provider - Person XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
>
<!-- Begin CDA Header -->
  <!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
    <structuredBodv>
    <!-- Begin Plan Section -->
   <component><!-- [plan] -->
    <section>
     ...
     <!-- Begin Arranged Services Section -->
     <component><!-- [arranged] -->
      <section>
      . . .
       <!-- Arranged Service -->
       <entry><!-- [service] -->
        <act classCode="ACT" moodCode="APT"><!-- Service Booking Status -->
         <!-- Begin Service Provider - Person -->
         <performer typeCode="PRF">
          <assignedEntity>
           <!-- ID is used for system purposes such as matching -->
           <id root="AE0DB4EE-0CD0-11E0-8D84-CC50DFD72085" />
           <!-- Role -->
           <code code="253514" codeSystem="2.16.840.1.113883.13.62"
           codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition"
            displayName="Orthopaedic Surgeon" />
           <!-- Address -->
           <addr use="WP">
            <streetAddressLine>67 Orthopaedic Crescent</streetAddressLine>
           <city>Nehtaville</city>
            <state>QLD</state>
            <postalCode>5555</postalCode>
            <additionalLocator>32568931</additionalLocator>
            <country>Australia</country>
           </addr>
```

```
<!-- Electronic Communication Detail -->
  <telecom value="mailto:os@hospital.com.au" />
  <assignedPerson>
  <!-- Person Name -->
  <name use="L">
   <prefix>Dr</prefix></prefix>
    <given>Bone</given>
   <family>Doctor</family>
   </name>
  <!-- Entity Identifier -->
   <ext:asEntityIdentifier classCode="IDENT">
    <ext:id assigningAuthorityName="HPI-I"
    root="1.2.36.1.2001.1003.0.8003611754567890" />
    <ext:assigningGeographicArea classCode="PLC">
    <ext:name>National Identifier</ext:name>
    </ext:assigningGeographicArea>
   </ext:asEntityIdentifier>
  <!-- Employment Details -->
   <ext:asEmployment classCode="EMP">
    <!-- Position In Organisation -->
    <ext:code>
    <originalText>Senior Orthopaedic Specialist</originalText>
    </ext:code>
    <!-- Occupation -->
    <ext:jobCode code="253514" codeSystem="2.16.840.1.113883.13.62"</pre>
    codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition"
    displayName="Orthopaedic Surgeon" />
    <!-- Employment Type -->
    <ext:jobClassCode code="FT" codeSystem="2.16.840.1.113883.5.1059"</pre>
    codeSystemName="HL7:EmployeeJobClass" displayName="full-time" />
    <ext:employerOrganization>
    <!-- Department/Unit -->
     <name>Orthopaedic Specialists</name>
     <asOrganizationPartOf>
     <wholeOrganization>
       <!-- Organisation Name -->
       <name use="ORGB">Orthopaedic Clinics</name>
       <!-- Entity Identifier -->
       <ext:asEntityIdentifier classCode="IDENT">
       <ext:id assigningAuthorityName="HPI-O"
        root="1.2.36.1.2001.1003.0.8003621231167877" />
        <ext:assigningGeographicArea classCode="PLC">
        <ext:name>National Identifier</ext:name>
        </ext:assigningGeographicArea>
       </ext:asEntityIdentifier>
      </wholeOrganization>
     </asOrganizationPartOf>
    </ext:employerOrganization>
  </ext:asEmployment>
  </assignedPerson>
 </assignedEntity>
</performer>
<!-- End Service Provider - Person -->
```

...

</act> </entry> </section> </component> <!-- End Arranged Services Section -->

...

</section> </component> <!-- End Plan Section -->

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

### 7.1.4.1.1.1.2 SERVICE PROVIDER - ORGANISATION

### **CDA R-MIM Representation**

Figure 7.37, "Service Provider - Organisation" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Service Provider data group is represented by the performer participation of the ClinicalStatement.



Figure 7.37. Service Provider - Organisation

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[plan]/section/component[arranged]/section/component[a	ction/entry[service]/act/	
Service Provider (Organisation)	The provider (organisation) who has been arranged to provide the service.	01	performer		
Service Provider > Participation Type	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	performer/@typeCode="PRF"	Participation Type SHALL have an im- plementation-specific fixed value equival- ent to "Service Pro- vider".	
Service Provider > <b>Role</b>	The involvement or role of the participant in the re- lated action from a healthcare perspective rather than the specific participation perspective.	11	performer/assignedEntity/code	Role <b>SHALL</b> have a value representing the type of Facility e.g. Hospital, Clinic.	See <code> for available attributes.</code>
n/a	n/a	11	performer/assignedEntity/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA ele- ment.
Service Provider > <b>Participant</b>	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	11	performer/assignedEntity/representedOrganization		
Service Provider > Participant > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	performer/assignedEntity/representedOrganization/asOrganizationPartOf/wholeOrganization/ <entity Identifier&gt;</entity 	The value of one En- tity Identifier <b>SHALL</b> be an Australian HPI-O.	See common pat- tern: Entity Identifier.
Service Provider > Participant > Ad- dress	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	0*	performer/assignedEntity/ <address></address>	AUSTRALIAN OR INTERNATIONAL ADDRESS SHALL be instantiated as an AUSTRALIAN AD- DRESS.	See common pat- tern: Address.
Service Provider > Participant > Elec- tronic Communication Detail	The electronic communication details of entities.	0*	performer/assignedEntity/ <electronic communication="" detail=""></electronic>		See common pat- tern: Electronic Communication De- tail.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Service Provider > Participant > Person or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	11	n/a		PERSON OR OR- GANISATION OR DEVICE <b>SHALL</b> be instantiated as a ORGANISATION. This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.
Service Provider > Participant > Person or Organisation or Device > <b>Organisa-</b> tion	Any organisation of interest to, or involved in, the business of healthcare service provision.	11	n/a		Not mapped directly, encompassed impli- citly in performer/as- signedEntity/associ- atedPerson.
Service Provider > Participant > Person or Organisation or Device > Organisa- tion > <b>Organisation Name</b>	The name by which an organisation is known or called.	11	performer/assignedEntity/representedOrganization/asOrganizationPartof/wholeOrganization/name		
Service Provider > Participant > Person or Organisation or Device > Organisa- tion > Department/Unit	The name by which a department or unit within a larger organisation is known or called.	01	performer/assignedEntity/representedOrganization/name		
Service Provider > Participant > Person or Organisation or Device > Organisa- tion > Organisation Name Detail > <b>Or-</b> <b>ganisation Name Usage</b>	The classification that enables differentiation between recorded names for an organisation or service location.	01	performer/assignedEntity/representedOrganization/asOrganizationPartOf/wholeOrganization/name/@use	AS 4846-2006: Health Care Provider Organisation Name Usage	

#### Example 7.36. Service Provider - Organisation XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
>
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
    <structuredBodv>
    <!-- Begin Plan Section -->
   <component><!-- [plan] -->
    <section>
     . . .
     <!-- Begin Arranged Services Section -->
     <component><!-- [arranged] -->
      <section>
       . . .
       <!-- Arranged Service -->
       <entry><!-- [service] -->
        <act classCode="ACT" moodCode="APT"><!-- Service Booking Status -->
         <!-- Begin Service Provider - Organisation -->
         <performer typeCode="PRF">
          <assignedEntity>
           <!-- ID is used for system purposes such as matching -->
           <id root="96ABEE3E-0CE8-11E0-B59B-6D69DFD72085" />
           <!-- Role -->
           <code code="408443003" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT"
           codeSystemVersion="20090731" displayName="General medical practice" />
           <!-- Address -->
           <addr use="WP">
            <streetAddressLine>55 GP Street</streetAddressLine>
            <city>Nehtaville</city>
            <state>QLD</state>
            <postalCode>5555</postalCode>
            <additionalLocator>32568931</additionalLocator>
            <country>Australia</country>
           </addr>
           <!-- Electronic Communication Detail -->
```

```
<telecom use="WP" value="tel:07888888888" />
      <representedOrganization>
       <asOrganizationPartOf>
       <wholeOrganization>
        <!-- Organisation Name -->
        <name use="ORGS">GP Practice</name>
         <!-- Entity Identifier -->
         <ext:asEntityIdentifier classCode="IDENT">
         <ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.8003621771167888" />
         <ext:assigningGeographicArea classCode="PLC">
          <ext:name>National Identifier</ext:name>
         </ext:assigningGeographicArea>
         </ext:asEntityIdentifier>
       </wholeOrganization>
       </asOrganizationPartOf>
      </representedOrganization>
    </assignedEntity>
   </performer>
   <!-- End Service Provider - Organisation -->
   ...
  </act>
 </entrv>
 <!-- End Arranged Services act -->
</section>
</component>
<!-- End Arranged Services Section -->
```

</section> </component> <!-- End Plan Section -->

#### </structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.4.2 RECORD OF RECOMMENDATIONS AND INFORMATION PROVIDED

# Identification

Name	RECORD OF RECOMMENDATIONS AND INFORMATION PROVIDED
Metadata Type	Section
Identifier	S-20116

# Relationships

## Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
<b>%</b>	RECOMMENDATIONS PROVIDED	Essential	1*
~	INFORMATION PROVIDED	Optional	01

### Parent

Data Type	Name	Obligation	Occurrence
	PLAN	Essential	11

# **CDA R-MIM Representation**

Figure 7.38, "Record of Recommendations and Information Provided" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Record of Recommendations and Information Provided section is related to its context (Plan section) by a component relationship to a new section.



Figure 7.38. Record of Recommendations and Information Provided

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/component[plan]/section		
Record Of Recommendations And	Contains:	11	component[rec]/section/code		
Information Provided     • recommendations to a recipient healthcare provider and/or patient which are relevant to the continuity of care and management of the patient after discharge:		component[rec]/section/code/@code="101.20016"			
		component[rec]/section/code/@codeSystem="1.2.36.1.2001.1001.101"			
	and optionally		component[rec]/section/code/@codeSystemName="NCTIS Data Components"		
<ul> <li>information that has been provided, including in- formation provided to the subject of care and/or rel- evant parties.</li> </ul>		component[rec]/section/code/@displayName="Record of Recommendations and Information Provided"			
	evant parties.		component[rec]/section/title="Record of Recommendations and Information Provided"		
		component[rec]/section/text		See Appendix A, CDA Narratives	

### Example 7.37. Record of Recommendations and Information Provided XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
 xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ...
 ~
  <!-- Begin CDA Header -->
  ...
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
     <structuredBody>
    ....
    <!-- Begin Plan Section -->
   <component><!-- [plan] -->
    <section>
     . . .
     <!-- Begin Record of Recommendations and Information Provided Section -->
     <component><!-- [rec] -->
      <section>
       <code code="101.20016"
        codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components"
         displayName="Record of Recommendations and Information Provided"/>
       <title>Record of Recommendations and Information Provided</title>
       <text>...</text>
       . . .
      </section>
     </component>
     <!-- End Record of Recommendations and Information Provided Section -->
    </section>
   </component>
   <!-- End Plan Section -->
    </structuredBody>
 <component>
  <!-- End CDA Body -->
</ClinicalDocument>
```

# 7.1.4.2.1 RECOMMENDATIONS PROVIDED

Identification

Name	RECOMMENDATIONS PROVIDED
Metadata Type	Data Group
Identifier	DS-20116

## Relationships

## Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
**	RECOMMENDATION RECIPIENT	Essential	11

### Parent

Data Type	Name	Obligation	Occurrence
~~	RECORD OF RECOMMENDATIONS AND INFORMATION PROVIDED	Essential	11

## **CDA R-MIM Representation**

Figure 7.39, "Recommendations Provided" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

Each instance of the RECOMMENDATIONS PROVIDED data group is an Act that related to its context (Record of Recommendations and Information Provided) by an entry relationship.



### Figure 7.39. Recommendations Provided

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[plan]/section/component[rec]/section		
Recommendations Provided	Recommendations to a recipient healthcare provider	1*	entry[rec_prov]		
	and/or subject of care which are relevant to the continuity of care and management of the subject		entry[rec_prov]/act		
	of care after discharge.		entry[rec_prov]/act/@classCode="INFRM"		
			entry[rec_prov]/act/@moodCode="PRP"		
		entry[rec_prov]/act/id	UUID	See <id> for avail-</id>	
				This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	able attributes.
			entry[rec_prov]/act/code		
			entry[rec_prov]/act/code/@code="102.20016.4.1.1"		
			entry[rec_prov]/act/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[rec_prov]/act/code/@codeSystemName="NCTIS Data Components"		
			entry[rec_prov]/act/code/@displayName="Recommendations Provided"		
Recommendations Provided > Recom- mendation Note	Contains: • information and education that has been provided to and discussed with the subject of care, their fam- ily, carer and/or other relevant parties, including awareness or lack of awareness of diagnosed con- ditions, and relevant health management; • an indication of whether the subject of care or carer has understood the information or instructions provided may also be relevant; and/or • information and/or recommendations given by a healthcare provider during/at the end of a health event to another healthcare provider responsible for the ongoing care of the subject of care.	11	entry[rec_prov]/act/text:ST		

### Example 7.38. Recommendations Provided XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 ~
  <!-- Begin CDA Header -->
  ....
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
   <structuredBodv>
    ....
   <!-- Begin Plan Section -->
  <component><!-- [plan] -->
    <section>
     <!-- Begin Record of Recommendations and Information Provided Section -->
     <component><!-- [rec] -->
     <section>
      . . .
       <!-- Begin Recommendations Provided -->
       <entry><!-- [rec prov] -->
        <act classCode="INFRM" moodCode="PRP">
         <!-- ID is used for system purposes such as matching -->
         <id root="F90503FA-D1E2-11DE-8CC1-74CD56D89593"/>
         <code code="102.20016.4.1.1"
          codeSystem="1.2.36.1.2001.1001.101"
           codeSystemName="NCTIS Data Components"
           displayName="Recommendations Provided"/>
         <!-- Recommendation Note -->
         <text xsi:type="ST">
          Please arrange a follow up appointment with a community physiotherapist in
         one week to ensure that post-surgical mobility outcomes are being met.
         </text>
        </act>
       </entry>
       <!-- End Recommendations Provided -->
     </section>
     </component>
     <!-- End Record of Recommendations and Information Provided Section -->
```

</section> </component> <!-- End Plan Section -->

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.4.2.1.1 RECOMMENDATION RECIPIENT

## Identification

Name	RECOMMENDATION RECIPIENT
Metadata Type	Data Group
Identifier	DG-10296

# Relationships

## Parent

Data Type	Name	Obligation	Occurrence
**	RECOMMENDATIONS PROVIDED	Essential	11

### 7.1.4.2.1.1.1 RECOMMENDATION RECIPIENT - PERSON

### **CDA R-MIM Representation**

Figure 7.40, "Recommendation Recipient - Person" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The RECOMMENDATION RECIPIENT data group is represented by the performer participation of the Recommendations Provided Act.



Figure 7.40. Recommendation Recipient - Person

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments			
CDA Body Level 3 Data Elements Context: ClinicalDocument/component/structuredBody/component[plan]/section/component[rec]/section/entry[rec_prov]/act								
Recommendation Recipient (Person)	The individual to whom the information is directed.	11	performer					
Recommendation Recipient > Particip- ation Type	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	performer/@ <b>typeCode="PRF"</b>	Participation Type SHALL have an im- plementation-specific fixed value equival- ent to "Recommend- ation Recipient".				
Recommendation Recipient > Role	The involvement or role of the participant in the re- lated action from a healthcare perspective rather than the specific participation perspective.	11	performer/assignedEntity/code	Role <b>SHOULD</b> have a value chosen from 1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Oc- cupations, First Edi- tion, 2006 - METeOR 350899. [ABS2006]. However, if a suit- able value in this set cannot be found, then any code set that is both re- gistered with HL7 and publically avail- able <b>MAY</b> be used.	See <code> for available attributes.</code>			
n/a Recommendation Recipient > <b>Parti- cipant</b>	n/a Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction	11	performer/assignedEntity/id performer/assignedEntity/assignedPerson	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA ele- ment.			
Recommendation Recipient > Parti- cipant > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	performer/assignedEntity/assignedPerson/ <entity identifier=""></entity>	The value of one En- tity Identifier <b>SHALL</b> be an Australian HPI-I.	See common pat- tern: Entity Identifier.			

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Recommendation Recipient > Parti- cipant > Address	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	1*	performer/assignedEntity/ <b><address></address></b>	AUSTRALIAN OR INTERNATIONAL ADDRESS SHALL be instantiated as an AUSTRALIAN AD- DRESS.	See common pat- tern: Address.
Recommendation Recipient > Parti- cipant > Electronic Communication Detail	The electronic communication details of entities.	0*	performer/assignedEntity/ <electronic communication="" detail=""></electronic>		See common pat- tern: Electronic Communication De- tail.
Recommendation Recipient > Parti- cipant > Person or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	11	n/a		PERSON OR OR- GANISATION OR DEVICE <b>SHALL</b> be instantiated as a PERSON. This logical NEHTA data component has no mapping to CDA. The cardinality of this component propag- ates to its children.
Recommendation Recipient > Parti- cipant > Person or Organisation or Device > <b>Person</b>	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare ser- vice, or is in some way related to, or a representative of, a subject of care (patient).	11	n/a		Not mapped directly, encompassed impli- citly in performer/as- signedEntity/as- signedPerson.
Recommendation Recipient > Parti- cipant > Person or Organisation or Device > Person > <b>Person Name</b>	The appellation by which an individual may be iden- tified separately from any other within a social con- text.	1*	performer/assignedEntity/assignedPerson/ <person name=""></person>		See common pat- tern: Person Name.
Recommendation Recipient > Parti- cipant > Person or Organisation or Device > Person > <b>Employment Detail</b>	A person's occupation and employer.	01	performer/assignedEntity/assignedPerson/ <employment></employment>		See common pat- tern: Employment.

### Example 7.39. Recommendation Recipient - Person XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
 ~
 <!-- Begin CDA Header -->
  ....
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
    <structuredBodv>
     ....
     <!-- Begin Plan Section -->
   <component><!-- [plan] -->
    <section>
     <!-- Begin Record of Recommendations and Information Provided Section -->
     <component><!-- [rec] -->
      <section>
       <!-- Begin Recommendations Provided -->
       <entry><!-- [rec_prov] -->
        <act classCode="INFRM" moodCode="PRP">
         <!-- Begin Recommendation Recipient (person) -->
         <performer typeCode="PRF">
          <assignedEntity>
           <!-- ID is used for system purposes such as matching -->
           <id root="B27D3CDE-0CD0-11E0-8956-CD50DFD72085" />
           <!-- Role -->
           <code code="252511" codeSystem="2.16.840.1.113883.13.62"
           codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006"
           displayName="Physiotherapist" />
           <!-- Address -->
           <addr use="WP">
            <streetAddressLine>67 Physiotherapy Crescent</streetAddressLine>
            <city>Nehtaville</city>
            <state>QLD</state>
            <postalCode>5555</postalCode>
            <additionalLocator>32568931</additionalLocator>
            <country>Australia</country>
           </addr>
           <!-- Electronic Communication Detail -->
```

<assignedPerson> <--- Person Name --> <name use="L"> <given>Physical</given> <family>Therapist</family> </name> <!-- Entity Identifier --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-I" root="1.2.36.1.2001.1003.0.8003615534567890" /> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name> </ext:assigningGeographicArea> </ext:asEntityIdentifier> <!-- Employment Details --> <ext:asEmployment classCode="EMP"> <!-- Position In Organisation --> <ext:code> <originalText>Senior Physiotherapist</originalText> </ext:code> <!-- Occupation --> <ext:jobCode code="252511" codeSystem="2.16.840.1.113883.13.62"</pre> codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006" displayName="Physiotherapist" /> <!-- Employment Type --> <ext:jobClassCode code="FT" codeSystem="2.16.840.1.113883.5.1059"</pre> codeSystemName="HL7:EmployeeJobClass" displayName="full-time" /> <!-- Employer Organisation --> <ext:employerOrganization> <!-- Department/Unit --> <name>Physical Therapists</name> <asOrganizationPartOf> <wholeOrganization> <!-- Organisation Name --> <name use="ORGB">Physical Therapist Clinic</name> <!-- Entity Identifier --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-O" root="1.2.36.1.2001.1003.0.8003621231167866" /> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name> </ext:assigningGeographicArea> </ext:asEntityIdentifier> </wholeOrganization> </asOrganizationPartOf> </ext:employerOrganization> </ext:asEmployment> </assignedPerson> </assignedEntity> </performer>

```
<!-- End Recommendation Recipient (person) -->
```

<telecom value="mailto:ps@hospital.com.au" />

```
//act>
</entry>
<!-- End Recommendations Provided -->
```

</section>
</component>
</-- End Record of Recommendations and Information Provided Section -->

</section> </component> <!-- End Plan Section -->

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>
### 7.1.4.2.1.1.2 RECOMMENDATION RECIPIENT - ORGANISATION

### **CDA R-MIM Representation**

Figure 7.41, "Recommendation Recipient - Organisation" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The RECOMMENDATION RECIPIENT data group is represented by the performer participation of the Recommendations Provided Act.



Figure 7.41. Recommendation Recipient - Organisation

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[plan]/section/component[rec]/section/e	entry[rec_prov]/act	
Recommendation Recipient (Organ- isation)	The organisation to whom the information is directed.	11	performer		
Recommendation Recipient > Particip- ation Type	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	performer/@typeCode="PRF"	Participation Type SHALL have an im- plementation-specific fixed value equival- ent to "Recommend- ation Recipient".	
Recommendation Recipient > Role	The involvement or role of the participant in the re- lated action from a healthcare perspective rather than the specific participation perspective.	11	performer/assignedEntity/code	Role <b>SHALL</b> have a value representing the type of Facility e.g. Hospital, Clinic.	See <code> for available attributes.</code>
n/a	n/a	11	performer/assignedEntity/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA ele- ment.
Recommendation Recipient > <b>Parti-</b> cipant	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	11	performer/assignedEntity/ <b>representedOrganization</b>		
Recommendation Recipient > Parti- cipant > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	performer/assignedEntity/representedOrganization/asOrganizationPartOf/wholeOrganization/ <entity Identifier&gt;</entity 	The value of one En- tity Identifier <b>SHALL</b> be an Australian HPI-O.	See common pat- tern: Entity Identifier.
Recommendation Recipient > Parti- cipant > Address	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	0*	performer/assignedEntity/ <address></address>	AUSTRALIAN OR INTERNATIONAL ADDRESS SHALL be instantiated as an AUSTRALIAN AD- DRESS.	See common pat- tern: Address.
Recommendation Recipient > Parti- cipant > Electronic Communication Detail	The electronic communication details of entities.	0*	performer/assignedEntity/ <electronic communication="" detail=""></electronic>		See common pat- tern: Electronic Communication De- tail.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Recommendation Recipient > Parti- cipant > Person or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	11	n/a		PERSON OR OR- GANISATION OR DEVICE <b>SHALL</b> be instantiated as an ORGANISATION.
					data component has no mapping to CDA.
					The cardinality of this component propag- ates to its children.
Recommendation Recipient > Parti- cipant > Person or Organisation or Device > <b>Organisation</b>	Any organisation of interest to, or involved in, the business of healthcare service provision.	11	n/a		Not mapped directly, encompassed impli- citly in performer/as- signedEntity/associ- atedPerson.
Recommendation Recipient > Parti- cipant > Person or Organisation or Device > Organisation > <b>Organisation</b> Name	The name by which an organisation is known or called.	11	performer/assignedEntity/representedOrganization/asOrganizationPartof/wholeOrganization/name		
Recommendation Recipient > Parti- cipant > Person or Organisation or Device > Organisation > Depart- ment/Unit	The name by which a department or unit within a larger organisation is known or called.	01	participant/assignedEntity/representedOrganization/name		
Recommendation Recipient > Parti- cipant > Person or Organisation or Device > Organisation > <b>Organisation</b> <b>Name Usage</b>	The classification that enables differentiation between recorded names for an organisation or service location.	01	participant/assignedEntity/representedOrganization/asOrganizationPartOf/wholeOrganization/name/@use	AS 4846-2006: Health Care Provider Organisation Name Usage	

### Example 7.40. Recommendation Recipient - Organisation XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
~
     <!-- Begin CDA Header -->
  <!-- End CDA Header -->
 <!-- Begin CDA Body -->
 <component>
    <structuredBodv>
    ....
   <!-- Begin Plan Section -->
   <component><!-- [plan] -->
    <section>
     <!-- Begin Record of Recommendations and Information Provided Section -->
     <component><!-- [rec] -->
      <section>
       <!-- Begin Recommendations Provided -->
       <entry><!-- [rec_prov] -->
        <act classCode="INFRM" moodCode="PRP">
         <!-- Begin Recommendation Recipient - Organisation -->
         <performer typeCode="PRF">
          <assignedEntity>
           <!-- ID is used for system purposes such as matching -->
           <id root="96ABEE3E-0CE8-11E0-B59B-6D69DFD72085" />
           <!-- Role -->
           <code code="408443003" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT"
           codeSystemVersion="20090731" displayName="General medical practice" />
           <!-- Address -->
           <addr use="WP">
            <streetAddressLine>55 GP Street</streetAddressLine>
            <city>Nehtaville</city>
            <state>QLD</state>
            <postalCode>5555</postalCode>
            <additionalLocator>32568931</additionalLocator>
            <country>Australia</country>
           </addr>
           <!-- Electronic Communication Detail -->
           <telecom use="WP" value="tel:07888888888" />
```

<representedOrganization> <!-- Department/Unit --> <name use="ORGB">GP Practice</name> <asOrganizationPartOf> <wholeOrganization> <name use="ORGB">GP Practice Group</name> <!-- Entity Identifier --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.8003624771167888" /> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name> </ext:assigningGeographicArea> </ext:asEntityIdentifier> </wholeOrganization> </asOrganizationPartOf> </representedOrganization> </assignedEntity> </performer> <!-- End Recommendation Recipient - Organisation --> . . . </act> </entry> <!-- End Recommendations Provided --> </section> </component> <!-- End Record of Recommendations and Information Provided Section --> </section> </component> <!-- End Plan Section -->

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

### 7.1.4.2.2 INFORMATION PROVIDED

### Identification

Name	INFORMATION PROVIDED
Metadata Type	Data Group
Identifier	DG-20116

### Relationships

### Parent

Data Type	Name	Obligation	Occurrence
•	RECORD OF RECOMMENDATIONS AND INFORMATION PROVIDED	Optional	01

### **CDA R-MIM Representation**

Figure 7.42, "Information Provided" shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The INFORMATION PROVIDED data group is an Act that is related to its context (Record of Recommendations and Information Provided) by an entry relationship.



### Figure 7.42. Information Provided

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[plan]/section/component[rec]/section		
Information Provided	Information that has been provided, including inform-	01	entry[inf_prov]		
	ation provided to the subject of care and/or relevant parties.		entry[inf_prov]/act		
			entry[inf_prov]/act/@classCode="INFRM"		
			entry[inf_prov]/act/@moodCode="EVN"		
			entry[inf_prov]/act/id	UUID	See <id> for avail-</id>
				This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	able attributes.
			entry[inf_prov]/act/code		
			entry[inf_prov]/act/code/@code="102.20016.4.1.2"		
			entry[inf_prov]/act/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[inf_prov]/act/code/@codeSystemName="NCTIS Data Components"		
			entry[inf_prov]/act/code/@displayName="Information Provided"		
Information Provided > Information Provided to Subject of Care and/or Relevant Parties	Contains: • information and education that has been provided to and discussed with the subject of care (patient), their family, carer and/or other relevant parties, in- cluding awareness or lack of awareness of dia- gnosed conditions, and relevant health management; • an indication of whether the subject of care (patient) or carer has understood the information or instruc- tions provided may also be relevant; and/or • information and/or recommendations given by a healthcare provider during/at the end of a health event to another healthcare provider responsible for the ongoing care of the subject of care (patient).	1.1	entry[inf_prov]/act/text:ST		

#### **Example 7.41. Information Provided XML Fragment**

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
xmlns="urn.hl7-org.v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
>
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
    <structuredBodv>
    <!-- Begin Plan Section -->
   <component><!-- [plan] -->
    <section>
     . . .
     <!-- Begin Record of Recommendations and Information Provided Section -->
     <component><!-- [rec] -->
      <section>
      . . .
       <!-- Begin Information Provided -->
       <entry><!-- [inf_prov] -->
        <act classCode="INFRM" moodCode="EVN">
         <!-- ID is used for system purposes such as matching -->
         <id root="12AC380C-D1E1-11DE-B505-09BE56D89593"/>
         <code code="102.20016.4.1.2"
         codeSystem="1.2.36.1.2001.1001.101"
          codeSystemName="NCTIS Data Components"
         displayName="Information Provided"/>
         <!-- Information Provided to Patient and/or Relevant Parties -->
         <text xsi:type="ST">
         The patient was advised to keep up a regular mobility routine as guided by the community
         physiotherapist. Return to GP day 10-14 post-op to have the staples removed.
         </text>
        </act>
      </entry>
      <!-- End Information Provided -->
     </section>
     </component>
    <!-- End Record of Recommendations and Information Provided Section -->
   </section>
  </component>
   <!-- End Plan Section -->
```

</structuredBody> <component> <!-- End CDA Body --> </ClinicalDocument>

# **8 Common Patterns**

## 8.1 code

The <code> element pattern refines the kind of act being recorded. It is of data type CD CWE (Concept Descriptor, Coded With Extensibility). It may have:

- a null attribute (*nullFlavor*)
- originalText
- code and codeSystem
- translation (CD)
- any combination of the above.
- A displayName is highly recommended.

Where used, the *code* attribute **SHALL** contain a code from the relevant vocabulary.

Where used, the *codeSystem* attribute **SHALL** contain the OID for the relevant vocabulary. Values for coding systems can be obtained from the HL7 OID registry accessible from the HL7 home web page at <u>www.hl7.org</u><sup>1</sup>.

Where used, the *displayName* attribute **SHALL** contain a human readable description of the code value.

The codeSystemName MAY be present, and, where used SHALL contain a human readable name for the coding system.

Where used, the originalText element SHALL be used to carry the full text associated with this code as selected, typed or seen by the author of this statement.

Codes can be obtained from a variety of sources. Additional vocabularies are also available from the HL7 Version 3 Vocabulary tables, available to HL7 members through the HL7 web site. In some cases, the vocabularies have been specified; in others, a particular code has been fixed or there is no vocabulary specified.

If a vocabulary is specified in this guide and no suitable code can be found the *originalText* element **SHALL** be used to carry the full text as selected, typed or seen by the author of this statement.

<sup>1</sup> http://www.hl7.org

If a vocabulary is specified in this guide and it is not possible to use this vocabulary, but an alternate vocabulary is in use, the *originalText* element **SHALL** be used to carry the full text as selected, typed or seen by the author of this statement. The *code* element **SHALL** be used to carry the relevant information from the alternate vocabulary and the alternate vocabulary shall be registered with HL7 and allocated an appropriate OID.

If an alternate vocabulary is in use and a translation into the specified code system is available, the *originalText* element **SHALL** be used to carry the full text as selected, typed or seen by the author of this statement. The *code* element **SHALL** be used to carry the relevant information from the alternate vocabulary and the alternate vocabulary must be registered with HL7 and allocated an appropriate OID. The *translation* element **SHALL** be used to indicate the translation code from the specified vocabulary.

#### Example 8.1. code

```
<!-- Specified code system in use -->
<code
  code="271807003"
  codeSystem="2.16.840.1.113883.6.96"
  codeSystemName="SNOMED CT-AU"
  codeSystemVersion="20101130"
  displayName="skin rash" />
<!-- Alternate code system in use and a translation into the specified code system is available -->
<code
  code='49390'
  codeSystem='2.16.840.1.113883.19.6.2'
  codeSystemName='TCD9CM'
  displavName='ASTHMA W/O STATUS ASTHMATICUS'>
  <orignalText>Patient is Asthmatic</originalText>
   <translation
     code='195967001'
     codeSystem='2.16.840.1.113883.19.6.96'
      codeSystemName='SNOMED CT'
      displayName='Asthma'/>
</code>
<!-- Alternate code system in use and no translation into the specified code system is available -->
Koode
  code='49390'
  codeSystem='2.16.840.1.113883.19.6.2'
  codeSystemName='ICD9CM'
  displavName='ASTHMA W/O STATUS ASTHMATICUS'>
  <orignalText>Patient is Asthmatic</priginalText>
</code>
<!-- No suitable code can be found or there is no code system in use -->
```

<code

```
<orignalText>Patient is Asthmatic</originalText>
</code>
```

## 8.2 id

The <id> element pattern is of data type II (Instance Identifier). The II data type may have:

- a null attribute (*nullFlavor*)
- a root
- a root and an extension
- a root and an extension and an assigningScopingEntity
- a root and an assigningScopingEntity

The root attribute is required and is a unique identifier that guarantees the global uniqueness of the instance identifier. The root alone may be the entire instance identifier. The root attribute may be a UUID or OID.

The extension attribute may be present, and is a character string as a unique identifier within the scope of the identifier root.

In the case of Entity Identifier, assigningAuthorityName is required, otherwise it is optional.

Identifiers appear in this implementation guide for two different reasons. The first is that the identifier has been identified in the business requirements as relevant to the business process. These identifiers are documented in the Structured Content Specifications which make clear the meaning of this identifier.

In addition, the implementation makes clear that identifiers may also be found on many other parts of the CDA content model. These identifiers are allowed to facilitate record matching across multiple versions of related documents, so that the same record can consistently be identified, in spite of variations in the information as the record passes through time or between systems. These identifiers have no meaning in the business specification. If senders provide one of these identifiers, it must always be the same identifier in all versions of the record, and it must be globally unique per the rules of the II data type.

Throughout the specification, these identifiers are labeled with the following text: "This is a technical identifier that is used for system purposes such as matching."

### Example 8.2. id

<id root="2.16.840.1.113883.19" extension="123A45" />

<ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.8003621234567890" />

## 8.3 time

The <time> element pattern is of data type TS (Point in Time) and can also be an interval between two times (IVL\_TS), representing a period of time. Both forms may either have a nullFlavor attribute or child components following allowed patterns.

Any time that is more specific than a day SHALL include a timezone.

A simple timestamp (point in time) will only contain a value attribute containing the time value, expressed as a series of digits as long as required or available.

### Example 8.3. Simple timestamp

#### <time value="20091030" />

This represents "October 30, 2009" to calendar day precision. In cases where the containing element is defined in the CDA schema as "ANY" data type, it is useful to provide an xsi:type attribute, set to the value "TS".

The period of time pattern is defined in terms of one or both of its lowest and highest values. The low and high elements are instances of the timestamp pattern described above. More complex time period concepts can be expressed by combining a high, low, or centre element with a width element.

#### Example 8.4. Low time

#### <period> <low value="20091030" /> </period>

This represents "a period after October 30, 2009". In cases where the containing element is defined in the CDA schema as "ANY" data type, it is useful to provide an xsi:type attribute, set to the value "IVL\_TS", as in the next example.

### Example 8.5. Interval timestamp 1

```
<period xsi:type="IVL_TS">
    <high value="200910301030+1000" />
</period>
```

This represents "a period before 10:30 a.m. UTC+10, October 30, 2009". A discretionary xsi:type attribute has been provided to explicitly cast the pattern to "IVL\_TS".

### Example 8.6. Interval timestamp 2

```
<period xsi:type="IVL_TS">
    <low value="2007" />
    <high value="2009" />
</period>
```

This represents "the calendar years between 2007 and 2009". The low element **SHALL** precede the high element. As per the previous example, a discretionary xsi:type attribute has been provided to explicitly cast the pattern to "IVL\_TS".

### Example 8.7. Width time

```
<period>
    <high value="20091017" />
    <width value="2" unit="week" />
</period>
```

This expresses "two weeks before October 17th, 2009". A low value can be derived from this.

# **8.4 Entity Identifier**

NEHTA SDT Data Compon- ent	Data Compon- ent Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Data Elemer	nts				
Entity Identifier	A number or code issued for the purpose of identi- fying an entity (person,	The cardinal- ity of the group comes	ext:asEntityIdentifier		See Australian CDA extension: Entity- Identifier.
	organisation or organisa- tion sub-unit) within a	from the link- ing parent	ext:asEntityIdentifier/@classCode="IDENT"		
	healthcare context.	and the car-	ext:asEntityIdentifier/ext:id		
		the children data ele- ments comes from the R-MIM diagram.	ext:asEntityIdentifier/ext:id/@root	Attribute @root <b>SHALL</b> be used, <b>SHALL</b> be an OID and <b>SHALL NOT</b> be a UUID. Attribute @root <b>SHALL</b> be a globally unique object identifier (OID) that identifies the com- bination of geographic area, issuer and type. If no such OID exists, it <b>SHALL</b> be defined before any identifiers can be created.	
			ext:asEntityIdentifier/ext:id/@extension	Attribute @extension <b>MAY</b> be used and if it is used, <b>SHALL</b> be a unique identifier within the scope of the root that is populated directly from the designation.	
			ext:asEntityIdentifier/ext:id/@assigningAuthorityName	Attribute @assigningAuthorityName <b>MAY</b> be used and if it is used, is a human readable name for the namespace represented in the root that is populated with the issuer, or identifier type, or a concatenation of both as appropriate. This <b>SHOULD NOT</b> be used for machine readability purposes.	
			ext:asEntityIdentifier/ <b>ext:code</b>		See <code> for available attributes.</code>
			ext:asEntityIdentifier/ext:assigningGeographicArea		
			ext:asEntityIdentifier/ext:assigningGeographicArea/@classCode="PLC"		
			ext:asEntityIdentifier/ext:assigningGeographicArea/ext:name	Element ext:name <b>MAY</b> be used and if it is used, is the range and extent that the identifier applies to the object with which it is associated that is populated directly from the geographic area. This <b>SHOULD NOT</b> be used for machine readability purposes. For details see: AS 5017-2006: Health Care Client Identifier Geographic Area	

#### Example 8.8. Entity Identifier

</ext:assigningGeographicArea>

</ext:asEntitvIdentifier>

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence --> <!-- person --> <xs:asEntityIdentifier classCode="IDENT"> <xs:id root="1.2.36.1.2001.1003.0.8003600000022222" assigningAuthorityName="IHI" /> <xs:assigningGeographicArea classCode="PLC"> <xs:name>National Identifier</xs:name> </xs:assigningGeographicArea> </xs:asEntityIdentifier> <xs:asEntityIdentifier classCode="IDENT"> <xs:id root="1.2.36.1.2001.1003.0.8003620000000541" extension="542181" assigningAuthorityName="Croydon GP Centre" /> <xs:code code="MR" codeSystem="2.16.840.1.113883.12.203" codeSystemName="Identifier Type (HL7)" /> </xs:asEntityIdentifier> <!-- organisation --> <ext:asEntitvIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.8003621234567890" /> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name>

\_\_\_\_\_ 07 March 2012

NEHTA-0960:2012

# 8.5 Person Name

NEHTA SDT Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Data Elements					
Person Name	The appellation by which an individual may be identified separately from any other within a social context.	Cardinality comes from linking parent.	name		
Person Name > Name Title	An honorific form of address commencing a name.	0*	name/ <b>prefix</b>		
Person Name > Family Name	That part of a name a person usually has in common with some other members of his/her family, as distinguished from his/her given names.	11	name/ <b>family</b>		
Person Name > Given Name	The person's identifying names within the family group or by which the person is uniquely socially identified.	0*	name/ <b>given</b>		
Person Name > Name Suffix	The additional term used following a per- son's name to identify that person.	0*	name/ <b>suffix</b>		
Person Name > Preferred Name Indicator	A flag to indicate that this is the name a person has selected for use.	01	name/@ <b>use</b>		Space separated list of codes. true='L' false=blank
Person Name > <b>Person Name Usage</b>	The classification that enables differenti- ation between recorded names for a per- son.	01	name/@use	AS 5017-2006: Health Care Client Name Usage	Space separated list of codes.

### Example 8.9. Person Name

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

# 8.6 Address

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments				
CDA Data Elements									
Address	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	Cardinality comes from linking parent.	addr						
Address > No Fixed Address Indicator	A flag to indicate whether or not the participant has no fixed address.	11	addr/@nullFlavor	If true, nullFlavor="NA". If false omit nullFlavor and fill in address.					
Address > Australian or International Address	Represents a choice to be made at run-time between an AUSTRALIAN ADDRESS and an INTERNATION- AL ADDRESS.	11	n/a		This logical NEHTA data component has no mapping to CDA.				
					The cardinality of this component propagates to its children.				
Address > Australian or International Address > International Address	The description of a non-Australian location where an entity is located or can be otherwise reached or found.	01	n/a		This logical NEHTA data component has no mapping to CDA.				
					The cardinality of this component propagates to its children.				
Address > Australian or International Address > International Address > Inter- national Address Line	A composite of address details comprising a low level geographical/physical description of a location that, used in conjunction with the other high level address components, i.e. international state/province, international postcode and country, forms a complete geographic/physical address	0*	addr/streetAddressLine						
Address > Australian or International Address > International Address > Inter- national State/Province	The designation applied to an internal, political or geographic division of a country other than Australia that is officially recognised by that country	01	addr/ <b>state</b>						
Address > Australian or International Address > International Address > Inter- national Postcode	The alphanumeric descriptor for a postal delivery area (as defined by the postal service of a country other than Australia) aligned with locality, suburb or place for an address	01	addr/ <b>postalCode</b>						

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Address > Australian or International Address > International Address > Country	The country component of the address.	01	addr/ <b>country</b>	Australia Bureau of Statistics, Standard Australian Classification of Countries (SACC) Cat. No. 1269 [ABS2008]	Use the name, not the numbered code.
Address > Australian or International Address > <b>Australian Address</b>	The description of an Australian location where an entity is located or can be otherwise reached or found.	01	n/a		This logical NEHTA data component has no mapping to CDA.
					The cardinality of this component propagates to its children.
Address > Australian or International Address > Australian Address > Un- structured Australian Address Line	A composite of one or more low level standard ad- dress components describing a geographical/phys- ical location that, used in conjunction with the other high level address components, e.g. Australian suburb/town/locality name, Australian postcode and Australian State/Territory, forms a complete geo- graphical/physical address.	0*	addr/ <b>streetAddressLine</b>		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line	The standard low level address components describ- ing a geographical/physical location that, used in conjunction with the other high level address com- ponents, i.e. Australian suburb/ town/locality name, Australian postcode and Australian State/Territory, form a complete geographical/physical address.	01	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Unit Type	The specification of the type of a separately identifi- able portion within a building/complex, marina etc. to clearly distinguish it from another.	01	addr/ <b>unitType</b>	AS 5017 (2006) - Healthcare Client Identification: Australian Unit Type [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australian Unit Type [SA2006b]	
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Unit Number	The specification of the number or identifier of a building/complex, marina etc. to clearly distinguish it from another.	01	addr/ <b>unitlD</b>		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Address Site Name	The full name used to identify the physical building or property as part of its location.	01	addr/ <b>additionalLocator</b>		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Level Type	Descriptor used to classify the type of floor or level of a multistorey building/complex.	01	addr/ <b>additionalLocator</b>	AS 5017 (2006) - Healthcare Client Identification: Australian Level Type [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australian Level Type [SA2006b]	

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Level Number	Descriptor used to identify the floor or level of a multi- storey building/complex.	01	addr/ <b>additionalLocator</b>		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Street Number	The numeric or alphanumeric reference number of a house or property that is unique within a street name.	01	addr/ <b>houseNumber</b>		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Lot Number	The Australian Lot reference allocated to an address in the absence of street numbering.	01	addr/ <b>additionalLocator</b>		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Street Name	The name that identifies a public thoroughfare and differentiates it from others in the same sub- urb/town/locality.	01	addr/ <b>streetName</b>		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Street Type	A code that identifies the type of public thoroughfare.	01	addr/streetNameType	AS 5017 (2006) - Healthcare Client Identification: Australian Street Type Code [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australian Street Type Code [SA2006b]	
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > <b>Australi-</b> <b>an Street Suffix</b>	Term used to qualify Australian Street Name used for directional references.	01	addr/ <b>direction</b>	AS 5017 (2006) - Healthcare Client Identification: Australian Street Suffix [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australian Street Suffix [SA2006b]	
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Postal Delivery Type	Identification for the channel of postal delivery.	01	addr/deliveryAddressLine	AS 5017 (2006) - Healthcare Client Identification: Australian Postal Delivery Type Code [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australian Postal Delivery Type Code [SA2006b]	
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Postal Delivery Number	Identification number for the channel of postal delivery.	01	addr/ <b>deliveryAddressLine</b>		
Address > Australian or International Address > Australian Address > Aus- tralian Suburb/Town/Locality	The full name of the general locality contained within the specific address.	01	addr/ <b>city</b>	Values in this data element should comply with descriptions in the Australia Post Postcode File (see <u>www.auspost.com.au/postcodes</u> )	
Address > Australian or International Address > Australian Address > Aus- tralian State/Territory	The identifier of the Australian state or territory.	01	addr/ <b>state</b>	AS 5017-2006 Australian State/Territory Identifier - Postal	
Address > Australian or International Address > Australian Address > Aus- tralian Postcode	The numeric descriptor for a postal delivery area (as defined by Australia Post), aligned with locality, suburb or place for the address.	01	addr/postalCode	Values in this data element should comply with descriptions in the Australia Post Postcode File (see <u>www.auspost.com.au/postcodes</u> )	

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Address > Australian or International Address > Australian Address > Aus- tralian Delivery Point Identifier	A unique number assigned to a postal delivery point as recorded on the Australia Post Postal Address File.	01	addr/ <b>additionalLocator</b>		
Address > Address Purpose	The purpose for which the address is being used by the entity.	11	addr/@use	AS 5017-2006: Health Care Client Identifier Address Purpose	Space separated list of codes.

### Example 8.10. Address

<!-- These examples are provided for illustrative purposes only. They have had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence --> <!- no fixed address --> <addr nullFlavor="NA" /> <!-Australian home address (unstructured) --> <addr use="H"> <streetAddressLine>1 Clinician Street</streetAddressLine> <city>Nehtaville</city> <state>OLD</state> <postalCode>55555</postalCode> <additionalLocator>32568931</additionalLocator> </addr> <!-Australian business address (structured) --> <addr use="WP"> <houseNumber>1</houseNumber> <streetName>Clinician</streetName> <streetNameType>St</streetNameType> <city>Nehtaville</city> <state>OLD</state> <postalCode>5555</postalCode> <additionalLocator>32568931</additionalLocator> </addr> <!--international postal address --> <addr use="PST"> <streetAddressLine>51 Clinician Bay</streetAddressLine> <citv>Healthville</citv> <state>Manitoba</state> <postalCode>R3T 3C6</postalCode> <country>Canada</country> </addr>

# **8.7 Electronic Communication Detail**

NEHTA SDT Data Compon- ent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments					
CDA Data Elements	DA Data Elements									
Electronic Communication Detail	The electronic communication details of entities.	Cardinality comes from linking parent.	telecom							
Electronic Communication Detail > Electronic Communication Medium	A code representing a type of communication mechanism.	11	telecom/@value	AS 5017-2006: Health Care Client Electronic Communication Medium > HL7:URLScheme	Makes up part of the value attribute as 'tel:phone number', 'mailto:email ad- dress', http:URL', etc.					
			telecom/@use	HL7 v3: TelecommunicationAddressUse > HL7:TelecommunicationAd- dressUse	Space separated list of codes.					
					The section AS 5017- 2006: Health Care Client Electronic Communication Usage Code explains how to map AS 5017-2006 to HL7 Telecommunication- AddressUse (HL7 TAU) code					
Electronic Communication Detail > Electronic Communication Usage Code	The manner of use that is applied to an electronic communication medium.	01	telecom/@use	HL7 v3: TelecommunicationAddressUse > HL7:TelecommunicationAd- dressUse	Space separated list of codes. The section AS 5017- 2006: Health Care Client Electronic Communication Usage Code explains how to map AS 5017-2006 to HL7 Telecommunication- AddressUse (HL7 TAU) code					
Electronic Communication Detail > Electronic Communication Address	A unique combination of characters used as input to electronic telecommunication equipment for the purpose of contacting an entity.	11	telecom/@value							

### Example 8.11. Electronic Communication Detail

<!-- These examples are provided for illustrative purposes only. They have had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<!-home telephone number --> <telecom value="tel:0499999999" use="H" />

<!-pager --> <telecom value="tel:0499999999" use="PG" />

<!-home email address --> <telecom value="mailto:clinicial@clinician.com" use="H" />

## 8.8 Employment

### **CDA Mapping**



### Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>*HL7* code set registration</u> <u>procedure</u><sup>2</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments			
CDA Data Elements								
Employment Detail	A person's occupation and employer.	Cardin- ality comes from linking parent.	n/a		This logical NEHTA data component has no mapping to CDA.			
Employment Detail > Employer Organ- isation	The organisation that the individual is working for in respect to the role they are playing in the nominated participation.	0*	ext:asEmployment/ext:employerOrganization		There is a known is- sue in NEHTA Parti- cipation Data Spe- cification for this lo- gical Data Compon- ent's cardinality. Furthermore the cor- responding CDA ele- ments ext:asEmploy- erOrganization doesn't allow the cardinality to be '0*'/multiple. The cardinality SHALL be interpreted as '01' instead of '0*'.			
			ext:asEmployment/@classCode="EMP"					

<sup>&</sup>lt;sup>2</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SDT Data Com- ponent	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Employment Detail > Employer Organ- isation	The organisation that the individual is working for in respect to the role they are playing in the nominated participation.	0*	ext:asEmployment/ext:employerOrganization		
			ext:asEmployment/@classCode="EMP"		
Employment Detail > Employer Organ- isation > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	ext:asEmployment/ext:employerOrganization/asOrganizationPartOf/wholeOrganization/ <entity identifier=""></entity>	The value of one En- tity Identifier <b>SHALL</b> be an Australian HPI-O.	See common pat- tern: Entity Identifier.
Employment Detail > Employer Organ- isation > <b>Organisation</b>	Any organisation of interest to, or involved in, the business of healthcare service provision.	11	n/a		Not mapped directly, encompassed impli- citly in assignedAu- thor/ext:asEmploy- ment/employerOrgan- ization.
Employment Detail > Employer Organ- isation > Organisation > <b>Organisation</b> <b>Name</b>	The name by which an organisation is known or called.	11	ext:asEmployment/ext:employerOrganization/asOrganizationPartOf/wholeOrganization/name		
Employment Detail > Employer Organ- isation > Organisation > <b>Depart-</b> ment/Unit	The name by which a department or unit within a larger organisation is known or called.	01	ext:asEmployment/ext:employerOrganization/ <b>name</b>		
Employment Detail > Employer Organ- isation > Organisation > <b>Organisation</b> <b>Name Usage</b>	The classification that enables differentiation between recorded names for an organisation or service location.	01	ext:asEmployment/ext:employerOrganization/asOrganizationPartOf/wholeOrganization/name/@use	AS 4846-2006: Health Care Provider Organisation Name Usage	
Employment Detail > <b>Employment</b> <b>Type</b>	The basis on which the person is employed by the employer organisation.	01	ext:asEmployment/ext:jobClassCode	NS	
Employment Detail > Occupation	A descriptor of the class of job based on similarities in the tasks undertaken.	0*	ext:asEmployment/ <b>ext:jobCode</b>	1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Oc- cupations, First Edi- tion, 2006 - METeOR 350899 [ABS2006]	The corresponding CDA element ext:jobCode doesn't allow the cardinality be '0*/multiple. The cardinality SHALL be interpreted as '01' instead of '0*'.
Employment Detail > Position In Or- ganisation	A descriptor of the job or the job role based on the management hierarchy of the organisation.	01	ext:asEmployment/ext:code	NS	

### Example 8.12. Employment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence --> <!-- Employment Details --> <ext:asEmployment classCode="EMP"> <!-- Position In Organisation --> <ext:code> <originalText>Senior Medical Oncologist</originalText> </ext:code> <!-- Occupation --> <ext:jobCode code="253314" codeSystem="2.16.840.1.113883.13.62"</pre> codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006" displayName="Medical Oncologist"/> <!-- Employment Type --> <ext:jobClassCode code="FT" codeSystem="2.16.840.1.113883.5.1059"</pre> codeSystemName="HL7:EmployeeJobClass" displayName="full-time"/> <!-- Employer Organisation --> <ext:employerOrganization> <!-- Department/Unit --> <name>GP Clinic</name> <asOrganizationPartOf> <wholeOrganization> <!-- Organisation Name --> <name use="ORGB">GP Clinics</name> <!-- Entity Identifier --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.8003621231167899"/> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name> </ext:assigningGeographicArea> </ext:asEntityIdentifier> </wholeOrganization> </asOrganizationPartOf> </ext:employerOrganization> </ext:asEmployment>

# **9 Australian CDA Extensions**

As part of the CDA, standard extensions are allowed as follows:

Locally-defined markup may be used when local semantics have no corresponding representation in the CDA specification. CDA seeks to standardize the highest level of shared meaning while providing a clean and standard mechanism for tagging meaning that is not shared. In order to support local extensibility requirements, it is permitted to include additional XML elements and attributes that are not included in the CDA schema. These extensions should not change the meaning of any of the standard data items, and receivers must be able to safely ignore these elements. Document recipients must be able to faithfully render the CDA document while ignoring extensions.

Extensions may be included in the instance in a namespace other than the HL7v3 namespace, but must not be included within an element of type ED (e.g., <text> within <procedure>) since the contents of an ED datatype within the conformant document may be in a different namespace. Since all conformant content (outside of elements of type ED) is in the HL7 namespace, the sender can put any extension content into a foreign namespace (any namespace other than the HL7 namespace). Receiving systems must not report an error if such extensions are present. "HL7 Clinical Document Architecture, Release 2" [HL7CDAR2]

As such the following extensions have been defined where Australian concepts were not represented in CDA.

This section is provided for clarity only. Please see the relevant mappings section where these extensions have been used for actual mapping details.

### 9.1 ClinicalDocument.completionCode

Figure 9.1, "CDA R-MIM Representation" shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.



#### Figure 9.1. CDA R-MIM Representation

# 9.2 EntityIdentifier

Figure 9.2, "CDA R-MIM Representation" shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.

#### Note: See CDA R-MIM for shadow classes.

#### Note:

This id contains a single identifier, an identifier associated with the entity that has a known type, i.e. it is known how it fits into wider mediated processes concerning the entity (typically UR numbers, Passport numbers etc). Id is required and not mandatory because under some circumstances the identifier may not be completely known (i.e. the passport number is known but the issuing country is unknown, therefore it is not properly unique. In these cases it will have a nullFlavor of UNK).

In some cases, identifiers may appear on both the entity and in the Entityldentifier, as it performs both roles; however this is unusual and could be indicative of poor identity management.



### Figure 9.2. CDA R-MIM Representation

## 9.3 Entitlement

Figure 9.3, "CDA R-MIM Representation" shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.



Figure 9.3. CDA R-MIM Representation

## 9.4 Multiple Birth

Figure 9.4, "CDA R-MIM Representation" shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.



Figure 9.4. CDA R-MIM Representation

## 9.5 Administrative Gender Code

Figure 9.5, "CDA R-MIM Representation" shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.



### Figure 9.5. CDA R-MIM Representation
#### 9.6 Birth Time

Figure 9.6, "CDA R-MIM Representation" shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.



Figure 9.6. CDA R-MIM Representation

#### 9.7 Deceased Time

Figure 9.7, "CDA R-MIM Representation" shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.



Figure 9.7. CDA R-MIM Representation

#### 9.8 Employment

Figure 9.8, "CDA R-MIM Representation" shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.



#### 9.9 Qualifications

Figure 9.9, "CDA R-MIM Representation" shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.



Figure 9.9. CDA R-MIM Representation

#### 9.10 Container

Figure 9.10, "CDA R-MIM Representation" shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.



Figure 9.10. CDA R-MIM Representation

## **10 Vocabularies/Code Sets**

When referencing the following vocabulary tables, if one column in the code set table is bolded, use the code in that column, otherwise use the values in all columns.

#### Example 10.1. All values

<code code="103.16044.4.1.1" codeSystem="1.2.36.1.2001.1001" codeSystemName="&NCTIS\_CODE\_SYSTEM\_NAME;" displayName="Additional Comments" />

Example 10.2. One value

<name< th=""><th>use="L"&gt;</th></name<>	use="L">
{na	ame }
<td>&gt;</td>	>

#### **10.1 HL7 v3: TelecommunicationAddressUse**

Code	Value
Н	Home
HP	Primary Home
HV	Vacation Home
WP	Workplace
AS	Answering Service
EC	Emergency Contact
MC	Mobile Contact
PG	Pager

#### 10.2 AS 5017-2006 Health Care Client Identifier Sex

displayName	code	codeSystemName	codeSystem
Male	М	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68
Female	F	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68
Intersex or Indeterminate	I	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68
Not Stated/Inadequately Described	N	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68

#### 10.3 AS 5017-2006: Health Care Client Name Usage

Code Set AS 5017-2006 mapped to HL7 Name Use Code



#### Note

CDA Release 2 uses HL7 Data Types Release 1. For some of the AS 5017-2006 values there are no satisfactory equivalents in the HL7 Name Use R1 code set. In these cases (marked R2) an HL7 Name Use R2 code has been used.



#### Note

In cases (marked EXT) where there are no suitable HL7 codes, extension codes have been created.

AS 5017-2006 Code	AS 5017-2006 Alternative Code	AS 5017-2006 Descriptor	HL7 Name Use Code	HL7 Name Use Name	HL7 Name Use Definition
1	L	Registered Name (Legal Name)	L	(R1) Legal	(R1) Known as/conventional/the one you use
2	R	Reporting Name	С	(R1) License	(R1) As recorded on a license, record, certificate, etc. (only if different from legal name)
3	Ν	Newborn Name	NB	(EXT)	(EXT)
4	В	Professional or Business Name	A	(R1) Artist/Stage	(R1) Includes writer's pseudonym, stage name, etc
5	М	Maiden Name (Name at birth)	М	(R2) Maiden Name	A name used prior to marriage.
8	0	Other Name (Alias)	Р	(R1) Pseudonym	(R1) A self asserted name that the person is using or has used

### 10.4 AS 4846-2006: Health Care Provider Organisation Name Usage

Code Set AS 5017-2006 Organisation Name Usage mapped to HL7 Name Use Code



#### Note

There are no suitable HL7 codes so extension codes have been created.

AS 4846-2006 Code	AS 4846-2006 Alternative Code	AS 4846-2006 Descriptor	HL7 Name Use Code	HL7 Name Use Name	HL7 Name Use Definition
1	U	Organizational unit/section/division name	ORGU	(EXT)	(EXT)
2	S	Service location name	ORGS	(EXT)	(EXT)
3	В	Business name	ORGB	(EXT)	(EXT)
4	L	Locally used name	ORGL	(EXT)	(EXT)
5	A	Abbreviated name	ORGA	(EXT)	(EXT)
6	E	Enterprise name	ORGE	(EXT)	(EXT)
8	X	Other	ORGX	(EXT)	(EXT)
9	Υ	Unknown	ORGY	(EXT)	(EXT)

#### 10.5 AS 5017-2006: Health Care Client Source of Death Notification

displayName	code	codeSystemName	codeSystem
Official death certificate or death register	D	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Health Care Provider	н	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Relative	R	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Other	0	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Unknown	U	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64

### 10.6 AS 5017-2006: Health Care Client Identifier Address Purpose

AS 5017-2006 mapped to HL7 Address Use Code

AS 5017-2006 Code	AS 5017-2006 Alternative Code	AS 5017-2006 Descriptor	HL7 Address Use Code	HL7 Address Use Name	HL7 Address Use Definition
1	В	Business	WP	Work Place	An office address. First choice for business related contacts during business hours.
2	М	Mailing or Postal	PST	Postal Address	Used to send mail.
3	Т	Temporary Accommodation (individual provider only)	ТМР	Temporary Ad- dress	A temporary address, may be good for visit or mailing.
4	R	Residential (permanent) (individual provider only)	н	Home Address	A communication address at a home.
9	U	Not Stated/Unknown/Inadequately De- scribed	In this case simply omit the Address Use Code		

#### 10.7 AS 5017-2006: Health Care Client Identifier Geographic Area

displayName	code	codeSystemName	codeSystem
Local Client (Unit Record) Identifier	L	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63
Area/Region/District Identifier	А	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63
State or Territory Identifier	S	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63
National Identifier	N	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63

#### **10.8 AS 5017-2006: Health Care Client Electronic Communication Medium**

AS 5017-2006 Code	AS 5017-2006 Descriptor	AS 5017-2006 Alternative Code	HL7 URLScheme Code	HL7 URLScheme Name	HL7 URLScheme Definition
1	Telephone (excluding mobile telephone)	Т	tel	Telephone	A voice telephone number.
2	Mobile (cellular) telephone NOTE: Mobile will also need a TelecommunicationAd- dress Use code of MC (Mobile Contact) (see HL7 v3: TelecommunicationAddressUse)	Μ	tel	Telephone	A voice telephone number.
3	Facsimile machine	F	fax	Fax	A telephone number served by a fax device.
4	Pager NOTE: Pager will also need a TelecommunicationAddress Use code of PG (Pager) (see HL7 v3: Telecommunica- tionAddressUse)	Ρ	tel	Telephone	A voice telephone number
5	Email	E	mailto	Mailto	Electronic mail address.

AS 5017-2006 Code	AS 5017-2006 Descriptor	AS 5017-2006 Alternative Code	HL7 URLScheme Code	HL7 URLScheme Name	HL7 URLScheme Definition
6 URL	URL	U	Use the most ap- propriate code from the list be- low:		
		file	File	Host-specific local file names [RCF 1738]. Note that the file scheme works only for local files. There is little use for exchanging local file names between systems, since the receiving system likely will not be able to access the file.	
			ftp	FTP	The File Transfer Protocol (FTP).
			http	HTTP	Hypertext Transfer Protocol.
			mllp	MLLP	The traditional HL7 Minimal Lower Layer Protocol. The URL has the form of a com- mon IP URL e.g., mllp:// <host>:<port>/ with <host> being the IP address or DNS host- name and <port> being a port number on which the MLLP protocol is served.</port></host></port></host>
			modem	Modem	A telephone number served by a modem device.
			nfs	NFS	Network File System protocol. Some sites use NFS servers to share data files.
			telnet	Telnet	Reference to interactive sessions. Some sites, (e.g., laboratories) have TTY based remote query sessions that can be accessed through telnet.

#### 10.9 AS 5017-2006: Health Care Client Electronic Communication Usage Code

AS 5017-2006 mapped to HL7 TelecommunicationAddressUse (HL7 TAU) Code

Code	Descriptor	Alternative Code	HL7 TAU Code	HL7 TAU Name	HL7 TAU Description
1	Business	В	WP	Work place	An office address. First choice for business related contacts during business hours.
2	Personal	Ρ	н	Home address	A communication address at a home, attempted contacts for business purposes might intrude privacy and chances are one will contact family or other household members instead of the person one wishes to call. Typically used with urgent cases, or if no other contacts are available.
3	Both business and personal use	A	WP H	Both Work place and Home address	

#### 10.10 AS 5017-2006 Australian State/Territory Identifier - Postal

Code	Descriptor
NSW	New South Wales
VIC	Victoria
QLD	Queensland
SA	South Australia
WA	Western Australia
TAS	Tasmania
NT	Northern Territory
ACT	Australian Capital Territory
U	Unknown

#### 10.11 AS 5017-2006 Health Care Client Identifier Date Accuracy Indicator

The data elements that use this value set consist of a combination of three codes, each of which denotes the accuracy of one date component:

- A The referred date component is 'accurately known'.
- E The referred date component is an 'estimate'.
- U The referred date component is 'unknown'.

This data elements that use this value set contains positional fields (DMY).

Field 1 (D) - refers to the accuracy of the 'day component'.

Field 2 (M) - refers to the accuracy of the 'month component'.

Field 3 (Y) – refers to the accuracy of the 'year component'.



#### Note

The order of the date components in the HL7 date and time datatypes (YYYYMMDD) is the reverse of that specified above.

The possible combinations are as follows:

code	descriptor
AAA	Accurate date
AAE	Accurate day and month, estimated year
AEA	Accurate day, estimated month, accurate year
AAU	Accurate day and month, unknown year
AUA	Accurate day, unknown month, accurate year
AEE	Accurate day, estimated month and year
AUU	Accurate day, unknown month and year
AEU	Accurate day, estimated month, unknown year
AUE	Accurate day, unknown month

code	descriptor
EEE	Estimated date
EEA	Estimated day and month, accurate year
EAE	Estimated day, accurate month
EEU	Estimated day and month, unknown year
EUE	Estimated day, unknown month, estimated year
EAA	Estimated day, accurate month and year
EUU	Estimated day, unknown month and year
EAU	Estimated day, accurate month, unknown year
EUA	Estimated day, unknown month, accurate year
UUU	Unknown date
UUA	Unknown day and month, accurate year
UAU	Unknown day, accurate month, unknown year
UUE	Unknown day and month, estimated year
UEU	Unknown day, estimated month, unknown year
UAA	Unknown day, accurate month and year
UEE	Unknown day, estimated month and year
UAE	Unknown day, accurate month, estimated year
UEA	Unknown day, estimated month, accurate year

#### **10.12 NCTIS: Admin Codes - Document Status**

displayName	code	codeSystemName	codeSystem
Interim	1	NCTIS Document Status Values	1.2.36.1.2001.1001.101.104.20104
Final	F	NCTIS Document Status Values	1.2.36.1.2001.1001.101.104.20104
Withdrawn	W	NCTIS Document Status Values	1.2.36.1.2001.1001.101.104.20104

#### **10.13 NCTIS: Admin Codes - Global Statement Values**

displayName	code	codeSystemName	codeSystem
None known	01	NCTIS Global Statement Values	1.2.36.1.2001.1001.101.104.16299
Not asked	02	NCTIS Global Statement Values	1.2.36.1.2001.1001.101.104.16299
None supplied	03	NCTIS Global Statement Values	1.2.36.1.2001.1001.101.104.16299

### **10.14 NCTIS: Admin Codes - Entitlement Type**

displayName	code	codeSystemName	codeSystem
Medicare Benefits	1	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Pensioner Concession	2	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Commonwealth Seniors Health Concession	3	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Health Care Concession	4	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Repatriation Health Gold Benefits	5	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Repatriation Health White Benefits	6	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Repatriation Health Orange Benefits	7	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Safety Net Concession	8	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Safety Net Entitlement	9	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Medicare Prescriber Number	10	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Medicare Pharmacy Approval Number	11	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047

#### 10.15 HL7 v2.4: Table 0123 Result Status

displayName	code	codeSystemName	codeSystem
Order received; specimen not yet received	0	HL7 Result Status	2.16.840.1.113883.12.123
No results available; specimen received, procedure incomplete	I	HL7 Result Status	2.16.840.1.113883.12.123
No results available; procedure scheduled, but not done	S	HL7 Result Status	2.16.840.1.113883.12.123
Some, but not all, results available	A	HL7 Result Status	2.16.840.1.113883.12.123
Preliminary: A verified early result is available, final results not yet obtained	Р	HL7 Result Status	2.16.840.1.113883.12.123
Correction to results	С	HL7 Result Status	2.16.840.1.113883.12.123
Results stored; not yet verified	R	HL7 Result Status	2.16.840.1.113883.12.123
Final results; results stored and verified. Can only be changed with a corrected result.	F	HL7 Result Status	2.16.840.1.113883.12.123
No results available; Order cancelled.	Х	HL7 Result Status	2.16.840.1.113883.12.123
No order on record for this test. (Used only on queries)	Y	HL7 Result Status	2.16.840.1.113883.12.123
No record of this patient. (Used only on queries)	Z	HL7 Result Status	2.16.840.1.113883.12.123

#### 10.16 HL7 v3 CDA: Act.moodCode

Code	Value	Definition		
EVN	Event	The entry defines an actual occurrence of an event.		
INT	Intent	The entry is intended or planned.		
АРТ	Appointment	The entry is planned for a specific time and place.		
ARQ	Appointment Request	The entry is a request for the booking of an appointment.		
PRMS	Promise	A commitment to perform the stated entry.		
PRP	Proposal	A proposal that the stated entry be performed.		
RQO	Request	A request or order to perform the stated entry.		
DEF	Definition The entry defines a service (master).			

### 10.17 HL7 v3 CDA: RelatedDocument.typeCode

Code Value		Definition	
APND	Append	The current document is an addendum to the ParentDocument.	
RPLC	Replace	The current document is a replacement of the ParentDocument.	
XFRM	Transform	The current document is a transformation of the ParentDocument.	

### 10.18 OIDs

codeSystem (OID)	codeSystemName
2.16.840.1.113883.13.62	1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006
2.16.840.1.113883.13.65	AIHW Mode of Separation
2.16.840.1.113883.6.96	SNOMED CT-AU
1.2.36.1.2001.1004.100	Australian Medicines Terminology (AMT)
2.16.840.1.113883.6.1	LOINC

### 10.19 METeOR 291036: Indigenous Status

displayName	code	codeSystemName	codeSystem
Aboriginal but not Torres Strait Islander origin	1	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Torres Strait Islander but not Aboriginal origin	2	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Both Aboriginal and Torres Strait Islander origin	3	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Neither Aboriginal nor Torres Strait Islander origin	4	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Not stated/inadequately described	9	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036

#### **10.20 NCTIS: Admin Codes - Result Status**

displayName	code	codeSystemName	codeSystem
Registered [No result yet available.]	1	NCTIS Result Status Values	1.2.36.1.2001.1001.101.104.16501
Interim [This is an initial or interim result: data may be missing or verification not been performed.]	2	NCTIS Result Status Values	1.2.36.1.2001.1001.101.104.16501
Final [The result is complete and verified by the responsible practitioner.]	3	NCTIS Result Status Values	1.2.36.1.2001.1001.101.104.16501
Amended [The result has been modified subsequent to being Final, and is complete and verified by the practitioner.]	4	NCTIS Result Status Values	1.2.36.1.2001.1001.101.104.16501
Cancelled / Aborted [The result is not available because the examination was not started or completed.]	5	NCTIS Result Status Values	1.2.36.1.2001.1001.101.104.16501

### **10.21 HL7 V3: ObservationInterpretationNormality**

displayName	code	codeSystemName	codeSystem
Abnormal	А	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
Abnormal alert	AA	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
High alert	HH	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
Low alert	LL	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
High	Н	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
Low	L	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
Normal	Ν	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83

# **Appendix A. CDA Narratives**

CDA requires that each Section in its Body include a narrative block, containing a complete version of the section's encoded content using custom hypertext markup defined by HL7. It is clinically significant that the narrative is the human-readable and attestable part of a CDA document.

There is no canonical markup for specific CDA components, but some conformance points apply:

- The narrative block **SHALL** be encapsulated within text component of the CDA Section. The Section's title component **SHOULD** contain the Section's label, and will form the heading for the Section's narrative rendering.
- The narrative contents **SHALL** conform to the requirements specified in the CDA Rendering Specification.
  - In accordance with the requirement to completely represent Section contents, coded type values **SHALL** include both originalText and displayName components where provided. The code component **SHOULD** be provided when a displayName is not available.
- It **SHALL** completely and accurately represent the information encoded in the Section. Content **SHALL NOT** be omitted from the narrative.
- It SHALL conform to the content requirements of the CDA specification [HL7CDAR2] and/or XML Schema.

The examples provided in sections of this document and the separate full example provide some guidance for narrative block markup. They may be easily adapted as boilerplate markup.

This page is left intentionally blank.

## **Appendix B. Log of Changes**

This appendix lists the major changes and fixes applied to this CDA Implementation Guide resulting from public feedback and internal testing.

Changes Version 3.1 09 February 2011 date to Version 3.1 16 September 2011

ID	ID Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
1	6.1.1	Document Author	Added vocabulary link.	Added vocabulary link for wholeOrganisation/name/@use	NEHTA	Document Review	16 September 2011
2	6.1.1	Document Author	Cardinalities changed	Document Author > Participant > Entity Identifier changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011
3	6.1.1	Document Author	Cardinalities changed	Document Author > Participation Period changed to 01 [NB. This element is required by CDA and the cardinality is updated for consistency across documents only]	NEHTA	Document Review - not aligned with SCS	16 September 2011
4	6.1.1	Document Author	Cardinalities changed	Document Author > Participant > Person or Organisation or Device > Person > Employer Organisation > Organisation > Organisation Name Detail > Organisation Name Usage changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
5	6.1.1	Document Author	Cardinalities changed	Document Author > Participant > Address changed to 0*	NEHTA	Document Review - not aligned with SCS	16 September 2011
6	6.1.1	Document Author	Cardinalities changed	Document Author > Participant > Person or Organisation or Device > Demographic Data changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
7	6.1.1	Document Author	Cardinalities changed	Document Author > Participant > Person or Organisation or Device > Demographic Data > Sex changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
8	6.1.1	Document Author	Cardinalities changed	Document Author > Participant > Person or Organisation or Device > Demographic Data > Date of Birth Detail changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
9	6.1.2	Subject Of Care	Cardinalities changed	Subject of Care > Participant > Entity Identifier changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011
10	6.1.2	Subject Of Care	Cardinalities changed	Subject of Care > Participant > Address changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011
11	6.1.2	Subject Of Care	Cardinalities changed	Subject of Care > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death changed to 11	NEHTA	Document Review - not aligned with SCS	16 September 2011
12	6.1.2	Subject Of Care	Date Type changed	Subject of Care > Person or Organisation or Device > Person > Demographic Data > Age Detail > Age changed to value:PQ	NEHTA	Document Review - not aligned with SCS	16 September 2011
13	6.1.2	Subject Of Care	Indigenous status added	Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Indigenous Status mapping added.	NEHTA	Document Review - not aligned with SCS	16 September 2011
14	6.1.3	Facility	Cardinalities changed	Facility > Participant > Entitiy Identifier changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011
15	6.1.3	Facility	Cardinalities changed	Facility > Participant > Address changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011

ID	D Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
16	7.1.1.1	Encounter	Cardinalities changed	Encounter > Speciality changed to 1*	NEHTA	Document Review	16 September 2011
17	7.1.1.1.1	Responsible health Professional At Time Of Discharge	Added vocabulary link.	Added vocabulary link for wholeOrganisation/name/@use	NEHTA	Document Review	16 September 2011
18	7.1.1.1.1	Responsible health Professional At Time Of Discharge	Cardinalities changed	Responsible health Professional At Time Of Discharge > Participant > Entitiy Identifier changed to 1*	NEHTA	Document Review	16 September 2011
19	7.1.1.1.1	Responsible health Professional At Time Of Discharge	Cardinalities changed	Responsible health Professional At Time Of Discharge > Participant > Address changed to 1*	NEHTA	Document Review	16 September 2011
20	7.1.1.1.1	Responsible health Professional At Time Of Discharge	Cardinalities changed	Responsible health Professional At Time Of Discharge > Participant > Person or Organisation or Device > Person > Demographic Data to 01	NEHTA	Document Review	16 September 2011
21	7.1.1.1.1	Responsible health Professional At Time Of Discharge	Cardinalities changed	Responsible health Professional At Time Of Discharge > Participant > Person or Organisation or Device > Person > Demographic Data > Sex to 01	NEHTA	Document Review	16 September 2011
22	7.1.1.1	Responsible health Professional At Time Of Discharge	Cardinalities changed	Responsible health Professional At Time Of Discharge > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail to 01	NEHTA	Document Review	16 September 2011
23	7.1.1.1	Responsible health Professional At Time Of Discharge	Cardinalities changed	Responsible Health Professional at Time of Discharge > Participant > Person or Organisation or Device > Person > Employer Organisation > Organisation > Organisation Name Detail > Organisation Name Usage to 01	NEHTA	Document Review	16 September 2011
24	7.1.1.1.2	Other Participant	Added vocabulary link.	Added vocabulary link for wholeOrganisation/name/@use	NEHTA	Document Review	16 September 2011
25	7.1.2.2.1	Exclusion Staement - Ceased Medications	Added separate sec- tion.	Added separate section for Exclusion Statement - Ceased medications.	NEHTA	Document Review	16 September 2011
26	7.1.3.1.1.1	Nominated Primary Healthcare Provider - Person	Added vocabulary link.	Added vocabulary link for wholeOrganisation/name/@use	NEHTA	Document Review	16 September 2011
27	7.1.3.1.1.1	Nominated Primary Healthcare Provider - Person	Cardinalities changed	Nominated Primary Healthcare Provider > Participant > Entity Identifier changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011
28	7.1.3.1.1.1	Nominated Primary Healthcare Provider - Person	Cardinalities changed	Nominated Primary Healthcare Provider > Participant > Address changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011
29	7.1.3.1.1.1	Nominated Primary Healthcare Provider - Person	Cardinalities changed	Nominated Primary Healthcare Provider > Participant > Electronic Communication Detail changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011

ID	ID Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
30	7.1.3.1.1.1	Nominated Primary Healthcare Provider - Person	Cardinalities changed	Nominated Primary Healthcare Provider > Participant > Person or Organisation or Device > Person > Demographic Data > Sex changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
31	7.1.3.1.1.1	Nominated Primary Healthcare Provider - Person	Cardinalities changed	Nominated Primary Healthcare Provider > Participant > Person or Organisation or Device > Person > Em- ployer Organisation > Organisation > Organisation Name Detail > Organisation Name Usage changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
32	7.1.4.1.1.1.1	Service Provider - Per- son	Added vocabulary link.	Added vocabulary link for wholeOrganisation/name/@use	NEHTA	Document Review	16 September 2011
33	7.1.4.1.1.1.1	Service Provider - Per- son	Cardinalities changed	Service Provider - Person > Participant > Entity Identifier changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011
34	7.1.4.1.1.1.1	Service Provider - Per- son	Cardinalities changed	Service Provider - Person > Participant > Address changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011
35	7.1.4.1.1.1.1	Service Provider - Per- son	Cardinalities changed	Service Provider - Person > Participant > Person or Organisation or Device > Person > Demographic Data changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
36	7.1.4.1.1.1.1	Service Provider - Per- son	Cardinalities changed	Service Provider - Person > Participant > Person or Organisation or Device > Person > Demographic Data > Sex changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
37	7.1.4.1.1.1.1	Service Provider - Per- son	Cardinalities changed	Service Provider - Person > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
38	7.1.4.1.1.1.1	Service Provider - Per- son	Cardinalities changed	Service Provider - Person > Participant > Person or Organisation or Device > Person > Employer Organ- isation > Organisation > Organisation Name Detail > Organisation Name Usage changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
39	7.1.4.2.1.1.1	Recommendation Re- cipient - Person	Added vocabulary link.	Added vocabulary link for wholeOrganisation/name/@use	NEHTA	Document Review	16 September 2011
40	7.1.4.2.1.1.1	Recommendation Re- cipient - Person	Cardinalities changed	Recommendation Recipient - Person > Participant > Entity Identifier changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011
41	7.1.4.2.1.1.1	Recommendation Re- cipient - Person	Cardinalities changed	Recommendation Recipient - Person > Participant > Address changed to 1*	NEHTA	Document Review - not aligned with SCS	16 September 2011
42	7.1.4.2.1.1.1	Recommendation Re- cipient - Person	Cardinalities changed	Recommendation Recipient - Person > Participant > Person or Organisation or Device > Person > Demo- graphic Data changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
43	7.1.4.2.1.1.1	Recommendation Re- cipient - Person	Cardinalities changed	Recommendation Recipient - Person > Participant > Person or Organisation or Device > Person > Demo- graphic Data > Sex changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
44	7.1.4.2.1.1.1	Recommendation Re- cipient - Person	Cardinalities changed	Recommendation Recipient - Person > Participant > Person or Organisation or Device > Person > Demo- graphic Data > Date of birth Detail changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
45	7.1.4.2.1.1.1	Recommendation Re- cipient - Person	Cardinalities changed	Recommendation Recipient - Person > Participant > Person or Organisation or Device > Person > Employer Organisation > Organisation > Organisation Name Detail > Organisation Name Usage changed to 01	NEHTA	Document Review - not aligned with SCS	16 September 2011
46	10.13	NCTIS: Admin Codes - Global Statement Values	New value added	Added "None Supplied".	NEHTA	Values supplied insufficient for re- quirements.	16 September 2011
47	N/A	N/A	id comment.	Comment updated to: "This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used"	NEHTA	Updated definition to better explain the use of id's.	16 September 2011

ID	Document Ref.		Change Type	Change Detail	Changed Instigated	Rational For Change	Date Changed
	Section	Section Name			By		onangoa
48	7.1.1.5.1	Pathology Test Result	Added mappings.	Mappings added (previously a known issue).	NEHTA	Known issue resolution.	16 September 2011
49	7.1.1.5.2	Imaging Examination Result	Added mappings.	Mappings added (previously a known issue).	NEHTA	Known issue resolution.	16 September 2011
50	7.1.1.5.1.1	Test Specimen Detail	Corrected context path.	Path changed - From: "Context: ClinicalDocument/component/structuredBody/component[event]/section/compon- ent[diag_inv]/section/entry[path_test_res]/observation/" To: "Context: ClinicalDocument/component/structuredBody/component[event]/section/compon- ent[diag_inv]/section/component[path_test_res]/entry[path_test_res]/observation/"	NEHTA	Document Feedback	16 September 2011

#### Changes Version 3.3.1 16 September 2011 to Version 3.3 2 December 2011

ID	D Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
1	5.1.1	LegalAuthenticator	Cardinality	LegalAuthenticator was Essential 11 now optional 01	NEHTA	Alignment of specifications	2 Dec 2012
2	6.1	e-Discharge Summary	Cardinality	e-Discharge Summary > Health Event Identification Was 0* Now 01	NEHTA	Alignment of specifications	2 Dec 2012
3	6.1.1	DOCUMENT AUTHOR	Cardinality	Document Author > Participant > Electronic Communication Detail was 1* and now 0*	NEHTA	Alignment of specifications	2 Dec 2012
4	6.1.1	DOCUMENT AUTHOR	Cardinality	Document Author > Participant > Person or Organisation or Device > Person > Person Name was 11 now 1* Use Participation 3.2 Participation Specification 3.2 should be used instead of 3.1, with the following exceptions - restrictions in CDA implementation guide still apply with repect to multiple person names. That is, only a single person name is currently supported.	NEHTA	Alignment of specifications	2 Dec 2012
5	6.1.2	SUBJECT OF CARE	Cardinality	Subject of Care > Participant > Person or Organisation or Device > Person > Person Name was 11 and now 1* Use Participation 3.2 Participation Specification 3.2 should be used instead of 3.1, with the following exceptions - restrictions in CDA implementation guide still apply with repect to multiple person names. That is, only a single person name is currently supported.	NEHTA	Alignment of specifications	2 Dec 2012
6	6.1.3	FACILITY	Cardinality	Facility > Participant > Electronic Communication Detail was 1* now 0*	NEHTA	Alignment of specifications	2 Dec 2012
7	7.1.1.1	ENCOUNTER	Cardinality	Encounter > Location of Discharge was 11 now 01	NEHTA	Alignment of specifications	2 Dec 2012
8	7.1.1.1.1	RESPONSIBLE HEALTH PROFES- SIONAL AT TIME OF DISCHARGE	Cardinality	Responsible Health Professional at Time of Discharge > Participant > Person or Organisation or Device > Person > Person Name was 11 now 1* Use Participation 3.2 Participation Specification 3.2 should be used instead of 3.1, with the following exceptions - restrictions in CDA implementation guide still apply with repect to multiple person names. That is, only a single person name is currently supported.	NEHTA	Alignment of specifications	2 Dec 2012
9	7.1.1.1.2	OTHER PARTI- CIPANT	Cardinality	participant/associatedEntity/id was 11 now 0*	NEHTA	Alignment of specifications	2 Dec 2012
10	7.1.1.1.2	OTHER PARTI- CIPANT	Cardinality	Other Participant > Participant > Entity Identifier was 11 now 1*/0* If HPI-I available then is required otherwise optional	NEHTA	Alignment of specifications	2 Dec 2012
ID	Documer	nt Ref.	Change Type	Change Detail	Changed	Rational For Change	Date
----	---------------	---	-------------	--	------------------	-----------------------------	------------
	Section	Section Name			Instigated By		Changed
11	7.1.1.1.2	OTHER PARTI- CIPANT	Cardinality	Other Participant > Participant > Person or Organisation or Device > Person > Person Name participant/as- sociatedEntity/associatedPerson/ <personname> was 11 now 1* Use Participation 3.2 Participation Specification 3.2 should be used instead of 3.1, with the following exceptions - restrictions in CDA imple- mentation guide still apply with repect to multiple person names. That is, only a single person name is currently supported.</personname>	NEHTA	Alignment of specifications	2 Dec 2012
12	7.1.1.1.2	OTHER PARTI- CIPANT	Cardinality	Other Participant > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > Date of Birth was 01 now 11	NEHTA	Alignment of specifications	2 Dec 2012
13	7.1.1.1.2	OTHER PARTI- CIPANT	Cardinality	Other Participant > Participant > Person or Organisation or Device > Demographic Data was 01 now If the Other Participant has an Australian HPI-I, then Demographic Data is PROHIBITED, otherwise it is OPTIONAL (00/01)	NEHTA	Alignment of specifications	2 Dec 2012
14	7.1.1.5.1	PATHOLOGY TEST RESULT	Cardinality	Pathology Test Result > Test Specimen Detail changed from optional 0* to essential 1*	NEHTA	Alignment of specifications	2 Dec 2012
15	7.1.1.5.1	PATHOLOGY TEST RESULT	Cardinality	Pathology Test Result > Test Result Representation was 0* now 01	NEHTA	Alignment of specifications	2 Dec 2012
16	7.1.1.5.1.1	TEST SPECIMEN DE- TAIL	Cardinality	TEST SPECIMEN DETAIL was 0* now 1*	NEHTA	Alignment of specifications	2 Dec 2012
17	7.1.1.5.1.1	TEST SPECIMEN DE- TAIL	Cardinality	Test Specimen Detail > Handling and Processing was 01 now 11	NEHTA	Alignment of specifications	2 Dec 2012
18	7.1.1.5.1.1	TEST SPECIMEN DE- TAIL	Cardinality	Test Specimen Detail > Handling and Processing > Collection DateTime was 01 now 11	NEHTA	Alignment of specifications	2 Dec 2012
19	7.1.1.5.1.2.1	RESULT GROUP SPECIMEN DETAIL	Cardinality	Result Group Specimen Detail > Handling and Processing was 01 now 11	NEHTA	Alignment of specifications	2 Dec 2012
20	7.1.1.5.1.2.1	RESULT GROUP SPECIMEN DETAIL	Cardinality	Result Group Specimen Detail > Handling and Processing > Collection DateTime was 01 now 11	NEHTA	Alignment of specifications	2 Dec 2012
21	7.1.3.1.1.1	NOMINATED PRIMARY HEALTH- CARE PROVIDER - PERSON	Cardinality	Nominated Primary Healthcare Provider (Person) was 01 now 1*	NEHTA	Alignment of specifications	2 Dec 2012
22	7.1.3.1.1.1	NOMINATED PRIMARY HEALTH- CARE PROVIDER - PERSON	Cardinality	Nominated Primary Healthcare Provider > Participant > Person or Organisation or Device > Person > Person Name was 11 and now 1* Use Participation 3.2 Participation Specification 3.2 should be used instead of 3.1, with the following exceptions - restrictions in CDA implementation guide still apply with repect to multiple person names. That is, only a single person name is currently supported.	NEHTA	Alignment of specifications	2 Dec 2012
23	7.1.3.1.1.2	NOMINATED PRIMARY HEALTH- CARE PROVIDER - ORGANISATION	Cardinality	Nominated Primary Healthcare Provider (Organisation) was 1* now 01	NEHTA	Alignment of specifications	2 Dec 2012
24	7.1.3.1.1.2	NOMINATED PRIMARY HEALTH- CARE PROVIDER - ORGANISATION	Cardinality	Nominated Primary Healthcare Provider (Organisation) > Participant > Entity Identifier was 11 now 1*	NEHTA	Alignment of specifications	2 Dec 2012

ID	Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
25	7.1.3.1.1.2	NOMINATED PRIMARY HEALTH- CARE PROVIDER - ORGANISATION	Cardinality	Nominated Primary Healthcare Provider (Organisation) > Participant > Address was 0* now 1*	NEHTA	Alignment of specifications	2 Dec 2012
26	7.1.3.1.1.2	NOMINATED PRIMARY HEALTH- CARE PROVIDER - ORGANISATION	Cardinality	Nominated Primary Healthcare Provider (Organisation) > Participant > Electronic Communication Detail was 0* now 1*	NEHTA	Alignment of specifications	2 Dec 2012
27	7.1.4.1.1.1.2	SERVICE PROVIDER - ORGANISATION	Cardinality	Service Provider > Participant > Address was 01 now 0*	NEHTA	Alignment of specifications	2 Dec 2012
28	7.1.4.2.1.1.1	RECOMMENDATION RECIPIENT - PER- SON	Cardinality	Recommendation Recipient > Participant > Person or Organisation or Device > Person > Person Name was 11 now 1* Use Participation 3.2 Participation Specification 3.2 should be used instead of 3.1, with the following exceptions - restrictions in CDA implementation guide still apply with repect to multiple person names. That is, only a single person name is currently supported.	NEHTA	Alignment of specifications	2 Dec 2012
29	7.1.4.2.1.1.2	RECOMMENDATION RECIPIENT - ORGAN- ISATION	Cardinality	Recommendation Recipient > Participant > Address was 01 now 0*	NEHTA	Alignment of specifications	2 Dec 2012
30	7.1.1.2.1	EXCLUSION STATE- MENT - PROBLEMS AND DIAGNOSES	Code Change	Code changed (defined) Was: @code="103.16302" Now: @code="103.16302.4.3.1"	NEHTA	Alignment of specifications	2 Dec 2012
31	7.1.2.1.1	EXCLUSION STATE- MENT - MEDICA- TIONS	Code Change	Code changed (defined) Was: @code="103.16302.4.3.1" Now: @code="103.16302.4.3.2"	NEHTA	Alignment of specifications	2 Dec 2012
32	7.1.2.1.2	THERAPEUTIC GOOD for 7.1.2.1. CURRENT MEDICA- TIONS ON DIS- CHARGE	Code Change	Therapeutic Good > Medication History > Change Detail > Reason for Change ClassCode and Code changed for change from Observation to act	NEHTA	Alignment of specifications	2 Dec 2012
33	7.1.2.2.1	EXCLUSION STATE- MENT - MEDICA- TIONS	Code Change	Code changed (defined) Was: @code="102.16136.4.3.2" Now: @code="103.16302.4.3.3"	NEHTA	Alignment of specifications	2 Dec 2012
34	10.20	NCTIS: Admin Codes - Result Status	Code change	codeSysten OID change Was: 1.2.36.1.2001.1001.101.104.16502 Now: 1.2.36.1.2001.1001.101.104.16501	NEHTA	Alignment of specifications	2 Dec 2012
35	7.1.1.2.1	EXCLUSION STATE- MENT - PROBLEMS AND DIAGNOSES	Context changed	Exclusion Statement - Problems and Diagnoses > Global Statement has Component/Section mapping re- placed by Entry Context: ClinicalDocument/component/structuredBody/component[event]/section/compon- ent[prob_visit]/section/component[excl_prob]/section changed to Context: ClinicalDocument/component/struc- turedBody/component[event]/section/component[prob_visit]/section/entry[gbl_prob]/observation	NEHTA	Alignment of specifications	2 Dec 2012
36	7.1.1.5.1	PATHOLOGY TEST RESULT	Context Changed	Pathology Test Result Context was: ClinicalDocument/component/structuredBody/component[diag_inv]/section/component[path_test]/section Context now: ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/component[path_test]/section	NEHTA	Alignment of specifications	2 Dec 2012
37	7.1.1.5.1	PATHOLOGY TEST RESULT	Context changed	Pathology Test Result > Test Request Details > Test Requested Name has clinical statement changed from entryRelationship[req_name]/act to entryRelationship[req_name]/observation	NEHTA	Alignment of specifications	2 Dec 2012

ID	Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
38	7.1.1.5.1.2.1	RESULT GROUP SPECIMEN DETAIL	Context Changed	Result Group Specimen Detail context changed Was: ClinicalDocument/component/structuredBody/com- ponent[diag_inv]/section/component[path_test]/section/entry[path_test_res]/observation/entryRelation- ship[res_gp]/organizer/ Now: ClinicalDocument/component/structuredBody/component[event]/section/com- ponent[diag_inv]/section/component[path_test]/section/entry[path_test_res]/observation/entryRelation- ship[res_gp]/organizer/	NEHTA	Alignment of specifications	2 Dec 2012
39	7.1.1.5.2.1	IMAGING EXAMINA- TION RESULT GROUP	Context Changed	Imaging Examination Result Group Context was: ClinicalDocument/component/structuredBody/compon- ent[event]/section/component[diag_inv]/section/entryRelationship/observation[im_exam_res]/entryRelation- ship[im_res_gp]/organizer Contex Now: ClinicalDocument/component/structuredBody/component[event]/sec- tion/component[diag_inv]/section/component[im_exam_res]/component/entryRelationship[im_res_gp]/or- ganizer	NEHTA	Alignment of specifications	2 Dec 2012
40	7.1.2.1.1	EXCLUSION STATE- MENT - MEDICA- TIONS	Context changed	CDA Body Level 3 Data Elements changed from context Was Context: ClinicalDocument/component/struc- turedBody/component[health]/section/component[meds]/section/component[current]/section/component[ex- cl_meds]/section/entry[gbl_meds]/observation Now Context: ClinicalDocument/component/struc- turedBody/component[meds]/section/component[current]/section/entry[gbl_meds]/observation	NEHTA	Alignment of specifications	2 Dec 2012
41	7.1.2.1.2	THERAPEUTIC GOOD for 7.1.2.1. CURRENT MEDICA- TIONS ON DIS- CHARGE	Context changed	Context: ClinicalDocument/component/structuredBody/component[meds]/section/component[current]/section change from an observation to an act Was: entry[sbadm]/substanceAdministration/entryRelation-ship[change_detail]/observation/ entryRelationship[rsn_for_change]/observation Now: entry[sbadm]/substanceAdministration/entryRelationship[change_detail]/observation/ entryRelationship[change_detail]/observation/ entryRelationship[change_detail]/observation/ entryRelationship[change_detail]/observation/ entryRelationship[change_detail]/observation/ entryRelationship[change_detail]/observation/ entryRelationship[change_detail]/observation/ entryRelationship[rsn_for_change]/act	NEHTA	Alignment of specifications	2 Dec 2012
42	7.1.2.2.1	EXCLUSION STATE- MENT - CEASED MEDICATIONS	Contex Changed	Exclusion Statement - Ceased Medications Context was: ClinicalDocument/component/structuredBody/com- ponent[health]/section/component[meds]/section/component[ceased]/section/component[excl_meds]/section/ Context now: ClinicalDocument/component/structuredBody/component[meds]/section/component[cur- rent]/section/entry[gbl_meds]/observation	NEHTA	Alignment of specifications	2 Dec 2012
43	7.1.2.2.1	EXCLUSION STATE- MENT - MEDICA- TIONS	Context changed	CDA Body Level 3 Data Elements changed from context Was Context: ClinicalDocument/component/struc- turedBody/component[health]/section/component[meds]/section/component[current]/section/component[ex- cl_meds]/section/entry[gbl_meds]/observation Now Context: ClinicalDocument/component/struc- turedBody/component[meds]/section/component[current]/section/entry[gbl_meds]/observation	NEHTA	Alignment of specifications	2 Dec 2012
44	7.1.3.2.1	EXCLUSION STATE- MENT - ADVERSE REACTION	Context changed	Exclusion statement in earlier document had multiple entry/observations components for all types of adverse reactions, but now replaced with a single global exclusion statement	NEHTA	Alignment of specifications	2 Dec 2012
45	7.1.3.2.1	EXCLUSION STATE- MENT - ADVERSE REACTION	Context changed	Exclusion Statement - Adverse Reactions > Global Statement has Component/Section replaced by Entry observation Context: ClinicalDocument/component/structuredBody/component[event]/section/component[prob_visit]/section/component[excl_prob]/section changed from component[excl_adv]/section/entry[gbl_adv]/observation	NEHTA	Alignment of specifications	2 Dec 2012
46	7.1.4.1.1.1.1	SERVICE PROVIDER - PERSON	Context changed	Service Provider (Person) Context was: ClinicalDocument/component/structuredBody/component[health]/sec- tion/component[arranged]/section/entry[service]/act/performer Context now: ClinicalDocument/compon- ent/structuredBody/component[plan]/section/component[arranged]/entry[service]/act/performer	NEHTA	Alignment of specifications	2 Dec 2012
47	7.1.4.1.1.1.2	SERVICE PROVIDER - ORGANISATION	Context changed	Service Provider (Organisation) Context was: ClinicalDocument/performer Context now: ClinicalDocu- ment/component/structuredBody/component[plan]/section/component[arranged]/section/entry[service]/act/per- former	NEHTA	Alignment of specifications	2 Dec 2012
48	6.1.1	DOCUMENT AUTHOR	New Element (com- mon Pattern Employ- ment added)	Document Author > Participant > Person or Organisation or Device > Person > Employment Detail Is now defined as the common Pattern Employment and this removes the need for the previous requirement of assignedAuthor/representedOrganisation	NEHTA	Alignment of specifications	2 Dec 2012

ID	Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
49	7.1.1.1.1	RESPONSIBLE HEALTH PROFES- SIONAL AT TIME OF DISCHARGE	New Element (com- mon Pattern Employ- ment added)	Responsible Health Professional at Time of Discharge > Participant > Person or Organisation or Device > Person > Employment Detail is now defined as the common Pattern Employment and this removes the need for the previous requirement of representedOrganisation.	NEHTA	Alignment of specifications	2 Dec 2012
50	7.1.1.1.2	OTHER PARTI- CIPANT	New Element (com- mon Pattern Employ- ment added)	Document Author > Participant > Person or Organisation or Device > Person > Employment Detail Is now defined as the common Pattern Employment and this removes the need for the previous requirement of associatedEntity/scopingOrganisation	NEHTA	Alignment of specifications	2 Dec 2012
51	7.1.1.2.1	EXCLUSION STATE- MENT - PROBLEMS AND DIAGNOSES	Removed	Exclusion Statement - Problems and Diagnoses Narrative removed.	NEHTA	Alignment of specifications	2 Dec 2012
52	7.1.1.2.1	EXCLUSION STATE- MENT - PROBLEMS AND DIAGNOSES	Removed	component[excl_prob]/section/entry[gbl_prob]/observation/id	NEHTA	Alignment of specifications	2 Dec 2012
53	7.1.1.5	DIAGNOSTIC INVEST- IGATIONS	Removed	Diagnostic Investigations mapping for component[diag_inv]/section/text removed	NEHTA	Alignment of specifications	2 Dec 2012
54	7.1.1.5.1	PATHOLOGY TEST RESULT	CDA Element change	Pathology Test Result > Test Request Details > Test Requested Name Was: entry[path_test_res]/observa- tion/entryRelationship[req_dets]/act/entryRelationship[req_name]/act/text Now: entry[path_test_res]/obser- vation/entryRelationship[req_dets]/act/entryRelationship[req_name]/observation/value:CD	NEHTA	Alignment of specifications	2 Dec 2012
55	7.1.1.5.1.1	TEST SPECIMEN DE- TAIL	New Data Compon- ent	Test Specimen Detail > Anatomical Site > Anatomical Location Image added with Optionality 0*	NEHTA	Alignment of specifications	2 Dec 2012
56	7.1.1.5.1.1	TEST SPECIMEN DE- TAIL	XML Element change	Test Specimen Detail > Handling and Processing > DateTime Received Was : entryRelationship[spec]/ob- servation/entryRelationship[date_rec]/observation/effectiveTime Now : entryRelationship[spec]/observa- tion/entryRelationship[date_rec]/observation/value:TS	NEHTA	Alignment of specifications	2 Dec 2012
57	7.1.1.5.1.1	TEST SPECIMEN DE- TAIL	XML Element change	Test Specimen Detail > Identifiers > Container Identifier Was : entryRelationship[spec]/observation/speci- men/specimenRole/specimenPlayingEntity/ext:asSpecimenInContainer/ext:container/id Now : entryRela- tionship[spec]/observation/specimen/specimenRole/specimenPlayingEntity/ext:asSpecimenInContain- er/ext:container/ext:id	NEHTA	Alignment of specifications	2 Dec 2012
58	7.1.1.5.1.2.1	RESULT GROUP SPECIMEN DETAIL	New Data Compon- ent	Result Group SpecimenDetail > Anatomical Site > Anatomical Location Image added with Optionality 0*	NEHTA	Alignment of specifications	2 Dec 2012
59	7.1.1.5.1.2.1	RESULT GROUP SPECIMEN DETAIL	XML Element change	Result Group Specimen Detail > Handling and Processing > DateTime Received Was : component/observation/entryRelationship[date_rec]/observation/effectiveTime Now : component/observation/entryRelation-ship[date_rec]/observation/value:TS	NEHTA	Alignment of specifications	2 Dec 2012
60	7.1.1.5.1.2.1	RESULT GROUP SPECIMEN DETAIL	XML Element change	Result Group Specimen Detail > Identifiers > Container Identifier Was : component/observation/speci- men/specimenRole/specimenPlayingEntity/ext:asSpecimenInContainer/ext:container/id Now : compon- ent/observation/specimen/specimenRole/specimenPlayingEntity/ext:asSpecimenInContainer/ext:contain- er/ext:id	NEHTA	Alignment of specifications	2 Dec 2012
61	7.1.2	MEDICATIONS	Added	New sections added: CURRENT MEDICATIONS ON DISCHARGE and CEASED MEDICATION as 11	NEHTA	Alignment of specifications	2 Dec 2012
62	7.1.2	MEDICATIONS	Removed	Exclusion statement medications	NEHTA	Alignment of specifications	2 Dec 2012
63	7.1.2.1.1	EXCLUSION STATE- MENT - MEDICA- TIONS	Element Removed	component[excl_meds]/section/entry[gbl_meds]/observation/id removed	NEHTA	Alignment of specifications	2 Dec 2012

ID	Documer	nt Ref.	Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
64	7.1.2.2.1	EXCLUSION STATE- MENT - MEDICA- TIONS	Element Removed	component[excl_meds]/section/entry[gbl_meds]/observation/id removed	NEHTA	Alignment of specifications	2 Dec 2012
65	7.1.2.2.2	THERAPEUTIC GOOD for 7.1.2.2 CEASED MEDICA- TIONS	Added	New data component Therapeutic Good for ceased medications that matches the configuration for Thera- peutic Good for Current Medications on Discharge	NEHTA	Alignment of specifications	2 Dec 2012
66	7.1.3.1.1.1	NOMINATED PRIMARY HEALTH- CARE PROVIDER - PERSON	Element change	was participant/functionCode="PCP" now participant/functionCode/@code="PCP"	NEHTA	Alignment of specifications	2 Dec 2012
67	7.1.3.1.1.1	NOMINATED PRIMARY HEALTH- CARE PROVIDER - PERSON	Removed	participant/associatedEntity/id was Essential 11 now removed.	NEHTA	Alignment of specifications	2 Dec 2012
68	7.1.3.1.1.1	NOMINATED PRIMARY HEALTH- CARE PROVIDER - PERSON	removed	participant/associatedEntity/id removed but required CDA Element	NEHTA	Alignment of specifications	2 Dec 2012
69	7.1.3.1.1.1	NOMINATED PRIMARY HEALTH- CARE PROVIDER - PERSON	New Element (com- mon Pattern Employ- ment added)	Nominated Primary Healthcare Provider > Participant > Person or Organisation or Device > Person > Em- ployment Detail Is common Pattern Employment and removes associatedEntity/scopingOrganisation	NEHTA	Alignment of specifications	2 Dec 2012
70	7.1.3.1.1.1	NOMINATED PRIMARY HEALTH- CARE PROVIDER - PERSON	Removed	administrativeGenderCode and birthTime extension removed.	NEHTA	Alignment of specifications	2 Dec 2012
71	7.1.3.1.1.1	NOMINATED PRIMARY HEALTH- CARE PROVIDER - PERSON	SDT Data Compon- ent	The SDT Data component defined as Document Author > Participant > Person or Organisation or Device > Person > Employment Detail is incorrect in document due to copy/paste and should be Nominated Primary Healthcare Provider > Participant > Person or Organisation or Device > Person > Employment Detail	NEHTA	Alignment of specifications	2 Dec 2012
72	7.1.3.1.1.2	NOMINATED PRIMARY HEALTH- CARE PROVIDER - ORGANISATION	removed	participant/associatedEntity/id removed but required CDA Element	NEHTA	Alignment of specifications	2 Dec 2012
73	7.1.4.1.1.1.1	SERVICE PROVIDER - PERSON	Added	Service Provider > Participant > Person or Organisation or Device > Person > Person Name was added	NEHTA	Alignment of specifications	2 Dec 2012
74	7.1.4.1.1.1.1	SERVICE PROVIDER - PERSON	New Element (com- mon Pattern Employ- ment added)	Service Provider > Participant > Person or Organisation or Device > Person > Employment Detail is the new common Pattern Employment and removes the requirement for assignedEntity/representedOrganisation	NEHTA	Alignment of specifications	2 Dec 2012
75	7.1.4.1.1.1.2	SERVICE PROVIDER - ORGANISATION	Added	Service Provider > Participant > Person or Organisation or Device > Organisation > Department/Unit added as performer/assignedEntity/representedOrganization/name	NEHTA	Alignment of specifications	2 Dec 2012

ID	Documen	t Ref.	Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
76	7.1.4.1.1.1.2	SERVICE PROVIDER - ORGANISATION	Added	Service Provider > Participant > Person or Organisation or Device > Organisation > Organisation Name Detail > Organisation Name Usage added as performer/assignedEntity/representedOrganization/asOrgan- izationPartOf/wholeOrganization/name/@use	NEHTA	Alignment of specifications	2 Dec 2012
77	7.1.4.2.1.1.1	RECOMMENDATION RECIPIENT - PER- SON	New Element (com- mon Pattern Employ- ment added)	Recommendation Recipient > Participant > Person or Organisation or Device > Person > Employment Detail is to use common Pattern Employment and removes assignedEntity/representedOrganisation	NEHTA	Alignment of specifications	2 Dec 2012
78	7.1.4.2.1.1.2	RECOMMENDATION RECIPIENT - ORGAN- ISATION	Added	Prescriber Organisation > Participant > Person or Organisation or Device > Organisation > Department/Unit added as participant/assignedEntity/representedOrganization/name	NEHTA	Alignment of specifications	2 Dec 2012
79	7.1.4.2.1.1.2	RECOMMENDATION RECIPIENT - ORGAN- ISATION	Added	Prescriber Organisation > Participant > Person or Organisation or Device > Organisation > Organisation Name Usage added as participant/assignedEntity/representedOrganization/asOrganizationPartOf/whole- Organization/name/@use	NEHTA	Alignment of specifications	2 Dec 2012
80	8	Common Patterns: 8.4 Entity Identifier	Added	ext:asEntityIdentifier/ext:code	NEHTA	Alignment of specifications	2 Dec 2012
81	8	Common Patterns: 8.8 Employment	Added	New Employment common Pattern added	NEHTA	Alignment of specifications	2 Dec 2012
82	7.1.1.1.1	RESPONSIBLE HEALTH PROFES- SIONAL AT TIME OF DISCHARGE	Removed	administrativeGenderCode and birthTime removed.	NEHTA	Alignment of specifications	2 Dec 2012
83	7.1.1.1.2	OTHER PARTI- CIPANT	Removed	Other Participant > Participant > Entitlement: CDA Body Level 3 Data Elements for entitlement removed	NEHTA	Alignment of specifications	2 Dec 2012
84	7.1.1.2.1	EXCLUSION STATE- MENT - PROBLEMS AND DIAGNOSES	Removed	Exclusion Statement - Problems and Diagnoses > No Evidence Of has been removed	NEHTA	Alignment of specifications	2 Dec 2012
85	7.1.1.5.1	PATHOLOGY TEST RESULT	Removed	Pathology Test Result > Test Request Details > Receiver Order Identifier removed	NEHTA	Alignment of specifications	2 Dec 2012
86	7.1.1.5.2.1	IMAGING EXAMINA- TION RESULT GROUP	Removed	Examination Request Details > Receiver Order Identifier removed	NEHTA	Alignment of specifications	2 Dec 2012
87	7.1.1.5.3	CLINICAL SYNOPSIS	Removed	Clinical Synopsis removed from Diagnostic Investigations and defined in its own section 7.1.1.4	NEHTA	Alignment of specifications	2 Dec 2012
88	7.1.2.1.1	EXCLUSION STATE- MENT - MEDICA- TIONS	Removed	Context: ClinicalDocument/component/structuredBody/component[health]/section/component[meds]/section/component[current]/section component[excl_meds]/section/code and title and text removed and added to 7.1.2.1 Current medications on Discharge as a new sub section.	NEHTA	Alignment of specifications	2 Dec 2012
89	7.1.2.2.1	EXCLUSION STATE- MENT - MEDICA- TIONS	Removed	Context: ClinicalDocument/component/structuredBody/component[health]/section/component[meds]/section/component[current]/section component[excl_meds]/section/code title and text removed	NEHTA	Alignment of specifications	2 Dec 2012
90	7.1.3.2.1	EXCLUSION STATE- MENT - ADVERSE REACTION	Removed	Exclusion Statement - Adverse Reactions Narrative removed.	NEHTA	Alignment of specifications	2 Dec 2012
91	6.1.1	DOCUMENT AUTHOR	Removed	administartiveGenderCode and birthTime extension removed.	NEHTA	Alignment of specifications	2 Dec 2012

ID	Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
92	7.1.4.1.1.1.1	SERVICE PROVIDER - PERSON	Removed	administrativeGenderCode and birthTime extension removed.	NEHTA	Alignment of specifications	2 Dec 2012
93	7.1.4.2.1.1.1	RECOMMENDATION RECIPIENT - PER- SON	Removed	administrativeGenderCode and birthTime extension removed.	NEHTA	Alignment of specifications	2 Dec 2012
94	7.1.1.5.2.2	EXAMINATION RE- QUEST DETAILS	Attribute details	Examination Request Details > Image Details > DICOM Series Identifier mapped to element entryRelation- ship[exam_req]/act/entryRelationship[exam_perfl/act/entryRelationship[img_det]/observation/entryRelation- ship[dicom_ser]/act/id has a requirement added (NB. The DICOM Series Identifier is placed in the root at- tribute.)	NEHTA	Alignment of specifications	2 Dec 2012
95	7.1.1.5.1	PATHOLOGY TEST RESULT	Removed Mapping	Removed mapping and example for SCS Data Component data element 'Pathology Test Result > Receiving Laboratory'	NEHTA	Alignment of specifications	2 Dec 2012

## Changes Version 3.3 02 December 2011 date to Version 3.4 07 March 2012

ID	Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name	-		Instigated By		Changed
1	1.8	Conformance	Updated Conform- ance statement	Updated the conformance statement from. This document describes how an eDS SDT is implemented as a CDA document. Conformance can be claimed to this Implementation Guide, either with regard to instances of e-Discharge Summary CDA XML documents, or to systems that consume or produce e-Discharge Summary CDA XML documents. When a conformance claim is made, it is made against this document, i.e. 'e-Discharge Summary: CDA Imple- mentation Guide v3.3'. to This document describes how an e-Discharge Summary SDT is implemented as a CDA document. Con- formance claims are not made against this Implementation Guide directly; rather, they are made against additional conformance profiles documented elsewhere. Any document that claims conformance to any derived conformance profile must meet these base requirements:	NEHTA	Document Feedback	07 March 2012
2	1.8	Conformance	Updated Conform- ance statement	<ol> <li>Removed the following statements from the Conformance section.</li> <li>A conformant document has the following properties.</li> <li>It SHALL adhere to all cardinalities as specified in the mappings in this guide.</li> <li>It SHOULD ensure that all the information in the CDA narrative sections is also present as coded entries. Note: it is a base CDA requirement that all data in the entries SHALL be represented in the narrative.</li> <li>A system that produces e-Discharge Summary CDA documents may claim conformance if all the documents it produces are conformant to this guide.</li> </ol>	NEHTA	Document Feedback	07 March 2012

ID	Documen	t Ref.	Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
3	1.8	Conformance	Updated Conform- ance statement	Updated the conformance statement from. It <b>SHALL</b> use vocabularies and codes sets as specified in the mappings, unless the vocabulary has been explicitly stated as: to If the vocabulary has been explicitly stated as 'NS' it must be interpreted as:	NEHTA	Document Feedback	07 March 2012
4	1.8	Conformance	Updated Conform- ance statement	Updated the conformance statement from. It SHALL be valid against the additional conformance requirements that are established in this document. to It SHALL be valid against the additional conformance requirements that are established in this document (i.e. any use of the word "SHALL" in uppercase and bold typeface).	NEHTA	Document Feedback	07 March 2012
5	1.8	Conformance	Updated Conform- ance statement	Updated the conformance statement from. The document SHALL conform to the requirements specified in the CDA Rendering Guide. to The document SHALL conform to the requirements specified in the CDA Rendering Specification.	NEHTA	Document Feedback	07 March 2012
6	1.8	Conformance	Updated Conform- ance statement	Updated the conformance statement from. Any additional content included in the CDA document that is not described by this implementation guide SHALL not qualify or negate content described by this guide and it SHALL be clinically safe for receivers of the document to ignore the non-narrative additions. to Any additional content included in the CDA document that is not described by this implementation guide SHALL not qualify or negate content described by this guide and it SHALL be clinically safe for receivers of the document to ignore the non-narrative additions when interpreting the existing content.	NEHTA	Document Feedback	07 March 2012

ID	Documen	t Ref.	Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
7	1.8	Conformance	Updated Conform- ance statement	Updated the conformance statement from. A system that consumes e-Discharge Summary CDA documents may claim conformance if it correctly processes conformant instance documents, including correctly understanding all the information in the header. It may, but is not required to, reject nonconformant documents. Note: conformant systems that consume e-Discharge Summary CDA documents are not required to process all the structured data entries in the CDA document but they SHALL be able to correctly render the document for endusers when appro- priate (see 2.1 Clinical Document Architecture Release 2). to A system that consumes e-Discharge Summary CDA documents may claim conformance if it correctly processes conformant instance documents, including correctly understanding all the information in the header. It may, but is not required to, reject nonconformant documents. Conformant systems that consume e-Discharge Summary CDA documents are not required to process any or all of the structured data entries in the CDA document but they SHALL be able to correctly render the document for end-users when appro- priate (see 2.1 Clinical Document Architecture Release 2).	NEHTA	Document Feedback	07 March 2012
8	1.8	Conformance	Updated Conform- ance statement	Added the following statements to the conformance section. Conformance Profiles of this document may make additional rules that override this document in regard to 1. Allowing the use of alternative value sets in place of the value sets specified in this document 2. Allowing the use of alternative identifiers in place of the HI Service identifiers 3. Making required data elements and/or section divisions optional	NEHTA	Document Feedback	07 March 2012
9	1.9	Known Issues	Updated text	Changed 'Does this data group need an Australian CDA extension:?' to 'This data group is currently not mapped to CDA'.	NEHTA	Document Feedback	07 March 2012
10	1.9	Known Issues	Updated text	Changed 'Does this element hold the same data as Facility > Role?' to 'This data group is currently not mapped to CDA'.	NEHTA	Document Feedback	07 March 2012
11	1.9	Known Issues	Added Known Issue	Added the following Known Issue Throughout document While every effort has been taken to ensure that the examples are consistent with consistent with the normative mappings in this message specification, care need to be taken when copying XML examples for implementation and validation.	NEHTA	Document Feedback	07 March 2012
12	1.9	Known Issues	Removed Known Is- sue	Removed the following Known Issue 5 CDA Header CDA Header concepts relevant to the creation of a valid CDA document are not defined with clear instruction and guidance on their intended use. i.e. Custodian is mandatory in CDA - what would this be in this docu- ment?	NEHTA	Document Feedback	07 March 2012

ID	Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
13	1.9	Known Issues	Removed Known Is-	Removed the following Known Issue	NEHTA	Document Feedback	07 March 2012
			sue	Entity Identifier			
				Conformance statements in the comments column need to be verified.			
14	10.19	METeOR 291036: Indi- genous Status	Updated CodeSys- tem	Updated CodeSystem from '2.16.840.1.113883.3.879' to '2.16.840.1.113883.3.879.291036' in the Indigenous Status CodeSet table.	NEHTA	Document Feedback	07 March 2012
15	2.3	CDA Extensions	Updated version	Changed the current CDA extensions version and its namespace version number from 1.0 to 3.0	NEHTA	Document Feedback	07 March 2012
			numbers	Changed the future CDA extension namespace version number reference from 2.0 to 4.0			
16	3	e-Discharge Summary Data Hierarchy	Updated Data Hier- archy	Updated 'DIAGNOSTIC INVESTIGATIONS> PATHOLOGY TEST RESULT> TEST SPECIMEN DETAIL' cardinality from 0* to 1*	NEHTA	Document Feedback	07 March 2012
17	3	e-Discharge Summary Data Hierarchy	Updated Data Hier- archy	Updated 'TEST SPECIMEN DETAIL > Handling and Processing' cardinality from 01 to 11	NEHTA	Document Feedback	07 March 2012
18	3	e-Discharge Summary Data Hierarchy	Updated Data Hier- archy	Updated 'TEST SPECIMEN DETAIL > Handling and Processing > Collection DateTime' cardinality from 0.1 to 11	NEHTA	Document Feedback	07 March 2012
19	3	e-Discharge Summary Data Hierarchy	Updated Data Hier- archy	Updated 'Result Group Specimen Detail > Handling and Processing' cardinality from 01 to 11	NEHTA	Document Feedback	07 March 2012
20	3	e-Discharge Summary Data Hierarchy	Updated Data Hier- archy	Updated 'Result Group Specimen Detail > Handling and Processing > Collection DateTime' cardinality from 01 to 11	NEHTA	Document Feedback	07 March 2012
21	5.1	ClinicalDocument	Updated Mapping	Updated Mapping and XML example from:	NEHTA	Document Feedback	21 February
			and XML example	templateId/@extension="3.3"			2012
				to:			
				templateId/@extension="3.4"			
22	5.1	ClinicalDocument	Updated Mapping	Changed templateId/@root and XML example from.	NEHTA	Document Feedback	07 March 2012
			fragment	1.2.36.1.2001.1001.101.100.20000			
				to			
				1.2.36.1.2001.1001.101.100.1002.4			
23	5.1	ClinicalDocument	Updated Mapping	Changed templateId/@root 'Comments' column from.	NEHTA	Document Feedback	07 March 2012
				The healthcare context-specific name of the published Structured Content Specification.			
				to			
				The healthcare context-specific name of the published e-Discharge Summary CDA Implementaion Guide.			

ID	Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
24	5.1	ClinicalDocument	Updated Cardinality	Changed ClinicalDocument/templateld cardinality from 11 to 1* in the mapping table.	NEHTA	Document Feedback	07 March 2012
			and comment	Added the following comment to the mapping table 'Comments' column.			
				One or more template identifiers that indicate constraints on the CDA document that this document conforms to. One of the identifiers must be the templateId that identifies this specification (see immediately below). Additional template identifiers may be required by other specifications, such as the CDA Rendering Specification.			
				Systems are not required to recognise any other the template identifiers than the one below in order to understand the document as a [type] but these identifiers may influence how the document must be handled.			
25	5.1.1	LegalAuthenticator	Updated Mapping reference	Changed all occurances of 'LegalAuthenticator' in the mapping table to 'legalAuthenticator'.	NEHTA	Document Feedback	07 March 2012
26	6.1.1	DOCUMENT AU- THOR	Updated XML ex- ample fragment	Removed ext:administrativeGender and ext:birthTime elements from the XML example.	NEHTA	Document Feedback	10 February 2012
27	6.1.1	DOCUMENT AU- THOR	Updated Mapping	Added 'See common pattern:Entity Identifier' to the 'Document Author > Participant > Entity Identifier' Comments column.	NEHTA	Document Feedback	07 March 2012
28	6.1.2	SUBJECT OF CARE	Updated R-MIM rep- resentation	Added 01 as cardinality for assignedGeographicArea	NEHTA	Document Feedback	07 March 2012
29	7.1.1.1	ENCOUNTER	Updated XML ex- ample	Added @typeCode="DRIV" to the 'entry[specialty]' XML example.	NEHTA	Document Feedback	07 March 2012
30	7.1.1.1.1	RESPONSIBLE HEALTH PROFES- SIONAL AT TIME OF DISCHARGE	Updated XML ex- ample fragment	Removed ext:administrativeGender and ext:birthTime elements from the XML example.	NEHTA	Document Feedback	10 February 2012
31	7.1.1.1.2	OTHER PARTI-	Updated Mapping	Removed mapping and XML example for the following SCS Data elements	NEHTA	Document Feedback	07 March 2012
		CIPANT	and XIVIL example	Other Participant > Participant > Person or Organisation or Device > Demographic Data			
				Other Participant > Participant > Person or Organisation or Device > Person > Demographic Data > Sex			
				Other Participant > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail			
				Other Participant > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > Date of Birth			
32	7.1.1.1.2	OTHER PARTI-	Updated Mapping	Updated SCS Data Component Name from	NEHTA	Document Feedback	07 March 2012
		CIFAINT	and XIME example	Document Author > Participant > Person or Organisation or Device > Person > Employment Detail			
				Other Participant > Participant > Person or Organisation or Device > Person > Employment Detail			
33	7.1.1.1.2	OTHER PARTI- CIPANT	Updated R-MIM rep- resentation	Removed administrativeGenderCode and birthTime from the CDA R-MIM diagram	NEHTA	Document Feedback	07 March 2012

ID	Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
34	7.1.1.2.1	EXCLUSION STATE- MENT - PROBLEMS AND DIAGNOSE	Updated XML ex- ample fragment	Removed the entry[gbl_prob]/observation/id element from the XML example.	NEHTA	Document Feedback	10 February 2012
35	7.1.1.2.1	EXCLUSION STATE- MENT - PROBLEMS AND DIAGNOSES	Updated XML ex- ample	Changed 'Global Statement' XML example from <entry typecode="DRIV">&gt; to <entry>&gt;</entry></entry>	NEHTA	Document Feedback	07 March 2012
36	7.1.1.2.1	EXCLUSION STATE- MENT - PROBLEMS AND DIAGNOSES	Updated XML ex- ample	Changed 'Global Statement' code XML example from <code code="103.16302" codesystem="1.2.36.1.2001.1001.101" codesystemname="NCTIS&lt;br&gt;Data Components" displayname="Global Statement"></code> > to <code code="103.16302.4.3.1" codesystem="1.2.36.1.2001.1001.101" codesystem-<br="">Name="NCTIS Data Components" displayName="Global Statement" /&gt;&gt;</code>	NEHTA	Document Feedback	07 March 2012
37	7.1.1.3	CLINICAL INTERVEN- TIONS PERFORMED THIS VISIT	Updated XML ex- ample	Added @typeCode="DRIV" to the 'component[inter_visit]/section/entry[inter]' XML example.	NEHTA	Document Feedback	07 March 2012
38	7.1.1.4	CLINICAL SYNOPSIS	Updated XML ex- ample	Added @typeCode="DRIV" to the 'component[synop]/section/entry' XML example.	NEHTA	Document Feedback	07 March 2012
39	7.1.1.5	DIAGNOSTIC INVEST- IGATIONS	Updated R-MIM Representation	Removed text attribute from the R-MIM Section class.	NEHTA	Document Feedback	10 February 2012
40	7.1.1.5	DIAGNOSTIC INVEST- IGATIONS	Updated XML ex- ample	Removed text element from the XML example.	NEHTA	Document Feedback	10 February 2012
41	7.1.1.5.1	PATHOLOGY TEST RESULT	Updated XML ex- ample	Removed xsi:type="ED" attribute from observationMedia/value data elements.	NEHTA	Document Feedback	07 March 2012
42	7.1.1.5.1	PATHOLOGY TEST RESULT	Updated XML ex- ample	Updated 'Overall Pathology Test Result Status' XML fragment OID value from. 1.2.36.2001.1001.104.16501 to 1.2.36.2001.1001.101.104.16501	NEHTA	Document Feedback	07 March 2012
43	7.1.1.5.1	PATHOLOGY TEST RESULT	Updated Cardinality	Changed 'Test Speciment Detail'cardinality from '0*' to '1*' and 'Essential' to 'Optional' in the relationships table.	NEHTA	Document Feedback	10 February 2012

ID	Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
44	7.1.1.5.1.1	TEST SPECIMEN	Updated context	Updated context from:	NEHTA	Document Feedback	10 February
		DETAIL		ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/component[path_test_res]/entry[path_test_res]/observation/			2012
				to:			
				ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/component[path_test]/section/entry[path_test_res]/observation/			
45	7.1.1.5.1.1	TEST SPECIMEN	Updated Mapping	Updated Mapping from:	NEHTA	Document Feedback	21 February
		DETAIL		entryRelationship[spec]/observation/entryRelationship[coll_set]/observation/text:ST			2012
				to:			
				entryRelationship[spec]/observation/entryRelationship[coll_set]/observation/value:ST			
46	7.1.1.5.1.1	TEST SPECIMEN DETAIL	TEST SPECIMEN Updated XML ex-	Updated XML example for 'Test Specimen Detail > Handling and Processing > Collection Setting' from:	NEHTA	Document Feedback	21 February 2012
			ampie	<text>Pathology Clinic</text>			
				to:			
				<value value="Pathology Clinic" xsi:type="ST"></value>			
47	7.1.1.5.1.1	TEST SPECIMEN DETAIL	Updated XML ex- ample	Removed three occurrences of xsi:type="ED" attribute from observationMedia/value data elements.	NEHTA	Document Feedback	07 March 2012
48	7.1.1.5.1.1	TEST SPECIMEN DETAIL	Updated XML ex- ample fragment	Added ext: namespace prefix to id element in the XML example.	NEHTA	Document Feedback	10 February 2012
49	7.1.1.5.1.2	PATHOLOGY TEST RESULT GROUP	Updated XML ex- ample	Updated 'Pathology Test Result Group > Individual Pathology Test Result > Individual Pathology Test Result Value Normal Status' XML fragment from.	NEHTA	Document Feedback	07 March 2012
				<interpretationcode code="N"></interpretationcode>			
				to			
				<pre><interpretationcode code="N" codesystem="2.16.840.1.113883.5.83" codesystemname="HL7 ObservationInterpretationNor-&lt;br&gt;mality" displayname="Normal"></interpretationcode></pre>			
				and			
				<interpretationcode code="HH"></interpretationcode>			
				to			
				<pre><interpretationcode code="HH" codesystem="2.16.840.1.113883.5.83" codesystemname="HL7 ObservationInterpretationNor-&lt;br&gt;mality" displayname="High alert"></interpretationcode></pre>			

ID	Documen	t Ref.	Change Type	Change Detail	Changed	Rational For Change	Date						
	Section	Section Name			Instigated By		Changed						
50	7.1.1.5.1.2		Updated XML ex-	Updated SCS Data Component Name from:	NEHTA	Document Feedback	21 February						
		RESULT GROOP	ampie	Individual Pathology Test Result Value Reference Range Details			2012						
				to:									
				Individual Pathology Test Result Value Reference Range									
51	7.1.1.5.1.2.1	RESULT GROUP SPECIMEN DETAIL	Updated XML ex- ample fragment	Added ext: namespace prefix to id element in the XML example.	NEHTA	Document Feedback	10 February 2012						
52	7.1.1.5.1.2.1	Result Group Speci-	Updated Mapping	Updated Mapping from:	NEHTA	Document Feedback	21 February						
		men Detail		component/observation/entryRelationship[coll_set]/observation/text:ST			2012						
				to:									
				component/observation/entryRelationship[coll_set]/observation/value:ST									
53	7.1.1.5.1.2.1	RESULT GROUP SPECIMEN DETAIL	Updated XML ex- ample	Updated XML example for 'Result Group Specimen Detail > Handling and Processing > Collection Setting' from:	NEHTA	Document Feedback	21 February 2012						
				<text>Pathology Clinic</text>									
				to:									
				<value value="Pathology Clinic" xsi:type="ST"></value>									
54	7.1.1.5.2	IMAGING EXAMINA- TION RESULT	Updated XML ex- ample fragment	Added qualifier element to the XML example.	NEHTA	Document Feedback	10 February 2012						
55	7.1.1.5.2.1	IMAGING EXAMINA- TION RESULT GROUP	Updated XML ex- ample fragment	Added qualifier element to the XML example.	NEHTA	Document Feedback	10 February 2012						
56	7.1.1.5.2.1	IMAGING EXAMINA-	IMAGING EXAMINA-	IMAGING EXAMINA-	IMAGING EXAMINA-	IMAGING EXAMINA-	IMAGING EXAMINA-	IMAGING EXAMINA-	Updated context	Updated context from:	NEHTA	Document Feedback	10 February
		GROUP		ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/com- ponent[im_exam_res]/component/			2012						
				to:									
				ClinicalDocument/component/structuredBody/component[event]/section/component[diag_inv]/section/component[img_exam]/section/entry[img_exam_res]/observation/									
57	7.1.1.5.2.1	IMAGING EXAMINA- TION RESULT GROUP	Updated XML ex- ample fragment	Added entry/Observation elements to the XML example.	NEHTA	Document Feedback	13 February 2012						
58	7.1.1.5.2.1	IMAGING EXAMINA-	Updated SCS Data	Updated SCS Data Component Name from:	NEHTA	Document Feedback	21 February						
		GROUP	Component Name	Imaging Examination Result Group > Anatomical Site			2012						
				to:									
				Imaging Examination Result Group > Anatomical Location									

ID	Document Ref.		Change Type	Change Detail	Changed	ed Rational For Change	Date
	Section	Section Name			Instigated By		Changed
59	7.1.1.5.2.1	IMAGING EXAMINA- TION RESULT GROUP	Updated XML ex- ample	Updated 'Imaging Examination Result Group > Individual Imaging Examination Result > Imaging Examination Result Value Normal Status' XML fragment from.	NEHTA	Document Feedback	07 March 2012
				to <pre><interpretationcode code="N" codesystem="2.16.840.1.113883.5.83" codesystemname="HL7 ObservationInterpretationNor-&lt;/pre&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;60&lt;/td&gt;&lt;td&gt;7.1.1.5.2.2&lt;/td&gt;&lt;td&gt;EXAMINATION RE-&lt;br&gt;QUEST DETAILS&lt;/td&gt;&lt;td&gt;Updated Mapping&lt;/td&gt;&lt;td&gt;mality" displayname="Normal"></interpretationcode> Updated 5 occurances of Examination Request Details &gt; Image Details &gt; DICOM Series Identifier mapping from</pre>	NEHTA	Document Feedback	07 March 2012
				entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observa- tion/entryRelationship[dicom_ser]/observation/			
				to entryRelationship[exam_req]/act/entryRelationship[exam_perf]/act/entryRelationship[img_det]/observa- tion/entryRelationship[dicom_ser]/act/			
61	7.1.1.5.2.2	EXAMINATION RE- QUEST DETAILS	Updated XML ex- ample	Removed xsi:type="ED" attribute from observationMedia/value data elements.	NEHTA	Document Feedback	07 March 2012
62	7.1.2.1.1	EXCLUSION STATE- MENT - MEDICA- TIONS	Updated XML ex- ample fragment	Removed id element from the XML example.	NEHTA	Document Feedback	10 February 2012
63	7.1.2.1.1	EXCLUSION STATE- MENT - MEDICA- TIONS	Updated XML ex- ample	Changed 'Global Statement' XML example from <entry typecode="DRIV">&gt;</entry>	NEHTA	Document Feedback	07 March 2012
				to <pre><centry>&gt;</centry></pre>			
64	7.1.2.1.2	THERAPEUTIC GOOD: Example 7.22	Updated XML ex- ample fragment	Removed id element from the XML example.	NEHTA	Document Feedback	10 February 2012
65	7.1.2.2.1	EXCLUSION STATE- MENT - MEDICA- TIONS	Updated XML ex- ample	Changed 'Global Statement' XML example from <entry typecode="DRIV">&gt;</entry>	NEHTA	Document Feedback	07 March 2012
				to <entry>&gt;</entry>			
66	7.1.2.2.2	THERAPEUTIC GOOD	Updated Mapping	Added text element to the mapping.	NEHTA	Document Feedback	10 February 2012

ID	Documen	t Ref.	Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
67	7.1.3.1.1.1	NOMINATED PRIMARY HEALTH- CARE PROVIDER - PERSON	Updated SCS Data Component Name from	Document Author > Participant > Person or Organisation or Device > Person > Employment Detail to Nominated Primary Healthcare Provider > Participant > Person or Organisation or Device > Person > Em- ployment Detail	NEHTA	Document Feedback	07 March 2012
68	7.1.3.1.1.1	NOMINATED PRIMARY HEALTH- CARE PROVIDER - PERSON	Updated Mapping	Updated vocabulary reference for 'associatedEntity/@classCode' from 'HL7:RoleClassCodeAssociative' to 'HL7:RoleClassAssociative'	NEHTA	Document Feedback	07 March 2012
69	7.1.3.1.1.1	NOMINATED PRIMARY HEALTH- CARE PROVIDER - PERSON	Updated R-MIM Representation	Removed 'administrativeGenderCode' and 'birthTime' attributes and its 'Note' comment from the 'Person' class in the R-MIM diagram.	NEHTA	Document Feedback	07 March 2012
70	7.1.3.1.1.2	NOMINATED PRIMARY HEALTH- CARE PROVIDER - ORGANISATION	Updated Mapping reference	Changed all occurances of 'Nominated Primary Healthcare Provider (Person)' in the mapping table to 'Nominated Primary Healthcare Provider(Organisation)'.	NEHTA	Document Feedback	07 March 2012
71	7.1.3.1.1.2	NOMINATED PRIMARY HEALTH- CARE PROVIDER - ORGANISATION	Updated text from	Figure 7.29, "Nominated Primary Healthcare Provider" to Figure 7.29, "Nominated Primary Healthcare Provider (Organisation)"	NEHTA	Document Feedback	07 March 2012
72	7.1.3.1.1.2	NOMINATED PRIMARY HEALTH- CARE PROVIDER - ORGANISATION	Updated text from	"Usual GP (ORGANISATION) data group" to "Nominated Primary Healthcare Provider (Organisation) data group"	NEHTA	Document Feedback	07 March 2012
73	7.1.3.1.1.2	NOMINATED PRIMARY HEALTH- CARE PROVIDER - ORGANISATION	Updated SCS Data Component Name from	'Prescriber Organisation > Participant> Person or Organisation or Device >Organisation > Department/Unit' to 'Nominated Primary Healthcare Provider (Person) > Participant> Person or Organisation or Device >Organ- isation > Department/Unit'	NEHTA	Document Feedback	07 March 2012
74	7.1.3.1.1.2	NOMINATED PRIMARY HEALTH- CARE PROVIDER - ORGANISATION	Updated SCS Data Component Name from	<ul> <li>'Prescriber Organisation &gt; Participant&gt; Person or Organisation or Device &gt;Organisation &gt; Organisation</li> <li>Name Usage'</li> <li>to</li> <li>'Nominated Primary Healthcare Provider (Person) &gt; Participant&gt; Person or Organisation or Device &gt;Organisation &gt; Organisation Name Usage'</li> </ul>	NEHTA	Document Feedback	07 March 2012

ID	Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
75	7.1.3.1.1.2		Updated Mapping	Updated Mapping from:	NEHTA	Document Feedback	07 March 2012
		CARE PROVIDER -		participant/functionCode="PCP"			
		ORGANISATION		to:			
		1		participant/functionCode/@code="PCP"			
76	7.1.3.1.1.2		Updated Mapping	Updated Mapping from:	NEHTA	Document Feedback	07 March 2012
		CARE PROVIDER -		participant/associatedEntity/participant/associatedEntity/@classCode			
		ORGANISATION		to:			
<u> </u>				participant/associatedEntity/@classCode			
77	7.1.3.1.1.2	NOMINATED PRIMARY HEALTH-	Fixed typo	Changed 'Context: ClincalDocument' to 'Context: ClinicalDocument'.	NEHTA	Document Feedback	07 March 2012
		CARE PROVIDER - ORGANISATION					
78	7.1.3.1.1.2		Updated Mapping	Updated vocabulary reference for 'associatedEntity/@classCode' from	NEHTA	Document Feedback	07 March 2012
		CARE PROVIDER -		'HL7:RoleClassCodeAssociative'			
		ORGANISATION		to			
				'HL7:RoleClassAssociative'			
79	7.1.3.2.1	EXCLUSION STATE-	Updated XML ex-	Changed 'Global Statement' XML example from	NEHTA	Document Feedback	07 March 2012
		REACTION	ampie	<pre><entry typecode="DRIV">&gt;</entry></pre>			
				to			
				<entry>&gt;</entry>			
80	7.1.3.2.1	EXCLUSION STATE- MENT - ADVERSE REACTION	Fixed typo	Removed an unwanted typo 'C' below 'Figure 7.31. Exclusion Statement - Adverse Reaction' title.	NEHTA	Document Feedback	07 March 2012
81	7.1.4.1.1.1	SERVICE PROVIDER - PERSON	Updated R-MIM Representation	Removed 'administrativeGenderCode' and 'birthTime' attributes and its 'Note' comment from the 'Person' class in the R-MIM diagram.	NEHTA	Document Feedback	07 March 2012
82	7.1.4.1.1.1.2	SERVICE PROVIDER	Updated Mapping	'CDA Header Data Elements'	NEHTA	Document Feedback	07 March 2012
		- ORGANISATION	context laber from	to			
				'CDA Body Level 3 Data Elements'			
83	7.1.4.1.1.1.2	SERVICE PROVIDER - ORGANISATION	Fixed typo	Changed 'ClincalStatement' to 'ClinicalStatement'	NEHTA	Document Feedback	07 March 2012

ID	D Document Ref.		Change Type	Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
84	7.1.4.2.1.1.1	RECOMMENDATION RECIPIENT - PER- SON	Updated Mapping context label from	'CDA Header Data Elements' to 'CDA Body Level 3 Data Elements'	NEHTA	Document Feedback	07 March 2012
85	7.1.4.2.1.1.2	RECOMMENDATION RECIPIENT - ORGAN- ISATION	Updated SCS Data component mapping	Renamed 'Prescriber Organisation' to 'RECOMMENDATION RECIPIENT' for 'Unit' and 'Organisation Name Usage' mappings in the mapping table	NEHTA	Document Feedback	10 February 2012
86	7.1.4.2.1.1.2	RECOMMENDATION RECIPIENT - ORGAN- ISATION	Updated Mapping context label from	'CDA Header Data Elements' to 'CDA Body Level 3 Data Elements'	NEHTA	Document Feedback	07 March 2012
87	8.4	Entity Identifier	Updated cardinality	Updated cardinality column text from Cardinality comes from linking parent. to The cardinality of the group comes from the linking parent. The cardinality of the children data elements comes from the R-MIM diagram.	NEHTA	Document Feedback	07 March 2012
88	8.7	Electronic Communic- ation Detail	Updated Vocabulary reference	Updated Vocab column text for 'Electronic Communication Medium' and 'Electronic Communication Usage Code' from AS 5017-2006: Health Care Client Electronic Communication Usage Code> HL7:TelecommunicationAd- dressUse. to HL7 v3: TelecommunicationAddressUse > HL7:TelecommunicationAddressUse.	NEHTA	Document Feedback	07 March 2012
89	8.7	Electronic Communic- ation Detail	Updated Mapping comments	Added the following text to 'Electronic Communication Medium' and 'Electronic Communication Usage Code' comments column The 'AS 5017-2006: Health Care Client Electronic Communication Usage Code' section explains how to map AS 5017-2006 to HL7 TelecommunicationAddressUse (HL7 TAU) code.	NEHTA	Document Feedback	07 March 2012
90	8.8	Employment	Added Mapping	Added ext:asEmployment/@classCode mapping to the mapping table.	NEHTA	Document Feedback	07 March 2012
91	8.8	Employment	Updated Mapping	Changed employerOrganization to ext:employerOrganization in the mapping table.	NEHTA	Document Feedback	07 March 2012
92	8.8	Employment	Added Mapping	Added the following statement to the 'Employment Detail > Employer Organisation' row. There is a known issue in NEHTA Participation Data Specification for this logical Data Component's cardin- ality. Furthermore the corresponding CDA elements ext:asEmployment and ext:employerOrganization doesn't allow the cardinality to be '0*'/multiple. The cardinality SHALL be interpreted as '01' instead of '0*'.	NEHTA	Document Feedback	07 March 2012

ID	Document Ref.		Change Type	Type Change Detail	Changed	Rational For Change	Date
	Section	Section Name			Instigated By		Changed
93	8.8	Employment	Added Mapping	Added the following statement to the 'Employment Detail > Occupation' row.	NEHTA	Document Feedback	07 March 2012
				The corresponding CDA element ext:jobCode doesn't allow the cardinality be '0*'/multiple. The cardinality SHALL be interpreted as '01' instead of '0*'.			
94	8.8	Employment	Updated Mapping	Added the 'Note' text above the Employment Mapping table.	NEHTA	Document Feedback	07 March 2012
95	95 Appendix A CDA	CDA Narratives	DA Narratives Updated Conform- ance statement	Changed the following conformance point from. The narrative contents SHALL be completely and accurately rendered in a standards-compliant web browser by the transformation provided by HL7. Producers MAY assume that consumers are able to apply HL7's transformation. Producers MAY distribute transformations for alternate or enhanced rendering, but SHALL NOT rely upon their use.	NEHTA	Document Feedback	07 March 2012
				to			
				The narrative contents SHALL conform to the requirements specified in the CDA Rendering Specification.			
96	Appendix A	CDA Narratives	Updated Conform- ance statements	<ul> <li>Removed the following conformance points.</li> <li>CDA structured information generally takes the form of nested lists leading to either simple values or name-value pairs. It is usually marked up as either data tables or lists. Lists are often more attractive, particularly in automated generation, because they are more amenable to safe nesting. Also, HL7 narrative lists are well suited to name-value pairs because both the lists themselves and their items may have captions, which are well suited for labels (names). Style and formatting markup is often discarded by the default HL7 transformation</li> <li>Note</li> <li>Implementers should test their chosen narrative markup early in the development process using the standard HL7 transformation in a web browser, to confirm that it renders completely</li> </ul>	NEHTA	Document Feedback	07 March 2012
97	N/A	Reference List	Updated bibliography reference	Changed e-Discharge Summary SCS reference from National E-Health Transition Authority, 25 November 2011, e-Discharge Summary Structured Document Template, Version 3.3. to National E-Health Transition Authority, 25 November 2011, e-Discharge Summary Structured Document Template, Version 3.4.	NEHTA	Document Feedback	07 March 2012
98	Page ii	Copyright	Updated Copyright year	Changed year from '2011' to '2012'.	NEHTA	Document Feedback	07 March 2012
99	e-Discharge Summary Structured Document Template Reference	Throughout the docu- ment.	Updated bibliography reference	The document reference for e-Discharge Summary Structured Document Template bibliography reference has been updated throughout the document.	NEHTA	Document Feedback	07 March 2012

## **Reference List**

[ABS2006]	Australian Bureau Of Statistics, September 2006, 1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006 - METeOR 350899, accessed 15 March 2010. http://www.abs.gov.au/ausstats/abs@.nsf/mf/1220.0
[ABS2008]	Australian Bureau Of Statistics, May 2008, Standard Australian Classification of Countries (SACC) Cat. No. 1269, accessed 15 March 2010. <u>http://www.abs.gov.au/ausstats/abs@.nsf/mf/1269.0</u>
[AIHW2005]	Australian Institute of Health and Welfare, March 2005, AIHW Mode of Separation, accessed 15 March 2010. http://meteor.aihw.gov.au/content/index.phtml/itemId/270094
[HL7CDAR2]	Health Level Seven, Inc., January 2010, <i>HL7 Clinical Document Architecture</i> , Release 2, accessed 18 November 2010. https://www.hl7.org/implement/standards/product_brief.cfm?product_id=496
[HL7RIM]	Health Level Seven, Inc., January 2010, <i>HL7 Version 3 Standard – Reference Information Model</i> , accessed 15 March 2010. http://www.hl7.org/v3ballot/html/infrastructure/rim/rim.htm
[HL7V3]	Health Level Seven, Inc., January 2010, HL7 Version 3 Standard, accessed 15 March 2010. http://www.hl7.org/v3ballot/html/welcome/environment/index.htm
[HL7V3DT]	Health Level Seven, Inc., January 2010, <i>HL7 V3 RIM, Data types and Vocabulary</i> , accessed 18 November 2009. https://www.hl7.org/
[IHTS2009]	International Health Terminology Standards Development Organisation, January 2010, SNOMED-CT, accessed 15 March 2010. http://www.ihtsdo.org/snomed-ct
[INFO2009]	Canada Health Infoway, CDA Validation Tools: infoway_release_2_2X_18.zip, accessed 18 November 2009. https://www.hl7.org/
[ISO21090-2008]	International Organization for Standardization, <i>ISO 21090:2008 – Health Informatics – Harmonized data types for information interchange</i> , Edition 1 (Monolingual), accessed 09 November 2009. <u>http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=35646</u>
[ISO8601-2004]	International Organization for Standardization, 18 March 2008, <i>ISO 8601:2004 - Data elements and inter-</i> <i>change formats - Information interchange - Representation of dates and times</i> , Edition 3 (Monolingual), accessed 09 November 2009. <u>http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=40874</u>
[MBA2010a]	Medical Board of Australia, 31 March 2010, <i>List of specialties, fields and related titles Registration Standard</i> , July 2010, accessed 2 November 2011. <u>http://www.medicalboard.gov.au/Registration-Standards.aspx</u>
[NEHT2005a]	National E-Health Transition Authority, 25 May 2005, <i>NEHTA Acronyms, Abbreviations &amp; Glossary of Terms</i> , Version 1.2.
[NEHT2007b]	National E-Health Transition Authority, 24 September 2007, Interoperability Framework, Version 2.0.
[NEHT2009g]	National E-Health Transition Authority, 31 July 2009, <i>Business Requirements Specification</i> , Discharge Summary Release 1.0 Version 0.14.

[NEHT2009s]	National E-Health Transition Authority, 30 June 2009, <i>Pathology Result Report Structured Document Template</i> , Version 1.0.
[NEHT2010a]	National E-Health Transition Authority, February 2010, Australian Medicines Terminology.
[NEHT2010c]	National E-Health Transition Authority, September 2010, <i>Data Types in NEHTA Specifications: A Profile of the ISO 21090 Specification</i> , Version 1.0.
[NEHT2010d]	National E-Health Transition Authority, September 2010, <i>Data Specifications and Structured Document Templates - Guide for Use</i> , Version 1.1.
[NEHT2010q]	National E-Health Transition Authority, 30 August 2010, <i>e-Discharge Summary - Core Information Components</i> , Version 1.0, Release 1.1.
[NEHT2011br]	National E-Health Transition Authority, To be published, <i>e-Discharge Summary Structured Document Template</i> , Version 3.4.
[NEHT2011v]	National E-Health Transition Authority, 20 July 2011, Participation Data Specification, Version 3.2.
[RFC2119]	Network Working Group, 1997, <i>RFC2119 - Key words for use in RFCs to Indicate Requirement Levels</i> , accessed 13 April 2010. <u>http://www.faqs.org/rfcs/rfc2119.html</u>
[RFC3066]	Network Working Group, 2001, <i>RFC3066 - Tags for the Identification of Languages</i> , accessed 13 April 2010. http://www.ietf.org/rfc/rfc3066.txt
[RING2009]	Ringholm, 2009, CDA Examples, accessed 15 March 2010. http://www.ringholm.de/download/CDA_R2_examples.zip
[SA2006a]	Standards Australia, 2006, <i>AS 4846 (2006) – Healthcare Provider Identification</i> , accessed 12 November 2009. http://infostore.saiglobal.com/store/Details.aspx?ProductID=318554
[SA2006b]	Standards Australia, 2006, <i>AS 5017 (2006) – Healthcare Client Identification</i> , accessed 12 November 2009. http://infostore.saiglobal.com/store/Details.aspx?ProductID=320426
[SA2007a]	Standards Australia, 2007, AS 4700.6 (2007) – Implementation of Health Level 7 (HL7) Version 2.5 – Part 6: Referral, discharge and health record messaging. https://saiglobalgroup.com/