

Australian Government

Australian Digital Health Agency

### Shared Health Summary CDA® Implementation Guide

10 April 2015 v1.4 Approved for external use Document ID: NEHTA-1840:2015

Australian Digital Health Agency ABN 84 425 496 912, Level 25, 175 Liverpool Street, Sydney, NSW 2000 Telephone 1300 901 001 or email <u>help@digitalhealth.gov.au</u> www.digitalhealth.gov.au

#### Acknowledgements

The Australian Digital Health Agency is jointly funded by the Australian Government and all state and territory governments.

#### **Regenstrief Institute (LOINC)**

This material contains content from LOINC (<u>http://loinc.org</u>). LOINC is copyright © 1995–2025, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at <u>http://loinc.org/license</u>. LOINC® is a registered United States trademark of Regenstrief Institute, Inc.

#### **IHTSDO (SNOMED CT)**

This material includes SNOMED Clinical Terms<sup>™</sup> (SNOMED CT<sup>®</sup>) which is used by permission of the International Health Terminology Standards Development Organisation (IHTSDO). All rights reserved. SNOMED CT<sup>®</sup> was originally created by The College of American Pathologists. "SNOMED" and "SNOMED CT" are registered trademarks of the IHTSDO.

#### **HL7 International**

This document includes excerpts of HL7<sup>TM</sup> International standards and other HL7 International material. HL7 International is the publisher and holder of copyright in the excerpts. The publication, reproduction and use of such excerpts is governed by the <u>HL7 IP Policy</u> and the HL7 International License Agreement. HL7 and CDA are trademarks of Health Level Seven International and are registered with the United States Patent and Trademark Office.

#### Disclaimer

The Australian Digital Health Agency ("the Agency") makes the information and other material ("Information") in this document available in good faith but without any representation or warranty as to its accuracy or completeness. The Agency cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

#### **Document control**

This document is maintained in electronic form and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is the latest revision.

#### Copyright © 2025 Australian Digital Health Agency

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means – graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems – without the permission of the Australian Digital Health Agency. All copies of this document must include the copyright and other information contained on this page.

OFFICIAL

### **Document information**

### Key information

Owner	Director, Interoperability Products
Contact for	Australian Digital Health Agency Help Centre Phone 1300 901 001
enquiries	Email help@digitalhealth.gov.au

### Product or document version history

Product or document version	Date	Release comments
1.3	7 Mar 2012	Initial public release.
1.4	10 Apr 2015	This version implements changes authorised in September 2014 (by CCB-0345).
1.4	22 May 2025	The document presentation has been enhanced to align with current branding guidelines, however the content has not been changed.

### **Related Documents**

Name	Version/Release Date
Shared Health Summary Structured Content Specification	Version 1.2, Issued 10 April 2015
Shared Health Summary Information Requirements	Version 1.1, Issued 10 April 2015
Participation Data Specification	Version 3.2, Issued 20 July 2011
CDA Rendering Specification	Version 1.0, Issued 07 March 2012

### Transition of terms

Certain terms used within the context of this document have changed. The table provides a clear comparison of the historical terms used in text and their current equivalents for your reference.

Historical term	Current term
National eHealth Transition Authority (NEHTA)	The Australian Digital Health Agency (ADHA)

This page is intentionally left blank.

## **Table of Contents**

1.	Introduction	
	1.1. Document Purpose and Scope	
	1.2. Shared Health Summary Definition	
	1.3. HL7 <sup>®</sup> Clinical Document Architecture	1
	1.4. Intended Audience	2
	1.5. Document Map	2
	1.6. Acronyms	
	1.7. Keywords	
	1.8. Conformance	
	1.9. Known Issues	
2	Guide for Use	
2.	2.1. Clinical Document Architecture Release 2	
	2.2. Mapping Interpretation	
	2.3. CDA <sup>®</sup> Extensions	
	2.4. W3C XML Schema	
	2.5. Schematron	
	2.6. Implementation Strategies	
	Shared Health Summary Data Hierarchy	
	Administrative Observations	
5.	CDA® Header	
	5.1. ClinicalDocument	
	5.1.1. LegalAuthenticator	40
	5.1.2. Custodian	46
6.	Context Data Specification - CDA® Mapping	51
	6.1. SHARED HEALTH SUMMARY	
	6.1.1. DOCUMENT AUTHOR	
	6.1.2. SUBJECT OF CARE	
7	Content Data Specification - CDA <sup>®</sup> Mapping	
••	7.1. Shared Health Summary	85
	7.1.1. ADVERSE REACTIONS	
	7.1.1.1. EXCLUSION STATEMENT - ADVERSE REACTIONS	
	7.1.1.2. ADVERSE REACTION	
	7.1.2. Medications (MEDICATION ORDERS)	
	7.1.2.1. EXCLUSION STATEMENT - MEDICATIONS	
	7.1.2.2. Known Medication (MEDICATION INSTRUCTION)	
	7.1.3. Past and Current Medical History (MEDICAL HISTORY)	
	7.1.3.1. PROBLEM/DIAGNOSIS	
	7.1.3.2. EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES	
	7.1.3.3. PROCEDURE	
	7.1.3.4. EXCLUSION STATEMENT - PROCEDURES	145
	7.1.3.5. UNCATEGORISED MEDICAL HISTORY ITEM	149
	7.1.4. IMMUNISATIONS	
	7.1.4.1. Administered Immunisation (MEDICATION ACTION)	160
	7.1.4.2. Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS)	166
8.	Common Patterns	
	8.1. code	
	8.2. id	
	8.3. time	
	8.4. Entity Identifier	
	8.5. Person Name	
	8.6. Address	
	8.7. Electronic Communication Detail	
~	8.8. Employment	
9.	NEHTA CDA® Extensions	
	9.1. ClinicalDocument.completionCode	
	9.2. EntityIdentifier	
	9.3. Entitlement	195

9.4. Multiple Birth	196
9.5. Administrative Gender Code	
9.6. Birth Time	
9.7. Deceased Time	
9.8. Employment	
9.9. Qualifications	
10. Vocabularies and Code Sets	
10.1. HL7 <sup>®</sup> : TelecommunicationAddressUse	
10.2. AS 5017-2006 Health Care Client Identifier Sex	
10.3. AS 5017-2006: Health Care Client Name Usage	
10.4. AS 4846-2006: Health Care Provider Organisation Name Usage	
10.5. AS 5017-2006: Health Care Client Source of Death Notification	
10.6. AS 5017-2006: Health Care Client Identifier Address Purpose	
10.7. AS 5017-2006: Health Care Client Identifier Geographic Area	
10.8. AS 5017-2006: Health Care Client Electronic Communication Medium	211
10.9. AS 5017-2006: Health Care Client Electronic Communication Usage Code	213
10.10. AS 5017-2006 Australian State/Territory Identifier - Postal	
10.11. AS 5017-2006 Health Care Client Identifier Date Accuracy Indicator	
10.12. NCTIS: Admin Codes - Document Status	
10.13. NCTIS: Admin Codes - Global Statement Values	
10.14. NCTIS: Admin Codes - Entitlement Type	
10.15. HL7 <sup>®</sup> v3 CDA <sup>®</sup> : Act.moodCode	
10.16. METeOR 291036: Indigenous Status	
10.17. CodeSystem OIDs	
A. CDA <sup>®</sup> Narratives	
B. Log of Changes	
Reference List	

### List of Examples

2.1. Mapping Interpretation	19
4.1. Administrative Observations XML Fragment	34
5.1. ClinicalDocument Body XML Fragment	39
5.2. LegalAuthenticator XML Fragment	
5.3. Custodian Body XML Fragment	49
6.1. Shared Health Summary Context XML Fragment	54
6.2. DOCUMENT AUTHOR XML Fragment	
6.3. SUBJECT OF CARE XML Fragment	
7.1. Shared Health Summary Body XML Fragment	88
7.2. ADVERSE REACTIONS XML Fragment	
7.3. EXCLUSION STATEMENT - ADVERSE REACTIONS XML Fragment	
7.4. ADVERSE REACTION XML Fragment	
7.5. Medications (MEDICATION ORDERS) XML Fragment	
7.6. EXCLUSION STATEMENT - MEDICATIONS XML Fragment	
7.7. Known Medication (MEDICATION INSTRUCTION) XML Fragment	
7.8. Past and Current Medical History (MEDICAL HISTORY) XML Fragment	126
7.9. PROBLEM/DIAGNOSIS XML Fragment	132
7.10. EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES XML Fragment	
7.11. PROCEDURE XML Fragment	
7.12. EXCLUSION STATEMENT - PROCEDURES XML Fragment	
7.13. UNCATEGORISED MEDICAL HISTORY ITEM XML Fragment	
7.14. IMMUNISATIONS XML Fragment	159
7.15. Administered Immunisation (MEDICATION ACTION) XML Fragment	
7.16. Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS) XML Fragment	
8.1. code	
8.2. id	
8.3. Simple timestamp	
8.4. Low time	
8.5. Interval timestamp 1	
8.6. Interval timestamp 2	
8.7. Width time	
8.8. Entity Identifier	
8.9. Person Name	
8.10. Address	
8.11. Electronic Communication Detail	
8.12. Employment	
10.1. All values	
10.2. One value	203

This page is intentionally left blank.

# **1** Introduction

### **1.1 Document Purpose and Scope**

This document provides a guide to implementing the logical model detailed by NEHTA's Shared Health Summary (SHS) Structured Content Specification (SCS) as an HL7<sup>®</sup> Clinical Document Architecture Release 2 (CDA<sup>®</sup>) XML document. This implementation guide is based on Version 1.2 of the SHS SCS [NEHT2015d]. The primary aim of the implementation guide is to take implementers step by step through mapping each data component of the SHS SCS to a corresponding CDA<sup>®</sup> attribute or element.

This implementation guide contains descriptions of both constraints on the CDA<sup>®</sup> and, where necessary, custom extensions to the CDA<sup>®</sup>, for the purposes of fulfilling the requirements for Australian implementations of SHS. The resulting CDA<sup>®</sup> document can be used for the electronic exchange of SHS information between healthcare providers.

In addition, this implementation guide presents conformance requirements against which implementers can attest the conformance of their systems.

This release is intended to inform, and seek feedback from, prospective software system designers and their clinical consultants.

The National Clinical Terminology and Information Service (NCTIS) values your questions, comments and suggestions about this document. Please direct your questions or feedback to <<u>help@digitalhealth.gov.au</u>>.

## **1.2 Shared Health Summary Definition**

A Shared Health Summary is defined in the SHS SCS [NEHT2015d] as:

A clinical document written by the nominated provider, which contains key pieces of information about an individual's health status and is useful to a wide range of providers in assessing individuals and delivering care.

# **1.3 HL7<sup>®</sup> Clinical Document Architecture**

The CDA<sup>®</sup> is a document markup standard that specifies the structure and semantics of clinical documents for the purpose of supporting interoperable exchange and use at human and system levels.

CDA<sup>®</sup> has been chosen as the format for electronic clinical documents because it is consistent with NEHTA's commitment to a service and document–oriented approach to electronic information exchange, which will contribute to future electronic health records.

Some of the advantages of CDA<sup>®</sup> are:

- It is machine computable and human readable.
- It provides a standardised display of clinical information without loss of clinical meaning.
- It provides assurance of clinical quality and safety more effectively than message-based interfaces, by storing and displaying the clinical data as entered by the clinician.
- It provides better support than HL7<sup>®</sup> V2 messages for:
  - $\circ$  more complex information structures, such as pathology synoptic reporting; and

- terminologies such as SNOMED CT®.<sup>1</sup>
- It supports legal attestation by the clinician (requiring that a document has been signed manually or electronically by the responsible individual).
- It is able to be processed by unsophisticated applications (displayed in web browsers, for instance).
- It provides a number of levels of compliance to assist with technical implementation and migration.
- It aligns Australia with e-health initiatives in other countries (such as Canada, UK, USA, Brazil, Germany and Finland).


## **1.4 Intended Audience**

This document is aimed at software development teams, architects, designers, clinicians and informatics researchers who are responsible for the delivery of clinical applications, infrastructure components and messaging interfaces and also for those who wish to evaluate the clinical suitability of NEHTA-endorsed specifications.

This document and related artefacts are technical in nature and the audience is expected to be familiar with the language of health data specifications and to have some familiarity with health information standards and specifications, such as CDA<sup>®</sup> and Standards Australia IT-014 documents. Definitions and examples are provided to clarify relevant terminology usage and intent.

### **1.5 Document Map**

This implementation guide is not intended to be used in isolation. Companion documents are listed below:



<sup>1</sup>SNOMED CT® is a registered trademark of the International Health Terminology Standards Development Organisation.

1. Data Types in NEHTA Specifications: A Profile of the ISO 21090 Specification [NEHT2010c] is a detailed description of the data types used within the structured content specification.

2. *Participation Data Specification [NEHT2011v]* contains the full specification which forms the basis of all participations contained in NEHTA structured content specifications.

3. *Shared Health Summary Structured Content Specification [NEHT2015d]* is a clinical content specification describing the logical data structures, data components, and value domains which constitute a Shared Health Summary.

### **1.6 Acronyms**

CDA®	Clinical Document Architecture
HL7®	Health Level Seven
OID	Object Identifier
RIM	Reference Information Model
SCS	Structured Content Specification
SHS	Shared Health Summary
UUID	Universally Unique Identifier
XHTML	Extensible Hypertext Markup Language
XML	Extensible Markup Language
XSD	XML Schema Definition
XSL	Extensible Stylesheet Language

For a complete listing of all relevant acronyms, abbreviations and a glossary of terms please refer to *NEHTA Acronyms, Abbreviations & Glossary of Terms [NEHT2005a]*.

### **1.7 Keywords**

Where used in this document, the keywords SHALL, SHOULD, MAY, SHALL NOT and SHOULD NOT are to be interpreted as described in *RFC2119 - Key words for use in RFCs to Indicate Requirement Levels [RFC2119]*.

#### Keywords used in this document

Keyword	Interpretation
SHALL	This word, or the term <b>REQUIRED</b> , means that the statement is an absolute requirement of the spe- cification.
SHOULD	This word, or the term <b>RECOMMENDED</b> , means that there may exist valid reasons in particular circum- stances to ignore a particular item, but the full implications must be understood and carefully weighed before choosing a different course.
MAY	This word, or the term <b>OPTIONAL</b> , means that an item is truly optional. One implementer may choose to include the item because a particular implementation requires it, or because the implementer determines that it enhances the implementation while another implementer may omit the same item. An implementation which does not include a particular option must be prepared to interoperate with another implementation which does include the option, perhaps with reduced functionality. In the same vein, an implementation which does not include a particular option must be prepared to interoperate with another implementation which does include the option (except of course, for the feature the option provides).
SHALL NOT	This phrase means that the statement is an absolute prohibition of the specification.

Keyword	Interpretation
SHOULD NOT	This phrase, or the phrase <b>NOT RECOMMENDED</b> means that there may exist valid reasons in particular circumstances when the particular behaviour is acceptable or even useful, but the full implications should be understood and the case carefully weighed before implementing any behaviour described with this label.

### **1.8 Conformance**

This document describes how the SHS SCS is implemented as a CDA<sup>®</sup> document. Conformance claims are not made against this implementation guide directly; rather, they are made against additional conformance profiles documented elsewhere. Any document that claims conformance to any derived conformance profile **SHALL** meet these base requirements:

- It **SHALL** be a valid HL7<sup>®</sup> CDA<sup>®</sup> instance. In particular:
  - It SHALL be valid against the HL7<sup>®</sup> CDA<sup>®</sup> Schema (once extensions have been removed, see W3C XML Schema).
  - It **SHALL** conform to the HL7<sup>®</sup> V3 R1 data type specification.
  - $\circ\,$  It <code>SHALL</code> conform to the semantics of the RIM and Structural Vocabulary.
- It SHALL be valid against the NEHTA CDA<sup>®</sup> Schema that accompanies this implementation guide after any additional extensions not in the NEHTA extension namespace have been removed, along with any other CDA<sup>®</sup> content not described by this implementation guide.
- It **SHALL** use the mappings as they are stated in this document.
- It SHALL use all fixed values specified in the mappings (e.g. @attribute="FIXED VALUE").
- If the vocabulary has been explicitly stated as 'NS' it SHALL be interpreted as:

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>HL7® code set registration procedure</u><sup>2</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they **SHALL** be used and the non-standard code sets **SHALL** be deprecated.

- It **SHALL** be valid against the additional conformance requirements that are established in this document (i.e. any normative use of the word 'shall' identified by the term presented in uppercase and bold typeface).
- The narrative **SHALL** conform to the requirements described in this implementation guide.
- The document SHALL conform to the requirements specified in the CDA Rendering Specification [NEHT2012s].
- The data as contained in the data types SHALL conform to the additional data type specification [NEHT2010c].
- Any additional content included in the CDA<sup>®</sup> document that is not described by this implementation guide **SHALL NOT** qualify or negate content described by this implementation guide and it **SHALL** be clinically safe for receivers of the document to ignore the non-narrative additions when interpreting the existing content.

A system that *consumes* SHS CDA<sup>®</sup> documents may claim conformance if it correctly processes conformant instance documents, including correctly understanding all the information in the header. It may, but is not required to, reject non-conformant documents. Conformant systems that consume SHS CDA<sup>®</sup> documents are not required to process any or all of the structured data entries in the CDA<sup>®</sup> document, but they **SHALL** be able to correctly render the document for end-users when appropriate (see Clinical Document Architecture Release 2).

<sup>&</sup>lt;sup>2</sup> http://www.hl7.org/oid/index.cfm?ref=footer

Conformance profiles of this document **MAY** make additional rules that override this document in regard to:

- Allowing the use of alternative value sets in place of the value sets specified in this document.
- Allowing the use of alternative identifiers in place of the Healthcare Identifiers Service identifiers.
- Making required data elements and section divisions optional.

## **1.9 Known Issues**

This section lists known issues with this specification at the time of publishing. NEHTA is working on solutions to these issues, and we encourage comments to further assist the development of these solutions.

Reference	Description
Throughout document: XML Examples	While every effort has been taken to ensure that the ex- amples are consistent with the normative mappings in this message specification, care needs to be taken when copying XML examples for implementation and validation. Where there are conflicts with the written message spe- cification or schema and the xml examples, the specifica- tion or schema takes precedence.
Throughout document: R-MIMs	While every effort has been taken to ensure that the R- MIM diagrams are consistent with the normative mappings in this message specification, there may be a few discrep- ancies between R-MIM diagrams and CDA® mapping tables. The CDA® mapping takes precedence if there are discrepancies.
Throughout document: Participation types	The participation types in the OID register are not exhaust- ive, hence the absence of a participation type is not an error.
Throughout document	Australian vs American spelling - in cases where definitions have been taken from HL7 <sup>®</sup> documentation, the American spelling has been preserved, e.g. organization rather than organisation.
Document Recipients	Document Recipients were not specified in the Structured Content Specification but most likely need to be added in the CDA <sup>®</sup> Header section.
AS 5017-2006: Health Care Client Identifier Geographic Area	The Health Care Client Identifier Geographic Area vocabulary table lists displayName, code, codeSystem- Name and codeSystem, while only the displayName is used in the mapping. Verification of using only the display- Name needs to be performed.

Reference	Description
6.1.1 DOCUMENT AUTHOR :: Participation Period	The constraint requiring the participation period of the DOCUMENT AUTHOR to hold the same value as Date Time Attested is not universally applicable. The document author and legal authenticator are typically expected to be different participants, and would therefore have different participation periods. The SCS notes that many other specifications do not in-
	clude Date Time Attested and that the intent of this logical data element requires clarification.
	It is expected that this constraint will be removed in later versions of this specification.
7.1.1.1 EXCLUSION STATEMENT - ADVERSE REAC- TIONS	Only the <i>Global Statement</i> logical data element is mapped. The other logical model data elements are deliberately not mapped; representing these elements in would effect a normative change to current implementation which is beyond the scope of the release of this document.
	The exclusion statement logical models are the subject of ongoing development and review and are expected to be revised.
7.1.1.2 ADVERSE REACTION :: Substance/Agent	The value of typeCode is fixed to "CAGNT" when not all relationships or associations between the agent and the reaction can be deemed to be "causative" in nature. An additional appropriate typeCode might be "EXPAGNT" (exposure agent).
7.1.1.2 ADVERSE REACTION :: Reaction Type and RE- ACTION EVENT	The current mapping of <i>REACTION EVENT</i> is not aligned with the logical model, which, as a consequence, impacts the mapping choices for <i>Reaction Type</i> . <i>REACTION</i> <i>EVENT</i> should be mapped to an Act or an Organizer with <i>Reaction Type</i> as the code.
7.1.2.1 EXCLUSION STATEMENT - MEDICATIONS	Only the <i>Global Statement</i> logical data element is mapped. The other logical model data elements are deliberately not mapped; representing these elements in would effect a normative change to current implementation which is beyond the scope of the release of this document.
	The exclusion statement logical models are the subject of ongoing development and review and are expected to be revised.
7.1.2.2 Known Medication (MEDICATION INSTRUCTION) :: Medication Instruction Comment	The value for displayName of @code="103.16044" in this version of the specification is fixed as "Additional Comments". The correct value is "Medication Instruction Comment". Correcting this value is beyond the scope of release of this document.

Reference	Description
7.1.3.1 PROBLEM/DIAGNOSIS :: Date of Resolution/Re- mission	The mappings for <i>Date of Resolution/Remission</i> do not link back the <i>Date of Onset</i> , however the <i>Date of Resolu- tion/Remission</i> is not necessarily the end of the problem (or diagnosis) described.
	The mappings depend on how an instance of the <i>Problem/Diagnosis</i> DCM is defined. If it is defined as an episode of a problem then using effectiveTime.high for <i>Date of Resolution/Remission</i> (thereby linking it to <i>Date of Onset</i> ) would be fine because then a recurrence of the same problem would be a separate instance of <i>Problem/Diagnosis</i> . If, however, it is defined as covering the full duration of a problem in a person's life, then several remissions and relapses may occur and effectiveTime.high cannot be used as the <i>Date of Resolution/Remission</i> .
	It is intended that the <i>Problem/Diagnosis</i> DCM will be modified to represent a single episode of a problem or diagnosis and, when it is, the mappings for <i>Date of Resolution/Remission</i> will change.
7.1.3.2 EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES	Only the <i>Global Statement</i> logical data element is mapped. The other logical model data elements are deliberately not mapped; representing these elements in would effect a normative change to current implementation which is beyond the scope of the release of this document.
	The exclusion statement logical models are the subject of on-going development and review and are expected to be revised.
7.1.3.4 EXCLUSION STATEMENT - PROCEDURES	Only the <i>Global Statement</i> logical data element is mapped. The other logical model data elements are deliberately not mapped; representing these elements in would effect a normative change to current implementation which is beyond the scope of the release of this document.
	The exclusion statement logical models are the subject of on-going development and review and are expected to be revised.
7.1.4.2 Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS)	Only the <i>Global Statement</i> logical data element is mapped. The other logical model data elements are deliberately not mapped; representing these elements in would effect a normative change to current implementation which is beyond the scope of the release of this document.
	The exclusion statement logical models are the subject of on-going development and review and are expected to be revised.
8.5 Person Name :: Preferred Name Indicator code	The "PRF" code for "preferred name" has been approved by the HL7 <sup>®</sup> Patient Administration Workgroup to be added to Table 0200 Name Type. The updated table will be published in HL7 <sup>®</sup> v2.8.2 after ballot in November 2014.
10 Vocabularies and Code Sets: AS 4846-2006 and AS 5017-2006 superseded	AS 4846-2014 Person and provider identification in healthcare has been published and supersedes both AS 4846-2006 Healthcare provider identification and AS 5017- 2006 Healthcare client identification.

This page is intentionally left blank.

## **2** Guide for Use

This document describes how to properly implement the SHS SCS [NEHT2015d] as a conformant HL7® CDA® XML document. The SHS specification is contained in two publications:

- 1) A logical specification, which, in conjunction with its related documents (see Document Map), describes the Shared Health Summary in a form that is consistent with other NEHTA specifications. It has the potential to be implemented in multiple different exchange formats as is most suitable for a particular context. It describes the data content of a Shared Health Summary as a hierarchy of data components and provides documentation concerning their use and meaning.
- 2) An implementation guide (this document), which specifies how the data described in the SCS is properly represented in a CDA® document.

In order to properly implement this specification, the reader should be familiar with the SHS SCS and the HL7<sup>®</sup> CDA<sup>®</sup> documentation, and understand how to read this document.

For further information regarding NEHTA structured content specifications, see the links in Document Map.

### 2.1 Clinical Document Architecture Release 2

A CDA<sup>®</sup> document is an XML document built following the rules described in the CDA<sup>®</sup> specification, which conforms to the HL7<sup>®</sup> CDA<sup>®</sup> Schema provided by HL7<sup>®</sup>. The CDA<sup>®</sup> document is based on the semantics provided by the *HL7 V3 RIM, Data types and Vocabulary [HL7V3DT]*.

A CDA® document has two main parts: the header and the body.

The CDA<sup>®</sup> document header is consistent across all CDA<sup>®</sup> documents, regardless of document type. The header identifies and classifies the document and provides information on authentication, the encounter, the patient, and the involved providers.

The body contains the clinical report. The body can be marked-up text (narrative, renderable text) or a combination of both marked-up text and structured data. The marked-up text can be transformed to XHTML and displayed to a human. The structured data allows machine processing of the information shown in the narrative section.

It is a requirement that all of the clinical information **SHALL** be marked up in CDA<sup>®</sup> narratives. These narratives are CDA<sup>®</sup>-defined hypertext, able to be rendered in web browsers with only a standard accompanying transformation. This transformation is produced and distributed by HL7<sup>®</sup>.

It is a conformance requirement that the rendered narrative **SHALL** be able to stand alone as a source of authenticated information for consuming parties. Content from the CDA<sup>®</sup> body **SHALL NOT** be omitted from the narrative.

Further information and guidance on the CDA® narrative is available in Appendix A, CDA® Narratives.

The following references are recommended to gain a better understanding of CDA®:

- HL7 Clinical Document Architecture [HL7CDAR2]
- HL7 V3 RIM, Data types and Vocabulary [HL7V3DT]
- CDA Examples [RING2009]
- CDA Validation Tools: infoway\_release\_2\_2X\_18.zip [INFO2009]

### **2.2 Mapping Interpretation**

The core of this implementation guide is a mapping from the SHS SCS to the CDA® document representation.

The mappings may not be deterministic; in some cases the differences in approach between the logical model specified in the SCS and the CDA<sup>®</sup> implementation guide makes it inappropriate to have a 1:1 mapping, or any simple mapping that can be represented in a transform. This is especially true for names and addresses, where the SCS requirements, based on Australian Standards such as AS 5017 2006, differ from the HL7<sup>®</sup> data types and vocabularies which are not based on these standards.

Many of the mappings use one of several common patterns for mapping between the SCS and the CDA<sup>®</sup> document. These common mapping patterns are described in 8 *Common Patterns*.

An example of a mapping section of this implementation guide is illustrated below.

### **x.x ITEM NAME**

### **Identification (normative)**

NameITEM NAMEMetadata typeMetadata type e.g. Section, Data Group or Data Element

## **Relationships (normative)**

#### Children

Data Type	Name	Occurrence
	ITEM NAME (This is a link to another section containing the mapping for this item. Item names in upper case indicate that the item is a section or data group. Item names in start case indicate that the item is a data element).	The number of instances of this child item that may occur.

#### Parent

Data Type	Name	Occurrences (child within parent)
or Data type.	case indicate that the item is a section of data droup, item names in start case indicate that the item is a	The number of instances of the child item within the parent that may occur.

# **CDA<sup>®</sup> R-MIM Representation**

The text contains an explanation of the mapping (this text is non-normative).

The model is a constrained representation of the R-MIM (this diagram is non-normative). The colours used in the CDA<sup>®</sup> model align with the usage in the R-MIM. In many cases the cardinalities shown in the model will be less constrained than those shown in the mapping table.




Figure 2.1. Example - Header Part




Figure 2.2. Example - Body Part

# **CDA<sup>®</sup>** Mapping (normative)

NEHTA SCS Data Component	Data Com- ponent Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments			
CDA® Element Type (Header, Body Level 2 etc.)			Context: Parent of elements below					
The path in the SCS. Each section in this document corresponds to an SCS section or data group, and is scoped by that section or data group. The hierarchical path uses ">" as a separator for paths within the SCS data hierarchy. If there is a name in round brackets after the path, this is the name of the reused data group for the SCS component. The data component in <b>bold</b> text (the last in the path) is the data component for this row. i.e. Parent Data Component > <b>Child Data Component</b>	The definition of the item from the SCS.	The cardinality of the data element in the SCS. The cardinality of the data element in the SCS maps to the cardinality of the element in the CDA® document. Where the cardinality of the SCS data element is more constrained than the cDA® element then the SCS cardinality takes precedence. That is, if an element is mandatory in the SCS and optional in CDA® document. If an item with a maximum cardinality > 1 maps to an xml attribute, the attribute will contain multiple values separated by spaces. No such item will have valid values that themselves contain spaces.	The schema element(s) in the CDA® document that correspond(s) to the SCS data component. The syntax for this is similar to XPath: {/name{[index]}/n{<-pattern>} Where:	The name of the vocabu- lary.	Helpful additional information about the mapping.			

#### How to interpret the following example mapping:

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA® Header Data Elements			Context: ClinicalDocument/	•	
Subject of Care	Person who receives healthcare services.	11	recordTarget/patientRole		
n/a	n/a	11	recordTarget/patientRole/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	Required CDA® ele- ment. If there are any enti- tlements for Subject of Care, this value <b>SHALL</b> be the same as: ClinicalDocu- ment/ component/ structuredBody/ component[ad- min_obs]/ section/ entry/ act/ parti- cipant/ participan- tRole/ id where parti- cipantRole/ @ classCode = "PAT".
Subject of Care > Participant > Person	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare ser- vice, or is in some way related to, or a representative of, a subject of care (patient).	11	n/a		Not mapped directly, encompassed impli- citly in recordTarget/ patientRole/ patient.
Subject of Care > Participant > Person > Person Name	The appellation by which an individual may be iden- tified separately from any other within a social con- text.	1*	recordTarget/patientRole/patient/ <person name=""></person>		See common pat- tern: Person Name.

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments	
CDA® Header Data Elements			Context: ClinicalDocument/component/structuredBody/component[admin_obs]/section/			
Subject of Care > Participant > Entitle- ment	The entitlement or right of a participant to act in a given capacity (as defined by Entitlement Type) within a healthcare context.	0*	ext:coverage2/@typeCode="COVBY"		See NEHTA CDA® extension: Entitle- ment. All data elements within this section <b>SHALL</b> be deemed as CDA® Header data elements for conformance assess- ment.	
			ext:coverage2/ext:entitlement			
			ext:coverage2/ext:entitlement/@classCode="COV"			
			ext:coverage2/ext:entitlement/@moodCode="EVN"			
			ext:coverage2/ext:entitlement/ext:participant/@typeCode="BEN"			
			ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/@classCode="PAT"			
			ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ <b>ext:id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	SHALL hold the same value as Clinic- alDocument/ re- cordTarget /patien- tRole/ id.	
Subject of Care > Participant > Entitle- ment > Entitlement Number	A number or code issued for the purpose of identify- ing the entitlement or right of a participant to act in a given capacity (as defined by Entitlement Type) within a healthcare context.	11	ext:coverage2/ext:entitlement/ext:id			
Subject of Care > Participant > Entitle- ment > Entitlement Type	The description of the scope of an entitlement.	11	ext:coverage2/ext:entitlement/ext:code	NCTIS: Admin Codes - Entitlement Type	See <code> for available attributes.</code>	
Subject of Care > Participant > Entitle- ment > Entitlement Validity Duration	The time interval for which an entitlement is valid.	01	ext:coverage2/ext:entitlement/ext:effectiveTime			

The Subject of Care (Patient) section is part of the context section of the SCS (as opposed to being part of the content section of the SCS). Although it is located in the context section of the SCS, it contains data components that map to the CDA<sup>®</sup> body, as well as data components that map to the CDA<sup>®</sup> header. The information specifying the location of the elements is in the shaded context header row located above each group of mapping rows. The context remains the same until a new context header row starts.

The first row of the mapping (after the context header row), 'Subject of Care', is a CDA<sup>®</sup> Header element and has a context of 'ClinicalDocument' (the root element of a CDA<sup>®</sup> document). Adding together the context and the mapping using '/' gives a full path of:

1) ClinicalDocument/recordTarget/patientRole

Due to the fact that 'Subject of Care' is part of the context section of the SCS (as opposed to a content element), information about it and its child elements can be located in the SCS document by finding the data component 'Subject of Care' in the table of contents under the context section, and navigating to the relevant page.

If the data component were part of the content section of the SCS, information about it could be located by finding the data component (or its parent) in the table of contents under the content section of the SCS.

- 2) The next row in the mapping (n/a) is a row that is not defined in the SCS but which is required by CDA<sup>®</sup>. The CDA<sup>®</sup> schema data element is recordTarget/patientRole/id. This is a technical identifier that is used for system purposes, such as matching the Entitlement details back to the Subject of Care (patient). This identifier SHALL be a UUID.
- 3) The next row in the mapping table (Subject of Care > Participant > Person) is defined in the SCS but is not mapped directly to the CDA<sup>®</sup> because it is already encompassed implicitly by CDA<sup>®</sup> in recordTarget/patientRole/patient.

Moving to the next row in the table (Subject of Care > Participant > Person > **Person Name**) and concatenating the context and the mapping, we get:

4) ClinicalDocument/recordTarget/patientRole/patient/<Person Name>

<PersonName> holds a link to the common pattern section where a new table lays out the mapping for the Person Name common pattern.

Moving down the table to the context row '**CDA® Header Data Elements**', any data components after this row (until the occurrence of a new context row) map to the CDA® body. Because there is no equivalent concept in CDA®, a NEHTA CDA® extension has been added in order to represent Entitlement. This extension is indicated by the presence of the 'ext:' prefix. The Entitlement CDA® elements **SHALL** be deemed CDA® Header data elements for conformance assessment. For the data component 'Entitlement', adding together the context and the mapping using '/' gives the following paths for the CDA® body level 3 data elements ([index] is dependent on context):

- 5) ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/@typeCode="COVBY"
- 6) ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement
- 7) ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/@classCode="COV"
- 8) ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/@moodCode="EVN"

9) ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:participant/@typeCode="BEN"

10) ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/@classCode="PAT"

11) ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ext:id

This id is also a technical identifier and SHALL hold the same value as the ClinicalDocument/recordTarget/patientRole/id mentioned in comment 1.

The order of the SCS data components is not always the same as the order of the CDA<sup>®</sup> elements. In addition, the CDA<sup>®</sup> elements need to be in the order specified in the NEHTA CDA<sup>®</sup> Schema.

The id element is not specified in the SCS and **SHOULD** be filled with a UUID. This element may be used to reference an act from other places in the CDA® document.

The next row in the table (Subject of Care > Participant > Entitlement > Entitlement Number) maps to the id element:

12) ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:id

The next row in the table (Subject of Care > Participant > Entitlement > Entitlement Type) maps to the code element:

13) ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:code

The next row in the table (Subject of Care > Participant > Entitlement > Entitlement Validity Duration) maps to the effectiveTime element:

14) ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:effectiveTime

See comments in the example below.

#### **Example 2.1. Mapping Interpretation**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.

Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document.

### <ClinicalDocument xmlns="urn:h17-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"</pre>

While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. -->

```
<!-- 1 Corresponds to:
        \//recordTarget/patientRole'
      in the mapping. -->
   <patientRole>
      <!-- 2 Corresponds to:
              '//recordTarget/patientRole/id'
          in the mapping -->
      <id root="04A103C4-7924-11DF-A383-FC69DFD72085"/>
      ....
      <telecom value="tel:0499999999" use="H"/>
      <!-- 3 -->
      <patient>
         <!-- 4 Corresponds to:
               '//recordTarget/patientRole/patient/<Person Name>'
            in the mapping -->
         <name use="L">
           <prefix>Ms</prefix>
            <given>Sally</given>
            <familv>Grant</familv>
         </name>
         ....
      </patient>
   </patientRole>
</recordTarget>
<!-- End Subject of Care - Header Part -->
<!-- Begin CDA Body -->
<component>
   <structuredBody>
      <!-- Begin section -->
      <component>
         <section>
            ....
            <!-- Begin Subject of Care Entitlement -->
            <!-- 5 Corresponds to:
                 '//ext:coverage2'
               in the mapping. -->
            <ext:coverage2 typeCode="COVBY">
               <!-- 6, 7, 8 Corresponds to:
                     '//ext:coverage2/ext:entitlement',
                     '//ext:coverage2/ext:entitlement/@classCode="COV"',
                     '//ext:coverage2/ext:entitlement/@moodCode="EVN"'
                  in the mapping -->
               <ext:Entitlement classCode="COV" moodCode="EVN">
                  <!-- 12 Corresponds to:
                       '//ext:coverage2/ext:entitlement/ext:id'
                     in the mapping -->
                  <ext:id root="1.2.36.174030967.0.5" extension="1234567892"</pre>
                     assigningAuthorityName="Medicare Identifier"/>
                  <!-- 13 Corresponds to:
                     '//ext:coverage2/ext:entitlement/ext:code'
                  in the mapping -->
                  <ext:code code="1" codeSystem="1.2.36.1.2001.1001.101.104.16047" codeSystemName="NCTIS Entitlement Type Values" displayName="Medicare Benefits" />
                  <!-- 14 Corresponds to:
```

```
'//ext:coverage2/ext:entitlement/ext:effectiveTime'
        in the mapping -->
      <ext:effectiveTime>
        <low value="200701010101+1000"/>
        <high value="202701010101+1000"/>
      </ext:effectiveTime>
      <!-- 9 Corresponds to:
            '//ext:coverage2/ext:entitlement/ext:participant/@typeCode="BEN"'
        in the mapping -->
      <ext:participant typeCode="BEN">
        <!-- 10 Corresponds to:
              '//ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/@classCode="PAT"'
           in the mapping -->
         <ext:participantRole classCode="PAT">
           <!-- 11 Corresponds to:
                 '//ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ext:id'
              in the mapping -->
           <!-- Same as recordTarget/patientRole/id -->
           <ext:id root="04A103C4-7924-11DF-A383-FC69DFD72085"/>
         </ext:participantRole>
      </ext:participant>
  </ext:Entitlement>
</ext:coverage2>
<!-- End Entitlement -->
```

```
</section>
</component>
<!-- End section -->
```

```
</structuredBody>
</component>
<!-- End CDA Body -->
</ClinicalDocument>
```

....

# **2.3 CDA<sup>®</sup> Extensions**

The SCS is based on Australian requirements, either as expressed in existing Australian Standards, or based on extensive consultation with major stakeholders. Not all of these requirements are supported by HL7<sup>®</sup> Clinical Document Architecture Release 2 (CDA<sup>®</sup>).

CDA® provides a mechanism for handling this. Implementation guides are allowed to define extensions, provided some key rules are followed:

- Extensions have a namespace other than the standard HL7<sup>®</sup>v3 namespace.
- The extension cannot alter the intent of the standard CDA<sup>®</sup> document. For example, an extension cannot be used to indicate that an observation does not apply where the CDA<sup>®</sup> document requires it.
- HL7<sup>®</sup> encourages users to get their requirements formalised in a subsequent version of the standard so as to maximise the use of shared semantics.

Accordingly, a number of extensions to CDA<sup>®</sup> have been defined in this implementation guide. To maintain consistency, the same development paradigm has been used as CDA<sup>®</sup>, and all the extensions have been submitted to HL7<sup>®</sup> for inclusion into a future release of CDA<sup>®</sup> (Release 3 currently under development).

Version 3.0 of these extensions are incorporated in the namespace http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0 as shown in the CDA® example output throughout this document. Future versions of CDA® extensions will be versioned as per the following example:

http://ns.electronichealth.net.au/Ci/Cda/Extensions/4.0

### 2.4 W3C XML Schema

This document refers to an accompanying CDA<sup>®</sup> W3C XML Schema (referred to in this document as the NEHTA CDA<sup>®</sup> Schema). This schema differs from the base HL7<sup>®</sup> CDA<sup>®</sup> W3C XML Schema (referred to in this document as the HL7<sup>®</sup> CDA<sup>®</sup> Schema) as mentioned below:

• NEHTA CDA® extensions have been added to the NEHTA CDA® Schema.

CDA® documents which include extensions will fail to validate against the HL7® CDA® Schema – this is a known limitation.

A Shared Health Summary document that conforms to this specification **SHALL** validate against the NEHTA CDA<sup>®</sup> Schema that accompanies this specification, and **SHALL** validate against the HL7<sup>®</sup> CDA<sup>®</sup> Schema once the extensions have been removed. Note that merely passing schema validation does not ensure conformance. For more information, refer to Conformance.

### 2.5 Schematron

Many of the rules this document makes about CDA<sup>®</sup> documents cannot be captured in the W3C XML Schema language (XSD) as XSD does not provide a mechanism to state that the value or presence of one attribute is dependent on the values or presence of other attributes (co-occurrence constraints).

Schematron is a rule-based validation language for making assertions about the presence or absence of patterns in XML trees. The rules defined by this document may be captured as Schematron rules. As of this release, the matching Schematron assertions have not yet been developed; NEHTA is considering the distribution of these rules in association with future releases of this implementation guide.

### **2.6 Implementation Strategies**

There are many platform-specific implementation options for readers implementing a CDA<sup>®</sup> document according to this guide. Examples of these implementation options include:

- Read or write CDA® documents directly using a Document Object Model (DOM) or 3rd Generation Language (3GL) code (or both).
- Transform an existing XML format to and from a CDA® document.
- Use a toolkit to generate a set of classes from HL7<sup>®</sup> CDA<sup>®</sup> Schema or the NEHTA CDA<sup>®</sup> Schema provided with this implementation guide, to read or write documents.
- Use existing libraries, possibly open source, that can read and write CDA<sup>®</sup> documents.

The best approach for any given implementation is strongly dictated by existing architecture, technology and legacy constraints of the implementation project or existing system.

Australian Digital Health Agency

# **3 Shared Health Summary Data Hierarchy**

The data hierarchy below provides a logical representation of the data structure of the SHS SCS data components.

The data hierarchy is a logical representation of the data components of a Shared Health Summary, and is not intended to represent how the data contents are represented in a CDA<sup>®</sup> document.



#### Note

Items below whose icon is grey are technical identifiers whose purpose is to facilitate interoperability, sharing of data and secondary use. It is typically expected that such identifiers will be generated internally by systems and not displayed to users since they usually have no clinical significance.

	SHARE	D HEALTH SUMMARY							
CONTEX	хт								
	8	SUBJEC	CT OF CAF	RE		11			
	8	DOCUM	IENT AUTH	HOR		11			
	46 X X	Docume	ent Instance	e Identifier		11			
	4699 A	Docume	ent Type			11			
	7to	DateTim	e Attested			11			
CONTE	NT								
	~	ADVERS	SE REACT	IONS		11			
		~	EXCLUS	SION STAT	EMENT - ADVERSE REACTIONS	01			
			001011001	Global S	atement	11			
			46 X A	Detailed	Clinical Model Identifier	11			
		~	ADVERS	SE REACT	ON	0*			
			001011001	Substand	e/Agent	11			
			~~	REACTI	DN EVENT	01			
				001011001	Manifestation	1*			
				001011001	Reaction Type	01			
			46 X A	Adverse	Reaction Instance Identifier	11			
			46 Y A	Detailed	Clinical Model Identifier	11			

	•	•		
	46 X 89 A	Adverse	Reactions Instance Identifier	01
	469 469	Section 7	Гуре	11
<b>%</b>	Medicati	ons (MEDI	CATION ORDERS)	11
	~~	EXCLUS	ION STATEMENT - MEDICATIONS	01
		001011001	Global Statement	11
		46 X Y 89 A	Detailed Clinical Model Identifier	11
	~	Known M	ledication (MEDICATION INSTRUCTION)	0*
		001011001	Therapeutic Good Identification	11
		Τ	Directions	11
		Τ	Clinical Indication	01
		Τ	Medication Instruction Comment	01
		46 X X 89 A	Medication Instruction Instance Identifier	11
		46 X X 89 - A	Detailed Clinical Model Identifier	11
	46 X 89 A	Medicatio	on Orders Instance Identifier	01
	46 X 89 A	Section 7	Гуре	11
~~	Past and	I Current N	ledical History (MEDICAL HISTORY)	11
	~~	PROBLE	M/DIAGNOSIS	0*
		001011001	Problem/Diagnosis Identification	11
		7.00	Date of Onset	01
		20	Date of Resolution/Remission	01
		Τ	Problem/Diagnosis Comment	01
		46 9 48	Problem/Diagnosis Instance Identifier	11
		46 9 48 9	Detailed Clinical Model Identifier	11
	~~	EXCLUS	ION STATEMENT - PROBLEMS AND DIAGNOSES	01
		001011001	Global Statement	11
		001011001		

	46 X V 89 1 A	Detailed Clinical Model Identifier	11
•	PROCE		0*
- ~			
		Procedure Name	11
	1	Procedure Comment	01
	$\overline{20}$	Procedure DateTime	11
	46 X 4	Procedure Instance Identifier	11
	46 X A	Detailed Clinical Model Identifier	11
~~	EXCLUS	ION STATEMENT - PROCEDURES	01
	001011001	Global Statement	11
	469 469	Detailed Clinical Model Identifier	11
~	UNCATE	GORISED MEDICAL HISTORY ITEM	0*
	Τ	Medical History Item Description	11
		Medical History Item TimeInterval	01
	Τ	Medical History Item Comment	01
	469 89	Uncategorised Medical History Item Instance Identifier	11
	46 X A	Detailed Clinical Model Identifier	11
469 A	Medical	History Instance Identifier	01
469 469	Section <sup>-</sup>	Гуре	11
 IMMUNI	ISATIONS		11
~~	Administ	ered Immunisation (MEDICATION ACTION)	0*
	001011001	Therapeutic Good Identification	11
	123	Vaccine Sequence Number (Sequence Number)	01
	700	Medication Action DateTime	11
	46 X 89 A	Medication Action Instance Identifier	11
	46 X A	Detailed Clinical Model Identifier	11
	-		

	~	Exclusion	Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS)		
		001011001	Global Statement		
		46 99 46 99	Detailed Clinical Model Identifier		
	46 99 46 99	Immunis	Immunisations Instance Identifier		
	46 99 86 99	Section 7	ection Type		

# **4 Administrative Observations**

The SHS SCS contains a number of data elements that are logically part of the SCS context, but for which there are no equivalent data elements in the CDA<sup>®</sup> header. These data elements are considered to be "Administrative Observations" about the encounter, the patient or some other participant. Administrative Observations is a CDA<sup>®</sup> section that is created to hold these data components in preference to creating extensions for them.

# **CDA<sup>®</sup> R-MIM Representation**

Figure 4.1 Administrative Observations shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Body elements.

The Administrative Observations section is composed of a Section class related to its context ClinicalDocument.structuredBody through a component relationship.

component typeCode*: <= COMP contextConductionInd*:	BL [11] "true" 1* section	on
Section classCode*: <= DOCSECT moodCode*: <= EVN id: II [01] code: CE CWE [01] <= D:Do title: ST [01] text*: ED [01]	ocumentSectionType	

Figure 4.1. Administrative Observations

At most one instance of Administrative Observation section **SHOULD** be present in a CDA<sup>®</sup> document. The cardinality of this section comes from its linking context data elements (e.g. CDA<sup>®</sup> context data element(s) mapped to Administrative Observation Section). If any of the linking context data elements are mandatory, then this section **SHALL** be marked as a mandatory section.

This section SHALL NOT be populated if there are no entries or text to go in it.

This section SHALL contain a code if provided.

All data elements (with the exception of narrative text) within this section SHALL be deemed as CDA® Header data elements for conformance assessment.

The <text> data element is **OPTIONAL** and **SHALL** be treated as a Level 2 CDA® data element.

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/		
n/a	n/a	Cardinality comes from linking context data elements	component/section[admin_obs]		
		01	component/section[admin_obs]/id	UUID This is a technical identifier that is used for system pur- poses such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for available attributes.</id>
		11	component/section[admin_obs]/code		
			component/section[admin_obs]/code/@code="102.16080"		
			component/section[admin_obs]/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component/section[admin_obs]/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
				See CodeSystem OIDs.	
			component/section[admin_obs]/code/@displayName="Administrative Observations"		
			component/section[admin_obs]/title="Administrative Observations"		
		01	component/section[admin_obs]/text		See Appendix A, CDA <sup>®</sup> Narratives.

#### **Example 4.1. Administrative Observations XML Fragment**

```
<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.
Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid.
While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and
may not be indicative of the expected values in a clinical document.
While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema,
the specification or schema will take precedence. -->
<ClinicalDocument
xmlns="urn:hl7-org:v3"
 xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ....
~
  <!-- Begin CDA Header -->
   <!-- End CDA Header -->
   <!-- Begin CDA Body -->
   <component>
      <structuredBody>
         ....
         <!-- Begin Administrative Observations section -->
         <component typeCode="COMP"><!-- [admin obs] -->
            <section classCode="DOCSECT" moodCode="EVN">
               <id root="88CDBCA4-EFD1-11DF-8DE4-E4CDDFD72085"/>
               <code code="102.16080"
                  codeSystem="1.2.36.1.2001.1001.101"
                  codeSystemName="NCTIS Data Components"
                  displayName="Administrative Observations"/>
               <title>Administrative Observations</title>
               <!-- Narrative text for Administrative Observations -->
               <text/>
               ....
            </section>
         </component><!-- [admin obs] -->
         <!-- End Administrative Observations section -->
      </structuredBodv>
   </component>
   <!-- End CDA Body -->
</ClinicalDocument>
```

# **5 CDA<sup>®</sup> Header**

This chapter contains CDA<sup>®</sup>-specific header elements (both **REQUIRED** and **OPTIONAL**) that are not specified in the SHS SCS specification. The CDA<sup>®</sup> Schema Data Element describes each element.

All the definitions in this chapter are sourced from "HL7 Clinical Document Architecture, Release 2" [HL7CDAR2].

## **5.1 ClinicalDocument**

## Identification


Name	ClinicalDocument
Definition	The ClinicalDocument class is the entry point into the CDA <sup>®</sup> R-MIM, and corresponds to the <clinicaldocument> XML element that is the root element of a CDA<sup>®</sup> document.</clinicaldocument>

## **Relationships**

#### Children

Name	Occurrence		
LegalAuthenticator	11		
Custodian	11		

## **CDA<sup>®</sup> R-MIM Representation**



#### Figure 5.1. ClinicalDocument

CDA <sup>®</sup> Schema Data Element	Definition	Card	Vocab	Comments
Context: /				
ClinicalDocument	The ClinicalDocument class is the entry point into the CDA <sup>®</sup> R-MIM, and corresponds to the <clinicaldocument> XML element that is the root element of a CDA<sup>®</sup> document.</clinicaldocument>	11		
ClinicalDocument/typeld	A technology-neutral explicit reference to the CDA® Release 2	11		
ClinicalDocument/typeId/@extension="POCD_HD000040"	specification.	11		The unique identifier for the CDA <sup>®</sup> Release 2 Hierarchical Description.
ClinicalDocument/typeId/@root="2.16.840.1.113883.1.3"		11		The OID for HL7® Registered models.
ClinicalDocument/templateld		1*		One or more template identifiers that indicate constraints on the CDA® document that this document conforms to. One of the identifiers must be the templateld that identifies this specification (see immediately below). Addi- tional template identifiers may be required by other specifications, such as the CDA® Rendering Specification. Systems are not required to recognise any other template identifiers than the one below in order to understand the document as a [type] but these identifiers may influence how the document must be handled.
ClinicalDocument/templateId/@root="1.2.36.1.2001.1001.101.100.1002.120"		11		The healthcare context-specific name of the published Shared Health Summary CDA <sup>®</sup> Implementation Guide.
ClinicalDocument/templateId/@extension="1.4"		11		The identifier of the version that was used to create the document instance.
ClinicalDocument/id	Represents the unique instance identifier of a clinical document.	11		See common pattern: id.
ClinicalDocument/code	The code specifying the particular kind of document (e.g. History	11		See common pattern: code.
ClinicalDocument/code/@code="60591-5"	and Physical, Discharge Summary, Progress Note).			A clinical document written by the nominated provider, which contains key pieces of inform-
ClinicalDocument/code/@codeSystem="2.16.840.1.113883.6.1"				ation about an individual's health status and
ClinicalDocument/code/@codeSystemName			The value <b>SHOULD</b> be "LOINC". See CodeSystem OIDs.	is useful to a wide range of providers in as- sessing individuals and delivering care.
ClinicalDocument/code/@displayName="Patient summary"				

CDA <sup>®</sup> Schema Data Element	Definition	Card	Vocab	Comments
ClinicalDocument/effectiveTime	Signifies the document creation time, when the document first came into being. Where the CDA <sup>®</sup> document is a transform from an original document in some other format, the ClinicalDocu- ment.effectiveTime is the time the original document is created.	11		See common pattern: time.
ClinicalDocument/confidentialityCode/@nullFlavor="NA"	Codes that identify how sensitive a piece of information is and/or that indicate how the information may be made available or disclosed.	11		
ClinicalDocument/languageCode		01	[RFC3066] – Tags for the Iden- tification of Languages	<language code=""> - <dialect> The <language code=""> SHALL be "en". The <dialect> SHOULD be "AU".</dialect></language></dialect></language>
ClinicalDocument/ <b>setId</b>	Represents an identifier that is common across all document revi- sions.	01	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	
ClinicalDocument/versionNumber/@value	An integer value used to version successive replacement documents.	01		
ClinicalDocument/ext:completionCode	The lifecycle status of a document.	11	NCTIS: Admin Codes - Docu- ment Status	See NEHTA CDA <sup>®</sup> extension: ClinicalDocu- ment.completionCode.

#### Example 5.1. ClinicalDocument Body XML Fragment

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="CDA-SS-V1 4.xsd"> <!--Document header --> <typeId extension="POCD HD000040" root="2.16.840.1.113883.1.3"/> <templateId root="1.2.36.1.2001.1001.101.100.1002.120" extension="1.4"/> <id root="8BC3406A-B93F-11DE-8A2B-6A1C56D89593"/> <!-- Document code system --> <code code="60591-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Patient Summary"/> <effectiveTime value="201211061639+1100"/> <confidentialityCode nullFlavor="NA"/> <languageCode code="en-AU"/> <setId root="fc7fecc0-8255-11e3-baa7-0800200c9a66"/> <versionNumber value="1"/> <ext:completionCode code="F" codeSystem="1.2.36.1.2001.1001.101.104.20104" codeSystemName="NCTIS Document Status Values" displayName="Final"/> <!-- Begin CDA Header --> <!-- End CDA Header -->

<!-- Begin CDA Body -->

<!-- End CDA Body -->

</ClinicalDocument>

## 5.1.1 LegalAuthenticator

### Identification

Name	LegalAuthenticator
Definition	Represents a participant who has legally authenticated the document.

### Relationships


#### Parent

Name	Occurrences (child within parent)
ClinicalDocument	11

#### **CDA® R-MIM Representation**

Figure 5.2 LegalAuthenticator shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Header elements.

The LegalAuthenticator maps to the CDA<sup>®</sup> Header element legalAuthenticator. The legalAuthenticator participation class represents who has legally authenticated the document. The role is AssignedEntity and is represented by the Person and/or Organization entities.



#### Figure 5.2. LegalAuthenticator



#### Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>HL7® code set registration</u> <u>procedure</u><sup>1</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

CDA <sup>®</sup> Schema Data Element	Definition	Card	Vocab	Comments
Context: ClinicalDocument/				
legalAuthenticator	Represents a participant who has legally authenticated the document.	11		
legalAuthenticator/time/@value	Indicates the time of authentication.	11		The time/@value <b>SHALL</b> include both a time and a date.
legalAuthenticator/signatureCode/@code="S"	Indicates that the signature has been affixed and is on file.	11		
legalAuthenticator/assignedEntity	A legalAuthenticator is a person in the role of an assigned entity (AssignedEntity class). An assigned entity is a person assigned to the role by the scoping organization. The entity playing the role is a person (Person class). The entity scoping the role is an organization (Organization class).	11		
legalAuthenticator/assignedEntity/code	The specific kind of role.	01	NS	See <code> for available attrib- utes.</code>
legalAuthenticator/assignedEntity/ <b>id</b>	A unique identifier for the player entity in this role.	11	UUID This is a technical identifier that is used for system purposes such as match- ing. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for available attributes.</id>
legalAuthenticator/assignedEntity/assignedPerson	The entity playing the role (assignedEntity) is a person.	01		
legalAuthenticator/assignedEntity/assignedPerson/ <entity identifier=""></entity>	The entity identifier of the person.	0*		See common pattern: Entity Identifier.
legalAuthenticator/assignedEntity/ <address></address>	A postal address for the entity (assignedPerson) while in the role (assignedEntity).	0*		See common pattern: Address.
legalAuthenticator/assignedEntity/ <electronic communication="" detail=""></electronic>	A telecommunication address for the entity (assignedPerson) while in the role (assignedEntity).	0*		See common pattern: Electronic Communication Detail.
legalAuthenticator/assignedEntity/assignedPerson/ <person name=""></person>	A non-unique textual identifier or moniker for the entity (assignedPerson).	0*		See common pattern: Person Name.

<sup>1</sup> http://www.hl7.org/oid/index.cfm?ref=footer

CDA <sup>®</sup> Schema Data Element	Definition	Card	Vocab	Comments
legalAuthenticator/assignedEntity/representedOrganization	The entity scoping the role (assignedEntity).	01		
legalAuthenticator/assignedEntity/representedOrganization/ <entity identifier=""></entity>	A unique identifier for the scoping entity (represented organization) in this role (assignedEntity).	0*		See common pattern: Entity Identifier.
legalAuthenticator/assignedEntity/representedOrganization/name	A non-unique textual identifier or moniker for the entity (represente- dOrganization).	0*		

#### Example 5.2. LegalAuthenticator XML Fragment

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. while every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" ~ .... <!-- Begin CDA Header --> <!-- Begin legalAuthenticator --> <legalAuthenticator> <time value="200910201235+1000"/> <signatureCode code="S"/> <assignedEntity> <id root="123F9366-78EC-11DF-861B-EE24DFD72085"/> <code code="253111" codeSystem="2.16.840.1.113883.13.62" codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, Revision 1" displayName="General Medical Practitioner"/> <!-- Address --> <addr use="WP"> <streetAddressLine>1 Clinician Street</streetAddressLine> <city>Nehtaville</city> <state>OLD</state> <postalCode>5555</postalCode> <additionalLocator>32568931</additionalLocator> </addr> <!-- Electronic Communication Detail --> <telecom use="WP" value="tel:0712341234"/> <assignedPerson> <!-- Person Name --> <name> <prefix>Dr.</prefix> <given>General</given> <family>Doctor</family> </name> <!-- Entity Identifier --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-I" root="1.2.36.1.2001.1003.0.8003611566682112"/> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name> </ext:assigningGeographicArea> </ext:asEntityIdentifier> </assignedPerson> <representedOrganization> <!-- Organisation Name --> <name>Good Health Clinic</name>

<!-- Entity Identifier -->
<ext:asEntityIdentifier classCode="IDENT">
<ext:asEntityIdentifier classCode="IDENT">
<ext:asSigningGeographicArea="IDENT">
<ext:asSigningGeographicArea="IBENT">
<ext:asSigningGeographicArea="IBENT">
<ext:asSigningGeographicArea="IBENT">
<ext:asSigningGeographicArea="IBENT">
</ext:asSigningGeographicArea="IBENT">
</ext:asSigningGeographicArea="IBENT">
</ext:asSigningGeographicArea>
<//ext:asEntityIdentifier>
</ext:asEntityIdentifier>
</representedOrganization>
</asSignedEntity>
</legalAuthenticator -->

---

....

<!-- End CDA Header -->

<!-- Begin CDA Body --> <component> <structuredBody>

</structuredBody> </component>

<!-- End CDA Body -->

</ClinicalDocument>

## 5.1.2 Custodian

### Identification

Name	Custodian
Definition	The organization that is in charge of maintaining the document. The custodian is the steward that is entrusted with the care of the document. Every CDA®
	document has exactly one custodian.

### Relationships

#### Parent

Name	Occurrences (child within parent)
ClinicalDocument	11

#### **CDA® R-MIM Representation**

Figure 5.3 Custodian shows a subset of the CDA® R-MIM containing those classes being referred to in the CDA® Mapping. This data component maps to CDA® Header elements.

The Custodian maps to the CDA<sup>®</sup> Header element custodian. The custodian participation class represents the organisation that is in charge of maintaining the document. The role is AssignedCustodian and is represented by the CustodianOrganization entity.




Figure 5.3. Custodian

CDA <sup>®</sup> Schema Data Element	Definition	Card	Vocab	Comments
Context: ClinicalDocument/			-	L
custodian	Represents the organization that is in charge of maintaining the document. The custodian is the steward that is entrusted with the care of the document. Every CDA <sup>®</sup> document has exactly one custodian.	11		
custodian/assignedCustodian	A custodian is a scoping organization in the role of an assigned custodian.	11		
custodian/assignedCustodian/representedCustodianOrganization	The steward organization (CustodianOrganization class) is an entity scoping the role of AssignedCustodian.	11		
custodian/assignedCustodian/representedCustodianOrganization/ <b>id</b>	A unique identifier for the scoping entity (representedCustodianOr- ganization) in this role.	1*	UUID This is a technical identifier that is used for system purposes such as match- ing. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for available attributes.</id>
custodian/assignedCustodian/representedCustodianOrganization/ <entity identifier=""></entity>	The entity identifier of the custodian organization.	0*		See common pattern: Entity Identifier.
custodian/assignedCustodian/representedCustodianOrganization/name	The name of the steward organization.	01		
custodian/assignedCustodian/representedCustodianOrganization/ <electronic communication="" detail=""></electronic>	The telecom of the steward organization.	01		See common pattern: Electronic Communication Detail.
custodian/assignedCustodian/representedCustodianOrganization/ <address></address>	The address of the steward organization	01		See common pattern: Address.

#### Example 5.3. Custodian Body XML Fragment

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" .... ~ .... <!-- Begin CDA Header --> <!-- Begin Custodian --> <custodian> <assignedCustodian> <representedCustodianOrganization> <!-- ID is used for system purposes such as matching --> <id root="c9c04faf-d7a8-4802-8c69-980b0ce4d798"/> <name>Custodian</name> <!-- Electronic Communication Detail --> <telecom use="WP" value="tel:0712341234"/> <!-- Address --> <addr use="WP"> <streetAddressLine>99 Clinician Street</streetAddressLine> <city>Nehtaville</city> <state>QLD</state> <postalCode>5555</postalCode> <additionalLocator>32568931</additionalLocator> </addr> <!-- Entity Identifier --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="PAI-O" root="1.2.36.1.2001.1007.1.8003640001000036"/> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name> </ext:assigningGeographicArea> </ext:asEntityIdentifier> </representedCustodianOrganization> </assignedCustodian> </custodian> <!-- End Custodian --> <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBody> ... </structuredBody>

</component> <!-- End CDA Body -->

</ClinicalDocument>

# 6 Context Data Specification - CDA<sup>®</sup> Mapping

## **6.1 SHARED HEALTH SUMMARY**

## Identification

Name	SHARED HEALTH SUMMARY
Metadata Type	Structured Document
Identifier	SD-16565

## **Relationships**

#### Children

Data Type	Name	Occurrence
۸	SUBJECT OF CARE	11
۵	DOCUMENT AUTHOR	11

## **CDA<sup>®</sup> R-MIM Representation**

Figure 6.1 CDA Header Model for Shared Health Summary Context shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Header elements.

1* assignedAuthor author typeCode*: <= AUT time*: TS [11]	ClinicalDocument classCode*: <= DOCCLIN moodCode*: CS CNE [11] < D:EVN id*: II [11]
1* patientRole  recordTarget typeCode*: <= RCT contextControlCode*: CS CNE [11] <= "OP"	code*: CE CWE [11] < D:DocumentType
01 assignedEntity legalAuthenticator typeCode*: < V:ParticipationLegalAuthenticator time*: IVL <ts> [11]</ts>	

Figure 6.1. CDA Header Model for Shared Health Summary Context

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments			
CDA® Header Data Elements								
Shared Health Summary	A clinical document written by the nominated pro- vider, which contains key pieces of information about an individual's health status and is useful to a wide range of providers in assessing individuals and de- livering care.	11	ClinicalDocument					
Shared Health Summary > SUBJECT OF CARE	Person who receives healthcare services.	11	See: SUBJECT OF CARE					
Shared Health Summary > DOCUMENT AUTHOR	Composer of the document.	11	See: DOCUMENT AUTHOR					
Shared Health Summary > DateTime At- tested	The date and time that the document author or doc- ument authoriser or approver confirms that a docu- ment is complete and genuine.	11	ClinicalDocument/legalAuthenticator/time/@value	The time/@value SHALL include both a time and a date.	See <time> for available attributes.</time>			
Shared Health Summary > Document In- stance Identifier	A globally unique identifier for each instance of a Shared Health Summary document.	11	ClinicalDocument/id		See <id> for avail- able attributes.</id>			
Shared Health Summary > Document Type	Type of document.	11	ClinicalDocument/code		See <code> for available attributes.</code>			
			ClinicalDocument/code/@code="60591-5"					
			ClinicalDocument/code/@codeSystem="2.16.840.1.113883.6.1"					
			ClinicalDocument/code/@codeSystemName	The value <b>SHOULD</b> be "LOINC".	Optional CDA <sup>®</sup> ele- ment.			
				See CodeSystem OIDs.				
			ClinicalDocument/code/@displayName="Patient summary"					

For CDA® Header mappings and model which are not explicitly included in the SCS, see ClinicalDocument.

#### Example 6.1. Shared Health Summary Context XML Fragment

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <<u>ClinicalDocument xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"</u> xmlns="urn:hl7-org:v3" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"> .... <!-- Document Instance Identifier --> <id root="8f281000-498d-11e2-bcfd-0800200c9a66"/> <!-- Document Type --> <code code="60591-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Patient summary"/> .... <!-- Begin CDA Header --> <!-- Begin SUBJECT OF CARE --> <recordTarget> </recordTarget> <!-- End SUBJECT OF CARE --> <!-- Begin DOCUMENT AUTHOR --> <author> .... </author> <!-- End DOCUMENT AUTHOR --> <!-- Begin LegalAuthenticator --> <legalAuthenticator> <!-- DateTime Attested --> <time value="200910201235+1100"/> </legalAuthenticator> <!-- End LegalAuthenticator --> .... <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <section> </section> </component> <!-- End CDA Body --> </ClinicalDocument>

## **6.1.1 DOCUMENT AUTHOR**

### Identification

Name	DOCUMENT AUTHOR
Metadata Type	Data Group
Identifier	DG-10296

### Relationships

#### Parent

Da	Data Type     Name		Occurrences (child within parent)
Ĩ		SHARED HEALTH SUMMARY	11

### **CDA® R-MIM Representation**

Figure 6.2 DOCUMENT AUTHOR shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Header elements.

The DOCUMENT AUTHOR data group instantiated as PERSON (Healthcare Provider) is related to its context of ClinicalDocument by the author participation class. An author is a person in the role of assignedAuthor (AssignedAuthor class). The entity playing the role is assignedAuthorChoice (Person class). The entity identifier of the participant is mapped to the EntityIdentifier class (NEHTA CDA<sup>®</sup> extension) and is associated to the assignedAuthorChoice.




Figure 6.2. DOCUMENT AUTHOR

Figure 6.3 DOCUMENT AUTHOR - Entitlement shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Body elements.




Figure 6.3. DOCUMENT AUTHOR - Entitlement

NEHTA SCS Data Component	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments	
CDA <sup>®</sup> Header Data Elements			Context: ClinicalDocument/			
DOCUMENT AUTHOR	Composer of the document.	11	author		Document Author <b>SHALL</b> be filled with the Healthcare Provider who authored the document.	
DOCUMENT AUTHOR > Participation Period	The time interval during which the participation in the health care event occurred.	11	author/t <b>ime</b>	This element <b>SHALL</b> hold the same value as Shared Health Summary > DateTime Attested (ClinicalDocument/legalAuthentic- ator/time). Although the definition of this element states that it is a time interval, the following applies: "The end of the participation period of a Document Author participation is the time associ- ated with the completion of edit- ing the content of a document.". Thus only the end time need be recorded.	<ul> <li>Required CDA<sup>®</sup> element.</li> <li>The author/time element SHALL be implemented as either:</li> <li>a value attribute (populated with the end time of the authorship or encounter, as appropriate); or</li> <li>a high element AND a low element, both with value attributes and neither with a nullFlavor attribute.</li> </ul>	
DOCUMENT AUTHOR > Participation Type	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	n/a	Participation Type <b>SHALL</b> have an implementation-specific value equivalent to "Document Au- thor".	Not mapped directly; encom- passed implicitly in au- thor/typeCode="AUT" (optional, fixed value).	
DOCUMENT AUTHOR > Role	The involvement or role of the participant in the related action from a healthcare perspective rather than the specific participation perspective.	11	author/ <b>assignedAuthor/code</b>	Role <b>SHOULD</b> have a value chosen from 1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occu- pations, First Edition, Revision 1 [ABS2009]. However, if a suitable value in this set cannot be found, then any code set that is both re- gistered with HL7 <sup>®</sup> and publicly available <b>MAY</b> be used.	See <code> for available attrib- utes.</code>	
n/a	n/a	11	author/assignedAuthor/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	Required CDA <sup>®</sup> element.	

NEHTA SCS Data Compon-	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
ent		ouru			
DOCUMENT AUTHOR > Participant	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	11	author/assignedAuthor/assignedPerson		
DOCUMENT AUTHOR > Participant > Entity Identifier	A number or code issued for the purpose of identifying a participant within a healthcare context.	1*	author/assignedAuthor/assignedPerson/ <entity identifier=""></entity>	The value of one Entity Identifier <b>SHALL</b> be an Australian HPI-I.	See common pattern: Entity Identifier.
DOCUMENT AUTHOR > Participant > Address	The description of a location where an entity is located or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	0*	author/assignedAuthor/ <b><address></address></b>	AUSTRALIAN OR INTERNA- TIONAL ADDRESS <b>SHALL</b> be instantiated as an AUSTRALIAN ADDRESS.	See common pattern: Address.
				Address Purpose (addr/@use) SHALL be set to Business (see AS 5017-2006: Health Care Cli- ent Identifier Address Purpose).	
DOCUMENT AUTHOR > Participant > Electronic Communication Detail	The electronic communication details of entities.	0*	author/assignedAuthor/ <electronic communication="" detail=""></electronic>	Electronic Communication Us- age Code (telecom/@use) SHALL be set to Workplace (see HL7®: TelecommunicationAd- dressUse).	See common pattern: Electronic Communication Detail.
DOCUMENT AUTHOR > Participant > Person or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION or DEVICE.	11	n/a	PERSON OR ORGANISATION OR DEVICE <b>SHALL</b> be instanti- ated as a PERSON.	This logical NEHTA data com- ponent has no mapping to CDA <sup>®</sup> .
					The cardinality of this component propagates to its children.
DOCUMENT AUTHOR > Participant > Person or Organisation or Device > Person	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare service, or is in some way related to, or a representative of, a subject of care (patient).	11	n/a		Not mapped directly; encom- passed implicitly in author/as- signedAuthor/assignedPerson.
DOCUMENT AUTHOR > Participant > Person or Organisation or Device > Per- son > <b>Person Name</b>	The appellation by which an individual may be identi- fied separately from any other within a social context.	1*	author/assignedAuthor/assignedPerson/ <person name=""></person>		See common pattern: Person Name.
DOCUMENT AUTHOR > Participant > Person or Organisation or Device > Per- son > <b>Employment Detail</b>	A person's occupation and employer.	11	author/assignedAuthor/assignedPerson/ <employment></employment>		See common pattern: Employ- ment.

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments	
CDA <sup>®</sup> Body Level 3 Data Elements	•		Context: ClinicalDocument/component/structuredBody/component[admin_obs]/section/			
DOCUMENT AUTHOR > Participant > Entitlement	The entitlement or right of a participant to act in a given capacity (as defined by Entitlement Type) within a healthcare context.	0*	ext:coverage2/@typeCode="COVBY"			
			ext:coverage2/ext:entitlement			
			ext:coverage2/ext:entitlement/@classCode="COV"			
			ext:coverage2/ext:entitlement/@moodCode="EVN"			
			ext:coverage2/ext:entitlement/ext:participant/@typeCode="HLD"			
			ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ @classCode="ASSIGNED"			
			ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ext:id	UUID	This <b>SHALL</b> hold the same value as author/assignedAu- thor/id.	
				This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.		
DOCUMENT AUTHOR > Participant > Entitlement > Entitlement Number	A number or code issued for the purpose of identifying the entitlement or right of a participant to act in a given capacity (as defined by Entitlement Type) within a healthcare context.	11	ext:coverage2/ext:entitlement/ext:id		See <id> for available attributes.</id>	
DOCUMENT AUTHOR > Participant > Entitlement > Entitlement Type	The description of the scope of an entitlement.	11	ext:coverage2/ext:entitlement/ext:code	NCTIS: Admin Codes - Entitle- ment Type		
DOCUMENT AUTHOR > Participant > Entitlement > Entitlement Validity Dur- ation	The time interval for which an entitlement is valid.	01	ext:coverage2/ext:entitlement/ext:effectiveTime		See <time> for available attrib- utes.</time>	
CDA <sup>®</sup> Header Data Elements			Context: ClinicalDocument/			
DOCUMENT AUTHOR > Participant > Qualifications	A list of professional certifications, and certificates re- cognising having passed a course.	01	author/assignedAuthor/assignedPerson/ext:asQualifications		See NEHTA CDA® extension: Qualifications.	
			author/assignedAuthor/assignedPerson/ext:asQualifications/@classCode= "QUAL"			
			author/assignedAuthor/assignedPerson/ext:asQualifications/ext:code/ originalText	Qualifications is a text field, so the text list is entered in the ori- ginalText field of the code ele- ment.		

#### **Example 6.2. DOCUMENT AUTHOR XML Fragment**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" > <!-- Begin DOCUMENT AUTHOR --> <author> <!-- Must hold same value as DateTime attested (ClinicalDocument.legalAuthenticator.time) --> <time value="200910201235+1000"/> <assignedAuthor> <!-- ID is used for system purposes such as matching --> <id root="7FCB0EC4-0CD0-11E0-9DFC-8F50DFD72085"/> <!-- Role --> <code code="253111" codeSystem="2.16.840.1.113883.13.62"</pre> codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, Revision 1" displayName="General Medical Practitioner" /> <!-- Address --> <addr use="WP"> <streetAddressLine>1 Clinician Street</streetAddressLine> <city>Nehtaville</city> <state>OLD</state> <postalCode>5555</postalCode> <additionalLocator>32568931</additionalLocator> <country>Australia</country> </addr> <!-- Electronic Communication Detail --> <telecom use="WP" value="tel:0712341234"/> <!-- Participant --> <assignedPerson> <!-- Person Name --> <name> <prefix>Dr.</prefix> <given>Good</given> <family>Doctor</family> </name> <!-- Entity Identifier --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-I" root="1.2.36.1.2001.1003.0.8003619900015717" /> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name>

</ext:assigningGeographicArea> </ext:asEntityIdentifier> <!-- Employment Details --> <ext:asEmployment classCode="EMP"> <!-- Position In Organisation --> <ext:code> <originalText>GP</originalText> </ext·code> <!-- Occupation --> <code code="253111" codeSystem="2.16.840.1.113883.13.62" codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, Revision 1" displavName="General Medical Practitioner" /> <!-- Employment Type --> <ext:jobClassCode code="FT" codeSystem="2.16.840.1.113883.5.1059"</pre> codeSystemName="HL7:EmployeeJobClass" displayName="full-time" /> <!-- Employer Organisation --> <ext:employerOrganization> <!-- Department/Unit --> <name>Acme Hospital One</name> <as0rganizationPartOf> <wholeOrganization> <!-- Organisation Name --> <name use="ORGB">Acme Hospital Group</name> <!-- Entity Identifier --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.8003621566684455" /> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name> </ext:assigningGeographicArea> </ext:asEntityIdentifier> <!-- Address --> <addr use="WP"> <streetAddressLine>1 Clinician Street</streetAddressLine> <citv>Nehtaville</city> <state>OLD</state> <postalCode>55555</postalCode> <additionalLocator>32568931</additionalLocator> </addr> <!-- Electronic Communication Detail --> <telecom use="WP" value="tel:0712341234" /> </wholeOrganization> </asOrganizationPartOf> </ext:employerOrganization> </ext:asEmployment> <ext:asQualifications classCode="QUAL"> <ext:code> <originalText>M.B.B.S</originalText> </ext:code> </ext:asQualifications> </assignedPerson> </assignedAuthor> </author> <!-- End DOCUMENT AUTHOR -->

```
<component>
     <structuredBodv>
      <!-- Begin Section Administrative Observations -->
  <component>
  <section>
   <id root="88CDBCA4-EFD1-11DF-8DE4-E4CDDFD72085"/>
   <code code="102.16080" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Administrative Observations"/>
   <title>Administrative Observations</title>
   <!-- Begin Narrative text -->
   <text>
    >
       Australian Medicare Prescriber Number
       049960CT
      </text>
   <!-- End Narrative text -->
   <!-- Begin Document Author Healthcare Provider Entitlement -->
   <ext:coverage2 typeCode="COVBY">
    <ext:entitlement classCode="COV" moodCode="EVN">
     <ext:id assigningAuthorityName="Medicare Prescriber number" root="1.2.36.174030967.0.3" extension="049960CT" />
     <ext:code code="10" codeSystem="1.2.36.1.2001.1001.101.104.16047" codeSystemName="NCTIS Entitlement Type Values"</pre>
      displayName="Medicare Prescriber Number" />
     <ext:effectiveTime>
      <low value="200501010101+1100" />
      <high value="202501010101+1100" />
     </ext:effectiveTime>
     <ext:participant typeCode="HLD">
      <ext:participantRole classCode="ASSIGNED">
       <!-- Same as the author (assignedAuthor) id -->
       <ext:id root="7FCB0EC4-0CD0-11E0-9DFC-8F50DFD72085" />
      </ext:participantRole>
     </ext:participant>
    </ext:entitlement>
   </ext:coverage2>
   <!-- End Document Author Healthcare Provider Entitlement -->
  </section>
  </component>
 <!-- End Section Administrative Observations -->
     </structuredBody>
  </component>
</ClinicalDocument>
```

# 6.1.2 SUBJECT OF CARE

# Identification

Name	SUBJECT OF CARE
Metadata Type	Data Group
Identifier	DG-10296

# Relationships

## Parent

Data Type	Name	Occurrences (child within parent)
	SHARED HEALTH SUMMARY	11

## **CDA® R-MIM Representation**

Figure 6.4 SUBJECT OF CARE - Header Data Elements and Figure 6.5 SUBJECT OF CARE - Body Data Elements show a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to both CDA<sup>®</sup> Header and CDA<sup>®</sup> Body elements.

The SUBJECT OF CARE data group maps mostly to CDA<sup>®</sup> Header elements. The recordTarget participation class represents the medical record to which this document belongs. The recordTarget is associated with the Patient class by the PatientRole class. In order to represent the Date of Death of the Subject of Care, Patient.deceasedTime has been added as a NEHTA CDA<sup>®</sup> extension.




Figure 6.4. SUBJECT OF CARE - Header Data Elements



## Note

Several data elements contained in the SUBJECT OF CARE data group could not be mapped to CDA® Header elements. These data elements have been mapped to Observations in the Administrative Observations section (see 4 Administrative Observations).




Figure 6.5. SUBJECT OF CARE - Body Data Elements

# **CDA<sup>®</sup>** Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments		
CDA <sup>®</sup> Header Data Elements			Context: ClinicalDocument/				
SUBJECT OF CARE	Person who receives healthcare services.	11	recordTarget/patientRole				
n⁄a	n/a	11	recordTarget/patientRole/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID MAY be used.	Required CDA <sup>®</sup> ele- ment.		
SUBJECT OF CARE > Participation Type	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	11	n/a	Participation Type SHALL have an im- plementation-specific value equivalent to "Subject of Care".	Not mapped directly, encompassed impli- citly in recordTarget/ typeCode = "RCT" (optional, fixed value).		
SUBJECT OF CARE > Role	The involvement or role of the participant in the re- lated action from a healthcare perspective rather than the specific participation perspective.	11	n/a	Role <b>SHALL</b> have an implementation- specific value equival- ent to "Patient".	Not mapped directly, encompassed impli- citly in recordTarget/ patientRole/ classCode = "PAT".		
SUBJECT OF CARE > Participant	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	11	recordTarget/patientRole/patient				
SUBJECT OF CARE > Participant > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	recordTarget/patientRole/patient/ <entity identifier=""></entity>	The value of one En- tity Identifier <b>SHALL</b> be an Australian IHI.	See common pat- tern: Entity Identifier. The Subject of Care's Medicare card number is recorded in Entitlement, not Entity Identifier.		
SUBJECT OF CARE > Participant > Address	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	1*	recordTarget/patientRole/ <b><address></address></b>		See common pat- tern: Address.		
SUBJECT OF CARE > Participant > Electronic Communication Detail	The electronic communication details of entities.	0*	recordTarget/patientRole/ <electronic communication="" detail=""></electronic>		See common pat- tern: Electronic Communication De- tail.		

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
SUBJECT OF CARE > Participant > Person or Organisation or Device	rganisation or Device PERSON, ORGANISATION or DEVICE. GANIS DEVIC instan	PERSON OR OR- GANISATION OR DEVICE <b>SHALL</b> be instantiated as a PERSON.	This logical NEHTA data component has no mapping to CDA®. The cardinality of this component propag-		
SUBJECT OF CARE > Participant > Person or Organisation or Device >	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare ser-	11	n/a		ates to its children. Not mapped directly, encompassed impli-
Person	vice, or is in some way related to, or a representative of, a subject of care (patient).				citly in recordTarget/ patientRole/ patient.
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > <b>Person Name</b>	The appellation by which an individual may be iden- tified separately from any other within a social con- text.	1*	recordTarget/patientRole/patient/ <person name=""></person>		See common pat- tern: Person Name.
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > <b>Demographic Data</b>	Additional characteristics of a person that may be useful for identification or other clinical purposes.	11	n/a		This logical NEHTA data component has no mapping to CDA®.
					The cardinality of this component propagates to its children.
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > <b>Sex</b>	The biological distinction between male and female. Where there is inconsistency between anatomical and chromosomal characteristics, sex is based on anatomical characteristics.	11	recordTarget/patientRole/patient/administrativeGenderCode	AS 5017-2006 Health Care Client Identifier Sex	
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail	Details of the accuracy, origin and value of a person's date of birth.	11	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
					The cardinality of this component propagates to its children.
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > <b>Date of Birth</b>	The date of birth of the person.	11	recordTarget/patientRole/patient/ <b>birthTime</b>		See <time> for avail- able attributes.</time>

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[admin_obs]/section/ (See 4 Adminis	trative Observations)	
SUBJECT OF CARE > Participant >	Indicates whether or not a person's date of birth has	01	entry[calc_age]		
Person or Organisation or Device > Person > Demographic Data > Date of	been derived from the value in the Age data element.		entry[calc_age]/observation		
Birth Detail > Date of Birth is Calcu- lated From Age			entry[calc_age]/observation/@classCode="OBS"		
lated From Age			entry[calc_age]/observation/@moodCode="EVN"		
		entry[calc_age]/observation/code			
			entry[calc_age]/observation/code/@code="103.16233"		
		-	entry[calc_age]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[calc_age]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components". See CodeSystem OIDs.	Optional CDA <sup>®</sup> ele- ment.
			entry[calc_age]/observation/code/@displayName="Date of Birth is Calculated From Age"		
			entry[calc_age]/observation/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for avail- able attributes.</id>
			entry[calc_age]/observation/ <b>value:BL</b>		If the date of birth has been calculated from age this is true, otherwise it is false.

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
SUBJECT OF CARE > Participant >	The level of certainty or estimation of a person's date	01	entry[dob_acc]		
Person or Organisation or Device > Person > Demographic Data > Date of	of birth.		entry[dob_acc]/observation		
Birth Detail > Date of Birth Accuracy Indicator			entry[dob_acc]/observation/@classCode="OBS"		
multator			entry[dob_acc]/observation/@moodCode="EVN"		
			entry[dob_acc]/observation/code		
			entry[dob_acc]/observation/code/@code="102.16234"		
			entry[dob_acc]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[dob_acc]/observation/code/@ <b>codeSystemName</b>	The value <b>SHOULD</b> be "NCTIS Data Components". See CodeSystem OIDs.	Optional CDA <sup>®</sup> ele- ment.
			entry[dob_acc]/observation/code/@displayName="Date of Birth Accuracy Indicator"		
		entry[dob_acc]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID MAY be used.	See <id> for avail- able attributes.</id>	
			entry[dob_acc]/observation/value:CS	AS 5017-2006 Health Care Client Identifier Date Accur- acy Indicator	
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > Date of Birth Accuracy Indicator > Date of Birth Day Accur- acy Indicator	The accuracy of the day component of a person's date of birth.	11	n/a		Encompassed in the mapping for Date of Birth Accuracy Indicator (above).
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > Date of Birth Accuracy Indicator > Date of Birth Month Accur- acy Indicator	The accuracy of the month component of a person's date of birth.	11	n/a		Encompassed in the mapping for Date of Birth Accuracy Indic- ator (above).

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > Date of Birth Accuracy Indicator > Date of Birth Year Accur- acy Indicator	The accuracy of the year component of a person's date of birth.	11	n/a		Encompassed in the mapping for Date of Birth Accuracy Indic- ator (above).
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Age Detail	Details of the accuracy and value of a person's age.	01	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> . The cardinality of this component propag- ates to its children.
SUBJECT OF CARE > Participant >	The age of a person/subject of care at the time.	11	entry[age]		ales to its children.
Person or Organisation or Device >	The age of a person/subject of care at the time.	11	entry[age]/observation		
Person > Demographic Data > Age Detail > <b>Age</b>			entry[age]/observation/@classCode="OBS"		
			entry[age]/observation/@moodCode="EVN"		
			entry[age]/observation/code		
			entry[age]/observation/code/@code="103.20109"		
			entry[age]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[age]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components". See CodeSystem OIDs.	Optional CDA <sup>®</sup> ele- ment.
			entry[age]/observation/code/@displayName="Age"		
			entry[age]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID MAY be used.	See <id> for avail- able attributes.</id>
			entry[age]/observation/value:PQ		

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
SUBJECT OF CARE > Participant >	The accuracy of a person's age.	01	entry[age_acc]		
Person or Organisation or Device > Person > Demographic Data > Age			entry[age_acc]/observation		
Detail > Age Accuracy Indicator			entry[age_acc]/observation/@classCode="OBS"		
			entry[age_acc]/observation/@moodCode="EVN"		
			entry[age_acc]/observation/code		
			entry[age_acc]/observation/code/@code="103.16279"		
			entry[age_acc]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[age_acc]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
				See CodeSystem OIDs.	
			entry[age_acc]/observation/code/@displayName="Age Accuracy Indicator"		
		identifier for system such as r a suitable key is no a UUID	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID MAY be used.	See <id> for avail- able attributes.</id>	
		entry[age_acc]/observation/ <b>value:BL</b>		If the age is con- sidered to be accur- ate, this is true, other- wise it is false.	

				Maral	<b>A</b>
NEHTA SCS Data Com-	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
ponent					
SUBJECT OF CARE > Participant > Person or Organisation or Device >	An indicator of multiple birth, showing the total num- ber of births resulting from a single pregnancy.	01	entry[brth_plr]		
Person > Demographic Data > Birth	bol of birthe resulting from a single programey.		entry[brth_plr]/observation		
Plurality			entry[brth_plr]/observation/@classCode="OBS"		
			entry[brth_plr]/observation/@moodCode="EVN"		
			entry[brth_plr]/observation/code		
			entry[brth_plr]/observation/code/@code="103.16249"		
			entry[brth_plr]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[brth_plr]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
				See CodeSystem OIDs.	
			entry[brth_plr]/observation/code/@displayName="Birth Plurality"		
				entry[brth_plr]/observation/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID MAY be used.
			entry[brth_plr]/observation/value:INT		
CDA <sup>®</sup> Header Data Elements	·		Context: ClinicalDocument/		·
SUBJECT OF CARE > Participant >	The sequential order of each baby of a multiple birth	01	recordTarget/patientRole/patient/ext:multipleBirthInd		See NEHTA CDA®
Person or Organisation or Device > Person > Demographic Data > <b>Birth</b> <b>Order</b>	regardless of live or still birth.		recordTarget/patientRole/patient/ext:multipleBirthOrderNumber		extension: Multiple Birth.
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail	Details of the accuracy and value of a person's date of death.	01	n/a		This logical NEHTA data component has no mapping to CDA®.
					The cardinality of this component propagates to its children.

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Date of	Person or Organisation or Device > estimated or certified to have died.	11	recordTarget/patientRole/patient/ext:deceasedInd		See NEHTA CDA <sup>®</sup> extension: Deceased Time.
Death Detail > <b>Date of Death</b>			recordTarget/patientRole/patient/ext:deceasedTime		See <time> for avail- able attributes.</time>
CDA <sup>®</sup> Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[admin_obs]/section/ (See 4 AdministicalDocument/component/structuredBody/component[admin_obs]/section/ (See 4 AdministicalDocument/structuredBody/component[admin_obs]/section/ (See 4 AdministicalDocument/structuredBody/component[admin_obs]/section/ (See 4 AdministicalDocument/structuredBody/component[admin_obs]/section/ (See 4 AdministicalDocument/structuredBody/component[admin_obs]/section/ (See 4 AdministicalDocument/structuredBody/section/ section/ section	trative Observations)	
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accur- acy Indicator	The level of certainty or estimation of a person's date of death.	01	entry[dod_acc]		This logical NEHTA data component has no mapping to CDA®. The cardinality of this component propag-
					ates to its children.
			entry[dod_acc]/observation		
			entry[dod_acc]/observation/@classCode="OBS"		
			entry[dod_acc]/observation/@moodCode="EVN"		
			entry[dod_acc]/observation/code		
			entry[dod_acc]/observation/code/@code="102.16252"		
			entry[dod_acc]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[dod_acc]/observation/code/@ <b>codeSystemName</b>	The value <b>SHOULD</b> be "NCTIS Data Components". See CodeSystem OIDs.	Optional CDA <sup>®</sup> ele- ment.
			entry[dod_acc]/observation/code/@displayName="Date of Death Accuracy Indicator"	0103.	
	1 F	entry[dod_acc]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for avail- able attributes.</id>	
			entry[doc_acc]/observation/value:CS	AS 5017-2006 Health Care Client Identifier Date Accur- acy Indicator	

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accuracy Indicator > Date of Death Day Accur- acy Indicator	The accuracy of the day component of a person's date of death.	11	n/a		Encompassed in the mapping for Date of Death Accuracy Indicator (above).
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accuracy Indicator > Date of Death Month Ac- curacy Indicator	The accuracy of the month component of a person's date of death.	11	n/a		Encompassed in the mapping for Date of Death Accuracy Indicator (above).
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accuracy Indicator > Date of Death Year Accur- acy Indicator	The accuracy of the year component of a person's date of death.	11	n/a		Encompassed in the mapping for Date of Death Accuracy Indicator (above).

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
SUBJECT OF CARE > Participant >	The person, location, organisation or other originator	01	entry[src_notif]		
Person or Organisation or Device > Person > Demographic Data > <b>Source</b>	of information relating to the date of death.		entry[src_notif]/observation		
of Death Notification			entry[src_notif]/observation/@classCode="OBS"		
			entry[src_notif]/observation/@moodCode="EVN"		
			entry[src_notif]/observation/code		
			entry[src_notif]/observation/code/@code="103.10243"		
			entry[src_notif]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[src_notif]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
					See CodeSystem OIDs.
			entry[src_notif]/observation/code/@displayName="Source of Death Notification"		
		entry[src_notif]/observation/value:CD	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for avail- able attributes.</id>	
			entry[src_notif]/observation/value:CD	AS 5017-2006: Health Care Client Source of Death No- tification	See <code> for available attributes.</code>

NEHTA SCS Data Com-	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Commonto
ponent	Data Component Definition	Caru	CDA <sup>®</sup> Schema Data Element	VOCAD	Comments
SUBJECT OF CARE > Participant >	The original family name of the person's mother.	01	entry[mothers_name]		
Person or Organisation or Device > Person > Demographic Data > Moth-			entry[mothers_name]/observation		
er's Original Family Name			entry[mothers_name]/observation/@classCode="OBS"		
			entry[mothers_name]/observation/@moodCode="EVN"		
			entry[mothers_name]/observation/code		
			entry[mothers_name]/observation/code/@code="103.10245"		
			entry[mothers_name]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[mothers_name]/observation/code/@ <b>codeSystemName</b>	The value <b>SHOULD</b> be "NCTIS Data Components". See CodeSystem OIDs.	Optional CDA <sup>®</sup> ele- ment.
			entry[mothers_name]/observation/code/@displayName="Mother's Original Family Name"		
			entry[mothers_name]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for avail- able attributes.</id>
			entry[mothers_name]/observation/value:PN		
CDA <sup>®</sup> Header Data Elements			Context: ClinicalDocument/		
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Country of Birth	The country in which the person was born.	01	recordTarget/patientRole/patient/ <b>birthplace/place/addr/country</b>	Standard Australian Classification of Countries (SACC) Cat. No. 1269 [ABS2008]	Use the name, not the numbered code.
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > State/Territory of Birth	The identifier of the Australian state or territory where a person is born.	01	recordTarget/patientRole/patient/birthplace/place/addr/state	AS 5017-2006 Aus- tralian State/Territory Identifier - Postal	
SUBJECT OF CARE > Participant > Person or Organisation or Device > Person > Demographic Data > Indigen- ous Status	Indigenous Status is a measure of whether a person identifies as being of Aboriginal or Torres Strait Is- lander origin.	11	recordTarget/patientRole/patient/ethnicGroupCode	METeOR 291036: Indigenous Status	

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[admin_obs]/section/		
SUBJECT OF CARE > Participant > Entitlement	The entitlement or right of a participant to act in a given capacity (as defined by Entitlement Type) within a healthcare context.	0*	ext:coverage2/@typeCode="COVBY"		See NEHTA CDA® extension: Entitle- ment.
			ext:coverage2/ext:entitlement		
			ext:coverage2/ext:entitlement/@classCode="COV"		
			ext:coverage2/ext:entitlement/@moodCode="EVN"		
			ext:coverage2/ext:entitlement/ext:participant/@typeCode="BEN"		
			ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/@classCode="PAT"		
			ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ <b>ext:id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	SHALL hold the same value as Clinic- alDocument/ re- cordTarget/ patien- tRole/ id.
SUBJECT OF CARE > Participant > Entitlement > Entitlement Number	A number or code issued for the purpose of identify- ing the entitlement or right of a participant to act in a given capacity (as defined by Entitlement Type) within a healthcare context.	11	ext:coverage2/ext:entitlement/ <b>ext:id</b>		
SUBJECT OF CARE > Participant > Entitlement > Entitlement Type	The description of the scope of an entitlement.	11	ext:coverage2/ext:entitlement/ext:code	NCTIS: Admin Codes - Entitlement Type	See <code> for available attributes.</code>
SUBJECT OF CARE > Participant > Entitlement > Entitlement Validity Duration	The time interval for which an entitlement is valid.	01	ext:coverage2/ext:entitlement/ext:effectiveTime		See <time> for avail- able attributes.</time>

#### **Example 6.3. SUBJECT OF CARE XML Fragment**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" .... > <!-- Begin SUBJECT OF CARE - Header Part --> <recordTarget typeCode="RCT"> <patientRole classCode="PAT"> --- This system generated id is used for matching patient Entitlement --> <id root="7AA0BAAC-0CD0-11E0-9516-4350DFD72085"/> <!-- Address --> <addr use="H"> <streetAddressLine>1 Patient Street</streetAddressLine> <city>Nehtaville</city> <state>OLD</state> <postalCode>55555</postalCode> <additionalLocator>32568931</additionalLocator> <country>Australia</country> </addr> <!-- Electronic Communication Detail --> <telecom use="H" value="tel:0499999999"/> <!-- Participant --> <patient> <!-- Person Name --> <name use=""."> <prefix>Ms</prefix> <given>Sally</given> <family>Grant</family> </name> <!-- Sex --> <administrativeGenderCode code="F" codeSystem="2.16.840.1.113883.13.68" codeSystemName="AS 5017-2006 Health Care Client Sex" displayName="Female" /> <!-- Date of Birth --> <birthTime value="20110712"/> <!-- Indigenous Status --> <ethnicGroupCode code="4" codeSystem="2.16.840.1.113883.3.879.291036" codeSystemName="METEOR Indigenous Status"</pre> displayName="Neither Aboriginal nor Torres Strait Islander origin" /> <!-- Multiple Birth Indicator --> <ext:multipleBirthInd value="true"/> <ext:multipleBirthOrderNumber value="2"/>

```
<!-- Date of Death -->
  <ext:deceasedInd value="true"/>
  <ext:deceasedTime value="20121112"/>
  <!-- Country of Birth/State of Birth -->
   <birthplace>
   <place>
    <addr>
     <country>Australia</country>
     <state>OLD</state>
    </addr>
   </place>
  </birthplace>
  <!-- Entity Identifier -->
  <ext:asEntityIdentifier classCode="IDENT">
   <ext:id assigningAuthorityName="IHI" root="1.2.36.1.2001.1003.0.8003608833357361"/>
   <ext:assigningGeographicArea classCode="PLC">
    <ext:name>National Identifier</ext:name>
   </ext:assigningGeographicArea>
  </ext:asEntityIdentifier>
 </patient>
</patientRole>
</recordTarget>
<!-- End SUBJECT OF CARE - Header Part -->
 <!-- Begin CDA Body -->
 <component>
    structuredBodv>
      ....
       <!-- Begin Section Administrative Observations -->
  <component><!-- [admin obs] -->
  <section>
   <code code="102.16080"
     codeSystem="1.2.36.1.2001.1001.101"
     codeSystemName="NCTIS Data Components"
     displayName="Administrative Observations"/>
   <title>Administrative Observations</title>
   <!-- Narrative text -->
   <text>
    Date of Birth is Calculated From Age
      True
      Date of Birth Accuracy Indicator
      AAA
      Age
      1
      Age Accuracy Indicator
       True
```

> Birth Plurality 31+m Source of Death Notification Relative  $\langle /tr \rangle$ > Mother's Maiden Name Smith > Australian Medicare Card Number 2296818481  $\langle /tr \rangle$ 

...

```
</text>
<!-- Begin SUBJECT OF CARE - Body -->
<!-- Begin Date of Birth is Calculated From Age -->
<entry><!-- [calc age] -->
 <observation classCode="OBS" moodCode="EVN">
  <id root="DA10C13E-EFD0-11DF-91AF-B5CCDFD72085"/>
  <code code="103.16233"
  codeSystem="1.2.36.1.2001.1001.101"
  codeSystemName="NCTIS Data Components"
  displayName="Date of Birth is Calculated From Age"/>
  <value value="true" xsi:type="BL"/>
 </observation>
</entry><!-- [calc_age] -->
<!-- End Date of Birth is Calculated From Age -->
<!-- Begin Date of Birth Accuracy Indicator-->
<entry><!-- [dob acc] -->
 <observation classCode="OBS" moodCode="EVN">
  <id root="D253216C-EFD0-11DF-A686-ADCCDFD72085"/>
  <code code="102.16234"
  codeSystem="1.2.36.1.2001.1001.101"
  codeSystemName="NCTIS Data Components"
  displayName="Date of Birth Accuracy Indicator"/>
  <value code="AAA" xsi:type="CS"/>
 </observation>
<!-- End Date of Birth Accuracy Indicator-->
<!-- Begin Age -->
<entry><!-- [age] -->
 <observation classCode="OBS" moodCode="EVN">
  <id root="CCF0D55C-EFD0-11DF-BEA2-A6CCDFD72085"/>
  <code code="103.20109"
  codeSystem="1.2.36.1.2001.1001.101"
  codeSystemName="NCTIS Data Components"
  displayName="Age"/>
  <value xsi:type="PQ" value="1" unit="a"/>
 </observation>
</entry><!-- [age] -->
<!-- End Age -->
```

```
<!-- Age Accuracy Indicator -->
<entry><!-- [age acc] -->
 <observation classCode="OBS" moodCode="EVN">
 <id root="C629C9F4-EFD0-11DF-AA9E-96CCDFD72085"/>
 <code code="103.16279"
  codeSystem="1.2.36.1.2001.1001.101"
  codeSystemName="NCTIS Data Components"
  displayName="Age Accuracy Indicator"/>
 <value value="true" xsi:type="BL"/>
 </observation>
</entry><!-- [age acc] -->
<!-- Birth Plurality -->
<entry><!-- [birth plr] -->
 <observation classCode="OBS" moodCode="EVN">
 <id root="C1EE2646-EFD0-11DF-8D9C-95CCDFD72085"/>
 <code code="103.16249"
  codeSystem="1.2.36.1.2001.1001.101"
  codeSystemName="NCTIS Data Components"
  displayName="Birth Plurality"/>
 <value value="3" xsi:tvpe="INT"/>
 </observation>
</entry><!-- [birth plr] -->
<!-- Begin Source of Death Notification-->
<entrv>
<!-- [src notif] -->
 <observation classCode="OBS" moodCode="EVN">
 <!-- ID is used for system purposes such as matching -->
 <id root="C749A146-2789-11E1-90AC-74064824019B" />
 <code code="103.10243" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
  displayName="Source of Death Notification" />
 <value code="R" codeSystem="2.16.840.1.113883.13.64"</pre>
  codeSystemName="AS 5017-2006 Health Care Client Source of Death Notification" displayName="Relative"
  xsi:type="CD" />
 </observation>
</entry>
<!-- [src notif] -->
<!-- End Source of Death Notification-->
<!-- Begin Mother's Original Family Name -->
<entry>
<!-- [mothers name] -->
 <observation classCode="OBS" moodCode="EVN">
 <!-- ID is used for system purposes such as matching -->
 <id root="E432CD48-278C-11E1-BDA1-0F0A4824019B" />
 <code code="103.10245" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
  displayName="Mother's Original Family Name" />
 <value xsi:type="PN">
  <family>Smith</family>
 </value>
 </observation>
</entry>
<!-- [mothers name] -->
<!-- End Mother's Original Family Name -->
<!-- Begin Date of Death Accuracy Indicator-->
<entry>
<!-- [dod acc] -->
 <observation classCode="OBS" moodCode="EVN">
```

```
<!-- ID is used for system purposes such as matching -->
      <id root="D253216C-EFD0-11DF-A686-ADCCDFD72085" />
      <code code="102.16252" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
       displayName="Date of Death Accuracy Indicator" />
      <value code="AAA" xsi:type="CS" />
     </observation>
    </entry>
    <!-- [dod acc] -->
    <!-- End Date of Death Accuracy Indicator-->
    <!-- Begin Entitlement -->
    <ext:coverage2 typeCode="COVBY">
     <ext:entitlement classCode="COV" moodCode="EVN">
                          <ext:id assigningAuthorityName="Medicare Card Number" root="1.2.36.1.5001.1.0.7.1" extension="2296818481" />
       <ext:code code="1" codeSystem="1.2.36.1.2001.1001.101.104.16047" codeSystemName="NCTIS Entitlement Type Values" displayName="Medicare Benefits"/>
      <ext:effectiveTime>
       <high value="20110101"/>
      </ext:effectiveTime>
      <ext:participant typeCode="BEN">
       <ext:participantRole classCode="PAT">
        <ext:id root="7AA0BAAC-0CD0-11E0-9516-4350DFD72085" />
       </ext:participantRole>
      </ext:participant>
     </ext:entitlement>
    </ext:coverage2>
    <!-- End Entitlement -->
    <!-- End SUBJECT OF CARE - Body -->
    ....
   </section>
  </component>
  <!-- End Section Administrative Observations -->
  ....
     </structuredBody>
  </component>
  <!-- End CDA Body -->
</ClinicalDocument>
```

# 7 Content Data Specification - CDA<sup>®</sup> Mapping

# 7.1 Shared Health Summary

# Identification

Name	SHARED HEALTH SUMMARY
Metadata Type	Structured Document
Identifier	SD-16565

# **Relationships**


#### Children

Data Type	Name	Occurrence
2	ADVERSE REACTIONS	11
•	Medications (MEDICATION ORDERS)	11
	Past and Current Medical History (MEDICAL HISTORY)	11
	IMMUNISATIONS	11

# **CDA<sup>®</sup> R-MIM Representation**

Figure 7.1 Shared Health Summary shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Body elements.

The Shared Health Summary is composed of a ClinicalDocument class, which is the entry point into the CDA<sup>®</sup> R-MIM. The ClinicalDocument is associated with the bodyChoice through the component relationship. The StructuredBody class represents a CDA<sup>®</sup> document body that is comprised of one or more document sections.



#### Figure 7.1. Shared Health Summary

# CDA<sup>®</sup> Mapping

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments	
CDA <sup>®</sup> Header Data Elements						
Shared Health Summary	A clinical document written by the nominated pro- vider, which contains key pieces of information about an individual's health status and is useful to a wide range of providers in assessing individuals and de- livering care.	11	ClinicalDocument			
CDA® Body Level 2 Data Elements						
Shared Health Summary (Body)	See above.	11	ClinicalDocument/component/structuredBody			

#### Example 7.1. Shared Health Summary Body XML Fragment

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" ~ .... <!-- Begin CDA Header --> <!-- End CDA Header --> <!-- Begin CDA Body --> <component> structuredBodv> .... <!-- Begin ADVERSE REACTIONS --> <--- End ADVERSE REACTIONS --> <!-- Begin Medications (MEDICATION ORDERS) --> <!-- End Medications (MEDICATION ORDERS) --> <!-- Begin Past and Current Medical History (MEDICAL HISTORY) --> <!-- End Past and Current Medical History (MEDICAL HISTORY) --> <!-- Begin IMMUNISATIONS --> <!-- End IMMUNISATIONS --> </structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

# **7.1.1 ADVERSE REACTIONS**

## Identification

Name	ADVERSE REACTIONS
Metadata Type	Section
Identifier	S-20113

# Relationships

#### Parent

Data Type	Name	Occurrences (child within parent)
	Shared Health Summary	11

### Children

Data Type	Name	Occurrence
***	EXCLUSION STATEMENT - ADVERSE REACTIONS	01
***	ADVERSE REACTION	0*

# **CDA<sup>®</sup> R-MIM Representation**

Figure 7.2 ADVERSE REACTIONS shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Body elements.

The ADVERSE REACTIONS section is composed of a Section class related to its context ClinicalDocument.structuredBody by a component.

Note: See (	: CDA R-MIM for shadow classes.
Stri	icturedBody
	component typeCode*: <= COMP contextConductionInd*: BL [11] "true" 1* section
cla mo id: coo title	ection assCode*: <= DOCSECT bodCode*: <= EVN SET <ii> [01] de: CE CWE [01] &lt; D:DocumentSectionType e: ST [01] t*: ED [01]</ii>

Figure 7.2. ADVERSE REACTIONS

# CDA<sup>®</sup> Mapping

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 2 Data Elements	•		Context: ClinicalDocument/component/structuredBody/		
ADVERSE REACTIONS	Information about adverse reactions of the patient (includ- ing allergies and intolerances), and any relevant reaction details. This includes statements about adverse reactions that need to be positively recorded as absent or excluded.	;	component[adv_reacts]/section		This component[adv_re-
			component[adv_reacts]/section/title="Adverse Reactions"		acts] <b>SHALL NOT</b> con- tain both an instance of EXCLUSION STATE- MENT - ADVERSE RE- ACTIONS and an in- stance of ADVERSE REACTION.
			component[adv_reacts]/section/text		Required CDA <sup>®</sup> ele- ment. See Appendix A, <i>CDA</i> <sup>®</sup>
					Narratives.
ADVERSE REACTIONS > Adverse Reac- tions Instance Identifier	A globally unique identifier for each instance of an Adverse Reactions section.	01	component[adv_reacts]/section/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID MAY be used.	See <id> for available attributes.</id>
ADVERSE REACTIONS > Section Type	Type of section.	11	component[adv_reacts]/section/code		
			component[adv_reacts]/section/code/@code="101.20113"		
			component[adv_reacts]/section/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component[adv_reacts]/section/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Com- ponents".	Optional CDA <sup>®</sup> element.
				See CodeSystem OIDs.	
			component[adv_reacts]/section/code/@displayName="Adverse Reactions"		
ADVERSE REACTIONS > EXCLUSION STATEMENT - ADVERSE REACTIONS	Statements about adverse reactions that need to be positively recorded as absent or excluded.	01	See: EXCLUSION STATEMENT - ADVERSE REACTIONS		
ADVERSE REACTIONS > ADVERSE RE- ACTION	A harmful or undesirable effect associated with exposure to any substance or agent.	0*	See: ADVERSE REACTION		

#### **Example 7.2. ADVERSE REACTIONS XML Fragment**

```
<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.
Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid.
While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and
may not be indicative of the expected values in a clinical document.
While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema,
the specification or schema will take precedence. -->
<ClinicalDocument xmlns="urn:hl7-org:v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ~
  ....
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
  <!-- Begin CDA Body -->
   <component>
     <structuredBody>
        ....
         <!-- Begin ADVERSE REACTIONS -->
         <component typeCode="COMP">
    <section classCode="DOCSECT" moodCode="EVN">
     <!-- Adverse Reactions Instance Identifier -->
     <id root="50846572-EFC7-11E0-8337-65094924019B" />
     <!-- Section Type -->
     <code code="101.20113"
     codeSystem="1.2.36.1.2001.1001.101"
     codeSystemName="NCTIS Data Components"
      displayName="Adverse Reactions" />
     <title>Adverse Reactions</title>
     <!-- Narrative text -->
     <text>Narrative.</text>
     <!-- NOTE: This Exclusion Statement is provided for illustrative purpose only. This section cannot contain both an entry for Exclusion Statement and any other entry. -->
     <!-- Begin EXCLUSION STATEMENT - ADVERSE REACTIONS -->
     <entry>
     <observation>
      </observation>
     </entry>
     <!-- End EXCLUSION STATEMENT - ADVERSE REACTIONS -->
     <!-- Begin ADVERSE REACTION -->
     <entry>
     <act>
     </act>
     </entry>
     <!-- End ADVERSE REACTION -->
    </section>
   </component>
         <!-- End ADVERSE REACTIONS -->
```

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.1.1 EXCLUSION STATEMENT - ADVERSE REACTIONS

## Identification

Name	EXCLUSION STATEMENT - ADVERSE REACTIONS
Metadata Type	Data Group
Identifier	DG-16137

## Relationships

## Parent

Data Type	Name	Occurrences (child within parent)
•	ADVERSE REACTIONS	01

## **CDA<sup>®</sup> R-MIM Representation**

Figure 7.3 EXCLUSION STATEMENT - ADVERSE REACTIONS shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Body elements.

The EXCLUSION STATEMENT - ADVERSE REACTIONS data group is represented by an Observation class that is related to its containing Section class by an entry.




Figure 7.3. EXCLUSION STATEMENT - ADVERSE REACTIONS

# CDA<sup>®</sup> Mapping

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[adv_reacts]/section		
EXCLUSION STATEMENT - ADVERSE REACTIONS	Statements about adverse reactions that need to be positively recorded as absent or excluded.	01	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
					The cardinality of this component propagates to its children.
					See Known Issues.
EXCLUSION STATEMENT - ADVERSE REACTIONS > Global Statement	The statement about the absence or exclusion.	11	entry[gbl_adv]		
			entry[gbl_adv]/observation		
			entry[gbl_adv]/observation/@classCode="OBS"		
			entry[gbl_adv]/observation/@moodCode="EVN"		
			entry[gbl_adv]/observation/id	UUID	Optional CDA <sup>®</sup> ele- ment.
				This is a technical identifier that is used for system pur- poses such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for available attributes.</id>
			entry[gbl_adv]/observation/code		
			entry[gbl_adv]/observation/code/@code="103.16302.120.1.1"		
			entry[gbl_adv]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[gbl_adv]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
				See CodeSystem OIDs.	
			entry[gbl_adv]/observation/code/@displayName="Global Statement"		
			entry[gbl_adv]/observation/ <b>value:CD</b>	NCTIS: Admin Codes - Global Statement Values	See <code> for avail- able attributes.</code>
				The value/@code SHALL NOT be "02".	
EXCLUSION STATEMENT - ADVERSE REACTIONS > Detailed Clinical Model Identifier	A globally unique identifier for this Detailed Clinical Model.	11	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
					See Known Issues.

#### **Example 7.3. EXCLUSION STATEMENT - ADVERSE REACTIONS XML Fragment**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document.

While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. -->

the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" .... ~ .... <!-- Begin CDA Header --> <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBodv> .... <!-- Begin ADVERSE REACTIONS --> <component typeCode="COMP"> <section classCode="DOCSECT" moodCode="EVN"> <!-- Begin EXCLUSION STATEMENT - ADVERSE REACTIONS --> <entry> <!-- Begin Global Statement --> <observation classCode="OBS" moodCode="EVN"> <!-- ID is used for system purposes such as matching --> <id root="55d57cf0-2c70-11e2-81c1-0800600c9a66" /> <code code="103.16302.120.1.1" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Global Statement" /> <value code="01" codeSystem="1.2.36.1.2001.1001.101.104.16299"</pre> codeSystemName="NCTIS Global Statement Values" displayName="None known" xsi:type="CD" /> </observation> <!-- End Global Statement --> </entry> <!-- End EXCLUSION STATEMENT - ADVERSE REACTIONS --> </section> </component> <!-- End ADVERSE REACTIONS --> .... </structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.1.2 ADVERSE REACTION

## Identification

Name	ADVERSE REACTION
Metadata Type	Data Group
Identifier	DG-15517

## Relationships

## Parent


Data Type	Name	Occurrences (child within parent)
	ADVERSE REACTIONS	0*

### **CDA® R-MIM Representation**

Figure 7.4 ADVERSE REACTION shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Body elements.

The ADVERSE REACTION data group is represented by an Act class that is related to its containing Section class by an entry. Substance/Agent is represented by a ParticipantRole class related to the containing Act class by a participant.

Reaction Event is represented by an Observation class and is related to the containing Act class by an entryRelationship. Manifestation is represented by an Observation class related to the containing Observation (Reaction Event) class. Reaction Type is represented by the value attribute of the Manifestation Observation class.



### Figure 7.4. ADVERSE REACTION

NEHTA SCS Data Component	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 3 Data Elements	3		Context: ClinicalDocument/component/structuredBody/component[adv_reacts]/section/		•
ADVERSE REACTION	A harmful or undesirable effect associated	0*	entry[adv_react]		
	with exposure to any substance or agent.		entry[adv_react]/act		
			entry[adv_react]/act/@classCode="ACT"		
			entry[adv_react]/act/@moodCode="EVN"		
ADVERSE REACTION > Adverse Reaction Instance Identifier	A globally unique identifier for each in- stance of an Adverse Reaction evaluation.	11	entry[adv_react]/act/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for avail- able attributes.</id>
ADVERSE REACTION > Detailed	A globally unique identifier for this Detailed	11	entry[adv_react]/act/code		
Clinical Model Identifier	Clinical Model.		entry[adv_react]/act/code/@code="102.15517"		
			entry[adv_react]/act/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[adv_react]/act/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
				See CodeSystem OIDs.	
			entry[adv_react]/act/code/@displayName="Adverse Reaction"		

NEHTA SCS Data Component	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
ADVERSE REACTION > Sub-	Identification of a substance, agent, or a	11	entry[adv_react]/act/participant		
stance/Agent	class of substance, that is considered to be responsible for the adverse reaction.		entry[adv_react]/act/participant/@typeCode="CAGNT"		
			entry[adv_react]/act/participant/participantRole/playingEntity/code	<ul> <li>SNOMED CT-AU:</li> <li>142321000036106  Adverse reaction agent reference set </li> <li>32570211000036100  Substance foundation reference set </li> <li>Australian Medicines Terminology (AMT):</li> <li>929360061000036106  Medicinal product reference set </li> <li>929360081000036101  Medicinal product pack reference set </li> <li>929360071000036103  Medicinal product unit of use reference set </li> <li>929360021000036102  Trade product reference set </li> <li>929360041000036105  Trade product pack reference set </li> <li>929360031000036105  Trade product unit of use reference set </li> <li>929360031000036108  Containered trade product pack reference set </li> </ul>	See <code> for available attributes.</code>

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
ADVERSE REACTION > REAC-	Details about each adverse reaction event.	01	entry[adv_react]/act/entryRelationship[rct_evnt]/@typeCode="CAUS"		
TION EVENT			entry[adv_react]/act/entryRelationship[rct_evnt]/observation		
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/@classCode="OBS"		
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/@moodCode="EVN"		
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/code		
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/code/@code="102.16474"		
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
				See CodeSystem OIDs.	
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/code/@displayName="Reaction Event"		
TION EVENT > Manifestation s	Presentation or exhibition of signs and symptoms of the adverse reaction ex-	1*	entry[adv_react]/act/entryRelationship[rct_evnt]/observation/entryRelationship[mfst]/@typeCode= "MFST"		
	pressed as a single word, phrase or brief description.		entry[adv_react]/act/entryRelationship[rct_evnt]/observation/ entryRelationship[mfst]/@inversionInd="true"		
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/entryRelationship[mfst]/observation		
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/entryRelationship[mfst]/ observation/@classCode="OBS"		
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/entryRelationship[mfst]/ observation/@moodCode="EVN"		
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/entryRelationship[mfst]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID MAY be used.	See <id> for avail- able attributes.</id>
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/entryRelationship[mfst]/ observation/code	<ul> <li>SNOMED CT-AU</li> <li>142341000036103  Clinical manifestation reference set</li> <li>32570071000036102  Clinical finding foundation reference set</li> </ul>	See <code> for available attributes.</code>

NEHTA SCS Data Component	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments	
ADVERSE REACTION > REAC- TION EVENT > <b>Reaction Type</b>	The type of reaction, as determined by the clinician.				See <code> for available attributes.</code>	
		entry[adv_react]/act/entryRelationship[rct_evnt]/observation/value/@code	<ul> <li>11000036103  Adverse reaction type reference set </li> </ul>			
		entry[adv_react]/act/entryRelationship[rct_evnt]/observation/value/@codeSystem= "2.16.840.1.113883.6.96"				
				entry[adv_react]/act/entryRelationship[rct_evnt]/observation/value/@codeSystemName	The value SHOULD be "SNOMED CT".	Optional CDA® ele-
				See CodeSystem OIDs.	ment.	
			entry[adv_react]/act/entryRelationship[rct_evnt]/observation/value/@displayName			

#### **Example 7.4. ADVERSE REACTION XML Fragment**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. while every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" ~ .... <!-- Begin CDA Header --> <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBody> .... <!-- Begin ADVERSE REACTIONS --> <component typeCode="COMP"> <section classCode="DOCSECT" moodCode="EVN"> <!-- Begin ADVERSE REACTION --> <entrv> <act classCode="ACT" moodCode="EVN"> <!-- Adverse Reaction Instance Identifier --> <id root="547FC5C0-7F8A-11E0-AE79-EE2B4924019B" /> <!-- Detailed Clinical Model Identifier --> <code code="102.15517" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Adverse Reaction" /> <!-- Begin Substance/Agent --> <participant typeCode="CAGNT"> <participantRole> <playingEntity> <code code="385420005" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Contrast media" /> </playingEntity> </participantRole> </participant> <!-- End Substance/Agent --> <!-- Begin REACTION EVENT --> <entryRelationship typeCode="CAUS"> <observation classCode="OBS" moodCode="EVN"> <code code="102.16474" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Reaction Event" />

<dobservation classCode="0BS" modelcode="ppeode" nFS1 /
<dobservation classCode="0BS" modelcode="SVNV>
<di root="547FF5C0-7F8A-11E0-AE79-EE2B4924019B" />
<dobservation -->
<code code="39579001"
codeSystem="2.16.840.1.113883.6.96"
codeSystemName="SNOMED CT"
displayName="Anaphylaxis" />
<dobservation Type -->
<value code="419076005"
codeSystemName="SNOMED CT"
displayName="Allergic reaction" xsi:type="CD" />
</observation>
</observation>

<entryRelationship inversionInd="true" typeCode="MFST">

</entryRelationship> <!-- End REACTION EVENT --> </act> <!-- End ADVERSE REACTION -->

</section>

...

</component> <!-- End ADVERSE REACTIONS -->

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.2 Medications (MEDICATION ORDERS)

## Identification

Name	Medications (MEDICATION ORDERS)
Metadata Type	Section
Identifier	S-16146

# Relationships

### Parent

Data Type	Name	Occurrences (child within parent)	
	Shared Health Summary	11	

### Children

Data Type	Name	Occurrence
***	EXCLUSION STATEMENT - MEDICATIONS	01
•	Known Medication (MEDICATION INSTRUCTION)	0*

## **CDA® R-MIM Representation**

Figure 7.5 Medications (MEDICATION ORDERS) shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Body elements.

The Medications (MEDICATION ORDERS) section is composed of a Section class related to its context ClinicalDocument.structuredBody by a component.




Figure 7.5. Medications (MEDICATION ORDERS)

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 2 Data Elements	•		Context: ClinicalDocument/component/structuredBody/		
Medications (MEDICATION ORDERS)	Medicines that the subject of care is using.	11	component[meds]/section		This component[meds] SHALL NOT contain
			component[meds]/section/title="Medications"		both an instance of EX- CLUSION STATEMENT - MEDICATIONS and an instance of Known Med- ication (MEDICATION INSTRUCTION).
			component[meds]/section/text		Required CDA <sup>®</sup> ele- ment.
					See Appendix A, CDA <sup>®</sup> Narratives.
Medications (MEDICATION ORDERS) > Medication Orders Instance Identifier	A globally unique identifier for each instance of a Medic- ation Orders section.	01	component[meds]/section/id component[meds]/section/code component[meds]/section/code/@code="101.16146" component[meds]/section/code/@codeSystem="1.2.36.1.2001.1001.101"	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID MAY be used.	See <id> for available attributes.</id>
			component[meds]/section/code/@codeSystemName component[meds]/section/code/@displayName="Medication Orders"	The value <b>SHOULD</b> be "NCTIS Data Components". See CodeSystem OIDs.	Optional CDA <sup>®</sup> element.
Medications (MEDICATION ORDERS) > EXCLUSION STATEMENT - MEDICA- TIONS	Statement to positively assert that the patient has not been prescribed or is not taking certain medication.	01	See: EXCLUSION STATEMENT - MEDICATIONS		
Medications (MEDICATION ORDERS) > Known Medication (MEDICATION IN- STRUCTION)	Information pertaining to one or more therapeutic goods that is represented to achieve, or is likely to achieve, its principal intended action by pharmacological, chemical, immunological or metabolic means in or on the body of a human.	0*	See: Known Medication (MEDICATION INSTRUCTION)		

#### **Example 7.5. Medications (MEDICATION ORDERS) XML Fragment**

```
<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.
Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid.
While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and
may not be indicative of the expected values in a clinical document.
While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema,
the specification or schema will take precedence. -->
<ClinicalDocument xmlns="urn:hl7-org:v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
~
  ....
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
   <!-- Begin CDA Body -->
   <component>
      <structuredBodv>
        ....
        <!-- Begin Medications (MEDICATION ORDERS) -->
        <component typeCode="COMP">
    <section classCode="DOCSECT" moodCode="EVN">
    <!-- Medication Orders Instance Identifier -->
    <id root="50846572-EFC7-11E0-8337-65094924219B" />
    <!-- Section Type -->
    <code code="101.16146"
     codeSystem="1.2.36.1.2001.1001.101"
     codeSystemName="NCTIS Data Components"
     displayName="Medication Orders" />
    <title>Medications</title>
    <!-- Narrative text -->
    <text>Narrative.</text>
    <!-- NOTE: This Exclusion Statement is provided for illustrative purpose only. This section cannot contain both an entry for Exclusion Statement and any other entry. -->
    <!-- Begin EXCLUSION STATEMENT - MEDICATIONS -->
    <entry>
     <observation>
     </observation>
    </entry>
    <!-- End EXCLUSION STATEMENT - MEDICATIONS -->
    <!-- Begin Known Medication (MEDICATION INSTRUCTION) -->
    <entry>
     <substanceAdministration>
     </substanceAdministration>
    </entry>
    <!-- End Known Medication (MEDICATION INSTRUCTION) -->
    </section>
   </component>
        <!-- End Medications (MEDICATION ORDERS) -->
```

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

## 7.1.2.1 EXCLUSION STATEMENT - MEDICATIONS

## Identification

Name	EXCLUSION STATEMENT - MEDICATIONS
Metadata Type	Data Group
Identifier	DG-16136

## Relationships

### Parent

Data Type	Name	Occurrences (child within parent)	
	Medications (MEDICATION ORDERS)	01	

## **CDA<sup>®</sup> R-MIM Representation**

Figure 7.6 Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS) shows a subset of the CDA® R-MIM containing those classes being referred to in the CDA® Mapping. This data component maps to CDA® Body elements.

The Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS) data group is represented by an Observation class that is related to its containing Section class by an entry.




Figure 7.6. Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS)

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA® Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[meds]/section/		
EXCLUSION STATEMENT - MEDICA- TIONS	Statement to positively assert that the patient has not been prescribed or is not taking certain medication.	01	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
					The cardinality of this component propagates to its children.
					See Known Issues.
EXCLUSION STATEMENT - MEDICA-	The statement about the absence or exclusion of certain	11	entry[gbl_meds]		
TIONS > Global Statement	medication.		entry[gbl_meds]/observation		
			entry[gbl_meds]/observation/@classCode="OBS"		
			entry[gbl_meds]/observation/@moodCode="EVN"		
			entry[gbl_meds]/observation/id	UUID	Optional CDA <sup>®</sup> ele- ment.
				This is a technical identifier that is used for system pur- poses such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for available attributes.</id>
			entry[gbl_meds]/observation/code		
			entry[gbl_meds]/observation/code/@code="103.16302.120.1.2"		
			entry[gbl_meds]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[gbl_meds]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
				See CodeSystem OIDs.	
			entry[gbl_meds]/observation/code/@displayName="Global Statement"		
			entry[gbl_meds]/observation/value:CD	NCTIS: Admin Codes - Global Statement Values	See <code> for avail- able attributes.</code>
				The value/@code SHALL NOT be "02".	
EXCLUSION STATEMENT - MEDICA- TIONS > Detailed Clinical Model Identi- fier	A globally unique identifier for this Detailed Clinical Model.	11	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
					See Known Issues.

#### **Example 7.6. EXCLUSION STATEMENT - MEDICATIONS XML Fragment**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.

Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document.

While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. -->

<ClinicalDocument xmlns="urn:hl7-org:v3"

```
<!-- Begin CDA Header -->
<!-- End CDA Header -->
<!-- Begin CDA Body -->
<component>
   <structuredBody>
     ....
      <!-- Begin Medications (MEDICATION ORDERS) -->
      <component typeCode="COMP">
 <section classCode="DOCSECT" moodCode="EVN">
  ....
  <!-- Begin EXCLUSION STATEMENT - MEDICATIONS -->
  <entry>
   <!-- Begin Global Statement -->
   <observation classCode="OBS" moodCode="EVN">
   <!-- ID is used for system purposes such as matching -->
   <id root="55d57cf0-2c70-11e2-81c1-0801600c9a66" />
   <code code="103.16302.120.1.2" codeSystem="1.2.36.1.2001.1001.101"
    codeSystemName="NCTIS Data Components"
    displayName="Global Statement" />
    <value code="01" codeSystem="1.2.36.1.2001.1001.101.104.16299"</pre>
    codeSystemName="NCTIS Global Statement Values"
    displayName="None known" xsi:type="CD" />
   </observation>
   <!-- End Global Statement -->
  </entry>
  <!-- End EXCLUSION STATEMENT - MEDICATIONS -->
```

</section> </component>

....

<!-- End Medications (MEDICATION ORDERS) -->

---

```
</structuredBody>
</component>
<!-- End CDA Body -->
</ClinicalDocument>
```

# 7.1.2.2 Known Medication (MEDICATION INSTRUCTION)

## Identification

Name	Known Medication (MEDICATION INSTRUCTION)
Metadata Type	Data Group
Identifier	DG-16211

## Relationships

### Parent

Data Type	Name	Occurrences (child within parent)
	Medications (MEDICATION ORDERS)	0*

### **CDA® R-MIM Representation**

Figure 7.7 Known Medication (MEDICATION INSTRUCTION) shows a subset of the CDA® R-MIM containing those classes being referred to in the CDA® Mapping. This data component maps to CDA® Body elements.

The Known Medication (MEDICATION INSTRUCTION) data group is represented by a SubstanceAdministration class that is related to its containing Section class by an entry. The text attribute of that SubstanceAdministration class represents Directions.

Clinical Indication is represented by a reason Act class related to the containing SubstanceAdministration class by an entryRelationship. Medication Instruction Comment is represented by an Act class related the containing SubstanceAdministration class by an entryRelationship. Therapeutic Good Identification is represented by the code attribute of manufacturedMaterial.




Figure 7.7. Known Medication (MEDICATION INSTRUCTION)

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA® Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[meds]/section/		
Known Medication (MEDICATION	Information pertaining to one or more therapeutic	0*	entry[med_inst]		
INSTRUCTION)	goods that is represented to achieve, or is likely to achieve, its principal intended action by pharma-		entry[med_inst]/substanceAdministration		
	cological, chemical, immunological or metabolic means in or on the body of a human.		entry[med_inst]/substanceAdministration/@moodCode="EVN"		
			entry[med_inst]/substanceAdministration/@classCode="SBADM"		
Known Medication (MEDICATION IN- STRUCTION) > Medication Instruc- tion Instance Identifier	A globally unique object identifier for each instance of a Medication Instruction instruction.	11	entry[med_inst]/substanceAdministration/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for avail- able attributes.</id>
Known Medication (MEDICATION IN- STRUCTION) > Therapeutic Good Identification	The medicine, vaccine or other therapeutic good being ordered for, administered to or used by the subject of care.	11	entry[med_inst]/substanceAdministration/consumable/manufacturedProduct/ manufacturedMaterial/code	<ul> <li>Australian Medicines Terminology (AMT):</li> <li>929360061000036106  Medicinal product reference set]</li> <li>929360081000036101  Medicinal product pack reference set]</li> <li>929360071000036103  Medicinal product unit of use reference set]</li> <li>929360021000036102  Trade product reference set]</li> <li>929360041000036105  Trade product pack reference set]</li> <li>929360031000036100  Trade product unit of use reference set]</li> <li>929360031000036100  Trade product unit of use reference set]</li> <li>929360051000036108  Con- tainered trade product pack refer- ence set]</li> </ul>	See <code> for available attributes.</code>
Known Medication (MEDICATION IN- STRUCTION) > <b>Directions</b>	A complete narrative description of how much, when and how to use the medicine, vaccine or other therapeutic good.	11	entry[med_inst]/substanceAdministration/text:ST		

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
Known Medication (MEDICATION IN- STRUCTION) > Clinical Indication	A reason for ordering the medicine, vaccine or other therapeutic good.	01	entry[med_inst]/substanceAdministration/entryRelationship[cln_ind]/@typeCode="RSON"		
			entry[med_inst]/substanceAdministration/entryRelationship[cln_ind]/act		
			entry[med_inst]/substanceAdministration/entryRelationship[cln_ind]/act/@classCode= "INFRM"		
			entry[med_inst]/substanceAdministration/entryRelationship[cln_ind]/act/@moodCode= "EVN"		
			entry[med_inst]/substanceAdministration/entryRelationship[cln_ind]/act/code		
			entry[med_inst]/substanceAdministration/entryRelationship[cln_ind]/act/code/@code= "103.10141"		
			entry[med_inst]/substanceAdministration/entryRelationship[cln_ind]/act/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entry[med_inst]/substanceAdministration/entryRelationship[cln_ind]/act/ code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
				See CodeSystem OIDs.	
			entry[med_inst]/substanceAdministration/entryRelationship[cln_ind]/act/ code/@displayName="Clinical Indication"		
			entry[med_inst]/substanceAdministration/entryRelationship[cln_ind]/act/text:ST		
Known Medication (MEDICATION IN-	Any additional information that may be needed to ensure the continuity of supply, rationale for cur- rent dose and timing, or safe and appropriate use.	r-	entry[med_inst]/substanceAdministration/entryRelationship[cmts]/@typeCode="COMP"		
STRUCTION) > Medication Instruc- tion Comment			entry[med_inst]/substanceAdministration/entryRelationship[cmts]/act		
			entry[med_inst]/substanceAdministration/entryRelationship[cmts]/act/@classCode="INFRM"		
			entry[med_inst]/substanceAdministration/entryRelationship[cmts]/act/@moodCode="EVN"		
			entry[med_inst]/substanceAdministration/entryRelationship[cmts]/act/code		
			entry[med_inst]/substanceAdministration/entryRelationship[cmts]/act/code/@code= "103.16044"		
			entry[med_inst]/substanceAdministration/entryRelationship[cmts]/act/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entry[med_inst]/substanceAdministration/entryRelationship[cmts]/act/ code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
				See CodeSystem OIDs.	
			entry[med_inst]/substanceAdministration/entryRelationship[cmts]/act/code/@displayName= "Additional Comments"		
			entry[med_inst]/substanceAdministration/entryRelationship[cmts]/act/text:ST		

NEHTA SCS Data Component	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
Known Medication (MEDICATION IN- STRUCTION) > Detailed Clinical Model Identifier	A globally unique identifier for this Detailed Clinical Model.	11	n/a		Not mapped directly, encompassed impli- citly by CDA® in entry[med_inst]/sub- stanceAdministra- tion.

#### **Example 7.7. Known Medication (MEDICATION INSTRUCTION) XML Fragment**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.

Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document.

While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. -->

<ClinicalDocument xmlns="urn:hl7-org:v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"</pre>

```
~
 ....
 <!-- Begin CDA Header -->
 <!-- End CDA Header -->
 <!-- Begin CDA Body -->
  <component>
     <structuredBody>
       ....
        <!-- Begin Medications (MEDICATION ORDERS) -->
        <component typeCode="COMP">
   <section classCode="DOCSECT" moodCode="EVN">
    ....
    <!-- Begin Known Medication (MEDICATION INSTRUCTION) -->
    <entrv>
     <substanceAdministration classCode="SBADM" moodCode="EVN">
     <!-- Medication Instruction Instance Identifier -->
     <id root="461B6EF6-754C-11E0-A3C3-D19F4824019B" />
     <!-- Directions -->
     <text xsi:type="ST">2 tablets daily after breakfast</text>
      <consumable>
       <manufacturedProduct>
        <manufacturedMaterial>
        <!-- Medicine (Therapeutic Good Identification) -->
        <code code="6647011000036101"
         codeSystem="2.16.840.1.113883.6.96"
          codeSystemName="SNOMED CT"
          displayName="Panadeine Forte tablet: uncoated" />
        </manufacturedMaterial>
       </manufacturedProduct>
      </consumable>
     <!-- Begin Clinical Indication -->
     <entryRelationship typeCode="RSON">
       <act classCode="INFRM" moodCode="EVN">
        <code code="103.10141"
        codeSystem="1.2.36.1.2001.1001.101"
        codeSystemName="NCTIS Data Components"
        displayName="Clinical Indication" />
        <text xsi:type="ST">Pain control.</text>
       </act>
     </entryRelationship>
```

```
<\!!\,-- End Clinical Indication -->
```

</section> </component>

...

<!-- End Medications (MEDICATION ORDERS) -->

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.3 Past and Current Medical History (MEDICAL HISTORY)

## Identification

Name	Past and Current Medical History (MEDICAL HISTORY)
Metadata Type	Section
Identifier	S-16117

## Relationships

### Parent

Data Type	Name	Occurrences (child within parent)
	Shared Health Summary	11

#### Children

Data Type	Name	Occurrence
**	PROBLEM/DIAGNOSIS	0*
**	EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES	01
**	PROCEDURE	0*
**	EXCLUSION STATEMENT - PROCEDURES	01
**	UNCATEGORISED MEDICAL HISTORY ITEM	0*

## **CDA® R-MIM Representation**

Figure 7.8 Past and Current Medical History (MEDICAL HISTORY) shows a subset of the CDA® R-MIM containing those classes being referred to in the CDA® Mapping. This data component maps to CDA® Body elements.

The Past and Current Medical History (MEDICAL HISTORY) section is composed of a Section class related to its context ClinicalDocument.structuredBody by a component.




Figure 7.8. Past and Current Medical History (MEDICAL HISTORY)

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/		
Past and Current Medical History	The history of the subject of care's problems, diagnoses	11	component[med_hist]/section		Each instance of this compon- ent[med_hist] that contains an in-
(MEDICAL HISTORY)	MEDICAL HISTORY) and medical or surgical procedures.		component[med_hist]/section/title="Medical History"		stance of UNCATEGORISED MEDICAL HISTORY ITEM SHALL NOT contain an instance of:
					<ul> <li>EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES, or</li> </ul>
					EXCLUSION STATEMENT -     PROCEDURES.
					Each instance of this compon- ent[med_hist] that does not contain an instance of UNCATEGORISED MEDICAL HISTORY ITEM <b>SHALL</b> contain:
					an instance of PROBLEM/DIA- GNOSIS or EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES(but not both), and
					<ul> <li>an instance of PROCEDURE or EXCLUSION STATEMENT - PROCEDURES (but not both).</li> </ul>
			component[med_hist]/section/text		Required CDA <sup>®</sup> element.
Destand Ourset Madia Ullister (115010		0.4		UUID	See Appendix A, CDA® Narratives.
Past and Current Medical History (MEDIC- AL HISTORY) > Medical History In- stance Identifier	A globally unique identifier for each instance of a Medical History section.	01	component[med_hist]/section/id	This is a technical identifier that is used for system pur- poses such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for available attributes.</id>

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
Past and Current Medical History (MEDIC-	Type of section.	11	component[med_hist]/section/code		
AL HISTORY) > Section Type			component[med_hist]/section/code/@code="101.16117"		
			component[med_hist]/section/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component[med_hist]/section/code/@codeSystemName	The value <b>SHOULD</b> be "NC- TIS Data Components".	Optional CDA <sup>®</sup> element.
				See CodeSystem OIDs.	
			component[med_hist]/section/code/@displayName="Medical History"		
Past and Current Medical History (MEDIC- AL HISTORY) > <b>PROBLEM/DIAGNOSIS</b>	A health condition that, as determined by a clinician, may have impact on the physical, mental or social well- being of a person. A diagnosis is determined by scientif- ic evaluation of pathological and pathophysiological findings identified from the patient's clinical history, family history, physical examination and diagnostic in- vestigations.	0*	See: PROBLEM/DIAGNOSIS		
Past and Current Medical History (MEDIC- AL HISTORY) > <b>EXCLUSION STATE-</b> <b>MENT - PROBLEMS AND DIAGNOSES</b>	Statements which positively assert that the patient does not have the problem or diagnosis.	01	See: EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES		
Past and Current Medical History (MEDIC- AL HISTORY) > <b>PROCEDURE</b>	A clinical activity carried out for therapeutic, evaluative, investigative, screening or diagnostic purposes.	0*	See: PROCEDURE		
Past and Current Medical History (MEDIC- AL HISTORY) > <b>EXCLUSION STATE-</b> <b>MENT - PROCEDURES</b>	Statements to positively assert that a certain procedure has not been performed on the patient.	01	See: EXCLUSION STATEMENT - PROCEDURES		
Past and Current Medical History (MEDIC- AL HISTORY) > <b>UNCATEGORISED</b> MEDICAL HISTORY ITEM	A medical history entry that has not been categorised as either Procedure or Problem/Diagnosis.	0*	See: UNCATEGORISED MEDICAL HISTORY ITEM		

#### Example 7.8. Past and Current Medical History (MEDICAL HISTORY) XML Fragment

```
<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.
Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid.
While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and
may not be indicative of the expected values in a clinical document.
while every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema,
the specification or schema will take precedence. -->
<ClinicalDocument xmlns="urn:hl7-org:v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
 ~
  ....
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
  <!-- Begin CDA Body -->
   <component>
      <structuredBody>
        ....
         <!-- Begin Past and Current Medical History (MEDICAL HISTORY) -->
         <component typeCode="COMP">
    <section classCode="DOCSECT" moodCode="EVN">
     <!-- Medical History Instance Identifier -->
     <id root="50846572-EFC7-11E0-8337-65094944019B" />
     <!-- Section Type -->
     <code code="101.16117"
     codeSystem="1.2.36.1.2001.1001.101"
     codeSystemName="NCTIS Data Components"
      displayName="Medical History" />
     <title>Medical History</title>
     <!-- Narrative text -->
     <text>Narrative.</text>
     <!-- NOTE: All child component sections are shown for illustrative purpose only. Normative constraints on the contents of this component[med hist]/section are specified in the mapping table. -->
     <!-- Begin PROBLEM/DIAGNOSIS -->
     <entry>
      <observation>
      </observation>
     </entry>
     <!-- End PROBLEM/DIAGNOSIS -->
     <!-- Begin EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES -->
     <entrv>
     <observation>
      </observation>
     </entry>
     <!-- End EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES -->
     <!-- Begin PROCEDURE -->
     <entry>
      <procedure>
      </procedure>
```

</entry>
<!-- End UNCATEGORISED MEDICAL HISTORY ITEM -->
</section>
</component>

<!-- End Past and Current Medical History (MEDICAL HISTORY) -->

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

...

</entry>

# 7.1.3.1 PROBLEM/DIAGNOSIS

## Identification

Name	PROBLEM/DIAGNOSIS
Metadata Type	Data Group
Identifier	DG-15530

## Relationships

### Parent

Data Type	Name	Occurrences (child within parent)
2	Past and Current Medical History (MEDICAL HISTORY)	0*

### **CDA<sup>®</sup> R-MIM Representation**

Figure 7.9 PROBLEM/DIAGNOSIS shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Body elements.

The PROBLEM/DIAGNOSIS data group is represented by an Observation class related to its containing Section class by an entry. The value attribute of that Observation class represents Problem/Diagnosis Identification, and the effectiveTime attribute represents Date of Onset.

Date of Resolution/Remission is mapped to an Observation class related to its containing Observation (PROBLEM/DIAGNOSIS) class by an entryRelationship. Problem/Diagnosis Comment is represented by an Act class related to its containing Observation (PROBLEM/DIAGNOSIS) class by an entryRelationship.

StructuredBody	entryRelationship typeCode*: <= ×_ActRelationshipEntryRelationshi contextConductionInd*: BL [11] "true"	Note: See CDAR-MIM for shadow classes.
component	0* dinicalStatement	clinicalStatement Observation
1.* section		classCode*: <= OBS moodCode*: < V:x_ActMoodDocumentObservation id: SET <ii>[0.*] code*: CD CWE [11] &lt; D:ObservationType effectiveTime: GTS [01] value: ANY CWE [01] &lt; D:ObservationValue</ii>
	typeCode*: <= x_ActRelationshipEntry contextConductionInd*: BL [11] "true"	Act classCode*: <= x_ActClassDocumentEntryAct moodCode*: < x_DocumentActMood code*: CD CWE [11] < ActCode text: ED [01]

#### Figure 7.9. PROBLEM/DIAGNOSIS

\_\_\_\_\_

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[med_hist]/section/		
PROBLEM/DIAGNOSIS	A health condition that, as determined by a clinician, may have impact on the physical, mental or social well-being of a person. A diagnosis is determined by scientific evaluation of pathological and patho- physiological findings identified from the patient's clinical history, family history, physical examination and diagnostic investigations.	0*	entry[prob]		
			entry[prob]/observation		
			entry[prob]/observation/@classCode="OBS"		
			entry[prob]/observation/@moodCode="EVN"		
PROBLEM/DIAGNOSIS > Problem/Dia- gnosis Instance Identifier	A globally unique object identifier for each instance of a Problem/Diagnosis evaluation.	11	entry[prob]/observation/id	UUID This is a technical identifier that is used for system pur- poses such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for available attributes.</id>
PROBLEM/DIAGNOSIS > Detailed Clinical Model Identifier	A globally unique identifier for this Detailed Clinical Model.	11	entry[prob]/observation/code		
			entry[prob]/observation/code/@code="282291009"		
			entry[prob]/observation/code/@codeSystem="2.16.840.1.113883.6.96"		
			entry[prob]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "SNOMED CT".	Optional CDA <sup>®</sup> element.
				See CodeSystem OIDs.	
			entry[prob]/observation/code/@displayName="Diagnosis interpretation"		
PROBLEM/DIAGNOSIS > Problem/Dia- gnosis Identification	Identification of the problem or diagnosis.	11	entry[prob]/observation/value:CD	SNOMED CT-AU: • 32570581000036105  Problem/Diagnosis refer- ence set	See <code> for available at- tributes.</code>
PROBLEM/DIAGNOSIS > Date of On-	Estimated or actual date the problem or diagnosis began, as indicated or identified by the clinician.	01	entry[prob]/observation/effectiveTime		The value <b>SHALL NOT</b> in- clude a time.
set			entry[prob]/observation/effectiveTime/low		
			entry[prob]/observation/effectiveTime/low/@value		See <time> for available at- tributes.</time>

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
PROBLEM/DIAGNOSIS > Date of Resolution/Remission	Estimated or actual date the problem or diagnosis resolved or went into remission, as indicated or identified by the clinician.	01	entry[prob]/observation/entryRelationship[crt]/@typeCode="SUBJ"		
			entry[prob]/observation/entryRelationship[crt]/observation/@classCode="OBS"		
			entry[prob]/observation/entryRelationship[crt]/observation/@moodCode="EVN"		
			entry[prob]/observation/entryRelationship[crt]/observation/code/@code="103.15510"		
			entry[prob]/observation/entryRelationship[crt]/observation/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entry[prob]/observation/entryRelationship[crt]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NC- TIS Data Components".	Optional CDA <sup>®</sup> element.
				See CodeSystem OIDs.	
			entry[prob]/observation/entryRelationship[crt]/observation/code/@displayName="Date of Resolution/Remission"		
			entry[prob]/observation/entryRelationship[crt]/observation/value:IVL_TS		The value <b>SHALL NOT</b> in- clude a time.
					See <time> for available at- tributes.</time>
PROBLEM/DIAGNOSIS > Problem/Dia-	Additional narrative about the problem or diagnosis not captured in other fields.	01	entry[prob]/observation/entryRelationship[cmt]/@typeCode="COMP"		
gnosis Comment			entry[prob]/observation/entryRelationship[cmt]/act		
			entry[prob]/observation/entryRelationship[cmt]/act/@classCode="INFRM"		
			entry[prob]/observation/entryRelationship[cmt]/act/@moodCode="EVN"		
			entry[prob]/observation/entryRelationship[cmt]/act/code		
			entry[prob]/observation/entryRelationship[cmt]/act/code/@code="103.16545"		
			entry[prob]/observation/entryRelationship[cmt]/act/code/@codeSystem= "1.2.36.1.2001.1001.101"		
			entry[prob]/observation/entryRelationship[cmt]/act/code/@codeSystemName	The value <b>SHOULD</b> be "NC- TIS Data Components".	Optional CDA <sup>®</sup> element.
				See CodeSystem OIDs.	
			entry[prob]/observation/entryRelationship[cmt]/act/code/@displayName="Problem/ Diagnosis Comment"		
			entry[prob]/observation/entryRelationship[cmt]/act/text:ST		

#### Example 7.9. PROBLEM/DIAGNOSIS XML Fragment

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" ~ .... <!-- Begin CDA Header --> <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBody> .... <!-- Begin Past and Current Medical History (MEDICAL HISTORY) --> <component typeCode="COMP"> <section classCode="DOCSECT" moodCode="EVN"> .... <!-- NOTE: Though no other child component sections are shown the normative constraints on the contents of this component[med hist]/section are specified in the mapping table. --> <!-- Begin PROBLEM/DIAGNOSIS --> <entry> <observation classCode="OBS" moodCode="EVN"> <!-- Problem/Diagnosis Instance Identifier --> <id root="74D29C88-706E-11E0-9726-5ABE4824019B" /> <!-- Detailed Clinical Model Identifier --> <code code="282291009" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Diagnosis interpretation" /> <!-- Date of Onset --> <effectiveTime> <low value="20110410" /> </effectiveTime> <!-- Problem/Diagnosis Identification --> <value code="85189001" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED\_CT" displayName="Acute appendicitis" xsi:type="CD" /> <!-- Begin Date of Resolution/Remission --> <entryRelationship typeCode="SUBJ"> <observation classCode="OBS" moodCode="EVN"> <code code="103.15510" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Date of Resolution/Remission" /> <value value="27042011" xsi:type="IVL TS" /> </observation>

</entryRelationship>
<!-- End Date of Resolution/Remission -->

<!-- Begin Problem/Diagnosis Comment -->
<entryRelationship typeCode="COME">
 <act classCode="INFRM" moodCode="EVN">
 <code code="103.16545"
 codeSystem="1.2.36.1.2001.1001"
 codeSystemName="NCTIS Data Components"
 displayName="Problem/Diagnosis Comment "/>
 <text xsi:type="ST">Problem/Diagnosis Comment "/>
 <text xsi:type="ST">Problem/Diagnosis Comment goes here.</text>
 </entryRelationship>
 <!-- End Problem/Diagnosis Comment -->

</observation>

...

</section>

</component>

<!-- End Past and Current Medical History (MEDICAL HISTORY) -->

---

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

## 7.1.3.2 EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES

## Identification

Name	EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES				
Metadata Type	Data Group				
Identifier	DG-16138				

## Relationships

### Parent

Data Type	Name	Occurrences (child within parent)	
•••	Past and Current Medical History (MEDICAL HISTORY)	01	

### **CDA<sup>®</sup> R-MIM Representation**

Figure 7.10 EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES shows a subset of the CDA® R-MIM containing those classes being referred to in the CDA® Mapping. This data component maps to CDA® Body elements.

The EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES data group is represented by an Observation class that is related to its containing Section class by an entry.




Figure 7.10. EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments		
CDA® Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[med_hist]/section/				
EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES	Statements which positively assert that the patient does not have the problem or diagnosis.	01	n/a		This logical NEHTA data component has no mapping to CDA®. The cardinality of this component propag- ates to its children. See Known Issues.		
EXCLUSION STATEMENT - PROBLEMS	The statement about the absence or exclusion.	11	entry[gbl_prob]				
AND DIAGNOSES > Global Statement	ID DIAGNOSES > Global Statement		entry[gbl_prob]/observation				
			entry[gbl_prob]/observation/@classCode="OBS"				
			entry[gbl_prob]/observation/@moodCode="EVN"				
			entry[gbl_prob]/observation/id	UUID This is a technical identifier that is used for system pur- poses such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	Optional CDA <sup>®</sup> ele- ment. See <id> for avail- able attributes.</id>		
			entry[gbl_prob]/observation/code				
			entry[gbl_prob]/observation/code/@code="103.16302.120.1.3"				
			entry[gbl_prob]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"				
			entry[gbl_prob]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.		
				See CodeSystem OIDs.			
			entry[gbl_prob]/observation/code/@displayName="Global Statement"				
			entry[gbl_prob]/observation/value:CD	NCTIS: Admin Codes - Global Statement Values	See <code> for available attributes.</code>		
				The value/@ code SHALL NOT be "02".			

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES > Detailed Clinical Model Identifier	A globally unique identifier for this Detailed Clinical Model.	11	n/a		This logical NEHTA data component has no mapping to CDA®. See Known Issues.

#### **Example 7.10. EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES XML Fragment**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" ~ .... <!-- Begin CDA Header --> <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBody> .... <!-- Begin Past and Current Medical History (MEDICAL HISTORY) --> <component typeCode="COMP"> <section classCode="DOCSECT" moodCode="EVN"> .... <!-- NOTE: Though no other child component sections are shown the normative constraints on the contents of this component[med hist]/section are specified in the mapping table. --> <!-- Begin EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES --> <entry> <!-- Begin Global Statement --> <observation classCode="OBS" moodCode="EVN"> <!-- ID is used for system purposes such as matching --> <id root="55d57cf0-2c70-11f2-81c1-0801600c9a66" /> <code code="103.16302.120.1.3" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Global Statement" /> <value code="01" codeSystem="1.2.36.1.2001.1001.101.104.16299"</pre> codeSystemName="NCTIS Global Statement Values" displayName="None known" xsi:type="CD" /> </observation> <!-- End Global Statement --> </entry> <!-- End EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES --> </section> </component> <!-- End Past and Current Medical History (MEDICAL HISTORY) --> </structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

## 7.1.3.3 PROCEDURE

### Identification

Name	Procedure
Metadata Type	Data Group
Identifier	DG-15514

## Relationships

### Parent

Data Type	Name	Occurrences (child within parent)
	Past and Current Medical History (MEDICAL HISTORY)	0*

### **CDA® R-MIM Representation**

Figure 7.11 PROCEDURE shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Body elements.

The PROCEDURE data group is described by a Procedure class related to its containing Section class by an entry. The code attribute of that Procedure class represents Procedure Name, and the effectiveTime attribute represents Procedure DateTime. Procedure Comment is represented by an Act class related to its containing Procedure class by an entryRelationship.




Figure 7.11. PROCEDURE

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[med_hist]/section/		
PROCEDURE	A clinical activity carried out for therapeutic, evaluat- ive, investigative, screening or diagnostic purposes.	0*	entry[proc]		
			entry[proc]/procedure		
			entry[proc]/procedure/@classCode="PROC"		
			entry[proc]/procedure/@moodCode="EVN"		
PROCEDURE > Procedure Instance Identifier	A globally unique identifier for each instance of a Procedure action.	11	entry[proc]/procedure/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for avail- able attributes.</id>
PROCEDURE > Procedure Name	The name of the procedure (to be) performed.	11	entry[proc]/procedure/code	SNOMED CT-AU: • 32570141000036105  Procedure founda- tion reference set	See <code> for available attributes.</code>
PROCEDURE > Procedure Comment	Additional narrative about the procedure not cap-	01	entry[proc]/procedure/entryRelationship[proc_cmt]/@typeCode="COMP"		
	tured in other fields.		entry[proc]/procedure/entryRelationship[proc_cmt]/act		
			entry[proc]/procedure/entryRelationship[proc_cmt]/act/@classCode="INFRM"		
			entry[proc]/procedure/entryRelationship[proc_cmt]/act/@moodCode="EVN"		
			entry[proc]/procedure/entryRelationship[proc_cmt]/act/code		
			entry[proc]/procedure/entryRelationship[proc_cmt]/act/code/@code="103.15595"		
			entry[proc]/procedure/entryRelationship[proc_cmt]/act/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[proc]/procedure/entryRelationship[proc_cmt]/act/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components". See CodeSystem	Optional CDA <sup>®</sup> ele- ment.
				OIDs.	
			entry[proc]/procedure/entryRelationship[proc_cmt]/act/code/@displayName="Procedure Comment"		
			entry[proc]/procedure/entryRelationship[proc_cmt]/act/text:ST		
PROCEDURE > Procedure DateTime	The date range during which the Procedure action occurred.	11	entry[proc]/procedure/effectiveTime		See <time> for available attributes.</time>

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
	A globally unique identifier for this Detailed Clinical Model.	11	n/a		Not mapped dir- ectly, encompassed implicitly by CDA <sup>®</sup> in entry[proc]/pro- cedure.

#### Example 7.11. PROCEDURE XML Fragment

```
<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.
Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid.
While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and
may not be indicative of the expected values in a clinical document.
While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema,
the specification or schema will take precedence. -->
<ClinicalDocument xmlns="urn:hl7-org:v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
~
  ....
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
   <!-- Begin CDA Body -->
   <component>
      <structuredBodv>
        ....
        <!-- Begin Past and Current Medical History (MEDICAL HISTORY) -->
        <component typeCode="COMP">
    <section classCode="DOCSECT" moodCode="EVN">
    <!-- NOTE: Though no other child component sections are shown the normative constraints on the contents of this component[med hist]/section are specified in the mapping table. -->
    <!-- Begin PROCEDURE -->
    <entry>
      <procedure classCode="PROC" moodCode="EVN">
      <!-- Procedure Instance Identifier -->
      <id root="B96A38C6-706C-11E0-AD2E-42BC4824019B" />
       <!-- Procedure Name -->
       <code code="80146002"
       codeSystem="2.16.840.1.113883.6.96"
       codeSystemName="SNOMED CT"
       displayName="Appendicectomy" />
       <!-- Begin Procedure DateTime -->
       <effectiveTime xsi:type="IVL TS">
       <low value="20130101"/>
       <high value="20130201"/>
       </effectiveTime>
       <!-- End Procedure DateTime -->
       <!-- Begin Procedure Comment -->
       <entryRelationship typeCode="COMP">
       <act classCode="INFRM" moodCode="EVN">
        <code code="103.15595"
         codeSystem="1.2.36.1.2001.1001.101"
         codeSystemName="NCTIS Data Components"
         displayName="Procedure Comment" />
        <text xsi:type="ST">Procedure Comment goes here.</text>
       </act>
       </entryRelationship>
       <!-- End Procedure Comment -->
```

#### Australian Digital Health Agency

</procedure> </entry>

<!-- End PROCEDURE -->

</section>

...

</component>
 <!-- End Past and Current Medical History (MEDICAL HISTORY) -->

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

## 7.1.3.4 EXCLUSION STATEMENT - PROCEDURES

### Identification

Name	EXCLUSION STATEMENT - PROCEDURES
Metadata Type	Data Group
Identifier	DG-16603

## Relationships

### Parent

Data Type	Name	Occurrences (child within parent)
•	Past and Current Medical History (MEDICAL HISTORY)	01

### **CDA<sup>®</sup> R-MIM Representation**

Figure 7.12 EXCLUSION STATEMENT - PROCEDURES shows a subset of the CDA® R-MIM containing those classes being referred to in the CDA® Mapping. This data component maps to CDA® Body elements.

The EXCLUSION STATEMENT - PROCEDURES data group is represented by an Observation class that is related to its containing Section class by an entry.




Figure 7.12. EXCLUSION STATEMENT - PROCEDURES

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[med_hist]/section/		
EXCLUSION STATEMENT - PROCED- URES	Statements to positively assert that a certain procedure has not been performed on the patient.	01	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
					The cardinality of this component propag- ates to its children.
					See Known Issues.
EXCLUSION STATEMENT - PROCED- URES > Global Statement	The statement about the absence or exclusion of pro- cedure performed on the patient.	11	entry[gbl_pro]		
			entry[gbl_pro]/observation		
			entry[gbl_pro]/observation/@classCode="OBS"		
			entry[gbl_pro]/observation/@moodCode="EVN"		
			entry[gbl_pro]/observation/id	UUID	Optional CDA <sup>®</sup> ele- ment.
				This is a technical identifier that is used for system pur- poses such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	See <id> for avail- able attributes.</id>
			entry[gbl_pro]/observation/code		
			entry[gbl_pro]/observation/code/@code="103.16302.120.1.4"		
			entry[gbl_pro]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[gbl_pro]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
				See CodeSystem OIDs.	
			entry[gbl_pro]/observation/code/@displayName="Global Statement"		
			entry[gbl_pro]/observation/value:CD	NCTIS: Admin Codes - Global Statement Values	See <code> for available attributes.</code>
				The value/@ code <b>SHALL</b> <b>NOT</b> be "02".	
EXCLUSION STATEMENT - PROCED- URES > Detailed Clinical Model Identifi- er	A globally unique identifier for this Detailed Clinical Model.	11	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
					See Known Issues.

#### **Example 7.12. EXCLUSION STATEMENT - PROCEDURES XML Fragment**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" ~ .... <!-- Begin CDA Header --> <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBody> .... <!-- Begin Past and Current Medical History (MEDICAL HISTORY) --> <component typeCode="COMP"> <section classCode="DOCSECT" moodCode="EVN"> .... <!-- NOTE: Though no other child component sections are shown the normative constraints on the contents of this component[med hist]/section are specified in the mapping table. --> <!-- Begin EXCLUSION STATEMENT - PROCEDURES --> <entry> <!-- Begin Global Statement --> <observation classCode="OBS" moodCode="EVN"> <!-- ID is used for system purposes such as matching --> <id root="55d57cf0-2d70-11f2-81c1-0801600c9a66" /> <code code="103.16302.120.1.4" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Global Statement" /> <value code="01" codeSystem="1.2.36.1.2001.1001.101.104.16299"</pre> codeSystemName="NCTIS Global Statement Values" displayName="None known" xsi:type="CD" /> </observation> <!-- End Global Statement --> </entry> <!-- End EXCLUSION STATEMENT - PROCEDURES --> </section> </component> <!-- End Past and Current Medical History (MEDICAL HISTORY) --> .... </structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

## 7.1.3.5 UNCATEGORISED MEDICAL HISTORY ITEM

### Identification

Name	UNCATEGORISED MEDICAL HISTORY ITEM
Metadata Type	Data Group
Identifier	DG-16627

## Relationships

### Parent

Data Type	Name	Occurrences (child within parent)
	Past and Current Medical History (MEDICAL HISTORY)	0*

### **CDA<sup>®</sup> R-MIM Representation**

Figure 7.13 UNCATEGORISED MEDICAL HISTORY ITEM shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Body elements.

The UNCATEGORISED MEDICAL HISTORY ITEM data group is represented by an Act class related to its containing Section class by an entry relationship. The text attribute of that Act class represents Medical History Item Description, and the effectiveTime attribute represents Medical History Item TimeInterval. Medical History Item Comment is represented by an Act class related to its containing Act (UNCATEGORISED MEDICAL HISTORY ITEM) class by an entryRelationship.




Figure 7.13. UNCATEGORISED MEDICAL HISTORY ITEM

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA® Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[med_hist]/section/		
UNCATEGORISED MEDICAL HIS- TORY ITEM	A medical history entry that has not been categorised	0*	entry[med_hist_item]		
TORTITEM	as either Procedure or Problem/Diagnosis.		entry[med_hist_item]/act		
			entry[med_hist_item]/act/@classCode="ACT"		
			entry[med_hist_item]/act/@moodCode="EVN"		
UNCATEGORISED MEDICAL HIS- TORY ITEM > Uncategorised Medical History Item Instance Identifier	A globally unique identifier for each instance of an Uncategorised Medical History Item evaluation.	11	entry[med_hist_item]/act/ <b>id</b>	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID MAY be used.	See <id> for available attributes.</id>
UNCATEGORISED MEDICAL HIS-	A globally unique identifier for this Detailed Clinical	11	entry[med_hist_item]/act/code		
TORY ITEM > Detailed Clinical Model Identifier	Model.		entry[med_hist_item]/act/code/@code="102.16627"		
			entry[med_hist_item]/act/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[med_hist_item]/act/code/@ <b>codeSystemName</b>	The value <b>SHOULD</b> be "NCTIS Data Components". See CodeSystem OIDs.	Optional CDA <sup>®</sup> ele- ment.
			entry[med_hist_item]/act/code/@displayName="Uncategorised Medical History Item"		
UNCATEGORISED MEDICAL HIS- TORY ITEM> Medical History Item Description	A description of the problem, diagnosis or procedure as a medical history item.	11	entry[med_hist_item]/act/ <b>text:ST</b>		
UNCATEGORISED MEDICAL HIS- TORY ITEM > Medical History Item TimeInterval	The date range during which the problem or diagnos- is applied or the procedure occurred.	01	entry[med_hist_item]/act/effectiveTime		See <time> for available attributes.</time>

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
UNCATEGORISED MEDICAL HIS- TORY ITEM > Medical History Item Comment Additional narrative about the problem, dial procedure.	Additional narrative about the problem, diagnosis or	01	entry[med_hist_item]/act/entryRelationship[cmt]/@typeCode="COMP"		
	procedure.		entry[med_hist_item]/act/entryRelationship[cmt]/act		
			entry[med_hist_item]/act/entryRelationship[cmt]/act/@classCode="INFRM"		
			entry[med_hist_item]/act/entryRelationship[cmt]/act/@moodCode="EVN"		
			entry[med_hist_item]/act/entryRelationship[cmt]/act/code		
			entry[med_hist_item]/act/entryRelationship[cmt]/act/code/@code="103.16630"		
			entry[med_hist_item]/act/entryRelationship[cmt]/act/code/@codeSystem="1.2.36.1.2001.1001.101"		
		entry[med_hist_item]/act/entryRelationship[cmt]/act/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components". See CodeSystem OIDs.	Optional CDA <sup>®</sup> ele- ment.	
		entry[med_hist_item]/act/entryRelationship[cmt]/act/code/@display Comment"	entry[med_hist_item]/act/entryRelationship[cmt]/act/code/@displayName="Medical History Item Comment"		
			entry[med_hist_item]/act/entryRelationship[cmt]/act/text:ST		

#### Example 7.13. UNCATEGORISED MEDICAL HISTORY ITEM XML Fragment

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.</p> Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" .... > .... <l-- Begin CDA Header --> <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBodv> .... <!-- Begin Past and Current Medical History (MEDICAL HISTORY) --> <component typeCode="COMP"> <section classCode="DOCSECT" moodCode="EVN"> <!-- NOTE: Though no other child component sections are shown the normative constraints on the contents of this component[med hist]/section are specified in the mapping table. --> <!-- Begin UNCATEGORISED MEDICAL HISTORY ITEM --> <entry> <act classCode="ACT" moodCode="EVN"> <!-- Uncategorised Medical History Item Instance Identifier --> <id root="0CBE0B42-7072-11E0-94B1-26C24824019B" /> <!-- Detailed Clinical Model Identifier --> <code code="102.16627" codeSvstem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Uncategorised Medical History Item" /> <!-- Medical History Item Description --> <text xsi:type="ST">Other Medical History Item Description goes here.</text> <!-- Begin Medical History Item Time Interval --> <effectiveTime> <low value="201010131000+1000" /> <high value="201010131030+1000" /> </effectiveTime> <!-- End Medical History Item Time Interval --> <!-- Begin Medical History Item Comment --> <entryRelationship typeCode="COMP"> <act classCode="INFRM" moodCode="EVN"> <code code="103.16630" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Medical History Item Comment" /> <text xsi:type="ST">Medical History Item Comment goes here.</text> </act> </entryRelationship>

#### Australian Digital Health Agency

<!-- End Medical History Item Comment -->

</act>

---

</entry>
<!-- End UNCATEGORISED MEDICAL HISTORY ITEM -->

</section>

</component>

<!-- End Past and Current Medical History (MEDICAL HISTORY) -->

</ClinicalDocument>

# 7.1.4 IMMUNISATIONS

## Identification

Name	IMMUNISATIONS
Metadata Type	Section
Identifier	S-16638

# Relationships

#### Parent

Data Type	Name	Occurrences (child within parent)
	Shared Health Summary	11

### Children

Data Type	Name	Occurrence
•	Administered Immunisation (MEDICATION ACTION)	0*
•	Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS)	01

## **CDA<sup>®</sup> R-MIM Representation**

Figure 7.14 IMMUNISATIONS shows a subset of the CDA<sup>®</sup> R-MIM containing those classes being referred to in the CDA<sup>®</sup> Mapping. This data component maps to CDA<sup>®</sup> Body elements.

The IMMUNISATIONS section is composed of a Section class related to its context ClinicalDocument.structuredBody by a component.

Note: See (	: CDA R-MIM for shadow classes.
Stri	ucturedBody
	component typeCode*: <= COMP contextConductionInd*: BL [11] "true" 1* section
cla mo id: coo title	ection assCode*: <= DOCSECT bodCode*: <= EVN SET <ii> [01] de: CE CWE [01] &lt; D:DocumentSectionType e: ST [01] at*: ED [01]</ii>

Figure 7.14. IMMUNISATIONS

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody/		
IMMUNISATIONS	Information about vaccines given to the subject of care.	11	component[imms]/section		This component[imms] SHALL NOT contain both an instance of Ad- ministered Immunisation (MEDICATION ACTION) and an instance of Exclu- sion Statement - Immun- isations (EXCLUSION STATEMENT - MEDIC- ATIONS).
			component[imms]/section/title="Immunisations"		
			component[imms]/section/text		Required CDA® ele- ment. See Appendix A, CDA® Narratives.
IMMUNISATIONS > Immunisations In- stance Identifier	A globally unique identifier for each instance of an Immun- isations section.	01	component[imms]/section/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID MAY be used.	See <id> for available attributes.</id>
IMMUNISATIONS > Section Type	Type of section.	11	component[imms]/section/code		
			component[imms]/section/code/@code="101.16638"		
			component[imms]/section/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component[imms]/section/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Com- ponents". See CodeSystem OIDs.	Optional CDA® element.
			component[imms]/section/code/@displayName="Immunisations"		
IMMUNISATIONS > Administered Immun- isation (MEDICATION ACTION)	The act of administering a dose of a vaccine to a person for the purpose of preventing or minimising the effects of a disease by producing immunity or to counter the effects of an infectious organism.	0*	See: Administered Immunisation (MEDICATION ACTION)		

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
IMMUNISATIONS > Exclusion Statement - Immunisations (EXCLUSION STATE- MENT - MEDICATIONS)	Statements that positively assert that the patient has not received immunisations.	01	See: Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS)		

#### **Example 7.14. IMMUNISATIONS XML Fragment**

```
<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.
Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid.
While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and
may not be indicative of the expected values in a clinical document.
While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema,
the specification or schema will take precedence. -->
<ClinicalDocument xmlns="urn:hl7-org:v3"
xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
....
~
  ....
  <!-- Begin CDA Header -->
  <!-- End CDA Header -->
  <!-- Begin CDA Body -->
   <component>
      <structuredBodv>
        ....
        <!-- Begin IMMUNISATIONS -->
        <component typeCode="COMP">
    <section classCode="DOCSECT" moodCode="EVN">
    <!-- Immunisations Identifier -->
    <id root="9416d68a-2254-4e15-ad2f-4bda26ae652f" />
    <!-- Section Type -->
    <code code="101.16638" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Immunisations" />
    <title>Immunisations</title>
    <!-- Narrative text -->
    <text>Narrative.</text>
    <!-- Begin Administered Immunisation (MEDICATION ACTION) -->
    <entry>
     <substanceAdministration classCode="SBADM" moodCode="EVN">
     </substanceAdministration>
    </entry>
    <!-- End Administered Immunisation (MEDICATION ACTION) -->
    <!-- NOTE: This Exclusion Statement is provided for illustrative purpose only. This section cannot contain both an entry for Exclusion Statement and any other entry. -->
    <!-- Begin Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS) -->
    <entry>
     <observation>
     </observation>
    </entry>
    <!-- End Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS) -->
    </section>
   </component>
        <!-- End IMMUNISATIONS -->
     </structuredBody>
  </component>
  <!-- End CDA Body -->
</ClinicalDocument>
```

# 7.1.4.1 Administered Immunisation (MEDICATION ACTION)

## Identification

Name	Administered Immunisation (MEDICATION ACTION)
Metadata Type	Data Group
Identifier	DG-16210

### Relationships

### Parent

Data Type	Name	Occurrences (child within parent)
	IMMUNISATIONS	0*

### **CDA® R-MIM Representation**

Figure 7.15 Administered Immunisation (MEDICATION ACTION) shows a subset of the CDA® R-MIM containing those classes being referred to in the CDA® Mapping. This data component maps to CDA® Body elements.

The Administered Immunisation (MEDICATION ACTION) data group is represented by a SubstanceAdministration class that is related to its containing Section class by an entry. The effectiveTime attribute of that SubstanceAdministration class represents Medication Action DateTime.

Therapeutic Good Identification is represented by the code attribute of manufacturedMaterial. Sequence Number is represented by the sequenceNumber attribute of an entryRelationship relating a Supply class to the containing SubstanceAdministration class.




Figure 7.15. Administered Immunisation (MEDICATION ACTION)

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA® Body Level 3 Data Elements		Context: ClinicalDocument/component/structuredBody/component[imms]/section	/		
Administered Immunisation (MEDIC-	The act of administering a dose of a vaccine to a	0*	entry[med_act]		
ATION ACTION)	person for the purpose of preventing or minimising the effects of a disease by producing immunity or to		entry[med_act]/substanceAdministration		
	counter the effects of an infectious organism.		entry[med_act]/substanceAdministration/@classCode="SBADM"		
			entry[med_act]/substanceAdministration/@moodCode="EVN"		
Administered Immunisation (MEDICA-	A globally unique identifier for each instance of	11	entry[med_act]/substanceAdministration/id	UUID	See <id> for avail-</id>
TION ACTION) > Medication Action Instance Identifier			This is a technical identifier that is used for system purposes such as matching. If a suit- able internal key is not available, a UUID <b>MAY</b> be used.	able attributes.	
Administered Immunisation (MEDICA- TION ACTION) > Therapeutic Good Identification	The vaccine that was administered to or used by the subject of care.	11	entry[med_act]/substanceAdministration/consumable/manufacturedProduct/ manufacturedMaterial/code	<ul> <li>Australian Medicines Terminology (AMT):</li> <li>929360061000036106  Medicinal product reference set </li> <li>929360081000036101  Medicinal product pack reference set </li> <li>929360071000036103  Medicinal product unit of use reference set </li> <li>929360021000036102  Trade product ref- erence set </li> <li>929360041000036105  Trade product pack reference set </li> <li>929360031000036100  Trade product unit of use reference set </li> <li>929360051000036108  Containered trade product pack reference set </li> </ul>	See <code> for available attributes.</code>

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
Administered Immunisation (MEDICA- TION ACTION) > Vaccine Sequence	The sequence number specific to the action being recorded.	01	entry[med_act]/substanceAdministration/entryRelation- ship[sply]/@typeCode="COMP"		
Number (Sequence Number)			entry[med_act]/substanceAdministration/entryRelationship[sply]/sequenceNumber/@value		
			entry[med_act]/substanceAdministration/entryRelationship[sply]/supply		
			entry[med_act]/substanceAdministration/entryRelationship[sply]/sup- ply/@classCode="SPLY"		
			entry[med_act]/substanceAdministration/entryRelationship[sply]/supply/@mood-Code="EVN"		
			entry[med_act]/substanceAdministration/entryRelationship[sply]/supply/inde- pendentInd/@value="false"		
Administered Immunisation (MEDICA- TION ACTION) > Medication Action DateTime	Date, and optionally time, that the medication action is completed.	11	entry[med_act]/substanceAdministration/effectiveTime		See <time> for avail- able attributes.</time>
Administered Immunisation (MEDICA- TION ACTION) > Detailed Clinical Model Identifier	A globally unique identifier for this Detailed Clinical Model.	11	n/a		Not mapped directly, encompassed impli- citly by CDA® in entry[med_act]/sub- stanceAdministra- tion.

#### Example 7.15. Administered Immunisation (MEDICATION ACTION) XML Fragment

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. while every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" ~ .... <!-- Begin CDA Header --> <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBody> .... <!-- Begin IMMUNISATIONS --> <component typeCode="COMP"> <section classCode="DOCSECT" moodCode="EVN"> <!-- Begin Administered Immunisation (MEDICATION ACTION) --> <entry> <substanceAdministration classCode="SBADM" moodCode="EVN"> <!-- Medication Action Instance Identifier --> <id root="C5F9D7BA-A2B3-11E0-9C5E-5D194924019B" /> <!-- Medication Action DateTime --> <effectiveTime value="20110427" /> <consumable> <manufacturedProduct> <manufacturedMaterial> <!-- Medicine (Therapeutic Good Identification) --> <code code="162551000036100" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Fluvax 2014 injection: suspension, 0.5 mL syringe" /> </manufacturedMaterial> </manufacturedProduct> </consumable> <!-- Begin Vaccine Sequence Number (Sequence Number) --> <entryRelationship typeCode="COMP"> <sequenceNumber value="123456" /> <supply classCode="SPLY" moodCode="EVN"> <independentInd value="false" /> </supply> </entryRelationship> <!-- End Vaccine Sequence Number (Sequence Number) --> </substanceAdministration> </entry> <!-- End Administered Immunisation (MEDICATION ACTION) -->

</section> </component> <!-- End IMMUNISATIONS -->

</structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

# 7.1.4.2 Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS)

### Identification

Name	Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS)
Metadata Type	Data Group
Identifier	DG-16136

### Relationships

### Parent

Data Type	Name	Occurrences (child within parent)	
•	Medications (MEDICATION ORDERS)	01	

### **CDA<sup>®</sup> R-MIM Representation**

Figure 7.6 Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS) shows a subset of the CDA® R-MIM containing those classes being referred to in the CDA® Mapping. This data component maps to CDA® Body elements.

The Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS) data group is represented by an Observation class that is related to its containing Section class by an entry.




Figure 7.16. Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS)

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA® Body Level 3 Data Elements Context: ClinicalDocument/component/structuredBody/component[imms]/section/					
Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICA- TIONS)	Statements that positively assert that the patient has not received immunisations.	01	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
					The cardinality of this component propagates to its children.
					See Known Issues.
Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICA- TIONS) > Global Statement	The statement about the absence or exclusion of certain medication.	11	entry[gbl_meds]		
			entry[gbl_meds]/observation		
			entry[gbl_meds]/observation/@classCode="OBS"		
			entry[gbl_meds]/observation/@moodCode="EVN"		
			entry[gbl_meds]/observation/id	UUID This is a technical identifier that is used for system pur- poses such as matching. If a suitable internal key is not available, a UUID <b>MAY</b> be used.	Optional CDA® ele- ment. See <id> for available attributes.</id>
			entry[gbl_meds]/observation/code		
			entry[gbl_meds]/observation/code/@code="103.16302.120.1.5"		
			entry[gbl_meds]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[gbl_meds]/observation/code/@codeSystemName	The value <b>SHOULD</b> be "NCTIS Data Components".	Optional CDA <sup>®</sup> ele- ment.
				See CodeSystem OIDs.	
			entry[gbl_meds]/observation/code/@displayName="Global Statement"		
			entry[gbl_meds]/observation/value:CD	NCTIS: Admin Codes - Global Statement Values	See <code> for avail- able attributes.</code>
				The value/@code <b>SHALL</b> <b>NOT</b> be "02".	
Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICA- TIONS) > Detailed Clinical Model Identi- fier	A globally unique identifier for this Detailed Clinical Model.	11	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
-					See Known Issues.

#### Example 7.16. Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS) XML Fragment

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema. the specification or schema will take precedence. --> <ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0" .... ~ .... <!-- Begin CDA Header --> <!-- End CDA Header --> <!-- Begin CDA Body --> <component> <structuredBodv> .... <!-- Begin IMMUNISATIONS --> <component typeCode="COMP"> <section classCode="DOCSECT" moodCode="EVN"> <!-- Begin Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS) --> <entry> <!-- Begin Global Statement --> <observation classCode="OBS" moodCode="EVN"> <!-- ID is used for system purposes such as matching --> <id root="55d57cf0-2c70-11e2-81c1-0801600c9a66" /> <code code="103.16302.120.1.5" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components" displayName="Global Statement" /> <value code="01" codeSystem="1.2.36.1.2001.1001.101.104.16299"</pre> codeSystemName="NCTIS Global Statement Values" displayName="None known" xsi:type="CD" /> </observation> <!-- End Global Statement --> </entry> <!-- End Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS) --> </section> </component> <!-- End IMMUNISATIONS --> .... </structuredBody> </component> <!-- End CDA Body --> </ClinicalDocument>

Australian Digital Health Agency

# **8 Common Patterns**

## 8.1 code

The <code> element pattern refines the kind of act being recorded. It is of data type CD CWE (Concept Descriptor, Coded With Extensibility). It may have:

- a null attribute (*nullFlavor*)
- originalText
- code and codeSystem
- translation (CD)
- any combination of the above.

A *displayName* is highly recommended.

Where used, the *code* attribute **SHALL** contain a code from the relevant vocabulary.

Where used, the *codeSystem* attribute **SHALL** contain the OID for the relevant vocabulary. Values for coding systems can be obtained from the HL7<sup>®</sup> OID registry accessible from the HL7<sup>®</sup> home web page at <u>www.hl7.org</u><sup>1</sup>.

Where used, the displayName attribute SHALL contain a human-readable description of the code value.

The codeSystemName MAY be present and, where used, SHALL contain a human-readable name for the coding system.

Where used, the originalText element SHALL be used to carry the full text associated with this code as selected by, typed by or displayed to the author of this statement.

Codes can be obtained from a variety of sources. Additional vocabularies are also available from the HL7<sup>®</sup> Version 3 Vocabulary tables, available to HL7<sup>®</sup> members through the HL7<sup>®</sup> web site. In some cases, the vocabularies have been specified; in others, a particular code has been fixed or there is no vocabulary specified.

If a vocabulary is specified in this implementation guide and no suitable code can be found, the *originalText* element **SHALL** be used to carry the full text as selected by, typed by or displayed to the author of this statement.

<sup>&</sup>lt;sup>1</sup> http://www.hl7.org

If a vocabulary is specified in this implementation guide and it is not possible to use this vocabulary, but an alternate vocabulary is in use, the *originalText* element **SHALL** be used to carry the full text as selected by, typed by or displayed to the author of this statement. The *code* element **SHALL** be used to carry the relevant information from the alternate vocabulary and the alternate vocabulary **SHALL** be registered with HL7<sup>®</sup> and allocated an appropriate OID.

If an alternate vocabulary is in use and a translation into the specified code system is available, the *originalText* element **SHALL** be used to carry the full text as selected by, typed by or displayed to the author of this statement. The *code* element **SHALL** be used to carry the relevant information from the alternate vocabulary and the alternate vocabulary **SHALL** be registered with HL7<sup>®</sup> and allocated an appropriate OID. The *translation* element **SHALL** be used to indicate the translation code from the specified vocabulary.

#### Example 8.1. code

```
<!-- Specified code system in use -->
<code
  code="271807003"
  codeSystem="2.16.840.1.113883.6.96"
  codeSystemName="SNOMED CT"
  codeSystemVersion="20101130"
  displavName="skin rash" />
<!-- Alternate code system in use and a translation into the specified code system is available -->
<code
  code=".745_9"
  codeSystem="2.16.840.1.113883.6.135"
  codeSystemName="icd10am"
  displayName="Asthma, unspecified">
  <originalText>Asthma</originalText>
  <translation
     code="195967001"
     codeSystem="2.16.840.1.113883.19.6.96"
     codeSystemName="SNOMED CT"
     displayName="Asthma"/>
</code>
<!-- Alternate code system in use and no translation into the specified code system is available -->
<code
  code="J45.9"
  codeSystem="2.16.840.1.113883.6.135"
  codeSystemName="icd10am"
  displayName="Asthma, unspecified">
  <originalText>Asthma</originalText>
</code>
<!-- No suitable code can be found or there is no code system in use -->
<code
   <originalText>Asthma</originalText>
</code>
```

# 8.2 id

The <id> element pattern is of data type II (Instance Identifier). The II data type may have:

- a null attribute (*nullFlavor*)
- a root
- a root and an extension
- a root and an extension and an assigningAuthorityName
- a root and an assigningAuthorityName
- a root and an assigningAuthorityName and a displayable
- a root and an extension and a displayable
- a root and an extension and an assigningAuthorityName and a displayable
- a root and a displayable

The root attribute is **REQUIRED** and is a unique identifier that guarantees the global uniqueness of the instance identifier. The root alone **MAY** be the entire instance identifier. The root attribute **SHALL** be a UUID or OID.

The extension attribute MAY be present, and is a character string as a unique identifier within the scope of the identifier root.

In the case of Entity Identifier, assigningAuthorityName is **RECOMMENDED**.

Identifiers appear in this implementation guide for two different reasons. The first is that the identifier has been identified in the business requirements as relevant to the business process. These identifiers are documented in the SCSs, which make clear the meaning of this identifier.

In addition, the implementation makes clear that identifiers may also be found on many other parts of the CDA<sup>®</sup> content model. These identifiers are allowed to facilitate record matching across multiple versions of related documents, so that the same record can consistently be identified, in spite of variations in the information as the record passes through time or between systems. These identifiers have no meaning in the business specification. If senders provide one of these identifiers, it **SHALL** always be the same identifier in all versions of the record, and it **SHALL** be globally unique per the rules of the II data type.

Throughout the specification, these identifiers are labelled with the following text: "This is a technical identifier that is used for system purposes such as matching."

#### Example 8.2. id

<id root="2.16.840.1.113883.19" extension="123A45" />

<ext:id assigningAuthorityName="HPI-0" root="1.2.36.1.2001.1003.0.80036215666884455" />

## 8.3 time

When a time value is supplied it SHALL include hours and minutes.

When a time value is supplied it MAY include seconds and fractions of seconds.

When a time value is supplied it **SHALL** include a time zone.

The <time> element pattern is of data type TS (Point in Time) and can also be an interval between two times (IVL\_TS), representing a period of time. Both forms can either have a nullFlavor attribute or child components following allowed patterns.

A simple timestamp (point in time) will only contain a value attribute containing the time value, expressed as a series of digits as long as required or as available.

#### Example 8.3. Simple timestamp

<time value="20091030" />

This represents "October 30, 2009" to calendar day precision. In cases where the containing element is defined in the CDA<sup>®</sup> schema as "ANY" data type, it is useful to provide an xsi:type attribute, set to the value "TS".

The period of time pattern is defined in terms of one or both of its lowest and highest values. The low and high elements are instances of the timestamp pattern described above. More complex time period concepts can be expressed by combining a high, low, or centre element with a width element.

#### Example 8.4. Low time

<period>
 <low value="20091030" />
</period>

This represents "a period after October 30, 2009". In cases where the containing element is defined in the CDA<sup>®</sup> schema as "ANY" data type, it is useful to provide an xsi:type attribute, set to the value "IVL\_TS", as in the next example.

#### Example 8.5. Interval timestamp 1

<period xsi:type="IVL\_TS">
 <high value="200910301030+1000" />
</period>

This represents "a period before 10:30 a.m. UTC+10, October 30, 2009". A discretionary xsi:type attribute has been provided to explicitly cast the pattern to "IVL\_TS".

#### Example 8.6. Interval timestamp 2

```
<period xsi:type="IVL_TS">
    <low value="2007" />
    <high value="2009" />
</period>
```

This represents "the calendar years between 2007 and 2009". The low element **SHALL** precede the high element. As per the previous example, a discretionary xsi:type attribute has been provided to explicitly cast the pattern to "IVL\_TS".

#### Example 8.7. Width time

<period>
 <high value="20091017" />
 <width value="2" unit="wk" />
</period>

This expresses "two weeks before October 17th, 2009". A low value can be derived from this.

# **8.4 Entity Identifier**

# CDA<sup>®</sup> Mapping

NEHTA SCS Data Compon- ent	Data Compon- ent Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Data Elem	ents				
Entity Identifier	for the purpose of identi- fying an entity (person, group comes	ext:asEntityIdentifier		See NEHTA CDA® extension: Entity- Identifier.	
	organisation or organisa- tion sub-unit) within a	from the link- ing parent	ext:asEntityIdentifier/@classCode="IDENT"		
	healthcare context.	and the car- dinality of	ext:asEntityIdentifier/ext:id		
	the children data ele- ments comes from the R-MIM diagram.	ext:asEntityIdentifier/ext:id/@ <b>root</b>	Attribute @root <b>SHALL</b> be used, <b>SHALL</b> be an OID and <b>SHALL NOT</b> be a UUID. Attribute @root <b>SHALL</b> be a globally unique object identifier (i.e. OID) that identifies the combination of geographic area, issuer and type. If no such OID exists, it <b>SHALL</b> be defined before any identifiers can be created.		
		ext:asEntityIdentifier/ext:id/@extension	Attribute @extension <b>MAY</b> be used and, if it is used, <b>SHALL</b> be a unique identifier within the scope of the root that is populated directly from the designation.		
			ext:asEntityIdentifier/ext:id/@assigningAuthorityName	Attribute @assigningAuthorityName <b>SHOULD</b> be used and, if it is used, <b>SHALL</b> be a human- readable name for the namespace represented in the root that is populated with the issuer, or identifier type, or a concatenation of both as appropriate. This <b>SHOULD NOT</b> be used for machine readability purposes.	
			ext:asEntityIdentifier/ext:code		See <code> for available attributes.</code>
			ext:asEntityIdentifier/ext:assigningGeographicArea		
			ext:asEntityIdentifier/ext:assigningGeographicArea/@classCode="PLC"		
			ext:asEntityIdentifier/ext:assigningGeographicArea/ext:name	Element ext:name <b>MAY</b> be used and, if it is used, <b>SHALL</b> be the range and extent that the identifier applies to the object with which it is associated that is populated directly from the geographic area. This <b>SHOULD NOT</b> be used for machine readability purposes. For details see: AS 5017-2006: Health Care Client Identifier Geographic Area.	

#### **Example 8.8. Entity Identifier**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <!-- person --> <xs:asEntitvIdentifier classCode="IDENT"> <xs:id root="1.2.36.1.2001.1003.0.8003608833357361" assigningAuthorityName="IHI" /> <xs:assigningGeographicArea classCode="PLC"> <xs:name>National Identifier</xs:name> </xs:assigningGeographicArea> </xs:asEntityIdentifier> <xs:asEntitvIdentifier classCode="IDENT"> <xs:id root="1.2.36.1.2001.1005.29.8003621566684455" extension="542181" assigningAuthorityName="Croydon GP Centre" /> <xs:code code="MR" codeSystem="2.16.840.1.113883.12.203" codeSystemName="Identifier Type (HL7)" /> </xs:asEntitvIdentifier> <!-- organisation --> <ext:asEntityIdentifier classCode="IDENT"> <ext:id assigningAuthorityName="HPI-O" root="1.2.36.1.2001.1003.0.8003621566684455" /> <ext:assigningGeographicArea classCode="PLC"> <ext:name>National Identifier</ext:name> </ext:assigningGeographicArea>

</ext:asEntitvIdentifier>

## 8.5 Person Name

# CDA<sup>®</sup> Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA® Data Elements			•	•	
Person Name	The appellation by which an individual may be identified separately from any other within a social context.	Cardinality comes from linking parent.	name		
Person Name > Name Title	An honorific form of address commencing a name.	0*	name/ <b>prefix</b>		
Person Name > Family Name	That part of a name a person usually has in common with some other members of his/her family, as distinguished from his/her given names.	11	name/ <b>family</b>		
Person Name > Given Name	The person's identifying names within the family group or by which the person is uniquely socially identified.	0*	name/ <b>given</b>		
Person Name > Name Suffix	The additional term used following a per- son's name to identify that person.	0*	name/ <b>suffix</b>		
Person Name > Preferred Name Indicator	A flag to indicate that this is the name a person has selected for use.	01	name/@ <b>use</b>	A code for representing "preferred name" has been requested from HL7 <sup>®</sup> International but is not currently available.	If both Preferred Name Indicator and Person Name Usage have been provided, the use attribute <b>SHALL</b> include them as space separated list of codes.
Person Name > Person Name Usage	The classification that enables differenti- ation between recorded names for a per- son.	01	name/@ <b>use</b>	AS 5017-2006: Health Care Client Name Usage	If both Preferred Name Indicator and Person Name Usage have been provided, the use attribute <b>SHALL</b> include them as space separated list of codes.

#### **Example 8.9. Person Name**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.

Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document.

While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. -->

# 8.6 Address

# CDA<sup>®</sup> Mapping

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Ele- ment	Vocab	Comments
CDA <sup>®</sup> Data Elements					
Address	The description of a location where an entity is located or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	Cardinality comes from linking parent.	addr		In an event where the Address of the Subject of Care is 'Unknown' or 'Masked / Not to be dis- closed for privacy reas- on', the following condi- tions SHOULD be ap- plied. The nullFlavor = "UNK" SHOULD be permitted if the value of address is not known and the value of 'No Fixed Ad- dress Indicator' is false. The nullFlavor = "MSK" SHOULD be permitted if the value of address is masked and the value of 'No Fixed Address In- dicator' is false. The nullFlavor = "NA" SHOULD be permitted if value of 'No Fixed Ad- dress Indicator' is true. (This is the same as the current CDA® IG con- straint). The value of the <addr> data group SHALL be populated in all other</addr>
Address > No Fixed Address Indicator	A flag to indicate whether or not the participant has no fixed address.	11	addr/@nullFlavor	If true, nullFlavor="NA". If false omit nullFlavor and fill in ad- dress.	circumstances.

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Ele- ment	Vocab	Comments
Address > Australian or International Address	Represents a choice to be made at run-time between an AUSTRALIAN ADDRESS and an INTERNATIONAL ADDRESS.	11	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
					The cardinality of this component propagates to its children.
Address > Australian or International Address > International Address	The description of a non-Australian location where an entity is located or can be otherwise reached or found.	01	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
					The cardinality of this component propagates to its children.
Address > Australian or International Address > International Address > Inter- national Address Line	A composite of address details comprising a low level geographical/physical description of a location that, used in conjunction with the other high level address components, i.e. international state/province, international post-code and country, forms a complete geographic/physical address.	0*	addr/ <b>streetAddressLine</b>		
Address > Australian or International Address > International Address > Inter- national State/Province	The designation applied to an internal, political or geograph- ic division of a country other than Australia that is officially recognised by that country.	01	addr/ <b>state</b>		
Address > Australian or International Address > International Address > Inter- national Postcode	The alphanumeric descriptor for a postal delivery area (as defined by the postal service of a country other than Australia) aligned with locality, suburb or place for an address.	01	addr/postalCode		
Address > Australian or International Address > International Address > Country	The country component of the address.	01	addr/country	Australia Bureau of Statistics, Standard Australian Classific- ation of Countries (SACC) Cat. No. 1269 [ABS2008]	Use the name, not the numbered code.
Address > Australian or International Address > Australian Address	The description of an Australian location where an entity is located or can be otherwise reached or found.	01	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
					The cardinality of this component propagates to its children.
Address > Australian or International Address > Australian Address > Un- structured Australian Address Line	A composite of one or more low level standard address components describing a geographical/physical location that, used in conjunction with the other high level address components, e.g. Australian suburb/town/locality name, Australian postcode and Australian State/Territory, forms a complete geographical/physical address.	0*	addr/streetAddressLine		

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Ele- ment	Vocab	Comments
Address > Australian or International Address > Australian Address > <b>Struc-</b> <b>tured Australian Address Line</b>	The standard low level address components describing a geographical/physical location that, used in conjunction with the other high level address components, i.e. Australian suburb/ town/locality name, Australian postcode and Australian State/Territory, form a complete geographic-	01	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> . The cardinality of this
	al/physical address.				component propagates to its children.
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi-	The specification of the type of a separately identifiable portion within a building/complex, marina etc. to clearly distinguish it from another.	01	addr/ <b>unitType</b>	AS 5017 (2006) - Healthcare Client Identification: Australian Unit Type [SA2006a]	
an Unit Type				AS 4846 (2006) - Healthcare Provider Identification: Australi- an Unit Type [SA2006b]	
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Unit Number	The specification of the number or identifier of a build- ing/complex, marina etc. to clearly distinguish it from an- other.	01	addr/unitID		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Address Site Name	The full name used to identify the physical building or property as part of its location.	01	addr/ <b>additionalLocator</b>		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Level Type	Descriptor used to classify the type of floor or level of a multistorey building/complex.	01	addr/additionalLocator	AS 5017 (2006) - Healthcare Client Identification: Australian Level Type [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australi-	
				an Level Type [SA2006b]	
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Level Number	Descriptor used to identify the floor or level of a multi- storey building/complex.	01	addr/ <b>additionalLocator</b>		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Street Number	The numeric or alphanumeric reference number of a house or property that is unique within a street name.	01	addr/ <b>houseNumber</b>		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Lot Number	The Australian Lot reference allocated to an address in the absence of street numbering.	01	addr/ <b>additionalLocator</b>		
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Street Name	The name that identifies a public thoroughfare and differ- entiates it from others in the same suburb/town/locality.	01	addr/ <b>streetName</b>		

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Ele- ment	Vocab	Comments
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Street Type	A code that identifies the type of public thoroughfare.	01	addr/streetNameType	AS 5017 (2006) - Healthcare Client Identification: Australian Street Type Code [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australi- an Street Type Code [SA2006b]	
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Street Suffix	Term used to qualify Australian Street Name used for directional references.	01	addr/ <b>direction</b>	AS 5017 (2006) - Healthcare Client Identification: Australian Street Suffix [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australi- an Street Suffix [SA2006b]	
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Postal Delivery Type	Identification for the channel of postal delivery.	01	addr/deliveryAddressLine	AS 5017 (2006) - Healthcare Client Identification: Australian Postal Delivery Type Code [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australi- an Postal Delivery Type Code [SA2006b]	
Address > Australian or International Address > Australian Address > Struc- tured Australian Address Line > Australi- an Postal Delivery Number	Identification number for the channel of postal delivery.	01	addr/deliveryAddressLine		
Address > Australian or International Address > Australian Address > Aus- tralian Suburb/Town/Locality	The full name of the general locality contained within the specific address.	01	addr/ <b>city</b>	Values in this data element should comply with descriptions in the Australia Post Postcode File (see <u>www.auspost.com.au/postcodes</u> ).	
Address > Australian or International Address > Australian Address > Aus- tralian State/Territory	The identifier of the Australian state or territory.	01	addr/state	AS 5017-2006 Australian State/Territory Identifier - Postal	
Address > Australian or International Address > Australian Address > Aus- tralian Postcode	The numeric descriptor for a postal delivery area (as defined by Australia Post), aligned with locality, suburb or place for the address.	01	addr/ <b>postalCode</b>	Values in this data element should comply with descriptions in the Australia Post Postcode File (see <u>www.auspost.com.au/postcodes</u> ).	
Address > Australian or International Address > Australian Address > Aus- tralian Delivery Point Identifier	A unique number assigned to a postal delivery point as recorded on the Australia Post Postal Address File.	01	addr/additionalLocator		
Address > Address Purpose	The purpose for which the address is being used by the entity.	11	addr/@use	AS 5017-2006: Health Care Client Identifier Address Purpose	Space separated list of codes.

#### Example 8.10. Address

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only. Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. --> <!- no fixed address --> <addr nullFlavor="NA" /> <!-Australian home address (unstructured) --> <addr use="H"> <streetAddressLine>1 Clinician Street</streetAddressLine> <citv>Nehtaville</citv> <state>QLD</state> <postalCode>55555</postalCode> <additionalLocator>32568931</additionalLocator> </addr> <!-Australian business address (structured) --> <addr use="WP"> <houseNumber>1</houseNumber> <streetName>Clinician</streetName> <streetNameType>St</streetNameType> <citv>Nehtaville</citv> <state>OLD</state> <postalCode>55555</postalCode> <additionalLocator>32568931</additionalLocator> </addr> <!-international postal address --> <addr use="PST"> <streetAddressLine>51 Clinician Bay</streetAddressLine> <city>Healthville</city> <state>Manitoba</state> <postalCode>R3T 3C6</postalCode> <country>Canada</country> </addr>

# **8.7 Electronic Communication Detail**

# CDA<sup>®</sup> Mapping

NEHTA SCS Data Compon- ent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Data Elements					
Electronic Communication Detail	The electronic communication details of entities.	Cardinality comes from linking parent.	telecom		
Electronic Communication Detail > Electronic Communication Medium	A code representing a type of communication mechanism.	11	telecom/@value	AS 5017-2006: Health Care Client Electronic Communication Medium > HL7:URLScheme	Makes up part of the value attribute as ' <b>tel:</b> phone number', ' <b>mailto:</b> email address', ' <b>http:</b> URL', etc.
Electronic Communication Detail > Electronic Communication Usage Code	The manner of use that is applied to an electronic communication medium.	0.1	telecom/@use	HL7 <sup>®</sup> : TelecommunicationAddressUse > HL7:TelecommunicationAddressUse	Space separated list of codes. The section AS 5017-2006: Health Care Client Electronic Communication Usage Code explains how to map AS 5017-2006 to HL7® Telecommunication-AddressUse (HL7® TAU) code
Electronic Communication Detail > Electronic Communication Address	A unique combination of characters used as input to electronic telecommunication equipment for the purpose of contacting an entity.	11	telecom/@value		Makes up part of the value attribute as 'tel:phone number', 'mailto:email address', http:URL', etc.

#### **Example 8.11. Electronic Communication Detail**

<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.

Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid. While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and may not be indicative of the expected values in a clinical document.

while every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema will take precedence. -->

<!-home telephone number --> <telecom value="tel:0499999999" use="H" />

<!-pager --> <telecom value="tel:0499999999" use="PG" />

<!-home email address --> <telecom value="mailto:clinicial@clinician.com" use="H" />

# 8.8 Employment

# **CDA<sup>®</sup>** Mapping

1

#### Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the <u>HL7® code set registration</u> <u>procedure</u><sup>2</sup> with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they SHALL be used and the non-standard code sets SHALL be deprecated.

NEHTA SCS Data Com- ponent	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
CDA <sup>®</sup> Data Elements					
Employment Detail	A person's occupation and employer.	Cardin- ality comes from linking parent.	n/a		This logical NEHTA data component has no mapping to CDA <sup>®</sup> .
Employment Detail > Employer Organ- isation	The organisation that the individual is working for in respect to the role they are playing in the nominated participation.	1*	ext:asEmployment/ext:employerOrganization		There is a known is- sue in the NEHTA Participation Data Specification [NE- HT2011v] for this lo- gical data compon- ent's cardinality. Furthermore the cor- responding CDA® elements ext:asEm- ployment and ext:employerOrganiz- ation do not allow the cardinality to be '0.*'/multiple. The cardinality <b>SHALL</b> be interpreted as '01' instead of '0*'.
			ext:asEmployment/@classCode="EMP"		

<sup>2</sup> http://www.hl7.org/oid/index.cfm?ref=footer

NEHTA SCS Data Com-	Data Component Definition	Card	CDA <sup>®</sup> Schema Data Element	Vocab	Comments
ponent	Bata component Bernition	Oard		VOCUD	Comments
Employment Detail > Employer Organ- isation > Entity Identifier	A number or code issued for the purpose of identify- ing a participant within a healthcare context.	1*	ext:asEmployment/ext:employerOrganization/asOrganizationPartOf/wholeOrganization/ <entity identifier=""></entity>	The value of one En- tity Identifier <b>SHALL</b> be an Australian HPI-O.	See common pat- tern: Entity Identifier.
Employment Detail > Employer Organ- isation > <b>Address</b>	The description of a location where an entity is loc- ated or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	1*	ext:asEmployment/ext:employerOrganization/asOrganizationPartOf/wholeOrganization/ <address></address>	AUSTRALIAN OR INTERNATIONAL ADDRESS <b>SHALL</b> be instantiated as an AUSTRALIAN AD- DRESS.	See common pat- tern: Address.
Employment Detail > Employer Organ- isation > Electronic Communication Detail	The electronic communication details of entities.	1*	ext:asEmployment/ext:employerOrganization/asOrganizationPartOf/wholeOrganization/ <electronic Communication Detail&gt;</electronic 		See common pat- tern: Electronic Communication De- tail.
Employment Detail > Employer Organ- isation > <b>Organisation</b>	Any organisation of interest to, or involved in, the business of healthcare service provision.	11	n/a		Not mapped directly, encompassed impli- citly in assignedAu- thor/ext:asEmploy- ment/employerOrgan- ization.
Employment Detail > Employer Organ- isation > Organisation > Organisation Name	The name by which an organisation is known or called.	11	ext:asEmployment/ext:employerOrganization/asOrganizationPartOf/wholeOrganization/name		
Employment Detail > Employer Organ- isation > Organisation > <b>Depart-</b> <b>ment/Unit</b>	The name by which a department or unit within a larger organisation is known or called.	01	ext:asEmployment/ext:employerOrganization/name		
Employment Detail > Employer Organ- isation > Organisation > <b>Organisation</b> <b>Name Usage</b>	The classification that enables differentiation between recorded names for an organisation or service location.	01	ext:asEmployment/ext:employerOrganization/asOrganizationPartOf/wholeOrganization/name/@use	AS 4846-2006: Health Care Provider Organisation Name Usage	
Employment Detail > Employment Type	The basis on which the person is employed by the employer organisation.	01	ext:asEmployment/ext:jobClassCode	NS	
Employment Detail > Occupation	A descriptor of the class of job based on similarities in the tasks undertaken.	0*	ext:asEmployment/ <b>ext:jobCode</b>	1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Oc- cupations, First Edi- tion, Revision 1 [ABS2009]	The corresponding CDA® element ext;jobCode does not allow the cardinality to be '0*'/multiple. The cardinality <b>SHALL</b> be inter- preted as '01' in- stead of '0*'.
Employment Detail > Position In Or- ganisation	A descriptor of the job or the job role based on the management hierarchy of the organisation.	01	ext:asEmployment/ext:code	NS	

#### Example 8.12. Employment

```
<!-- This xml fragment is provided to demonstrate an example instance of each structured element in the CDA® Mapping table. It is illustrative only.
Logical model constraints on allowed combinations of child components are ignored in order to provide coverage of structured elements. This fragment cannot be treated as clinically valid.
While the values in the fragment are conformant with the CDA® Mapping table they are typically exaggerated to highlight the semantic meaning of the structured elements and
may not be indicative of the expected values in a clinical document.
while every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema,
the specification or schema will take precedence. -->
<!-- Employment Details -->
<ext:asEmployment classCode="EMP">
    <!-- Position In Organisation -->
   cont.code>
        <originalText>Chief Oncologist</originalText>
    </ext:code>
    <!-- Occupation -->
   <ext:jobCode code="253314" codeSystem="2.16.840.1.113883.13.62"</pre>
        codeSystemName="1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, Revision 1"
        displayName="Medical Oncologist"/>"/>
    <!-- Employment Type -->
    <ext:jobClassCode code="FT" codeSystem="2.16.840.1.113883.5.1059" codeSystemName="HL7:EmployeeJobClass" displayName="full-time"/>
    <!-- Employer Organisation -->
    <ext:employerOrganization>
        <!-- Department/Unit -->
        <name>Oncology Ward</name>
        <asOrganizationPartOf>
            <wholeOrganization>
                <!-- Organisation Name -->
                <name use="ORGB">Acme Hospital</name>
                <!-- Entity Identifier -->
                <ext:asEntityIdentifier classCode="IDENT">
                    <ext:id assigningAuthorityName="HPI-O" root="1.2.36.1.2001.1003.0.8003621566684455"/>
                    <ext:assigningGeographicArea classCode="PLC">
                        <ext:name>National Identifier</ext:name>
                    </ext:assigningGeographicArea>
                </ext:asEntityIdentifier>
                <!-- Address -->
                <addr use="WP">
                    <houseNumber>1</houseNumber>
                    <streetName>Clinician</streetName>
                    <streetNameType>St</streetNameType>
                    <city>Nehtaville</city>
                    <state>OLD</state>
                    <postalCode>5555</postalCode>
                    <additionalLocator>32568931</additionalLocator>
                </addr>
                <!-- Electronic Communication Detail -->
                <telecom value="tel:0499999999" use="H" />
            </wholeOrganization>
         </asOrganizationPartOf>
     </ext:employerOrganization>
```

</ext:asEmployment>

Australian Digital Health Agency

# **9 NEHTA CDA<sup>®</sup> Extensions**

As part of the CDA®, standard extensions are allowed as follows:

Locally-defined markup may be used when local semantics have no corresponding representation in the CDA specification. CDA seeks to standardize the highest level of shared meaning while providing a clean and standard mechanism for tagging meaning that is not shared. In order to support local extensibility requirements, it is permitted to include additional XML elements and attributes that are not included in the CDA schema. These extensions should not change the meaning of any of the standard data items, and receivers must be able to safely ignore these elements. Document recipients must be able to faithfully render the CDA document while ignoring extensions.


Extensions may be included in the instance in a namespace other than the HL7v3 namespace, but must not be included within an element of type ED (e.g., <text> within <procedure>) since the contents of an ED datatype within the conformant document may be in a different namespace. Since all conformant content (outside of elements of type ED) is in the HL7<sup>®</sup> namespace, the sender can put any extension content into a foreign namespace (any namespace other than the HL7<sup>®</sup> namespace). Receiving systems must not report an error if such extensions are present. "HL7 Clinical Document Architecture, Release 2" [HL7CDAR2]

This section contains extensions that have been defined for Australian concepts not represented in CDA®.

This section is provided for clarity only. Please see the relevant mappings section where these extensions have been used for actual mapping details.

## 9.1 ClinicalDocument.completionCode


Figure 9.1 CDA<sup>®</sup> R-MIM Representation shows a subset of the CDA<sup>®</sup> R-MIM containing those classes with the relevant NEHTA CDA<sup>®</sup> extension represented.



#### Figure 9.1. CDA<sup>®</sup> R-MIM Representation

# **9.2 EntityIdentifier**

Figure 9.2 CDA® R-MIM Representation shows a subset of the CDA® R-MIM containing those classes with the relevant NEHTA CDA® extension represented.





## **9.3 Entitlement**

Figure 9.3 CDA® R-MIM Representation shows a subset of the CDA® R-MIM containing those classes with the relevant NEHTA CDA® extension represented.




Figure 9.3. CDA<sup>®</sup> R-MIM Representation

# 9.4 Multiple Birth


Figure 9.4 CDA® R-MIM Representation shows a subset of the CDA® R-MIM containing those classes with the relevant NEHTA CDA® extension represented.

Note: multipleBirthInd and multipleBirthOrderNumber have been added as a NEHTA extension to CDA	Patient classCode*: <= PSN determinerCode*: <= INSTANCE id: II [01] (Deprecated) name: SET <pn> [0*] administrativeGenderCode: CE CWE [01] &lt; AdministrativeGender birthTime: TS [01] multipleBirthInd: BL [01] multipleBirthOrderNumber: INT [01] maritalStatusCode: CE CWE [01] &lt; MaritalStatus religiousAffiliationCode: CE CWE [01] &lt; ReligiousAffiliation raceCode: CE CWE [01] &lt; Race</pn>
	raceCode: CE CWE [01] < Religious Affiliation raceCode: CE CWE [01] < Race ethnicGroupCode: CE CWE [01] < Ethnicity

Figure 9.4. CDA<sup>®</sup> R-MIM Representation

## 9.5 Administrative Gender Code

Figure 9.5 CDA® R-MIM Representation shows a subset of the CDA® R-MIM containing those classes with the relevant NEHTA CDA® extension represented.







Figure 9.5. CDA<sup>®</sup> R-MIM Representation

# 9.6 Birth Time

Figure 9.6 CDA® R-MIM Representation shows a subset of the CDA® R-MIM containing those classes with the relevant NEHTA CDA® extension represented.






Figure 9.6. CDA<sup>®</sup> R-MIM Representation

### **9.7 Deceased Time**

Figure 9.7 CDA® R-MIM Representation shows a subset of the CDA® R-MIM containing those classes with the relevant NEHTA CDA® extension represented.




Figure 9.7. CDA<sup>®</sup> R-MIM Representation

# 9.8 Employment

Figure 9.8 CDA® R-MIM Representation shows a subset of the CDA® R-MIM containing those classes with the relevant NEHTA CDA® extension represented.




Figure 9.8. CDA<sup>®</sup> R-MIM Representation

## 9.9 Qualifications

Figure 9.9 CDA® R-MIM Representation shows a subset of the CDA® R-MIM containing those classes with the relevant NEHTA CDA® extension represented.




Figure 9.9. CDA<sup>®</sup> R-MIM Representation

Australian Digital Health Agency

# **10 Vocabularies and Code Sets**

This product includes all or a portion of the HL7 Vocabulary, or is derived from the HL7 Vocabulary, subject to a license from Health Level Seven International. Your use of the HL7 Vocabulary also is subject to this license, a copy of which is accessible through the following link: <a href="http://www.hl7.org/permalink/?VocabTables">http://www.hl7.org/permalink/?VocabTables</a>. The current complete HL7 Vocabulary is also available through this link. The HL7 Vocabulary is copyright © 1989-2010, Health Level Seven International. All rights reserved. THE HL7 VOCABULARY IS PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

#### Example 10.1. All values

<code< th=""><th></th></code<>	
code="103.16044.4.1.1"	
codeSystem="1.2.36.1.2001.1001"	
codeSystemName="&NCTIS_CODE_SYSTEM_	NAME;"
displayName="Additional Comments"	/>

#### Example 10.2. One value

<name use="L"> {name} </name>

# **10.1 HL7<sup>®</sup>: TelecommunicationAddressUse**

Code	Value
н	Home
HP	Primary Home
HV	Vacation Home
WP	Workplace
AS	Answering Service
EC	Emergency Contact
МС	Mobile Contact

Code	Value
PG	Pager

## **10.2 AS 5017-2006 Health Care Client Identifier Sex**

displayName	code	codeSystemName	codeSystem
Male	М	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68
Female	F	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68
Intersex or Indeterminate	I	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68
Not Stated/Inadequately Described	N	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68

# 10.3 AS 5017-2006: Health Care Client Name Usage

Code Set AS 5017-2006 mapped to HL7® Entity Name Use Code

When referencing the following vocabulary tables, if one column in the code set table is bolded, use the code in that column; otherwise use the values in all columns.



#### Note

CDA<sup>®</sup> Release 2 uses HL7<sup>®</sup> Data Types Release 1. For some of the AS 5017-2006 values, there are no satisfactory equivalents in the HL7<sup>®</sup> Entity Name Use R1 code set. In these cases (marked R2), an HL7<sup>®</sup> Entity Name Use R2 code has been used.



#### Note

In cases (marked EXT) where there are no suitable HL7® codes, extension codes have been created.

AS 5017-2006 Code	AS 5017-2006 Alternative Code	AS 5017-2006 Descriptor	HL7 <sup>®</sup> Entity Name Use Code	HL7 <sup>®</sup> Entity Name Use Name	HL7 <sup>®</sup> Name Use Definition	
1	L	Registered Name (Legal Name)	L	(R1) Legal	(R1) Known as/conventional/the one you use.	
2	R	Reporting Name	С	(R1) License (R1) As recorded on a license, record, cert etc. (only if different from legal name).		
3	N	Newborn Name	NB	(EXT)	(EXT)	
4	В	Professional or Busi- ness Name	Α	(R1) Artist/Stage	(R1) Includes writer's pseudonym, stage name, etc.	
5	М	Maiden Name (Name at birth)	М	(R2) Maiden Name	A name used prior to marriage.	
8	0	Other Name (Alias)	Р	(R1) Pseud- onym	(R1) A self-asserted name that the person is using or has used.	

#### **10.4 AS 4846-2006: Health Care Provider Organisation Name Usage**

Code Set AS 5017-2006 Organisation Name Usage mapped to HL7® Name Use Code

When referencing the following vocabulary tables, if one column in the code set table is bolded, use the code in that column; otherwise use the values in all columns.



#### Note

There are no suitable HL7<sup>®</sup> codes, so extension codes have been created.

AS 4846-2006 Code	AS 4846-2006 Alternative Code	AS 4846-2006 Descriptor	HL7 <sup>®</sup> Name Use Code	HL7 <sup>®</sup> Name Use Name	HL7 <sup>®</sup> Name Use Definition
1	U	Organizational unit/section/division name	ORGU	(EXT)	(EXT)
2	S	Service location name	ORGS	(EXT)	(EXT)
3	В	Business name	ORGB	(EXT)	(EXT)
4	L	Locally used name	ORGL	(EXT)	(EXT)
5	A	Abbreviated name	ORGA	(EXT)	(EXT)
6	E	Enterprise name	ORGE	(EXT)	(EXT)
8	Х	Other	ORGX	(EXT)	(EXT)
9	Y	Unknown	ORGY	(EXT)	(EXT)

#### 10.5 AS 5017-2006: Health Care Client Source of Death Notification

displayName	code	codeSystemName	codeSystem
Official death certificate or death register	D	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Health Care Provider	Н	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Relative	R	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Other	0	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Unknown	U	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64

## **10.6 AS 5017-2006: Health Care Client Identifier Address Purpose**

AS 5017-2006 mapped to HL7<sup>®</sup> AddressUse Code

When referencing the following vocabulary tables, if one column in the code set table is bolded, use the code in that column; otherwise use the values in all columns.

AS 5017-2006 Code	AS 5017-2006 Alternative Code	AS 5017-2006 Descriptor	HL7 <sup>®</sup> AddressUse Code	HL7 <sup>®</sup> AddressUse Name	HL7 <sup>®</sup> AddressUse Definition
1	В	Business	WP	Work Place	An office address. First choice for business related contacts during business hours.
2	М	Mailing or Postal	PST	Postal Address	Used to send mail.
3	Т	Temporary Accommodation (individual provider only)	ТМР	Temporary Ad- dress	A temporary address, may be good for visit or mailing.
4	R	Residential (permanent) (individual provider only)	Н	Home Address	A communication address at a home.
9	U	Not Stated/Unknown/Inadequately De- scribed	In this case simply omit the Address Use Code		

#### **10.7 AS 5017-2006: Health Care Client Identifier Geographic Area**

displayName	code	codeSystemName	codeSystem
Local Client (Unit Record) Identifier	L	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63
Area/Region/District Identifier	А	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63
State or Territory Identifier	S	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63
National Identifier	N	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63

### **10.8 AS 5017-2006: Health Care Client Electronic Communication** Medium

When referencing the following vocabulary tables, if one column in the code set table is bolded, use the code in that column; otherwise use the values in all columns.

AS 5017-2006 Code	AS 5017-2006 Descriptor	AS 5017-2006 Alternative Code	HL7 <sup>®</sup> URLScheme Code	HL7 <sup>®</sup> URLScheme Name	HL7 <sup>®</sup> URLScheme Definition
1	Telephone (excluding mobile telephone)	Т	tel	Telephone	A voice telephone number.
2	Mobile (cellular) telephone NOTE: Mobile will also need a Telecommunication- Address Use code of MC (Mobile Contact) (see HL7 <sup>®</sup> : TelecommunicationAddressUse)	Μ	tel	Telephone	A voice telephone number.
3	Facsimile machine	F	fax	Fax	A telephone number served by a fax device.
4	Pager NOTE: Pager will also need a TelecommunicationAd- dress Use code of PG (Pager) (see HL7 <sup>®</sup> : Telecom- municationAddressUse)	Р	tel	Telephone	A voice telephone number
5	Email	E	mailto	Mailto	Electronic mail address.

AS 5017-2006 Code	AS 5017-2006 Descriptor	AS 5017-2006 Alternative Code	HL7 <sup>®</sup> URLScheme Code	HL7 <sup>®</sup> URLScheme Name	HL7 <sup>®</sup> URLScheme Definition
6	URL	U	Use the most appropriate code from the list below:		
			file	File	Host-specific local file names. Note that the file scheme works only for local files. There is little use for exchanging local file names between systems, since the receiving system likely will not be able to access the file.
			ftp	FTP	The File Transfer Protocol (FTP).
			http	HTTP	Hypertext Transfer Protocol.
			mllp	MLLP	The traditional HL7 <sup>®</sup> Minimal Lower Layer Protocol. The URL has the form of a common IP URL e.g., mllp:// <host>:<port>/ with <host> being the IP address or DNS hostname and <port> being a port number on which the MLLP protocol is served.</port></host></port></host>
			modem	Modem	A telephone number served by a mo- dem device.
			nfs	NFS	Network File System protocol. Some sites use NFS servers to share data files.
			telnet	Telnet	Reference to interactive sessions. Some sites, (e.g., laboratories) have TTY based remote query sessions that can be accessed through telnet.

# 10.9 AS 5017-2006: Health Care Client Electronic Communication Usage Code

AS 5017-2006 mapped to HL7<sup>®</sup> TelecommunicationAddressUse (HL7<sup>®</sup> TAU) Code

When referencing the following vocabulary tables, if one column in the code set table is bolded, use the code in that column; otherwise use the values in all columns.

Code	Descriptor	Alternative Code	HL7 <sup>®</sup> TAU Code	HL7 <sup>®</sup> TAU Name	HL7 <sup>®</sup> TAU Description
1	Business	В	WP	Work place	An office address. First choice for business related con- tacts during business hours.
2	Personal	Ρ	н	Home address	A communication address at a home, attempted contacts for business purposes might intrude privacy and chances are one will contact family or other household members instead of the person one wishes to call. Typically used with urgent cases, or if no other contacts are available.
3	Both business and personal use	A	WP H	Both Work place and Home address	

### **10.10 AS 5017-2006 Australian State/Territory Identifier - Postal**

Code	Descriptor
NSW	New South Wales
VIC	Victoria
QLD	Queensland
SA	South Australia
WA	Western Australia
TAS	Tasmania
NT	Northern Territory
ACT	Australian Capital Territory
U	Unknown

# **10.11 AS 5017-2006 Health Care Client Identifier Date Accuracy Indicator**

The data elements that use this value set consist of a combination of three codes, each of which denotes the accuracy of one date component:

A – The referred date component is accurately known.

E – The referred date component is an estimate.

U – The referred date component is unknown.

The data elements that use this value set contain positional fields (DMY).

Field 1 (D) – refers to the accuracy of the day component.

Field 2 (M) – refers to the accuracy of the month component.

Field 3 (Y) – refers to the accuracy of the year component.



#### Note

The order of the date components in the HL7<sup>®</sup> date and time datatypes (YYYYMMDD) is the reverse of that specified above.

The possible combinations are as follows:

code	descriptor
AAA	Accurate date
AAE	Accurate day and month, estimated year
AEA	Accurate day, estimated month, accurate year
AAU	Accurate day and month, unknown year
AUA	Accurate day, unknown month, accurate year
AEE	Accurate day, estimated month and year
AUU	Accurate day, unknown month and year

code	descriptor
AEU	Accurate day, estimated month, unknown year
AUE	Accurate day, unknown month
EEE	Estimated date
EEA	Estimated day and month, accurate year
EAE	Estimated day, accurate month
EEU	Estimated day and month, unknown year
EUE	Estimated day, unknown month, estimated year
EAA	Estimated day, accurate month and year
EUU	Estimated day, unknown month and year
EAU	Estimated day, accurate month, unknown year
EUA	Estimated day, unknown month, accurate year
UUU	Unknown date
UUA	Unknown day and month, accurate year
UAU	Unknown day, accurate month, unknown year
UUE	Unknown day and month, estimated year
UEU	Unknown day, estimated month, unknown year
UAA	Unknown day, accurate month and year
UEE	Unknown day, estimated month and year
UAE	Unknown day, accurate month, estimated year
UEA	Unknown day, estimated month, accurate year

#### **10.12 NCTIS: Admin Codes - Document Status**

displayName	code	codeSystemName	codeSystem
Interim	I	NCTIS Document Status Values	1.2.36.1.2001.1001.101.104.20104
Final	F	NCTIS Document Status Values	1.2.36.1.2001.1001.101.104.20104
Withdrawn	W	NCTIS Document Status Values	1.2.36.1.2001.1001.101.104.20104

#### **10.13 NCTIS: Admin Codes - Global Statement Values**

displayName	code	codeSystemName	codeSystem
None known	01	NCTIS Global Statement Values	1.2.36.1.2001.1001.101.104.16299
Not asked	02	NCTIS Global Statement Values	1.2.36.1.2001.1001.101.104.16299
None supplied	03	NCTIS Global Statement Values	1.2.36.1.2001.1001.101.104.16299

## **10.14 NCTIS: Admin Codes - Entitlement Type**

displayName	code	codeSystemName	codeSystem
Medicare Benefits	1	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Pensioner Concession	2	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Commonwealth Seniors Health Concession	3	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Health Care Concession	4	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Repatriation Health Gold Benefits	5	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Repatriation Health White Benefits	6	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Repatriation Health Orange Benefits	7	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Safety Net Concession	8	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Safety Net Entitlement	9	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Medicare Prescriber Number	10	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Medicare Pharmacy Approval Number	11	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047

# 10.15 HL7<sup>®</sup> v3 CDA<sup>®</sup>: Act.moodCode

Code	Value	Definition
EVN	Event	The entry defines an actual occurrence of an event.
INT Intent		The entry is intended or planned.
APT Appointment		The entry is planned for a specific time and place.
ARQ	Appointment Re- quest	The entry is a request for the booking of an appoint- ment.
PRMS	Promise	A commitment to perform the stated entry.
PRP	Proposal	A proposal that the stated entry be performed.
RQO	Request	A request or order to perform the stated entry.
DEF	Definition	The entry defines a service (master).

## 10.16 METeOR 291036: Indigenous Status

displayName	code	codeSystemName	codeSystem
Aboriginal but not Torres Strait Islander origin	1	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Torres Strait Islander but not Aboriginal origin	2	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Both Aboriginal and Torres Strait Islander origin	3	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Neither Aboriginal nor Torres Strait Islander origin	4	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Not stated/inadequately described	9	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036

## **10.17 CodeSystem OIDs**



#### Note

The entries in the codeSystem (Name) column enable identification of the codeSystem OID to be used, but may not be the proper name of that codeSystem, i.e. the value of the codeSystemName attribute. The value of codeSystemName **SHOULD** be the name associated with the OID in the <u>HL7® OID Registry</u><sup>1</sup>.

codeSystem (OID)	codeSystem (Name)
1.2.36.1.2001.1001.101	NCTIS Data Components
2.16.840.1.113883.13.62	1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, Revision 1
2.16.840.1.113883.13.65	AIHW Mode of Separation
2.16.840.1.113883.6.96	SNOMED CT
2.16.840.1.113883.6.96	SNOMED CT-AU
1.2.36.1.2001.1004.100	Australian Medicines Terminology (AMT) v2
2.16.840.1.113883.6.96	Australian Medicines Terminology (AMT) v3
2.16.840.1.113883.6.1	LOINC

<sup>&</sup>lt;sup>1</sup> http://www.hl7.org/oid/index.cfm?ref=footer

# **Appendix A. CDA<sup>®</sup> Narratives**

CDA<sup>®</sup> requires that each section in its body include a narrative block, containing a clinically complete version of the section's encoded content using custom hypertext markup defined by HL7<sup>®</sup>. The narrative is the human-readable and attestable part of a CDA<sup>®</sup> document, and **SHALL** stand alone as an accurate representation of the content of the document without any need to consult entries in the body.

There is no canonical markup for specific CDA® components, but some conformance points apply:

- The narrative block **SHALL** be encapsulated within the text component of the CDA<sup>®</sup> section.
- The narrative contents **SHALL** conform to the requirements specified in the CDA<sup>®</sup> Rendering Specification.
  - In accordance with the requirement to completely represent section contents, values of codedText or codeableText data elements defined in the SCS SHALL include an originalText or a displayName component (or both). Where available, the originalText SHOULD be found in the narrative, otherwise the displayName SHOULD be found in the narrative.
- The narrative contents **SHALL** completely and accurately represent the clinical information encoded in the section. Content **SHALL NOT** be omitted from the narrative.
- The narrative **SHALL** conform to the content requirements of the CDA® specification [HL7CDAR2] and the XML Schema.

Clinical judgement is required to determine the appropriate presentation for narrative. NEHTA may release additional guidance in this regard. The examples provided in sections of this document offer some guidance for narrative block markup and may be easily adapted as boilerplate markup.

This page is left intentionally blank

## **Appendix B. Log of Changes**

This appendix lists the major changes and normative changes applied to this CDA<sup>®</sup> Implementation Guide resulting from validation and feedback. A single change is likely to be listed multiple times, as changes are listed in order of appearance and categorised by location in the document. For example, a cardinality change may appear in both the Data Hierarchy and CDA<sup>®</sup> Mapping table.



#### Note

This specification includes typographical, stylistic, and editorial corrections.

All XML fragments have been reviewed and updated to align with the semantic changes defined in the CDA® Mapping tables.

All CDA® R-MIM representations have been reviewed and updated to align with the semantic changes defined in the CDA® Mapping tables.

A number of technical identifiers have been included in the Data Hierarchy; many of these were already present in the mappings but not explicitly identified as logical data elements.

Changes from Version 1.3 12 Mar 2012 to Version 1.4 10 Apr 2015

ID	Documen	t Ref	Change Type	Change Detail		Rationale For	Date
	Section	Section Name			ated By	Change	Changed
1	3	Shared Health Summary Data Hierarchy	Normative Impact to	Added new logical data element Reaction Type 01.	NEHTA	Requirements Change.	04 Dec 2014
			Mappings	Renamed OTHER MEDICAL HISTORY ITEM to UNCATEGORISED MEDICAL HISTORY ITEM.		Alignment with updates to the logical model (SCS). Inclusion of technical identifi-	
				Added new technical identifier Adverse Reactions Instance Identifier 01.	NEHTA		04 Dec 2014
				Added new technical identifier Medication Orders Instance Identifier 01.		ers from the logical model (SCS).	
				Added new technical identifier Medical History Instance Identifier 01.			
				Added new technical identifier Immunisations Instance Identifier 01.			
2	3	Shared Health Summary Data Hierarchy	No Normative Impact to Mappings	Replaced logical data element Start Date/Time (DateTime Started) with logical data element Procedure DateTime in data group PROCEDURE - already present in the mapping table.	NEHTA	Alignment with updates to the logical model (SCS).	04 Dec 2014

#### Australian Digital Health Agency

ID	Documen	it Ref	Change Type	Change Detail	Change Initi-	Rationale For Change	Date					
	Section	Section Name			ated By		Changed					
3	3	Shared Health Summary Data Hierarchy	No Normative Impact to Mappings	Added technical identifier Document Instance Identifier 11 - already present in the mapping table.	NEHTA	Inclusion of technical identifiers from the logical model	04 Dec 2014					
				Added technical identifier Document Type 11 - already present in the mapping table.		(SCS).						
				Added new technical identifier Section Type 11 in section ADVERSE REACTIONS - already present in the mapping table.								
				Added new technical identifier Section Type 11 in section Medications (MEDICATION OR- DERS) - already present in the mapping table.								
				Added new technical identifier Section Type 11 in section Past and Current Medical History (MEDICAL HISTORY) - already present in the mapping table.								
				Added new technical identifier Section Type 11 in section IMMUNISATIONS - already present in the mapping table.	-							
				Added new technical identifier Detailed Clinical Model Identifier 11 in data group EXCLUSION STATEMENT - ADVERSE REACTIONS - not mapped.	-							
				Added technical identifier Adverse Reaction Instance Identifier 11 - already present in the mapping table.	-							
				Added technical identifier Detailed Clinical Model Identifier 11 in data group ADVERSE RE- ACTION - already present in the mapping table.								
				Added new technical identifier Detailed Clinical Model Identifier 11 in data group EXCLUSION STATEMENT - MEDICATIONS - not mapped.								
				Added technical identifier Medication Instruction Instance Identifier 11 - already present in the mapping table.								
				Added new technical identifier Detailed Clinical Model Identifier 11 in data group Known Medication (MEDICATION INSTRUCTION) - not mapped.								
				Added technical identifier Problem/Diagnosis Instance Identifier 11 - already present in the mapping table.								
				Added technical identifier Detailed Clinical Model Identifier 11 in data group PROBLEM/DIA- GNOSIS - already present in the mapping table.								
				Added new technical identifier Detailed Clinical Model Identifier 11 in data group EXCLUSION STATEMENT - PROBLEMS AND DIAGNOSES - not mapped.								
				Added technical identifier Procedure Instance Identifier 11 - already present in the mapping table.	-							
				Added new technical identifier Detailed Clinical Model Identifier 11 in data group PROCEDURE - not mapped.	1							
				Added new technical identifier Detailed Clinical Model Identifier 11 in data group EXCLUSION STATEMENT - PROCEDURES - not mapped.								
				Added technical identifier Uncategorised Medical History Item Instance Identifier 11 - already present in the mapping table.								

ID	Documer	nt Ref	Change Type	Change Detail	Change Initi-	Rationale For	Date	
	Section	Section Name			ated By	Change	Changed	
				Added technical identifier Detailed Clinical Model Identifier 11 in data group UNCATEGOR- ISED MEDICAL HISTORY ITEM - already present in the mapping table.				
				Added technical identifier Medication Action Instance Identifier 11 - already present in the mapping table.				
				Added new technical identifier Detailed Clinical Model Identifier 11 in data group Administered Immunisation (MEDICATION ACTION) - not mapped.				
				Added new technical identifier Detailed Clinical Model Identifier 11 in data group Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICATIONS) - not mapped.				
4	4	Administrative Observations	Normative Impact to	Cardinality of component/section[admin_obs]/text changed to 01	NEHTA	Change Request	09 Jan 2015	
			Mappings	Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.				
5	5	CDA <sup>®</sup> Header	Normative Impact to	LegalAuthenticator cardinality corrected to 11	NEHTA	NEHTA Defect Correct	Defect Correction	23 Dec 2014
			ClinicalDocument/languageC	ClinicalDocument/templateId/@extension updated to "1.4"		Improved Guidance		
					ClinicalDocument/languageCode constraints applied to require the format of the value to be <language code=""> – <dialect> with Language set to "en" and the Dialect should be "AU".</dialect></language>			
				Added row for ClinicalDocument/versionNumber/@value 0.1.				
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.				
6	5	CDA <sup>®</sup> Header	No Normative Impact to Mappings	Added row for ClinicalDocument/setId 01.	NEHTA	Improved Guidance	04 Dec 2014	
7	5.1.1	LegalAuthenticator	Normative Impact to	LegalAuthenticator cardinality corrected to 11	NEHTA	Defect Correction	04 Dec 2014	
			Mappings	Added a constraint to legalAuthenticator/time/@value to require the value include both a time and a date.				
8	6.1	SHARED HEALTH SUMMARY	Normative Impact to	DateTime Attested: Added a constraint to require the value include both a time and a date.	NEHTA	Alignment with updates to the	04 Dec 2014	
			Mappings	Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.		logical model (SCS).		
9	6.1	SHARED HEALTH SUMMARY	No Normative Impact to Mappings	Added technical identifier Document Instance Identifier 11 - already present in the mapping table as ClinicalDocument/id.		Inclusion of technical identifiers from the logical model	04 Dec 2014	
				Added technical identifier Document Type 11 - already present in the mapping table as ClinicalDocument/code.		(SCS).		

ID	Documer	nt Ref	Change Type	Change Detail	Change Initi-	Rationale For	Date
	Section	Section Name			ated By	Change	Changed
10	6.1.1	DOCUMENT AUTHOR	Normative Impact to Mappings	Participation Period: Added constraint defining the allowed attributes and elements of au- thor/time.	NEHTA	Requirements Change.	24 Feb 2015
				Address: Changed cardinality from 1* to 0*.			
				Address: Added constraint, addr/@use SHALL be set to "WP".			
				Electronic Communication Detail: Changed cardinality from 1* to 0*.			
				Electronic Communication Detail: Added constraint, telecom/@use SHALL be set to "WP".			
				Added Entitlement as 0*.			
				Added Qualifications as 01.			
11	6.1.1	DOCUMENT AUTHOR	No Normative Impact to Mappings	Participation Period: Reworded the constraint requiring author/time to hold the same value as Date Time Attested.	NEHTA	Improved guidance.	24 Feb 2015
12	6.1.2	SUBJECT OF CARE	Normative Impact to	Added Source of Death Notification as 01.	NEHTA	Requirements Change.	22 Dec 2014
			Mappings	Added Mother's Original Family as 01.			
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.	-		
13	7.1.1	ADVERSE REACTIONS	Normative Impact to Mappings	Added constraint on allowed child components; ADVERSE REACTION and EXCLUSION STATEMENT - ADVERSE REACTIONS are mutually exclusive.	NEHTA	TA Alignment to logical model.	04 Dec 2014
				Added new technical identifier Adverse Reactions Instance Identifier 01 as component[adv_reacts]/section/id.			
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
14	7.1.1	ADVERSE REACTIONS	No Normative Impact to Mappings	Added new technical identifier Section Type 11 - already present in the mapping table as component[adv_reacts]/section/code.	NEHTA	Inclusion of technical identifiers from the logical model (SCS).	04 Dec 2014
15	7.1.1.1	EXCLUSION STATEMENT - ADVERSE REACTIONS	Normative Impact to Mappings	Added a comment for row entry[gbl_adv]/observation/id that this element is an optional CDA® element.	NEHTA	Requirements Change.	04 Dec 2014
				Added a constraint on entry[gbl_adv]/observation/value:CD that the value SHALL NOT be "02".	1	Alignment to logical model.	
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
16	7.1.1.1	EXCLUSION STATEMENT - ADVERSE REACTIONS	No Normative Impact to Mappings	Added new technical identifier Detailed Clinical Model Identifier 11 - not mapped to CDA®.	NEHTA	Inclusion of technical identifiers from the logical model (SCS).	04 Dec 2014

ID	Documer	nt Ref	Change Type	Change Detail	Change Initi-	Rationale For	Date
	Section	Section Name			ated By	Change	Changed
17	7.1.1.2	ADVERSE REACTION	Normative Impact to Mappings	Substance/Agent: Added SNOMED CT-AU reference set 142321000036106  Adverse reaction agent reference set  to the permissible values.	NEHTA	Change Request	04 Dec 2014
				Manifestation: Added SNOMED CT-AU reference set 142341000036103   <i>Clinical manifestation reference set</i>   to the permissible values.		Requirements Change Alignment to logical model.	
				Manifestation: Added a row for entryRelationship[mfst]/observation/id.			
				Added new logical data element Reaction Type 01 as entryRelationship[rct_evnt]/observa- tion/value.			
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
18	7.1.1.2	ADVERSE REACTION	No Normative Impact to Mappings	Added technical identifier Adverse Reaction Instance Identifier 11 - already present in the mapping table as component[adv_react]/section/id.	NEHTA	Inclusion of technical identifiers from the logical model	04 Dec 2014
				Added technical identifier Detailed Clinical Model Identifier 11 - already present in the mapping table as component[adv_react]/section/code.		(SCS).	
19	7.1.2	Medications (MEDICATION ORDERS)	Normative Impact to Mappings	Added constraint on allowed child components; Known Medication (MEDICATION INSTRUC- TION) and EXCLUSION STATEMENT - MEDICATIONS are mutually exclusive.	NEHTA	Alignment to logical model.	04 Dec 2014
				Added new technical identifier Medication Orders Instance Identifier 01 as compon- ent[meds]/section/id.			
				Corrected component[meds]/section/code/@displayName from "Medications" to "Medication Orders".			
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
20	7.1.2	Medications (MEDICATION ORDERS)	No Normative Impact to Mappings	Added new technical identifier Section Type 11 - already present in the mapping table as component[meds]/section/code.	NEHTA	Inclusion of technical identifiers from the logical model (SCS).	04 Dec 2014
21	7.1.2.1	EXCLUSION STATEMENT - MEDICA- TIONS	Normative Impact to Mappings	Added a comment for row entry[gbl_meds]/observation/id that this element is an optional CDA® element.	NEHTA	Requirements Change.	04 Dec 2014
				Added a constraint on entry[gbl_meds]/observation/value:CD that the value SHALL NOT be "02".		Alignment to logical model.	
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
22	7.1.2.1	EXCLUSION STATEMENT - MEDICA- TIONS	No Normative Impact to Mappings	Added new technical identifier Detailed Clinical Model Identifier 11 - not mapped to CDA®.	NEHTA	Inclusion of technical identifiers from the logical model (SCS).	04 Dec 2014
23	7.1.2.2	Known Medication (MEDICATION IN- STRUCTION)	Normative Impact to Mappings	Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.	NEHTA	Improved guidance.	04 Dec 2014
24	7.1.2.2	Known Medication (MEDICATION IN- STRUCTION)	No Normative Impact to Mappings	Added technical identifier Medication Instruction Instance Identifier 11 - already present in the mapping table as entry[med_inst]/substanceAdministration/id.	NEHTA	Inclusion of technical identifiers from the logical model	04 Dec 2014
				Added new technical identifier Detailed Clinical Model Identifier 11 - not mapped to CDA®.		(SCS).	

ID	Documen	nt Ref	Change Type	Change Detail	Change Initi-	Rationale For	Date
	Section	Section Name			ated By	Change	Changed
25	7.1.3	Past and Current Medical History (MEDICAL HISTORY)	Normative Impact to Mappings	Added constraints on allowed combinations of child components: If there is an instance of UNCATEGORISED MEDICAL HISTORY ITEM there cannot be any EXCLUSION STATE- MENTs; If there is no instance of UNCATEGORISED MEDICAL HISTORY ITEM then there must be an instance of PROCEDURE (or its exclusion statement) and an instance of PROB- LEM/DIAGNOSIS ( or its exclusion statement).	NEHTA	Alignment to logical model.	04 Dec 2014
				Added new technical identifier Medical History Instance Identifier 01 as compon- ent[med_hist]/section/id.			
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.	-		
26	7.1.3	Past and Current Medical History (MEDICAL HISTORY)	No Normative Impact to Mappings	Added new technical identifier Section Type 11 - already present in the mapping table as component[med_hist]/section/code.	NEHTA	Inclusion of technical identifiers from the logical model (SCS).	04 Dec 2014
27	7.1.3.1	PROBLEM/DIAGNOSIS	Normative Impact to	Date of Onset: Added a constraint that the value SHALL NOT include a time.	NEHTA	Requirements Change.	24 Feb 2015
			Mappings	Date of Onset: Changed mapping to be more specific; from (entry[prob]/observation/effective- Time) to (entry[prob]/observation/effectiveTime/low/@value).	e-		
				Date of Remission: Added a constraint that the value SHALL NOT include a time.			
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
28	7.1.3.1	PROBLEM/DIAGNOSIS	No Normative Impact to Mappings	Added technical identifier Problem/Diagnosis Instance Identifier 11 - already present in the mapping table as entry[prob]/observation/id.	NEHTA	Inclusion of technical identifiers from the logical model	04 Dec 2014
				Added technical identifier Detailed Clinical Model Identifier 11 - already present in the mapping table as entry[prob]/observation/code.	-	(SCS).	
29	7.1.3.2	EXCLUSION STATEMENT - PROB- LEMS AND DIAGNOSES	Normative Impact to Mappings	Added a comment for row entry[gbl_prob]/observation/id that this element is an optional CDA® element.	NEHTA	Requirements Change.	04 Dec 2014
				Added a constraint on entry[gbl_prob]/observation/value:CD that the value SHALL NOT be "02".		Alignment to logical model.	
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
30	7.1.3.2	EXCLUSION STATEMENT - PROB- LEMS AND DIAGNOSES	No Normative Impact to Mappings	Added new technical identifier Detailed Clinical Model Identifier 11 - not mapped to CDA®.	NEHTA	Inclusion of technical identifiers from the logical model (SCS).	04 Dec 2014
31	7.1.3.3	PROCEDURE	Normative Impact to Mappings	Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.	NEHTA	Inclusion of technical identifiers from the logical model (SCS).	04 Dec 2014
						Alignment with updates to the logical model (SCS).	

ID	Documen	nt Ref	Change Type	Change Detail	Change Initi-	Rationale For	Date
	Section	Section Name			ated By	Change	Changed
32	7.1.3.3	PROCEDURE	No Normative Impact to Mappings	Added technical identifier Procedure Instance Identifier 11 - already present in the mapping table as entry[pro]/procedure/id.	NEHTA	Inclusion of technical identifiers from the logical model	04 Dec 2014
				Added technical identifier Detailed Clinical Model Identifier 11 - not mapped to CDA®.		(SCS).	
				Replaced logical data element Start Date/Time (DateTime Started) with logical data element Procedure DateTime in data group PROCEDURE - already present in the mapping table as entry[proc]/procedure/effectiveTime.		Alignment with updates to the logical model (SCS).	
33	7.1.3.2	EXCLUSION STATEMENT - PROCED- URES	Normative Impact to Mappings	Added a comment for row entry[gbl_pro]/observation/id that this element is an optional CDA® element.	NEHTA	Requirements Change.	04 Dec 2014
				Added a constraint on entry[gbl_pro]/observation/value:CD that the value SHALL NOT be "02".	- Alignment	Alignment to logical model.	
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
34	7.1.3.2	EXCLUSION STATEMENT - PROCED- URES	No Normative Impact to Mappings	Added new technical identifier Detailed Clinical Model Identifier 11 - not mapped to CDA®.	NEHTA	Inclusion of technical identifiers from the logical model (SCS).	04 Dec 2014
35	7.1.3.5	UNCATEGORISED MEDICAL HISTORY ITEM	Normative Impact to Mappings	Renamed OTHER MEDICAL HISTORY ITEM to UNCATEGORISED MEDICAL HISTORY ITEM, the value for @displayName changed from "Other Medical History Item" to "Uncategor- ised Medical History Item"	NEHTA	Change Request Alignment to logical model.	04 Dec 2014
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
36	7.1.3.5	UNCATEGORISED MEDICAL HISTORY ITEM	No Normative Impact to Mappings	Added technical identifier Uncategorised Medical History Item Instance Identifier 11 - already present in the mapping table as entry[med_hist_item]/act/id.	NEHTA	Inclusion of technical identifiers from the logical model	04 Dec 2014
				Added technical identifier Detailed Clinical Model Identifier 11 - already present in the mapping table as entry[med_hist_item]/act/code.		(SCS).	
37	7.1.4	IMMUNISATIONS	Normative Impact to Mappings	Added constraint on allowed child components; Administered Immunisation (MEDICATION ACTION) and Exclusion Statement - Immunisations (EXCLUSION STATEMENT - MEDICA- TIONS) are mutually exclusive.	NEHTA	Alignment to logical model.	04 Dec 2014
				Added new technical identifier Immunisations Instance Identifier 01 as component[imms]/sec- tion/id.			
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
38	7.1.4	IMMUNISATIONS	No Normative Impact to Mappings	Added new technical identifier Section Type 11 - already present in the mapping table as component[imms]/section/code.	NEHTA	Inclusion of technical identifiers from the logical model (SCS).	04 Dec 2014

ID	Documen	nt Ref	Change Type	Change Detail	Change Initi-	Rationale For	Date
	Section	Section Name			ated By	Change	Changed
39	7.1.4.1	Administered Immunisation (MEDICA- TION ACTION)	Normative Impact to Mappings	Therapeutic Good Identification: Added AMT reference set 929360071000036103  Medicinal product unit of use reference set  to the permissible values.	NEHTA	Change Request Alignment to logical model.	04 Dec 2014
				Therapeutic Good Identification: Added AMT reference set 929360031000036100   <i>Trade product unit of use reference set</i>   to the permissible values.		Alignment to logical model.	
				Therapeutic Good Identification: Added AMT reference set 929360051000036108  Containered trade product pack reference set  to the permissible values.			
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
40	7.1.4.1	Administered Immunisation (MEDICA- TION ACTION)	No Normative Impact to Mappings	Added technical identifier Medication Action Instance Identifier 11 - already present in the mapping table as entry[med_act]/substanceAdministration/id.	NEHTA	Inclusion of technical identifiers from the logical model	04 Dec 2014
				Added new technical identifier Detailed Clinical Model Identifier 11 - not mapped to CDA®.		(SCS).	
41	7.1.4.2	EXCLUSION STATEMENT - Immunisa- tions (EXCLUSION STATEMENT -	Normative Impact to Mappings	Added a comment for row entry[gbl_meds]/observation/id that this element is an optional CDA® element.	NEHTA	Requirements Change. Alignment to logical model.	04 Dec 2014
	MEDICATIONS)	MEDICATIONS)		Added a constraint on entry[gbl_meds]/observation/value:CD that the value SHALL NOT be "02".			
				Identified codeSystemName attribute as optional. A link to a table of code system names and OIDs is provided.			
42	7.1.4.2	EXCLUSION STATEMENT - Immunisa- tions (EXCLUSION STATEMENT - MEDICATIONS)	No Normative Impact to Mappings	Added new technical identifier Detailed Clinical Model Identifier 11 - not mapped to CDA®.	NEHTA	Inclusion of technical identifiers from the logical model (SCS).	04 Dec 2014
43	8.4	Entity Identifier	No Normative Impact to Mappings	ext:asEntityIdentifier/ext:id/@assigningAuthorityName: Changed from "MAY be used" to "SHOULD be used".	NEHTA	Improved Guidance	04 Dec 2014
44	8.5	Person Name	Normative Impact to Mappings	Preferred Name Indicator: Removed the statement that this is represented by "L" and replaced with a known issue that a code for this has been requested from HL®7 international but is not currently available.	NEHTA	Defect Correction	04 Dec 2014
45	8.5	Person Name	No Normative Impact to Mappings	Preferred Name Indicator: Reworded constraint on representation to unambiguously require a space separated list of codes.	NEHTA	Inclusion of technical identifiers from the logical model	04 Dec 2014
				Person Name Usage: Reworded constraint on representation to unambiguously require a space separated list of codes.		(SCS).	
46	8.6	Address	No Normative Impact to Mappings	Address: Added information on the use of nullFlavors for Address.	NEHTA	Improved Guidance	04 Dec 2014
47	8.7	Electronic Communication Detail	No Normative Impact to Mappings	Electronic Communication Medium: Removed duplicate inapplicable row for telecom/@use.	NEHTA	Defect Correction	04 Dec 2014

ID	Document Ref		Change Type	Change Detail	Change Initi-	Rationale For	Date
	Section	Section Name	1		ated By	Change	Changed
48	8.8	Employment	Normative Impact to Mappings	Employer Organisation: Changed cardinality from 0* to 1*.	NEHTA	Defect Correction	04 Dec 2014
				Added row for Address 1*.		Requirements Change	
				Address: Added constraint, addr/@use should be set to "WP".			
				Added row for Electronic Communication Detail 1*.	]		
				Electronic Communication Detail: Added constraint, telecom/@use should be set to "WP".			
49	10	Vocabularies and Code Sets	No Normative Impact to Mappings	Removed unused vocabulary: section 10.18 NCTIS: Admin Codes - Result Status.	NEHTA	Defect Correction	18 Dec 2014
				Removed unused vocabulary: section 10.16 HL7 v3 CDA®: RelatedDocument.typeCode.			
50	10.17	CodeSystem OIDs	No Normative Impact to Mappings	Corrected the name displayed in the table for code system 2.16.840.1.113883.13.62 to the registered name "1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, Revision 1".	NEHTA	Defect Correction Updates to terminology over time.	04 Dec 2014
				Added the registered name of code system 2.16.840.1.113883.6.96 to the list "SNOMED CT".			
				Added "Australian Medicines Terminology (AMT) v3" to the list of code system names.			
				Corrected the name displayed in the table for code system 1.2.36.1.2001.1004.100 to the registered name "Australian Medicines Terminology (AMT) v2".			
				Added the code system 1.2.36.1.2001.1001.101 NCTIS Data Components to the list.			

Australian Digital Health Agency

## **Reference List**

Australian Bureau of Statistics, May 2008, Standard Australian Classification of Countries (SACC) Cat. [ABS2008] No. 1269, accessed 15 March 2010. http://www.abs.gov.au/ausstats/abs@.nsf/mf/1269.0 Australian Bureau of Statistics, 25 June 2009, 1220.0 - ANZSCO - Australian and New Zealand Standard [ABS2009] Classification of Occupations, First Edition, Revision 1, accessed 28 August 2013. http://www.abs.gov.au/AUSSTATS/abs@.nsf/allprimarymainfeatures/-E8A05691E35F4376CA257B9500138A52?opendocument Australian Institute of Health and Welfare, March 2005, AIHW Mode of Separation, accessed 15 March [AIHW2005] 2010. http://meteor.aihw.gov.au/content/index.phtml/itemId/270094 Health Intersections, 2011, Representation of Common Australian Identifiers in v2 and CDA, accessed [HI2011] 28 November 2011. http://www.healthintersections.com.au/?p=721 Health Level Seven, Inc., January 2010, HL7 Clinical Document Architecture, Release 2, accessed 13 [HL7CDAR2] March 2015. http://www.hl7.org/implement/standards/product\_brief.cfm?product\_id=7 Health Level Seven, Inc., January 2010, HL7 Version 3 Standard – Reference Information Model, accessed [HL7RIM] 13 March 2015. http://www.hl7.org/implement/standards/product\_brief.cfm?product\_id=77 Health Level Seven, Inc., January 2010, HL7 Version 3 Standard, accessed 13 March 2015. [HL7V3] http://www.hl7.org/implement/standards/product\_brief.cfm?product\_id=186 Health Level Seven, Inc., January 2010, HL7 V3 RIM, Data types and Vocabulary, accessed 26 August [HL7V3DT] 2014. https://www.hl7.org/ International Health Terminology Standards Development Organisation, January 2010, SNOMED CT, [IHTS2010] accessed 15 March 2010. http://www.ihtsdo.org/snomed-ct Canada Health Infoway, CDA Validation Tools: infoway\_release\_2\_2X\_18.zip, accessed 18 November [INFO2009] 2009. https://www.hl7.org/ International Organization for Standardization, 2004, ISO 8601:2004 - Data elements and interchange formats - Information interchange - Representation of dates and times, Edition 3 (Monolingual), accessed [ISO2004a] 09 November 2009. http://www.iso.org/iso/iso catalogue/catalogue tc/catalogue detail.htm?csnumber=40874 International Organization for Standardization, 2008, ISO 21090:2008 - Health Informatics - Harmonized [ISO2008a] data types for information interchange, Edition 1 (Monolingual), accessed 09 November 2009. http://www.iso.org/iso/iso catalogue/catalogue tc/catalogue detail.htm?csnumber=35646 National E-Health Transition Authority, 25 May 2005, NEHTA Acronyms, Abbreviations & Glossary of Terms, Version 1.2, accessed 17 July 2014. [NEHT2005a] https://www.digitalhealth.gov.au/support/glossary National E-Health Transition Authority, 17 August 2007, Interoperability Framework, Version 2.0, accessed [NEHT2007b] 17 July 2014. https://developer.digitalhealth.gov.au/resources/interoperability-framework-interoperabilityframework-v2-0 National E-Health Transition Authority, September 2010, Data Types in NEHTA Specifications: A Profile of the ISO 21090 Specification, Version 1.0, accessed 20 July 2014. [NEHT2010c] https://developer.digitalhealth.gov.au/resources/data-types-in-nehta-specifications-a-profile-ofthe-iso-21090-specification-v1-0

[NEHT2011v]	National E-Health Transition Authority, 20 July 2011, <i>Participation Data Specification</i> , Version 3.2, accessed 20 Jul 2014.			
	https://developer.digitalhealth.gov.au/resources/participation-data-specification-data-			
[NEHT2012s]	specification-v3-2 National E-Health Transition Authority, 07 March 2012, CDA Rendering Specification, Version 1.0. https://developer.digitalhealth.gov.au/resources/clinical-documents-cda-rendering-specification-v1-0			
[NEHT2014ag]	National E-Health Transition Authority, 8 July 2014, Australian Medicines Terminology v3 Model - Editorial Rules v2.0, Version 2.0, accessed 8 August 2014.			
	https://developer.digitalhealth.gov.au/resources/australian-medicines-terminology-v3-model-			
[NEHT2015d]	editorial-rules-v2-0 National E-Health Transition Authority, 10 April 2015, Shared Health Summary Structured Content Spe- cification, Version 1.2.			
	https://developer.digitalhealth.gov.au/resources/shared-health-summary-structured-content-specification-			
[NEHT2015e]	v1-2 National E-Health Transition Authority, 10 April 2015, <i>Shared Health Summary Information Requirements</i> , Version 1.1.			
	https://developer.digitalhealth.gov.au/resources/shared-health-summary-information-			
	requirements-v1-1			
[RFC2119]	Network Working Group, 1997, RFC2119 - Key words for use in RFCs to Indicate Requirement Levels, accessed 17 July 2014.			
	http://www.faqs.org/rfcs/rfc2119.html			
[RFC3066]	Network Working Group, 2001, <i>RFC3066 - Tags for the Identification of Languages</i> , accessed 13 April 2010.			
	http://www.ietf.org/rfc/rfc3066.txt			
[RING2009]	Ringholm, 2009, <i>CDA Examples</i> , accessed 15 March 2010. http://www.ringholm.de/download/CDA_R2_examples.zip			
[SA2006a]	Standards Australia, 2006, AS 4846 (2006) – Health Care Provider Identification, accessed 17 July 2014. http://infostore.saiglobal.com/store/Details.aspx?ProductID=318554			
[SA2006b]	Standards Australia, 2006, AS 5017 (2006) – Health Care Client Identification, accessed 17 July 2014. http://infostore.saiglobal.com/store/Details.aspx?ProductID=320426			
[SA2007a]	Standards Australia, 2007, AS 4700.6 (2007) – Implementation of Health Level 7 (HL7) Version 2.5 – Part 6: Referral, discharge and health record messaging.			