



**SNOMED CT-AU Release 20131130
Reference Set Library**

29 October 2013

Approved for external information

Document ID: NEHTA-1420:2013

National E-Health Transition Authority Ltd

Level 25
56 Pitt Street
Sydney, NSW, 2000
Australia
www.nehta.gov.au

Disclaimer

The National E-Health Transition Authority Ltd (NEHTA) makes the information and other material ('Information') in this document available in good faith but without any representation or warranty as to its accuracy or completeness. NEHTA cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Document control

This document is maintained in electronic form and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is the latest revision.

Copyright © 2013 National E-Health Transition Authority Ltd

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems—without the permission of NEHTA. All copies of this document must include the copyright and other information contained on this page.

Document information

Key information

| | |
|------------------------------|--|
| Owner | National Clinical Terminology and Information Service, NEHTA |
| Date of next review | 15 April 2014 |
| Contact for enquiries | NEHTA Help Centre |
| | t: 1300 901 001 |
| | e: help@nehta.gov.au |

Quality reviews

| dv # | Reviewer(s) | Type of review | Purpose |
|-------------|--|-----------------------|---|
| 003 | Terminology Analyst, Clinical Terminology Lead | Content Review | Confirmed accuracy of Content Update |
| 004 | Technical Writer | Editorial Review | To ensure that the document meets NEHTA's editorial standards |

Product version history

| | | |
|----------|-------------|--|
| 20080829 | 29 Aug 2008 | Initial Release |
| 20090416 | 16 Apr 2009 | Revised to include updated definitions and scenarios for implementation. |
| 20091130 | 30 Nov 2009 | Updated for SNOMED CT-AU Release 1.0 |
| 20100531 | 31 May 2010 | Updated for SNOMED CT-AU May 2010 Release |
| 20100731 | 31 Jul 2010 | Publication of Emergency department reference sets |
| 20101130 | 30 Nov 2010 | Updated for SNOMED CT-AU November 2010 Release |
| 20110531 | 31 May 2011 | Updated for SNOMED CT-AU May 2011 Release |
| 20120531 | 31 May 2012 | Updated for SNOMED CT-AU May 2012 Release |
| 20121130 | 30 Nov 2012 | Updated for SNOMED CT-AU November 2012 Release |
| 20130531 | 31 May 2013 | Updated for SNOMED CT-AU May 2013 Release |

Table of contents

| | | |
|----------|------------------------------------|-----------|
| 1 | Introduction | 5 |
| 1.1 | Purpose of this document | 5 |
| 1.2 | Presentation of information | 5 |
| 1.3 | Intended audience | 5 |
| 1.4 | Related documents | 5 |
| 2 | Reference set library | 6 |
| 2.1 | File name and version | 6 |
| | References | 72 |
| | Alphabetical index | 73 |

1 Introduction

1.1 Purpose of this document

This document is a register of the clinical reference sets developed for use by the National Clinical Terminology and Information Service (NCTIS) community of practice. All of the reference sets included in this document are current production versions.

1.2 Presentation of information

Concise information about each reference set is presented in tabular format to enable readers to determine if a reference set exists, which terminology it is from and whether it meets their needs. An index is also provided, which groups the reference sets under various headings to help lead readers directly to the reference set they seek.

1.3 Intended audience

This document has been written for those in the Australian Medicines Terminology (AMT) and SNOMED CT-AU¹ communities of practice who have a solid understanding of SNOMED Clinical Terms (SNOMED CT) and the AMT, and their associated concept models, scope and underlying description logic.

1.4 Related documents

The documents tabulated below provide the context for development of the reference sets described in this document, and should be read in conjunction with this document to enhance understanding of our approach to terminology development. The location of each document within the NCTIS site² is provided as well.

Table 1: Related documents

| Name | Location |
|---|---|
| <i>Development approach for reference sets – AMT</i> | Downloads > Australian Medicines Terminology > Information Specifications, Content and Requirements > Australian Medicines Terminology v2.xx – Data |
| <i>Development approach for reference sets – SNOMED CT-AU</i> | Downloads > SNOMED CT-AU > Support Materials > SNOMED CT-AU Development Approach for Reference Sets – [Month Year] |
| <i>Reference set implementation toolkit – SNOMED CT-AU</i> | Downloads > Tools & Applications |

Note: Information on the change history of reference sets is detailed in the two *Development approach for reference sets* documents.

¹ This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of the International Health Terminology Standards Development Organisation (IHTSDO®). All rights reserved. SNOMED CT was originally created by The College of American Pathologists. IHTSDO®, SNOMED® and SNOMED CT® are registered trademarks of the IHTSDO.

² <https://nehta.org.au/aht/index.php>.

2 Reference set library

In this reference set library, all reference sets released by the NCTIS are described, each in a tabular format, with the exception of the structural reference sets. Structural reference sets are described in *SNOMED CT Technical Implementation Guide* [1], Chapter 5.5 'Release Format 2 - Reference Sets Guide'.

2.1 File name and version

The filenames used to identify NCTIS reference sets adhere to the following convention:

```
der2_<Descriptor>_<RefsetName>
<ReleaseType>_AU<Namespace>_<DateOrVersion>.txt
```

where the placeholders (represented in angled brackets) have the meanings tabulated below.

Table 2: Filename key

| Item | Description |
|---------------|--|
| Descriptor | Refers to the type of reference set released. For example, 'Refset' pertains to Simple type reference sets and 'cRefset' pertains to Attribute value reference sets. |
| RefsetName | Refers to the reference set name. |
| ReleaseType | Refers to the type of release it was released under. For example Full, Snapshot or Delta. |
| Namespace | Refers to the namespace of the organisation that creates and maintains the file. |
| DateOrVersion | Refers to the date of release or in the case of AMT, the version of release. |

To illustrate, a valid example of this convention is:

```
der2_Refset_BodyStructureFoundationSnapshot_AU1000036_20130531.txt
```

Note: Throughout this document, by default, all SCTIDs used are concept IDs and all descriptions used are Australian preferred terms unless specified otherwise.

| | |
|--------------------------------|--|
| Reference set name | Adverse reaction agent reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The Adverse reaction agent reference set provides terminology to support the accurate recording of the most common agents that may be responsible for causing adverse reactions.</p> <p>It is intended that this reference set be used in association with the Clinical manifestation reference set, which provides values describing the clinical manifestation of adverse events.</p> |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations of the <i>Adverse Reaction</i> DCM [2]. • Within implementations where use-case specific reference sets for Adverse reaction agents are yet to be developed. • As the basis for developing further use-case specific reference sets for Adverse reaction agents through a process of constraint, or expanding upon. • Alongside other reference sets, such as any of the AMT Medicinal or Trade product reference sets to supplement the recording of non-medicinal agents. |
| Target client | This reference set can be used where developers are implementing NEHTA clinical information models containing the Substance/Agent data element or the Adverse Reaction DCM [2]. |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | The Adverse reaction agent reference set is bound to the Substance/Agent data element within the Adverse reaction DCM [2]. |
| Example of content | <ul style="list-style-type: none"> • 256350002 <i>Almond</i> • 387494007 <i>Codeine</i> |
| Plan for future work | This reference set is subject to further development based on feedback from implementations and the current Substance hierarchy re-design project being undertaken at the international level. |
| File name and version | der2_Refset_AdverseReactionAgentReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20131130 |
| Initial no. of members | 1113 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Adverse reaction type reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Adverse reaction type reference set</i> provides terminology to support the recording of the type of adverse reaction experienced as determined by the clinician. |
| Scope | This reference set can be used within implementations of the <i>Adverse Reaction DCM</i> [2]. |
| Target client | This reference set is developed for those who are implementing the <i>Adverse Reaction DCM</i> [2]. |
| Other clients | |
| Definitive bindings | The <i>Adverse reaction type reference set</i> is bound to the <i>Reaction Type</i> data element within the <i>Adverse Reaction DCM</i> [2]. |
| Example of content | <ul style="list-style-type: none"> • 12263007 <i>Hypersensitivity reaction type I</i> • 419076005 <i>Allergic reaction</i> • 609406000 <i>Pseudoallergic reaction</i> |
| Plan for future work | |
| File name and version | der2_Refset_RouteOfAdministrationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20120531 |
| Initial no. of members | 15 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Anatomical location name reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Anatomical location name reference set</i> provides terminology to support the recording of anatomical locations. It is void of information that represents body structures with laterality and it represents a subset of the <i>Anatomical site reference set</i> . |
| Scope | This reference set can be used within implementations of the DCMs that contain the <i>Name of Location</i> data element. The reference set also supports a wide variety of uses which require human anatomical sites to be described. |
| Target client | This reference set is developed for those implementing the NEHTA-developed DCMs. |
| Other clients | |
| Definitive bindings | The <i>Anatomical location name reference set</i> is bound to the <i>Name of Location</i> data element within: <ul style="list-style-type: none"> • <i>Adverse Reaction</i> DCM [2]; • <i>Pathology Test Result</i> DCM [3]; • <i>Imaging Examination Result</i> DCM [4]; • <i>Procedure</i> DCM [5]; and • <i>Problem/Diagnosis</i> DCM [6]. |
| Example of content | <ul style="list-style-type: none"> • 48467007 <i>Aortic tunica media</i> • 245524004 <i>Entire lobe of lung</i> • 87342007 <i>Bone structure of fibula</i> |
| Plan for future work | |
| File name and version | der2_Refset_AnatomicalLocationNameReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20130531 |
| Initial no. of members | 23337 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Anatomical site reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Anatomical site reference set</i> provides terminology to describe human anatomical sites. |
| Scope | This reference set can be used within implementations of the <i>Pathology Result Report SDT</i> [7]. The reference set also supports a wide variety of uses which require human anatomical sites to be described. |
| Target client | This reference set is developed for those implementing the <i>Pathology Result Report SDT</i> [7]. |
| Other clients | This reference set may be useful to any implementer requiring anatomical sites to be described. |
| Definitive bindings | This reference set is bound to the <i>Specimen Anatomical Site</i> data element (DE-11010) which is under the <i>Specimen Detail</i> data group (DG-11005) within <i>Pathology Result Report SDT</i> [7]. |
| Example of content | <ul style="list-style-type: none"> • 362209008 Entire left kidney • 8966001 Left eye structure |
| Plan for future work | |
| File name and version | der2_Refset_AnatomicalSiteReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 24983 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Australian non-human reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Australian non-human reference set</i> contains non-human concepts that are generally not applicable for use in human healthcare use cases. |
| Scope | This reference set has been designed to assist implementers who intend to use SNOMED CT-AU without using the NCTIS reference sets in removing non-human content. Note: This reference set has been used to remove non human content from the NCTIS reference sets; it is not required if SNOMED CT-AU is implemented using other NCTIS reference sets. |
| Target client | Australian eHealth clinical information systems. |
| Other clients | |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 75646007 <i>Pregnancy toxemia of ewes</i> • 417041000 <i>Blow hole</i> |
| Plan for future work | This reference set is subject to further development based on feedback from implementations and the current work being undertaken at the international level. |
| File name and version | der2_Refset_AustralianNonHumanReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20121130 |
| Initial no. of members | 2088 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Body structure foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Body structure foundation reference set</i> provides the broadest possible terminology to support the recording of anatomical structures in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for body structure are yet to be developed. • As the basis for developing further use-case specific reference sets for body structure, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of the body structure content, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 91134007 <i>/Mitral valve structure/</i> • 18639004 <i>/Left kidney structure/</i> |
| Plan for future work | |
| File name and version | der2_Refset_BodyStructureFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 30,445 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Cardiovascular finding reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Cardiovascular finding reference set</i> is a broad context reference set that provides the broadest possible terminology to support the recording of cardiovascular findings in Australian eHealth implementations. This reference set has been developed from the <i>Clinical finding foundation reference set</i> . |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for cardiovascular findings are yet to be developed. • As the basis for developing further use-case specific reference sets for cardiovascular findings through a process of constraint. • As a benchmark against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to cardiovascular which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | Australian eHealth clinical information systems, for example, Cardiology. |
| Other clients | |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 1939005 <i>Abnormal vascular flow</i> • 70908000 <i>Decreased blood volume</i> |
| Plan for future work | This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings. |
| File name and version | der2_Refset_CardiovascularFindingReleaseType_AU1000036_YYMMDD.txt |
| Date of initial release | 20100531 |
| Initial no. of members | 5,599 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Change type reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Change type reference set</i> is developed to provide terminology to support the recording of the way in which the current medication instruction differs from the previous one. |
| Scope | This reference set can be used within implementations of the <i>Medication Instruction and Action DCM</i> [8]. |
| Target client | This reference set is developed for those implementing the <i>Medication Instruction and Action DCM</i> [8]. |
| Other clients | |
| Definitive bindings | The <i>Change type reference set</i> is bound to the <i>Change Type</i> data element within the <i>Medication Instruction and Action DCM</i> [8]. |
| Example of content | <ul style="list-style-type: none"> • 385655000 <i>/Suspended/</i> • 385656004 <i>/Ceased/</i> • 89925002 <i>/Cancelled/</i> |
| Plan for future work | |
| File name and version | der2_Refset_ChangeTypeReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20120531 |
| Initial no. of members | 4 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Clinical finding foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Clinical finding foundation reference set</i> provides the broadest possible terminology to support the recording of clinical findings and disorders in Australian eHealth implementations. |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for clinical findings and disorders are yet to be developed. • As the basis for developing further use-case specific reference sets for clinical findings and disorders, through a process of constraint. • As a benchmark against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content related to clinical finding and disorders, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 56717001 <i>Tuberculosis</i> • 48348007 <i>Normal breath sounds</i> |
| Plan for future work | |
| File name and version | der2_Refset_ClinicalFindingFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 95,543 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Clinical manifestation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Clinical manifestation reference set</i> was developed collaboratively with a number of different health jurisdictions as a part of the SNOMED CT-AU Adverse Reactions Reference Sets Project.</p> <p>It is intended that this reference set be used in association with the <i>Adverse reaction agent reference set</i>, which provides values describing the common agents that may be responsible for causing adverse reactions.</p> |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations of the <i>Adverse Reaction</i> DCM [2]. • Within implementations where use-case specific reference sets for clinical manifestations are yet to be developed. • As the basis for developing further use-case specific reference sets for clinical manifestations through a process of constraint, or expanding upon. |
| Target client | This reference set can be used where developers are implementing NEHTA clinical information models containing the <i>Manifestation</i> data element or the <i>Adverse Reaction</i> DCM [2]. |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is bound to the <i>Manifestation</i> data element (DE-15564) within the <i>Adverse Reaction</i> DCM [2]. |
| Example of content | <ul style="list-style-type: none"> • 267038008 <i>Oedema</i> • 62315008 <i>Diarrhoea</i> |
| Plan for future work | This reference set is subject to further development based on feedback from implementations. |
| File name and version | der2_Refset_ClinicalManifestationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20131130 |
| Initial no. of members | 746 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Collection procedure reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Collection procedure reference set</i> provides terminology to support the recording of the method of collection to be used. It is to be used to provide values for collection procedures specifically used for the collection of pathology specimens. |
| Scope | This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [3]. |
| Target client | This reference set is developed for those implementing the <i>Pathology Test Result DCM</i> [3]. |
| Other clients | |
| Definitive bindings | The <i>Collection procedure reference set</i> is bound to the <i>Collection Procedure</i> data element within the <i>Pathology Test Result DCM</i> [3]. |
| Example of content | <ul style="list-style-type: none"> • 439336003 <i>Brush biopsy</i> • 9911007 <i>Core needle biopsy</i> • 2475000 <i>Urine specimen collection, 24 hours</i> |
| Plan for future work | |
| File name and version | der2_Refset_CollectionProcedureReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20120531 |
| Initial no. of members | 120 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Containerised trade product pack reference set |
| Terminology | AMT |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Containerised trade product pack reference set</i> provides terminology to describe the packaged product (medication) that is supplied for direct patient use including details of the container type to be recorded in a health record. |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is bound to the following data elements within specific Detailed Clinical Models (DCMs): <ul style="list-style-type: none"> • The <i>Medicine</i> data element within the <i>Medication Instruction and Action</i> DCM [8]. • The <i>Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. • The <i>Specific Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. |
| Example of content | <ul style="list-style-type: none"> • 18830011000036103 <i>Alphamox 250 mg capsule: hard, 20 capsules, blister pack</i> • 20675011000036100 <i>Diaformin-1000 1 g tablet: film-coated, 90 tablets, bottle</i> |
| Plan for future work | |
| File name and version | der2_cRefset_ContainerisedTradeProductPackReleaseType_AU1000036_V2.XX.txt |
| Date of initial release | V2.21 March 2011 |
| Initial no. of members | 13,176 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Dose unit reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Dose unit reference set</i> provides terminology for the <i>Dose Unit</i> data element within the <i>Medication Instruction and Action DCM</i> [8] and the <i>Adverse Reaction DCM</i> [2]. |
| Scope | This reference set can be used within implementations of the <i>Medication Instruction and Action DCM</i> [8] and the <i>Adverse Reaction DCM</i> [2]. |
| Target client | The reference set is developed for those who are implementing the <i>Medication Instruction and Action DCM</i> [8] and the <i>Adverse Reaction DCM</i> [2]. |
| Other clients | |
| Definitive bindings | This reference set is bound to the <i>Dose Unit</i> data element in the <i>Amount of Medication</i> cluster within both the <i>Medication Instruction and Action DCM</i> [8] and the <i>Adverse Reaction DCM</i> [2]. |
| Example of content | <ul style="list-style-type: none"> • 258684004 mg • 429587008 Lozenge - unit of product usage |
| Plan for future work | This reference set is subject to further development based on feedback. |
| File name and version | der2_Refset_DoseUnitReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20110531 |
| Initial no. of members | 59 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Emergency department diagnosis in presenting problem reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Emergency department diagnosis in presenting problem reference set</i> provides terminology to support the recording of presenting problems within Emergency department settings within Australia. It should be used in conjunction with the <i>Emergency department findings in presenting problem reference set</i> and the <i>Emergency department reason for presenting reference set</i> . |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of information between clinicians relating to a patient's presenting problem at the point of triage in an Emergency department. |
| Target client | Australian Emergency department clinical information implementations |
| Other clients | |
| Definitive bindings | This reference set is suitable for use in the <i>Presenting Problems</i> data element in Emergency department information systems. |
| Example of content | <ul style="list-style-type: none"> • 410429000 <i>Cardiac arrest</i> • 283359004 <i>Laceration of forehead</i> |
| Plan for future work | This reference set is subject to further development based on feedback from implementations. |
| File name and version | der2_Refset_EmergencyDepartmentDiagnosis InPresentingProblemReleaseType_AU1000036_YYYYMMDD.txt |
| Date of initial release | 20100731 (Out of cycle release for early adopters of EDRS.) |
| Initial no. of members | 232 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Emergency department diagnosis reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Emergency department diagnosis reference set</i> provides terminology to support the recording of diagnosis in Emergency department settings within Australia. |
| Scope | This reference set supports the accurate and unambiguous recording of information relating to a patient diagnosis at the point of discharge from an Emergency department. This may be used to support the communication of information to other clinicians involved in that patient's care. |
| Target client | Australian Emergency department clinical information implementations. |
| Other clients | |
| Definitive bindings | This reference set is suitable for use in the <i>Diagnosis</i> data element in Emergency department information systems. |
| Example of content | <ul style="list-style-type: none"> • 111286002 <i>Acute bacterial endocarditis</i> • 359820003 <i>Closed fracture of neck of femur</i> |
| Plan for future work | This reference set is subject to further development based on feedback from implementations. |
| File name and version | der2_Refset_Emergency DepartmentDiagnosisReleaseType_AU1000036_YYYYMMDD.txt |
| Date of initial release | 20100731 (Out of cycle release for early adopters of EDRS.) |
| Initial no. of members | 5,168 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Emergency department findings in presenting problem reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Emergency department presenting problem reference set</i> provides terminology to support the recording of presenting problems within Emergency department settings within Australia. It should be used in conjunction with the <i>Emergency department diagnosis in presenting problem reference set</i> and the <i>Emergency department reason for presenting reference set</i> . |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of information between clinicians relating to a patient's presenting problem at the point of triage in an Emergency department. |
| Target client | Australian Emergency department clinical information implementations. |
| Other clients | |
| Definitive bindings | This reference set is suitable for use in the <i>Presenting Problems</i> data element in Emergency department information systems. |
| Example of content | <ul style="list-style-type: none"> • 30989003 Knee pain • 309774006 Weakness of limb |
| Plan for future work | This reference set is subject to further development based on feedback from implementations. |
| File name and version | der2_Refset_EmergencyDepartmentFindingsInPresentingProblemReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20100731 (Out of cycle release for early adopters of EDRS.) |
| Initial no. of members | 217 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Emergency department reason for presenting reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Emergency department reason for presenting reference set</i> provides terminology to support the recording of presenting problem within Emergency department settings within Australia. It should be used in conjunction with the <i>Emergency department diagnosis in presenting problem reference set</i> and the <i>Emergency department findings in presenting problem reference set</i> . |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of information between clinicians relating to a patient's presenting problem at the point of triage in an Emergency department. |
| Target client | Australian Emergency department clinical information implementations |
| Other clients | |
| Definitive bindings | This reference set is suitable for use in the <i>Presenting Problems</i> data element in Emergency department information systems. |
| Example of content | <ul style="list-style-type: none"> • 18949003 <i>Change of dressing</i> • 116859006 <i>Transfusion of a blood product</i> |
| Plan for future work | This reference set is subject to further development based on feedback from implementations. |
| File name and version | der2_Refset_EmergencyDepartmentReason ForPresentingReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20100731 (Out of cycle release for early adopters of EDRS.) |
| Initial no. of members | 71 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Environment or geographical location foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Environment or geographical location foundation reference set</i> provides the broadest possible terminology to support the recording of information about types of environments or named locations such as countries, states and regions in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for types of environments or geographical locations are yet to be developed. • As the basis for developing further use-case specific reference sets for types of environments or geographical locations, through a process of constraint. • As a benchmark against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to types of environment or geographical locations, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 309904001 <i>Intensive care unit</i> • 419590001 <i>Stepdown unit</i> |
| Plan for future work | |
| File name and version | der2_Refset_EnvironmentOrGeographicalLocationFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 1,711 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Event foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Event foundation reference set</i> provides the broadest possible terminology to support the recording of information related to occurrences (excluding procedures and interventions) in Australian eHealth implementations. |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for events are yet to be developed. • As the basis for developing further use-case specific reference sets for events, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community can be tested, to assure that they are logical constraints of content relating to events, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 8766005 <i>Earthquake</i> • 242292001 <i>Accidental exposure to corrosive or caustic chemical</i> |
| Plan for future work | |
| File name and version | der2_Refset_EventFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 3,645 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Exclusion statement reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Exclusion statement reference set</i> provides terminology to record global statements about the absence or exclusion of information from within a patient record. |
| Scope | This reference set can be used within implementations of various DCMs containing the <i>Global Statement</i> data element. |
| Target client | This reference set is developed for those implementing the NEHTA-developed DCMs. |
| Other clients | |
| Definitive bindings | This reference set is bound to the Global Statement data element within: <ul style="list-style-type: none"> • the <i>Adverse Reaction</i> DCM [2]; • the <i>Medication Instruction and Action</i> DCM [8]; • the <i>Procedure</i> DCM [5]; and • the <i>Problem/Diagnosis</i> DCM [6]. |
| Example of content | <ul style="list-style-type: none"> • 61000036101 <i>/Not asked/</i> • 81000036106 <i>/None known/</i> • 91000036108 <i>/None supplied/</i> |
| Plan for future work | In the above-mentioned DCMs, the value domains specified have some additional values not currently included in this reference set. A review of these additional values is planned. |
| File name and version | der2_Refset_ExclusionStatementReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20120531 |
| Initial no. of members | 3 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Fracture finding reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Fracture finding reference set</i> is a broad context reference set that supports the recording of fracture findings in Australian eHealth implementations. This reference set has been derived from the <i>Clinical finding foundation reference set</i> . |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for fracture findings are yet to be developed. • As the basis for developing further use-case specific reference sets for fracture findings, through a process of constraint. • As a benchmark, against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to fracture findings, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | Australian eHealth clinical information systems, for example, Orthopaedics and Radiology. |
| Other clients | |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 25415003 <i>Closed fracture of femur</i> • 207782002 <i>Open fracture of maxilla</i> |
| Plan for future work | This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings. |
| File name and version | der2_Refset_FractureFindingReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20100531 |
| Initial no. of members | 1,677 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Imaging procedure reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Imaging procedure reference set</i> is a broad context reference set that supports the recording of imaging procedures in Australian eHealth implementations. This reference set has been derived from the <i>Procedure foundation reference set</i> . |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for imaging procedures are yet to be developed. • As the basis for developing further use-case specific reference sets for imaging procedures, through a process of constraint. • As a benchmark against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to imaging procedures, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | Australian eHealth clinical information systems, for example, Radiology. |
| Other clients | |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 77477000 <i>Computerised axial tomography</i> • 113109007 <i>Magnetic resonance imaging of lower extremity</i> |
| Plan for future work | This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings. |
| File name and version | der2_Refset_ImagingProcedureReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20100531 |
| Initial no. of members | 4,171 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Laterality reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Laterality reference set</i> provides terminology to support recording of the side of the body in relation to anatomical structures. |
| Scope | This reference set can be used within implementations of the DCMs that contain the <i>Side</i> data element. |
| Target client | This reference set is developed for those implementing the NEHTA-developed DCMs. |
| Other clients | |
| Definitive bindings | This reference set is bound to the <i>Side</i> data element in the <i>Specific Location</i> data group within: <ul style="list-style-type: none"> • the <i>Adverse Reaction</i> DCM [2]; • the <i>Pathology Test Result</i> DCM [3]; • the <i>Imaging Examination Result</i> DCM [4]; • the <i>Procedure</i> DCM [5]; and • the <i>Problem/Diagnosis</i> DCM [6]. |
| Example of content | <ul style="list-style-type: none"> • 24028007 Right • 419161000 Unilateral left |
| Plan for future work | |
| File name and version | der2_Refset_LateralityReleaseType_AU1000036_ yyyymmdd.txt |
| Date of initial release | 20110531 |
| Initial no. of members | 5 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Medication form reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Medication form reference set</i> provides terminology to support the recording of the form of a medicine or therapeutic good. |
| Scope | This reference set can be used within implementations of the <i>Medication Instruction and Action DCM</i> [8]. |
| Target client | The reference set is developed for those who are implementing the <i>Medication Instruction and Action DCM</i> [8]. |
| Other clients | |
| Definitive bindings | This reference set is bound to the <i>Form</i> data element in the <i>Chemical Description of Medication</i> cluster within the <i>Medication Instruction and Action DCM</i> [8]. |
| Example of content | <ul style="list-style-type: none"> • 385267006 <i>Impregnated pad</i> • 385049006 <i>Capsule</i> |
| Plan for future work | |
| File name and version | der2_RefsetMedicationFormReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20110531 |
| Initial no. of members | 402 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Medicinal product reference set |
| Terminology | AMT |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Medicinal product reference set</i> provides terminology to describe in the health record the abstract representation of an active ingredient or substance (devoid of strength and form).</p> <p>The <i>Medicinal product reference set</i> supports 'generic prescribing' in a healthcare setting.</p> |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | <p>This reference set is bound to the following data elements within specific Detailed Clinical Models (DCMs):</p> <ul style="list-style-type: none"> • The <i>Medicine</i> data element within the <i>Medication Instruction and Action</i> DCM [8]. • The <i>Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. • The <i>Specific Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. |
| Example of content | <ul style="list-style-type: none"> • 21823011000036103 adrenaline • 44940011000036106 meropenem |
| Plan for future work | |
| File name and version | der2_cRefset_MedicinalProductReleaseType_AU1000036_ V2.XX.txt |
| Date of initial release | V2.21 March 2011 |
| Initial no. of members | 1,661 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Medicinal product pack reference set |
| Terminology | AMT |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Medicinal product pack reference set</i> provides terminology to describe in a health record an abstract concept representing the properties of one or more quantitatively and clinically equivalent Trade Product Packs (TPPs). |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is bound to the following data elements within specific Detailed Clinical Models (DCMs): <ul style="list-style-type: none"> • The <i>Medicine</i> data element within the <i>Medication Instruction and Action</i> DCM [8]. • The <i>Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. • The <i>Specific Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. |
| Example of content | <ul style="list-style-type: none"> • 46470011000036101 <i>aciclovir 5% (50 mg/g) cream, 10 g</i> • 63748011000036109 <i>pseudoephedrine hydrochloride 120 mg tablet, 10</i> |
| Plan for future work | |
| File name and version | der2_cRefset_MedicinalProductPackReleaseType_AU1000036_ V2.XX.txt |
| Date of initial release | V2.21 March 2011 |
| Initial no. of members | 7,755 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Medicinal product unit of use reference set |
| Terminology | AMT |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Medicinal product unit of use reference set</i> provides terminology to describe in a health record an abstract concept representing the properties of one or more equivalent Trade Product Units of Use (TPUUs). |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is bound to the following data elements within specific Detailed Clinical Models (DCMs): <ul style="list-style-type: none"> • The <i>Medicine</i> data element within the <i>Medication Instruction and Action</i> DCM [8]. • The <i>Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. • The <i>Specific Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. |
| Example of content | <ul style="list-style-type: none"> • 23550011000036101 <i>amoxicillin 250 mg capsule</i> • 23529011000036106 <i>iloprost 20 microgram/2 ml inhalation, ampoule</i> |
| Plan for future work | |
| File name and version | der2_cRefset_MedicinalProductUnitOfUseReleaseType_ AU1000036_V2.XX.txt |
| Date of initial release | V2.21 March 2011 |
| Initial no. of members | 4,237 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Mental health disorder reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Mental health disorder reference set</i> is a broad context reference set that supports the recording of mental health disorders and diagnoses in Australian eHealth implementations. This reference set has been derived from the <i>Clinical finding foundation reference set</i> . |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for mental health disorders are yet to be developed. • As the basis for developing further use-case specific reference sets for mental health disorders, through a process of constraint. • As a benchmark against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to mental health disorders, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | Australian eHealth clinical information systems, for example, mental health settings. |
| Other clients | |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 441704009 <i>Affective psychosis</i> • 58703003 <i>Postpartum depression</i> |
| Plan for future work | This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings. |
| File name and version | der2_Refset_MentalHealthDisorderReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20100531 |
| Initial no. of members | 1,219 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Microorganism reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Microorganism reference set</i> is a broad context reference set that supports the recording of microorganisms in Australian eHealth settings. This reference set has been derived from the <i>Organism foundation reference set</i> . |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for microorganisms are yet to be developed. • As the basis for developing further use-case specific reference sets for microorganisms, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to microorganisms, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | Australian eHealth clinical information systems, for example, within Pathology or Infectious disease groups. |
| Other clients | |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 409808003 <i>Drug resistant Streptococcus pneumoniae</i> • 114061003 <i>Microbacterium flavescens</i> |
| Plan for future work | This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings. |
| File name and version | der2_Refset_MicroorganismReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20100531 |
| Initial no. of members | 16,329 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Musculoskeletal finding reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Musculoskeletal finding reference set</i> is a broad context reference set that supports the recording of musculoskeletal findings in Australian eHealth implementations. This reference set has been derived from the <i>Clinical finding foundation reference set</i> . |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for substances are yet to be developed. • As the basis for developing further use-case specific reference sets for substances, through a process of constraint. • As a benchmark, against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to substances, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | Australian eHealth clinical information systems, for example, within Rheumatology groups. |
| Other clients | |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 111245009 <i>Compartment syndrome</i> • 427683007 <i>Adhesion of tendon of hand</i> |
| Plan for future work | This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings. |
| File name and version | der2_Refset_ MusculoskeletalFindingReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20100531 |
| Initial no. of members | 10,571 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Neoplasm and/or hamartoma reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Neoplasm and/or hamartoma reference set</i> is a broad context reference set that supports the recording of neoplasm and/or hamartoma findings in Australian eHealth settings. This reference set has been derived from the <i>Clinical finding foundation reference set</i> . |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for neoplasm and/or hamartomas are yet to be developed. • As the basis for developing further use-case specific reference sets for neoplasm and/or hamartomas, through a process of constraint. • As a benchmark, against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to neoplasm and/or hamartomas, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | Australian eHealth clinical information systems, for example, within Oncology groups. |
| Other clients | |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 403966009 <i>Arteriovenous haemangioma</i> • 314990009 <i>Metastasis from malignant tumour of bone</i> |
| Plan for future work | This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings. |
| File name and version | der2_Refset_NeoplasmAndOrHamartomaReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20100531 |
| Initial no. of members | 6,629 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Observable entity foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Observable entity foundation reference set</i> provides the broadest possible terminology to support the recording of observable entities in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for observable entities are yet to be developed. • As the basis for developing further use-case specific reference sets for observable entities, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of the content for observable entities, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 390896004 <i>Target cholesterol level</i> • 405153007 <i>Personal wellbeing status</i> |
| Plan for future work | |
| File name and version | der2_Refset_ObservableEntityFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 7,988 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Organism foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Organism foundation reference set</i> provides the broadest possible terminology to support the recording of organisms in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for organisms are yet to be developed. • As the basis for developing further use-case specific reference sets for organisms, through a process of constraint. • As a benchmark, against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to organisms, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications |
| Example of content | <ul style="list-style-type: none"> • 58984003 <i>/Anthropozophilic fungus/</i> • 80166006 <i>/Streptococcus pyogenes/</i> |
| Plan for future work | |
| File name and version | der2_Refset_OrganismFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 31,948 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Out of range indicator reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Out of range indicator reference set</i> provides suitable concepts for describing whether the value for a particular pathology observation is within or outside of its reference range. If the result is outside the reference range, this indicator may also describe the direction in which the result falls outside the range (i.e. lower or higher).</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p> |
| Scope | <p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [3] and the <i>Pathology Result Report SDT</i> [7].</p> |
| Target client | NEHTA ePathology Programme. |
| Other clients | |
| Definitive bindings | <p>This reference set is bound to the <i>Result Value Normal Status</i> data element within the <i>Pathology Test Result DCM</i> [3].</p> <p>This reference set is also bound to the <i>Out of Range Indicator</i> data element (DE-11028) which is under the <i>Structured Result Entry</i> data group (DG-11008) within <i>Pathology Result Report SDT</i> [7].</p> |
| Example of content | <ul style="list-style-type: none"> • 281301001 <i>Within reference range</i> • 281303003 <i>Above therapeutic range</i> |
| Plan for future work | |
| File name and version | der2_Refset_OutOfRangeIndicatorReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 15 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Physical force foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Physical force foundation reference set</i> provides the broadest possible terminology to support the recording of physical forces in Australian eHealth implementations. |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for physical forces are yet to be developed. • As the basis for developing further use-case specific reference sets for physical forces, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to physical forces, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 32646006 <i>Electric field</i> • 263762005 <i>Friction</i> |
| Plan for future work | |
| File name and version | der2_Refset_PhysicalForceFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 171 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Physical object foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Physical object foundation reference set</i> provides the broadest possible terminology to support the recording of physical objects in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for physical objects are yet to be developed. • As the basis for developing further use-case specific reference sets for physical objects, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to physical objects, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 40388003 <i>Implant, device</i> • 80278003 <i>Paediatric bed</i> |
| Plan for future work | |
| File name and version | der2_Refset_PhysicalObjectFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 4,433 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Problem/Diagnosis reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Problem/Diagnosis reference set</i> provides terminology to support the recording of a patient problem or diagnosis for medical records within Australia. |
| Scope | This reference set can be used within implementations of the <i>Problem/Diagnosis DCM</i> [6]. |
| Target client | The reference set is developed for those who are implementing the <i>Problem/Diagnosis DCM</i> [6]. |
| Other clients | |
| Definitive bindings | The <i>Problem/Diagnosis</i> reference set is bound to the <i>Problem/Diagnosis</i> data element within the <i>Problem/Diagnosis DCM</i> [6]. |
| Example of content | <ul style="list-style-type: none"> • 78275009 <i>Obstructive sleep apnoea syndrome</i> • 59771005 <i>Calculus of gallbladder with acute cholecystitis</i> |
| Plan for future work | |
| File name and version | der2_Refset_Problem DiagnosisReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20110531 |
| Initial no. of members | 95515 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Procedure foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Procedure foundation reference set</i> provides the broadest possible terminology to support the recording of clinical interventions in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for procedures are yet to be developed. • As the basis for developing further use-case specific reference sets for procedures, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to procedures, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 417215002 <i>Diagnostic palpation</i> • 134403003 <i>Urgent referral</i> |
| Plan for future work | |
| File name and version | der2_Refset_ProcedureFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 50,989 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Qualifier value foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Qualifier value foundation reference set</i> provides the broadest possible terminology to support the recording of qualifying information in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for qualifying information are yet to be developed. • As the basis for developing further use-case specific reference sets for qualifying information, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content for qualifying information, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 129300006 Puncture - action • 263675000 Antenatal |
| Plan for future work | |
| File name and version | der2_Refset_QualifierValueFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 8,872 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Record artefact foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Record artefact foundation reference set</i> provides the broadest possible terminology to support the recording of record artefacts in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for record artefacts are yet to be developed. • As the basis for developing further use-case specific reference sets for record artefacts, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to record artefacts, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 422432008 <i> Family history section </i> • 416868005 <i> Surgical intraoperative record </i> |
| Plan for future work | |
| File name and version | der2_Refset_RecordArtefactFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 199 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Related item relationship type reference set |
| Terminology | SNOMED CT-AU or AMT |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Related item relationship type reference set</i> provides terminology to support the recording of the type of relationship that a related item (e.g. diagnosis or procedure) has with the problem/diagnosis being recorded. |
| Scope | This reference set can be used within implementations of the <i>Problem/Diagnosis DCM</i> [6]. |
| Target client | This reference set is developed for those implementing the <i>Problem/Diagnosis DCM</i> [6]. |
| Other clients | |
| Definitive bindings | The reference set is bound to the <i>Relationship Type</i> data element within the <i>Problem/Diagnosis DCM</i> . |
| Example of content | <ul style="list-style-type: none"> • 255234002 <i>Following</i> • 42752001 <i>Caused by</i> |
| Plan for future work | |
| File name and version | der2_Refset_RelatedItemRelationshipTypeReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20120531 |
| Initial no. of members | 2 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Relationship to subject of care reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Relationship to subject of care</i> reference set provides terminology to support the recording of how a person is associated with or related to the subject of care for clinical and administrative records within Australia. |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of information around how a person is associated with or related to the subject of care within a record. This reference set can be used within implementations of the DCMs that contain the <i>Relationship to Subject of Care</i> data element. |
| Target client | Implementers of Detailed Clinical Models (DCMs) and the <i>Participation Specification</i> [9]. |
| Other clients | |
| Definitive bindings | This reference set is bound to the <i>Relationship to Subject of Care</i> data element within the <i>Participation Specification</i> [9]. |
| Example of content | <ul style="list-style-type: none"> • 394859001 <i>Maternal grand-mother</i> • 45929001 <i>Half-brother</i> |
| Plan for future work | |
| File name and version | der2_Refset_RelationshipToSubjectOfCareReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20110531 |
| Initial no. of members | 162 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Request test name reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Request test name reference set</i> provides suitable concepts for describing the name of a single pathology investigation or a panel of grouped pathology investigations that may be requested by a clinician.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p> |
| Scope | <p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Result Report SDT</i> [7].</p> <p>This reference set is identical to the <i>Result test name reference set</i>.</p> |
| Target client | NEHTA ePathology Programme. |
| Other clients | |
| Definitive bindings | This reference set is bound to the <i>Request Test Name</i> data element (DE-11017) which is under the <i>Request Detail</i> data group (DG-11002) within <i>Pathology Result Report SDT</i> [7]. |
| Example of content | <ul style="list-style-type: none"> • 71466003 Valproic acid measurement • 61594008 Microbial culture |
| Plan for future work | |
| File name and version | der2_Refset_RequestTestNameReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 1,522 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Respiratory finding reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Respiratory finding reference set</i> is a broad context reference set that supports the recording of respiratory findings in Australian eHealth implementations. This reference set has been derived from the <i>Clinical finding foundation reference set</i> . |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for respiratory findings are yet to be developed. • As the basis for developing further use-case specific reference sets for respiratory findings, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to respiratory findings, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | Australian eHealth clinical information systems, for example, within Respiratory clinical groups. |
| Other clients | |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 421581006 <i>Pharyngeal swelling</i> • 312453004 <i>Asthma - currently active</i> |
| Plan for future work | This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings. |
| File name and version | der2_Refset_RespiratoryFindingReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20100531 |
| Initial no. of members | 3,920 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Result test name reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Result test name reference set</i> provides suitable concepts for describing the name of a single pathology investigation or a panel of grouped pathology investigations that may be requested by a clinician.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p> |
| Scope | <p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Result Report SDT</i> [7].</p> <p>This reference set is identical to the <i>Request test name reference set</i>.</p> |
| Target client | NEHTA ePathology Programme. |
| Other clients | |
| Definitive bindings | This reference set is bound to the <i>Result Test Name</i> data element (DE-11031) which is under the <i>Result Detail</i> data group (DG-11007) within <i>Pathology Result Report SDT</i> [7]. |
| Example of content | <ul style="list-style-type: none"> • 25514001 <i>Digoxin measurement</i> • 77020008 <i>Direct Coombs test</i> |
| Plan for future work | |
| File name and version | der2_Refset_ResultTestNameReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 1,522 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Route of administration reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Route of administration reference set</i> provides terminology to support the recording of the route by which medicines are to be administered for medications records within Australia. |
| Scope | This reference set can be used within implementations of the NEHTA Electronic Transfer of Medication Prescription, the <i>Medication Instruction and Action DCM</i> [8], and/or the <i>Adverse Reaction DCM</i> [2]. |
| Target client | The reference set is developed for those who are implementing the NEHTA Electronic Transfer of Prescription, or the <i>Medication Instruction and Action DCM</i> [8], or the <i>Adverse Reaction DCM</i> [2]. |
| Other clients | |
| Definitive bindings | This reference set is bound to the <i>Route</i> data element in the <i>Medication Administration</i> data group within the <i>Medication Instruction and Action DCM</i> [8] and the <i>Adverse Reaction DCM</i> [2]. |
| Example of content | <ul style="list-style-type: none"> • 404820008 <i>Epidural route</i> • 26643006 <i>Oral route</i> |
| Plan for future work | This reference set is subject to further development based on feedback from implementations. |
| File name and version | der2_Refset_RouteOfAdministrationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20110531 |
| Initial no. of members | 154 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Sex reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Sex reference set</i> provides terminology to support the recording of the person's sex. |
| Scope | This reference set can be used within implementations of the NEHTA <i>Participation Specification</i> [9]. |
| Target client | The reference set is developed for those who are implementing the <i>Participation Specification</i> [9]. |
| Other clients | |
| Definitive bindings | The <i>Sex reference set</i> is bound to the <i>Sex</i> data element within the <i>Participation Specification</i> [9]. However, this reference set maybe suitable for use outside of that specification as required. |
| Example of content | <ul style="list-style-type: none"> • 248153007 <i>/Male/</i> • 248152002 <i>/Female/</i> |
| Plan for future work | |
| File name and version | der2_Refset_SexReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20110531 |
| Initial no. of members | 4 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Situation with explicit context foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Situation with explicit context foundation reference set</i> provides the broadest possible terminology to support the recording of clinical context-dependent information in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for clinical context-dependent information are yet to be developed. • As the basis for developing further use-case specific reference sets for clinical context-dependent information, through a process of constraint. • As a benchmark, against which use-case specific reference sets, developed by the SNOMED CT-AU user community can be tested, to assure that they are logical constraints of clinical context-dependent content, which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 407625007 <i>Suspected epilepsy</i> • 428287001 <i>History of endocarditis</i> |
| Plan for future work | |
| File name and version | der2_Refset_SituationWithExplicitContextFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 3,066 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Skeletal system reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Skeletal system reference set</i> is a broad context reference set that provides terminology to support the recording of clinical information pertaining to the skeletal system in Australian eHealth implementations. This reference set has been derived from the <i>Body structure foundation reference set</i> . |
| Scope | This reference set can be used: <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for the skeletal system are yet to be developed. • As the basis for developing further use-case specific reference sets for the skeletal system, through a process of constraint. • As a benchmark, against which use-case specific reference sets developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to the skeletal system, which, has been identified as suitable for use in Australian eHealth implementations. |
| Target client | Australian eHealth clinical information systems, for example, within Orthopaedic or Radiology groups. |
| Other clients | |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 62413002 <i>Bone structure of radius</i> • 56873002 <i>Bone structure of sternum</i> |
| Plan for future work | This reference set may be used as a basis to develop more specific reference sets based on terminology requirements within different professional groups and delivery settings. |
| File name and version | der2_Refset_SkeletalSystemReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20100531 |
| Initial no. of members | 3,743 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Social context foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Social context foundation reference set</i> provides the broadest possible terminology to support the recording of information relating to social conditions and circumstances in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for social context-dependent content are yet to be developed. • As the basis for developing further use-case specific reference sets for social context-dependent content, through a process of constraint. • As a benchmark against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of social context-dependent content which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 394571004 <i>/Employer/</i> • 236324005 <i>/Factory worker/</i> |
| Plan for future work | |
| File name and version | der2_Refset_SocialContextFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 4,793 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Specimen characteristic reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Specimen characteristic reference set</i> provides suitable concepts for describing the clinical findings on the initial morphological analysis of a specimen, identifying attributes that may impact upon the result.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and for the pathologist to interpret and report clearly and unambiguously on the results.</p> |
| Scope | <p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [3] and the <i>Pathology Result Report SDT</i> [7].</p> |
| Target client | NEHTA ePathology Programme. |
| Other clients | |
| Definitive bindings | <p>This reference set is bound to the <i>Specimen Received Issues</i> data element within the <i>Pathology Test Result DCM</i> [3].</p> <p>This reference set is also bound to the <i>Specimen Characteristic</i> data element of (DE-11015) which is under the <i>Specimen Detail</i> data group (DG-11005) within <i>Pathology Result Report SDT</i> [7].</p> |
| Example of content | <ul style="list-style-type: none"> • 281276009 <i>Sample cloudy</i> • 84567002 <i>Specimen obscured by blood</i> |
| Plan for future work | |
| File name and version | der2_Refset_SpecimenCharacteristicReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 33 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Specimen foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Specimen foundation reference set</i> provides the broadest possible terminology to support the recording of information about specimens that are obtained (usually from a patient) for examination or pathological analysis in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets with content relating to specimens are yet to be developed. • As the basis for developing further use-case specific reference sets for specimen content, through a process of constraint. • As a benchmark against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to specimens which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 119350003 <i>/Calculus specimen/</i> • 119297000 <i>/Blood specimen/</i> |
| Plan for future work | |
| File name and version | der2_Refset_SpecimenFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 1,236 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Specimen qualifier reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Specimen qualifier reference set</i> provides suitable concepts for qualifying a description of a specimen that is relevant to a pathology investigation and is required for the purpose of specimen collection, analysing or result reporting.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p> |
| Scope | <p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of <i>Pathology Result Report SDT [7]</i>.</p> |
| Target client | NEHTA ePathology Programme. |
| Other clients | |
| Definitive bindings | This reference set is bound to the <i>Specimen Qualifier</i> data element (DE-11009) which is under the <i>Specimen Detail</i> data group (DG-11005) within the <i>Pathology Result Report SDT [7]</i> . |
| Example of content | <ul style="list-style-type: none"> • 123027009 24 hours • 263675000 Antenatal |
| Plan for future work | |
| File name and version | der2_Refset_SpecimenQualifierReleaseType_AU1000036_YYYYMMDD.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 85 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Specimen quality reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Specimen quality reference set</i> provides suitable concepts for recording an indication of whether the specimen is suitable for the required laboratory tests.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p> |
| Scope | <p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [3] and the <i>Pathology Result Report SDT</i> [7].</p> |
| Target client | NEHTA ePathology Programme. |
| Other clients | |
| Definitive bindings | <p>This reference set is bound to the <i>Adequacy for Testing</i> data element within the <i>Pathology Test Result DCM</i> [3].</p> <p>This reference set is also bound to the <i>Specimen Quality</i> data element (DE-11016) which is under the <i>Specimen Detail</i> data group (DG-11005) within <i>Pathology Result Report SDT</i> [7].</p> |
| Example of content | <ul style="list-style-type: none"> • 125152006 <i>Specimen satisfactory for evaluation</i> • 125154007 <i>Specimen unsatisfactory for evaluation</i> |
| Plan for future work | |
| File name and version | der2_Refset_SpecimenQualityReleaseType_AU1000036_YYYYMMDD.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 2 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Specimen type reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Specimen type reference set</i> provides suitable concepts for describing the sample to be collected or tested in a pathology investigation.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p> |
| Scope | <p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>Content has been constrained with respect to reusability and the information models to which this reference set is bound.</p> <p>This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [3] and the <i>Pathology Result Report SDT</i> [7].</p> |
| Target client | This reference set is developed for those who are implementing the <i>Pathology Test Result DCM</i> [3] or the <i>Pathology Result Report SDT</i> [7]. |
| Other clients | NEHTA ePathology Programme. |
| Definitive bindings | <p>This reference set is bound to the <i>Specimen Type</i> data element (DE-11008) which is under the:</p> <ul style="list-style-type: none"> • <i>Specimen Detail</i> data group (DG-11005) within <i>Pathology Result Report SDT</i> [7]; and • <i>Pathology Test Specimen Detail</i> data group (DG-16156) within the <i>Pathology Test Result DCM</i> [3]. The data element is named <i>Specimen Tissue Type</i> in this DCM. |
| Example of content | <ul style="list-style-type: none"> • 119373006 Amniotic fluid specimen • 119350003 Calculus specimen |
| Plan for future work | |
| File name and version | der2_Refset_SpecimenTypeReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 102 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Staging and scales foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Staging and scales foundation reference set</i> provides the broadest possible terminology to support the recording of information about tumour staging and assessment scales in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for tumour staging and assessment scales are yet to be developed. • As the basis for developing further use-case specific reference sets for tumour staging and assessment scales, through a process of constraint. • As a benchmark against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to tumour staging and assessment scales which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | 106241006 <i>[Gleason grading system for prostatic cancer]</i> |
| Plan for future work | |
| File name and version | der2_Refset_StagingAndScalesFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 1,196 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Substance foundation reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Substance foundation reference set</i> provides the broadest possible terminology to support the recording of substances in Australian eHealth implementations. |
| Scope | <p>This reference set can be used:</p> <ul style="list-style-type: none"> • Within implementations where use-case specific reference sets for substances are yet to be developed. • As the basis for developing further use-case specific reference sets for substances, through a process of constraint. • As a benchmark against which use-case specific reference sets, developed by the SNOMED CT-AU user community, can be tested to assure that they are logical constraints of content relating to substances which has been identified as suitable for use in Australian eHealth implementations. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is not bound to any specific clinical information specifications. |
| Example of content | <ul style="list-style-type: none"> • 52454007 Albumin • 59905008 Isoantibody |
| Plan for future work | |
| File name and version | der2_Refset_SubstanceFoundationReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 23,618 |
| Contact | help@nehta.gov.au |

| | |
|---|--|
| Reference set name | Substance to SNOMED CT-AU mapping reference set |
| Terminology | Australian Medicines Terminology |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Substance to SNOMED CT-AU mapping reference set</i> is developed for the implementers of AMT, SNOMED CT-AU and NEHTA DCMs to enable development of decision support systems.</p> <p>AMT and SNOMED CT-AU are currently separate terminologies; therefore the relationships between AMT products, their ingredients, and SNOMED CT-AU substances are not stated. The AMT <i>Substance to SNOMED CT-AU mapping reference set</i> will contain all AMT substances that are used in a modelled AMT product with a corresponding equivalent or supertype (i.e. the nearest relevant parent concept) map to a substance in SNOMED CT-AU.</p> |
| Scope | This reference set can be used by decision support systems to link adverse reaction substances (recorded using SNOMED CT-AU) to AMT products with equivalent substances, and can assist with prescribing alerts. |
| Target client | The reference set is developed for those who are implementing decision support systems in conjunction with the NEHTA specifications. |
| Other clients | N/A |
| Definitive bindings | N/A |
| Example of content | <p>Nicotine in AMT: 2393011000036109 <i>[nicotine (AU substance)]</i> is mapped to</p> <p>Nicotine in SNOMED CT-AU: 68540007 <i>[Nicotine (substance)]</i></p> |
| Plan for future work | <p>This reference set is subject to further development based on feedback from implementations.</p> <p>Monthly maintenance is performed on this reference set to ensure new AMT substances are mapped to SNOMED CT-AU substances.</p> <p>With future SNOMED CT-AU releases it is planned to further improve the coverage of substances through content submissions to the IHTSDO. This will effectively reduce supertype mappings by increasing equivalent mappings.</p> |
| File name and version | der2_csRefset_SubstanceToSnomedCt-auMappingReleaseType_ AU1000036_V2.XX.txt |
| Date of initial release | 20120330 |
| Initial number of active members | 2015 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|---|
| Reference set name | Testing method reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Testing method reference set</i> provides suitable concepts for describing the analytical methods that may be used to complete a pathology investigation.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p> |
| Scope | <p>This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient.</p> <p>This reference set can be used within implementations of the <i>Pathology Test Result DCM</i> [3] and the <i>Pathology Result Report SDT</i> [7].</p> |
| Target client | NEHTA ePathology Programme. |
| Other clients | |
| Definitive bindings | <p>This reference set is bound to the <i>Testing Method</i> data element within the <i>Pathology Test Result DCM</i> [3].</p> <p>This reference set is also bound to the <i>Testing Method</i> data element (DE-11025) which is under the <i>Structured Result Entry</i> data group (DG-11008) within the <i>Pathology Result Report SDT</i> [7].</p> |
| Example of content | <ul style="list-style-type: none"> • 67047002 <i>Microbial wet smear</i> • 117036006 <i>Alcian blue stain method</i> |
| Plan for future work | |
| File name and version | der2_Refset_TestingMethodReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 1,276 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Therapeutic good benefit category reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Therapeutic good benefit category reference set</i> provides terminology for the <i>Medical Benefit Category Type</i> data element within the <i>ePrescription SDT</i> [10] and <i>Prescription Request SDT</i> [11]. |
| Scope | This reference set can be used within implementations of the <i>Medication Instruction and Action DCM</i> [8], <i>ePrescription SDT</i> [10] and <i>Prescription Request SDT</i> [11]. |
| Target client | The reference set is developed for those who are implementing the <i>ePrescription SDT</i> [10] and <i>Prescription Request SDT</i> [11]. |
| Other clients | |
| Definitive bindings | This reference set is bound to the <i>Medical Benefit Category Type</i> data element which is within the <i>ePrescription SDT</i> [10] and <i>Prescription Request SDT</i> [11]. This reference set is also bound to the <i>Concessions Benefit</i> data element within the <i>Medication Instruction and Action DCM</i> [8]. |
| Example of content | <ul style="list-style-type: none"> • 32570831000036108 <i>Eligible for PBS subsidy</i> • 32570861000036102 <i>Not eligible for a pharmaceutical subsidy</i> |
| Plan for future work | |
| File name and version | der2_Refset_TherapeuticGoodBenefitCategoryReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20110531 |
| Initial no. of members | 4 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Therapeutic good claim category reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Therapeutic good claim category reference set</i> provides terminology for the <i>Claim Category Type</i> data element within the <i>Dispense Record</i> specification. |
| Scope | This reference set can be used within implementations of the <i>Medication Instruction and Action DCM</i> [8] and the <i>Dispense Record SDT</i> [12]. |
| Target client | The reference set is developed for those who are implementing the <i>Dispense Record</i> specification. |
| Other clients | |
| Definitive bindings | This reference set is bound to the <i>Claim Category Type</i> data element within the <i>Dispense Record</i> specification and the <i>Medication Instruction and Action DCM</i> [8]. |
| Example of content | <ul style="list-style-type: none"> • 32570741000036106 <i>General PBS benefit</i> • 32570781000036102 <i>RPBS benefit</i> |
| Plan for future work | |
| File name and version | der2_Refset_TherapeuticGoodClaimCategoryReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20110531 |
| Initial no. of members | 6 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Trade product pack reference set |
| Terminology | AMT |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Trade product pack reference set</i> provides terminology to describe in a health record the packaged product (medication) that is supplied for direct patient use. |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is bound to the following data elements within specific Detailed Clinical Models (DCMs): <ul style="list-style-type: none"> • The <i>Medicine</i> data element within the <i>Medication Instruction and Action</i> DCM [8]. • The <i>Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. • The <i>Specific Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. |
| Example of content | <ul style="list-style-type: none"> • 12167011000036107 <i>Adalat 20 mg tablet: film-coated, 60 tablets</i> • 11482011000036107 <i>Diazepam USP (DBL) 10 mg/2 ml injection: solution, 5 x 2 ml ampoules</i> |
| Plan for future work | |
| File name and version | der2_cRefset_TradeProductPackReleaseType_ AU1000036_ V2.XX.txt |
| Date of initial release | V2.21 March 2011 |
| Initial no. of members | 11,935 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Trade product reference set |
| Terminology | AMT |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Trade product reference set</i> provides terminology to describe in a health record the product (medication) brand name or the grouping of products into a "family", for either single component products or components of multi-component products. |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions. |
| Target client | NCTIS |
| Other clients | Australian e-health clinical information systems. |
| Definitive bindings | This reference set is bound to the following data elements within specific Detailed Clinical Models (DCMs): <ul style="list-style-type: none"> • The <i>Medicine</i> data element within the <i>Medication Instruction and Action</i> DCM [8]. • The <i>Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. • The <i>Specific Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. |
| Example of content | <ul style="list-style-type: none"> • 65136011000036105 <i>/Brolene Eye Drops/</i> • 3422011000036106 <i>/Pepzan/</i> |
| Plan for future work | |
| File name and version | der2_cRefset_TradeProductReleaseType_AU1000036_V2.XX.txt |
| Date of initial release | V2.21 March 2011 |
| Initial no. of members | 3,994 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Trade product unit of use reference set |
| Terminology | AMT |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | The <i>Trade product unit of use reference set</i> provides terminology to describe in a health record a single dose unit of a finished dose form that contains a specified amount of an active ingredient substance and is grouped within a particular Trade Product. |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of medicines information between clinicians for medication management and the recording of adverse reactions. |
| Target client | NCTIS |
| Other clients | Australian eHealth clinical information systems. |
| Definitive bindings | This reference set is bound to the following data elements within specific Detailed Clinical Models (DCMs): <ul style="list-style-type: none"> • The <i>Medicine</i> data element within the <i>Medication Instruction and Action</i> DCM [8]. • The <i>Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. • The <i>Specific Substance/Agent</i> data element within the <i>Adverse Reaction</i> DCM [2]. |
| Example of content | <ul style="list-style-type: none"> • 6355011000036103 <i>Alprim (trimethoprim 300 mg) tablet: uncoated, 1 tablet</i> • 65669011000036108 <i>Nurofen (ibuprofen 5% (50 mg/g)) gel</i> |
| Plan for future work | |
| File name and version | der2_cRefset_TradeProductUnitOfUseReleaseType_ AU1000036_V2.XX.txt |
| Date of initial release | V2.21 March 2011 |
| Initial no. of members | 8,031 |
| Contact | help@nehta.gov.au |

| | |
|--------------------------------|--|
| Reference set name | Unexpected result indicator reference set |
| Terminology | SNOMED CT-AU |
| Reference set developer | National Clinical Terminology and Information Service (NCTIS) |
| Description | <p>The <i>Unexpected result indicator reference set</i> provides suitable concepts for recording an indication of the degree of diagnostic significance associated with a pathology investigation result based on all the available clinical information.</p> <p>This information pertaining to pathology result reporting is required to enable the laboratory to conduct the right investigation and the pathologist to interpret and report clearly and unambiguously on the results.</p> |
| Scope | This reference set supports the accurate and unambiguous electronic communication and exchange of information relating to pathology result reporting between a pathology provider to a requesting clinician, or other approved recipient. |
| Target client | NEHTA ePathology Programme. |
| Other clients | |
| Definitive bindings | This reference set is bound to the <i>Unexpected Result Indicator</i> data element (DE-11027) which is under the <i>Structured Result Entry</i> data group (DG-11008) within <i>Pathology Result Report SDT</i> [7]. |
| Example of content | <ul style="list-style-type: none"> • 394845008 Potentially abnormal • 260369004 Increasing |
| Plan for future work | |
| File name and version | der2_Refset_UnexpectedResultIndicatorReleaseType_AU1000036_yyyymmdd.txt |
| Date of initial release | 20091130 |
| Initial no. of members | 28 |
| Contact | help@nehta.gov.au |

References

1. IHTSDO. *SNOMED CT Technical Implementation Guide*. Copenhagen: IHTSDO; 2013. July 2013 release. Available from: <http://www.snomed.org/doc>.
2. NEHTA. *Adverse Reaction Detailed Clinical Model Specification*. Sydney: NEHTA; 2011. v3.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
3. NEHTA. *Pathology Test Result Detailed Clinical Model Specification*. Sydney: NEHTA; 2011. v2.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
4. NEHTA. *Procedure Detailed Clinical Model Specification*. Sydney: NEHTA; 2011. v3.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
5. NEHTA. *Problem/Diagnosis Detailed Clinical Model Specification*. Sydney: NEHTA; 2011. v3.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
6. NEHTA. *Imaging Examination Result Detailed Clinical Model Specification*. Sydney: NEHTA; 2011. v2.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
7. NEHTA. *Pathology Result Report Structured Document Template*. Sydney: NEHTA; 2009. v1.0. Available on request from help@nehta.gov.au.
8. NEHTA. *Medication Instruction and Action Detailed Clinical Model Specification*. Sydney: NEHTA; 2013. v2.2. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/detailed-clinical-model-library>.
9. NEHTA. *Dispense Record Structured Document Template*. Sydney: NEHTA; 2010. v3.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/electronic-transfer-of-prescription>.
10. NEHTA. *Participation Data Specification*. Sydney: NEHTA; 2011. v3.2. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/participation-data-specification>.
11. NEHTA. *ePrescription Structured Document Template*. Sydney: NEHTA; 2010. v3.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/electronic-transfer-of-prescription>.
12. NEHTA. *Prescription Request Structured Document Template*. Sydney: NEHTA; 2010. v1.1. Available from: <http://www.nehta.gov.au/implementation-resources/clinical-documents/electronic-transfer-of-prescription>.

Alphabetical index

| | |
|--|----|
| Adverse reaction agent reference set | 7 |
| Adverse reaction type reference set | 8 |
| Anatomical location name reference set | 9 |
| Anatomical site reference set | 10 |
| Australian non-human reference set | 11 |
| Body structure foundation reference set | 12 |
| Cardiovascular finding reference set | 13 |
| Change type reference set | 14 |
| Clinical finding foundation reference set | 15 |
| Clinical manifestation reference set | 16 |
| Collection procedure reference set | 17 |
| Containerized trade product pack reference set | 18 |
| Dose unit reference set | 19 |
| Emergency department diagnosis in presenting problem reference set | 20 |
| Emergency department diagnosis reference set | 21 |
| Emergency department findings in presenting problem reference set | 22 |
| Emergency department reason for presenting reference set | 23 |
| Environment or geographical location foundation reference set | 24 |
| Event foundation reference set | 25 |
| Exclusion statement reference set | 26 |
| Fracture finding reference set | 27 |
| Imaging procedure reference set | 28 |
| Laterality reference set | 29 |
| Medication form reference set | 30 |
| Medicinal product reference set | 31 |
| Medicinal product pack reference set | 32 |
| Medicinal product unit of use reference set | 33 |
| Mental health disorder reference set | 34 |
| Microorganism reference set | 35 |
| Musculoskeletal finding reference set | 36 |
| Neoplasm and/or hamartoma reference set | 37 |
| Observable entity foundation reference set | 38 |
| Organism foundation reference set | 39 |
| Out of range indicator reference set | 40 |
| Physical force foundation reference set | 41 |
| Physical object foundation reference set | 42 |
| Problem/Diagnosis reference set | 43 |

| | |
|--|----|
| Procedure foundation reference set..... | 44 |
| Qualifier value foundation reference set | 45 |
| Record artefact foundation reference set | 46 |
| Related item relationship type reference set | 47 |
| Relationship to subject of care reference set | 48 |
| Request test name reference set | 49 |
| Respiratory finding reference set | 50 |
| Result test name reference set..... | 51 |
| Route of administration reference set..... | 52 |
| Sex reference set | 53 |
| Situation with explicit context foundation reference set | 54 |
| Skeletal system reference set | 55 |
| Social context foundation reference set | 56 |
| Specimen characteristic reference set | 57 |
| Specimen foundation reference set | 58 |
| Specimen qualifier reference set..... | 59 |
| Specimen quality reference set | 60 |
| Specimen type reference set..... | 61 |
| Staging and scales foundation reference set | 62 |
| Substance foundation reference set | 63 |
| Substance to SNOMED CT-AU mapping reference set | 64 |
| Testing method reference set..... | 65 |
| Therapeutic good benefit category reference set..... | 66 |
| Therapeutic good claim category reference set..... | 67 |
| Trade product pack reference set | 68 |
| Trade product reference set..... | 69 |
| Trade product unit of use reference set | 70 |
| Unexpected result indicator reference set | 71 |

Bound reference sets

The reference sets listed below are intended to be used with specified clinical information models that are described in their tabular listing.

| | |
|--|----|
| Adverse reaction agent reference set | 7 |
| Adverse reaction type reference set | 8 |
| Anatomical location name reference set | 9 |
| Anatomical site reference set | 10 |
| Change type reference set | 14 |
| Clinical manifestation reference set | 16 |
| Collection procedure reference set | 17 |
| Containerized trade product pack reference set | 18 |
| Dose unit reference set | 19 |
| Emergency department diagnosis in presenting problem reference set | 20 |
| Emergency department diagnosis reference set | 21 |
| Emergency department findings in presenting problem reference set | 22 |
| Emergency department reason for presenting reference set | 23 |
| Exclusion statement reference set | 26 |
| Laterality reference set | 29 |
| Medication form reference set | 30 |
| Medicinal product reference set | 31 |
| Medicinal product pack reference set | 32 |
| Medicinal product unit of use reference set | 33 |
| Out of range indicator reference set | 40 |
| Problem/Diagnosis reference set | 43 |
| Qualifier value foundation reference set | 45 |
| Related item relationship type reference set | 47 |
| Relationship to subject of care reference set | 48 |
| Request test name reference set | 49 |
| Result test name reference set | 51 |
| Route of administration reference set | 52 |
| Sex reference set | 53 |
| Specimen characteristic reference set | 57 |
| Specimen qualifier reference set | 59 |
| Specimen quality reference set | 60 |
| Specimen type reference set | 61 |
| Testing method reference set | 65 |
| Therapeutic good benefit category reference set | 66 |
| Therapeutic good claim category reference set | 67 |
| Trade product pack reference set | 68 |
| Trade product reference set | 69 |

| | |
|---|----|
| Trade product unit of use reference set | 70 |
| Unexpected result indicator reference set | 71 |

Non bound reference sets

The reference sets listed below are not intended for use within a specific clinical information model. They have been developed against a broad scope or definition that is described in their tabular listing.

| | |
|---|----|
| Australian non-human reference set | 11 |
| Body structure foundation reference set | 12 |
| Cardiovascular finding reference set | 13 |
| Clinical finding foundation reference set | 15 |
| Environment or geographical location foundation reference set | 24 |
| Event foundation reference set | 25 |
| Fracture finding reference set | 27 |
| Imaging procedure reference set | 28 |
| Mental health disorder reference set | 34 |
| Microorganism reference set | 35 |
| Musculoskeletal finding reference set | 36 |
| Neoplasm and/or hamartoma reference set | 37 |
| Observable entity foundation reference set | 38 |
| Organism foundation reference set | 39 |
| Physical force foundation reference set | 41 |
| Physical object foundation reference set | 42 |
| Procedure foundation reference set | 44 |
| Record artefact foundation reference set | 46 |
| Respiratory finding reference set | 50 |
| Situation with explicit context foundation reference set | 54 |
| Skeletal system reference set | 55 |
| Social context foundation reference set | 56 |
| Specimen foundation reference set | 58 |
| Staging and scales foundation reference set | 62 |
| Substance foundation reference set | 63 |
| Substance to SNOMED CT-AU mapping reference set | 64 |