



Common – Clinical Document Release Note

24 July 2018 v1.5.1
Approved for external use
Document ID: DH-2659:2018

Related end product identifier: EP-2655:2018

Release rationale

This incremental release provides developers and implementers with an updated *Template Package Directory*, now including the recently published updated template packages for discharge summary documents.

Package inclusions

New

None.

Updated (supersedes previous version)

Identifier	Name
DH-2659:2018	<i>Common – Clinical Document - Release Note v1.5.1 (this document)</i>
DH-2660:2018	<i>Clinical Documents – Template Package Directory v1.10</i>

No change

Identifier	Name
NEHTA-1229:2011	<i>Clinical Documents - CDA Package v1.0</i>
NEHTA-1199:2012	<i>Clinical Documents - CDA Rendering Specification v1.0</i>
NEHTA-1226:2011	<i>Clinical Documents - Clinical Package v1.0</i>
DH-2481:2017	<i>Clinical Documents - Common Conformance Profile v1.7</i>
DH-2587:2017	<i>Clinical Documents - Conformance Test Specification for Authoring Systems v1.1</i>
NEHTA-2064:2016	<i>Clinical Documents - Conformance Test Specification for CDA Rendering v1.4</i>
NEHTA-2065:2015	<i>Clinical Documents - Conformance Test Specification for CDA Packaging v1.5</i>

Identifier	Name
NEHTA-2063:2015	<i>Clinical Documents - Conformance Test Specification for PCEHR¹ Usability v3.0</i>
NEHTA-2189:2015	<i>Clinical Documents - Conformance Test Specification for PCEHR Views v1.0</i>
NEHTA-1255:2012	<i>Clinical Documents - FAQ Appropriate use of date and date-time values in Clinical Documents v1.0</i>
NEHTA-1270:2013	<i>Clinical Documents - FAQ Clarification on Messaging and CDA Packaging v1.4</i>
NEHTA-1274:2013	<i>Clinical Documents – FAQ Global Statements None Known v1.1</i>
NEHTA-1276:2013	<i>Clinical Documents - FAQ Hash value verification v1.0</i>
NEHTA-1273:2013	<i>Clinical Documents - FAQ Nullable Fields Guidance v1.1</i>
NEHTA-2336:2016	<i>Clinical Documents - FAQ OIDs for HL7 v1.1</i>
DH-2594:2017	<i>Clinical Documents - FAQ Qualifiers for Clinical Information v1.0</i>
NEHTA-1459:2013	<i>Clinical Documents - FAQ Undifferentiated Pathology and Radiology Results v1.3</i>
NEHTA-1097:2011	<i>Clinical Documents - Implementation Guidance - Representing Coding in CDA Documents v1.0</i>
DH-2267:2017	<i>Clinical Documents - My Health Record Usability Recommendations v1.4</i>
NEHTA-1328:2013	<i>Clinical Documents - Supplementary Notes for Implementers Relating to Clinical Document Presentation v1.0</i>

Removed

None.

Stakeholders

No stakeholder consultations required for this incremental release.

Audience

The audiences for this release are:

- implementers of clinical information systems and contracted service provider systems;
- senior managers and policy makers, clinical experts, health information managers, IT operations and support teams, and system integrators; and
- the National Infrastructure Operator.

Known issues

None known.

Support

For further support or to provide feedback, please email help@digitalhealth.gov.au.

¹ Clarification: PCEHR means the My Health Record, formerly the "Personally Controlled Electronic Health Record", within the meaning of the *My Health Records Act 2012* (Cth), formerly called the *Personally Controlled Electronic Health Records Act 2012* (Cth).

Previous releases

Date	Version
21 Dec 2017	<p data-bbox="344 367 879 396">EP-2563:2017 Common – Clinical Document v1.5</p> <p data-bbox="344 405 488 434">Release note</p> <p data-bbox="344 450 539 479">Release rationale</p> <p data-bbox="344 488 1358 551">This release of the Common - Clinical Document end product provides developers of systems generating CDA™² documents with important updates of:</p> <ul data-bbox="344 562 991 636" style="list-style-type: none">• Clinical Documents -Common Conformance Profile; and• Conformance Test Specification for Authoring Systems. <p data-bbox="344 645 1417 707">It also introduces a new FAQ document providing important guidance for the usage of qualifiers in structured parts of CDA documents.</p> <p data-bbox="344 719 735 748">Common Conformance Profile v1.7</p> <p data-bbox="344 757 1257 786">The Common Conformance Profile has been updated to resolve a number of issues.</p> <p data-bbox="344 797 1007 826">Conformance Test Specification for Authoring Systems v1.1</p> <p data-bbox="344 835 1444 931">This update of the <i>Conformance Test Specification for Authoring Systems</i> includes updates to feature sets, improves the readability of the document, and addresses multiple issues raised during internal agency reviews.</p> <p data-bbox="344 943 826 972">FAQ Qualifiers for Clinical Information v1.0</p> <p data-bbox="344 981 1417 1043">This document provides guidance to determine whether clinical information system includes qualifiers as expected (or stated or conform to HL7™³ Clinical Document Architecture Release 2.0).</p> <p data-bbox="344 1055 715 1084">Template Package Directory v1.9</p> <p data-bbox="344 1093 1444 1155">The updated Template Package Directory contains entries for new or updated template packages for the following document types:</p> <ul data-bbox="344 1167 991 1330" style="list-style-type: none">• Advance Care Planning (first release);• Australian Immunisation Register (first release);• eHealth Diagnostic Imaging Report (replacements); and• eHealth Pathology Report (replacements).

² CDA is a trademark of Health Level Seven International and is registered with the United States Patent and Trademark Office.

³ HL7 is a trademark of Health Level Seven International and is registered with the United States Patent and Trademark Office.

Date	Version
16 June 2017	<p data-bbox="347 300 900 329">EP-2395:2017 Common – Clinical Document v1.4.4</p> <p data-bbox="347 338 488 367">Release note</p> <p data-bbox="347 383 539 412">Release rationale</p> <p data-bbox="347 423 1445 517">This incremental release of the Common - Clinical Document end product (EP-2395:2017) introduces the new <i>Conformance Test Specification for Authoring Systems</i> and provides updates to <i>Clinical Documents – My Health Record Usability Recommendations</i>.</p> <p data-bbox="347 528 1238 557"><i>Clinical Documents – Conformance Test Specification for Authoring Systems v1.0</i></p> <p data-bbox="347 568 1423 725">This conformance test specification is a significant expansion of the authoring test cases previously available to developers in the <i>Conformance Test Specification for CDA Rendering v1.3</i>, which contained test cases for authoring and rendering. This v1.3 document has been superseded by the <i>Conformance Test Specification for CDA Rendering v1.4</i> (published in January 2016) and this new <i>Conformance Test Specification for Authoring Systems v1.0</i>.</p> <p data-bbox="347 736 1433 831">The rationale for the expansion of test cases is an analysis of over 600 conformance errors found by the NEHTA CCA team between 2012 and 2015, which covered approximately 50 software development organisations. This new conformance test specification seeks to address those issues.</p> <p data-bbox="347 842 1155 871"><i>Clinical Documents – My Health Record Usability Recommendations v1.4</i></p> <p data-bbox="347 882 1401 976">This document provides usability recommendations for clinical information systems authoring or rendering information contained in clinical documents and views exchanged with the My Health Record system.</p>
19 May 2016	<p data-bbox="347 1005 900 1034">EP-2320:2016 Common – Clinical Document v1.4.3</p> <p data-bbox="347 1043 488 1072">Release note</p> <p data-bbox="347 1088 539 1117">Release rationale</p> <p data-bbox="347 1128 1417 1223">This incremental release of the Common – Clinical Document end product provides updates to the <i>Clinical Documents – Template Package Directory</i> to include references to the following product components:</p> <ul data-bbox="347 1234 1118 1308" style="list-style-type: none"> <li data-bbox="347 1234 1118 1263">• <i>Advance Care Document Custodian – Conformance Profile v1.0</i>; and <li data-bbox="347 1274 970 1303">• <i>Personal Health Summary – Conformance Profile v1.0</i>. <p data-bbox="347 1319 1423 1379">The <i>FAQ OIDs for HL7</i> has been revised to correctly show how a Medicare number may be used for an entity identifier for a subject of care.</p> <p data-bbox="347 1391 1385 1451">Three FAQs have been moved into this end product from the Common – Continuity of Care end product (which has been archived):</p> <ul data-bbox="347 1462 1433 1675" style="list-style-type: none"> <li data-bbox="347 1462 1401 1523">• FAQ Nullable Fields Guidance. (This FAQ answers the question: What are the nullable fields in clinical documents conformant to the CDA implementation guides?) <li data-bbox="347 1534 1433 1594">• FAQ Global Statements None Known. (This FAQ answers the question: What is the proper use of none known in global exclusion statements?) <li data-bbox="347 1606 1410 1666">• FAQ Undifferentiated Pathology and Radiology Results. (This FAQ answers the question: What should we do if our system cannot distinguish between pathology and radiology reports?) <p data-bbox="347 1686 890 1715">The content of these three FAQs has not changed.</p>

Date	Version
10 Mar 2016	<p data-bbox="347 297 898 327">EP-2241:2016 Common – Clinical Document v1.4.2</p> <p data-bbox="347 338 488 367">Release note</p> <p data-bbox="347 378 539 407">Release rationale</p> <p data-bbox="347 418 1417 481">This incremental release of the Common – Clinical Document end product provides updates to the Clinical Documents – Template Package Directory to include references to updated:</p> <ul data-bbox="347 492 1117 566" style="list-style-type: none"><li data-bbox="347 492 1117 521">• <i>eHealth Diagnostic Imaging Report – Conformance Profile v1.1</i>; and<li data-bbox="347 533 970 562">• <i>eHealth Pathology Report – Conformance Profile v1.1</i>. <p data-bbox="347 573 1422 636">This release of the Common – Clinical Document end product aligns with approved change request CCB-0469.</p>
29 Jan 2016	<p data-bbox="347 667 893 696">EP-2231:2016 Common - Clinical Document v1.4.1</p> <p data-bbox="347 707 488 736">Release note</p> <p data-bbox="347 748 539 777">Release rationale</p> <p data-bbox="347 788 1410 851">This incremental release of the Common - Clinical Document end product provides updates of the following product components:</p> <ul data-bbox="347 862 1217 936" style="list-style-type: none"><li data-bbox="347 862 1217 891">• <i>Clinical Documents – Conformance Test Specification for CDA Rendering</i>; and<li data-bbox="347 902 1123 931">• <i>Clinical Documents – My Health Record Usability Recommendations</i>. <p data-bbox="347 943 1445 1070">Version 1.4 of the <i>Conformance Test Specification for CDA Rendering</i> provides clarifications for many of the test cases, improves the readability of the document, and adds a number of test cases in support of recently published Pathology Report and Diagnostic Imaging Report conformance profiles. Details of the changes are listed in the <i>Capabilities</i> section of this release note.</p> <p data-bbox="347 1081 1437 1176">Version 1.3 of <i>Clinical Documents – My Health Record Usability Recommendations</i> provides usability recommendations for clinical information systems authoring or rendering information contained in clinical documents and views exchanged with the My Health Record system.</p> <p data-bbox="347 1187 1422 1249">It is focused on recommendations applicable to <i>all</i> types of clinical documents. Additional usability recommendations have been published as follows:</p> <ul data-bbox="347 1261 1142 1335" style="list-style-type: none"><li data-bbox="347 1261 1142 1290">• Shared Health Summary PCEHR Usability Recommendations v1.2; and<li data-bbox="347 1301 1002 1330">• Event Summary PCEHR Usability Recommendations v1.1.
3 Dec 2015	<p data-bbox="347 1361 879 1391">EP-2198:2015 Common – Clinical Document v1.4</p> <p data-bbox="347 1402 488 1431">Release note</p> <p data-bbox="347 1442 539 1471">Release rationale</p> <p data-bbox="347 1482 1410 1576">This release of the Common - Clinical Document end product provides a new product component, <i>Conformance Test Specification for PCEHR Views v1.0</i>, which provides a targeted set of test cases, managed using a Microsoft Excel workbook.</p> <p data-bbox="347 1588 1442 1682">This conformance test specification supports the currently published PCEHR views specifications and their conformance requirements. Details of the document are listed in the <i>Capabilities</i> section of the release note.</p> <p data-bbox="347 1693 1418 1722">Additionally, four FAQs have been archived and are no longer included in this end product release.</p>

Date	Version
15 Jul 2015	<p data-bbox="347 302 895 331">EP-2085:2015 Common - Clinical Document v1.3.1</p> <p data-bbox="347 342 488 371">Release note</p> <p data-bbox="347 383 539 412">Release rationale</p> <p data-bbox="347 423 1410 488">This incremental release of the Common - Clinical Document end product provides updates of the following product components:</p> <ul data-bbox="347 499 1267 568" style="list-style-type: none"> <li data-bbox="347 499 1267 528">• <i>Clinical Documents - Conformance Test Specification for CDA Packaging v1.5</i>; and <li data-bbox="347 539 975 568">• <i>Clinical Documents - Template Package Directory v1.5</i>. <p data-bbox="347 580 1445 707">Version 1.5 of the <i>Conformance Test Specification for CDA Packaging</i> provides clarifications for many of the test cases, improves the readability of the document, and adds a number of test cases in support of recently published CDA packaging-related conformance requirements. Details of the changes are listed in the Capabilities section of this release note.</p> <p data-bbox="347 719 1410 784">Version 1.5 of the <i>Template Package Directory</i> includes references to updated template packages for:</p> <ul data-bbox="347 795 871 864" style="list-style-type: none"> <li data-bbox="347 795 871 824">• <i>eHealth Diagnostic Imaging Report v1.1</i>; and <li data-bbox="347 835 722 864">• <i>eHealth Pathology Report v1.1</i>. <p data-bbox="347 875 1453 972">The FAQ Patient Medications has been archived and is no longer included in this end product release. Its contents have been superseded by updates to the latest versions of the CDA Implementation Guides for Event Summary and Specialist Letter document types.</p> <p data-bbox="347 983 1398 1048">This release of the Common – Clinical Document end product aligns with the following approved change requests: CCB-0418; CCB-0419; and CCB-0431.</p>
10 Apr 2015	<p data-bbox="347 1070 874 1099">EP-1818:2015 Common - Clinical Document v1.3</p> <p data-bbox="347 1111 488 1140">Release note</p> <p data-bbox="347 1151 539 1180">Release rationale</p> <p data-bbox="347 1191 1385 1288">This release of the Common - Clinical Document end product introduces the Conformance Test Specification for PCEHR Usability and provides updates of the <i>Common Conformance Profile for Clinical Documents</i> and the <i>Template Package Directory</i>.</p> <p data-bbox="347 1299 1430 1395">The <i>Conformance Test Specification for PCEHR Usability v3.0</i> provides test cases for the assessment of clinical information systems for conformance with the following PCEHR usability recommendations published as part of the Clinical Usability Programme (CUP) Release 3:</p> <ul data-bbox="347 1406 1114 1525" style="list-style-type: none"> <li data-bbox="347 1406 1054 1435">• <i>Clinical Documents – PCEHR Usability Recommendations v1.2</i>; <li data-bbox="347 1447 1066 1476">• <i>Event Summary – PCEHR Usability Recommendations v1.1</i>; and <li data-bbox="347 1487 1114 1516">• <i>Shared Health Summary – PCEHR Usability Recommendations v1.2</i>. <p data-bbox="347 1536 1235 1565">The updated version of the Common Conformance Profile for Clinical Documents:</p> <ul data-bbox="347 1576 1235 1646" style="list-style-type: none"> <li data-bbox="347 1576 916 1606">• clarifies requirements for narrative sections; and <li data-bbox="347 1617 1235 1646">• explicitly disallows direct references to XSL stylesheets for all CDA documents. <p data-bbox="347 1666 1406 1731">The updated version of the <i>Template Package Directory</i> includes references to updated template packages for:</p> <ul data-bbox="347 1742 707 1816" style="list-style-type: none"> <li data-bbox="347 1742 663 1771">• <i>Event Summary v1.4</i>; and <li data-bbox="347 1783 707 1812">• <i>Shared Health Summary v1.5</i>. <p data-bbox="347 1827 1398 1897">This release of the Common – Clinical Document end product aligns with the following approved change requests: CCB-0202; CCB-0309; CCB-0345; CCB-0357; CCB-0380; CCB 0388.</p>

Date	Version
17 Feb 2015	<p data-bbox="347 297 893 327">EP-2024:2015 Common - Clinical Document v1.2.2</p> <p data-bbox="347 338 488 367">Release note</p> <p data-bbox="347 378 539 407">Release rationale</p> <p data-bbox="347 418 1398 481">This incremental release of the Common - Clinical Document end product introduces an updated version of the <i>Template Package Directory</i>.</p> <p data-bbox="347 492 962 521">It includes references to updated template packages for:</p> <ul data-bbox="347 533 759 607" style="list-style-type: none"><li data-bbox="347 533 759 562">• <i>eHealth Dispense Record v1.2</i>; and<li data-bbox="347 573 743 602">• <i>eHealth Prescription Record v1.2</i>. <p data-bbox="347 618 1442 680">These updated template packages now support the inclusion of codes from the Australian Medicines Terminology (AMT) version 3.</p> <p data-bbox="347 692 1401 754">The changes applied to the template package libraries for these document types are aligned with approved change request CCB-0409.</p>
31 Dec 2014	<p data-bbox="347 786 893 815">EP-1962:2014 Common - Clinical Document v1.2.1</p> <p data-bbox="347 826 488 855">Release note</p> <p data-bbox="347 866 539 896">Release rationale</p> <p data-bbox="347 907 1433 999">This release of the Common – Clinical Documents end product introduces an updated version of the <i>Common – Clinical Documents - PCEHR Usability Recommendations</i> document and provides an update of the <i>Template Package Directory</i>.</p> <p data-bbox="347 1010 828 1039"><i>Updated PCEHR Usability Recommendations</i></p> <p data-bbox="347 1050 1437 1178">This version of the PCEHR Usability Recommendations introduces the concept of a “PCEHR Page” for general practice clinical information systems. The PCEHR Page expands on the Document List concept included in previous CUP releases. In addition, the PCEHR Indicator has been enhanced to provide users with a notification of any new documents available on a patient’s PCEHR.</p> <p data-bbox="347 1189 1174 1218">For more details, please refer to the Capabilities section of this release note.</p> <p data-bbox="347 1229 1445 1357">The updated Common – Clinical Documents - PCEHR Usability Recommendations aligns with updated versions of the Event Summary - PCEHR Usability Recommendations and Shared Health Summary - PCEHR Usability Recommendations. Together, these three documents represent the result of the Clinical Usability Programme (CUP) Release 3.</p> <p data-bbox="347 1368 1426 1496">The PCEHR Usability Recommendations have been developed by NEHTA in consultation with key general practice peak bodies to improve the user experience of general practice software products. Vendors of clinical information systems used outside of general practice settings are encouraged to consider the extent to which these recommendations are applicable to their software products.</p> <p data-bbox="347 1507 762 1536">Updated Template Package Directory</p> <p data-bbox="347 1547 1366 1610">The <i>Template Package Directory</i> has been updated to include references to template package libraries published for the following end products:</p> <ul data-bbox="347 1621 823 1785" style="list-style-type: none"><li data-bbox="347 1621 724 1650">• <i>eHealth Pathology Report v1.0</i>;<li data-bbox="347 1662 823 1691">• <i>eHealth Diagnostic Imaging Report v1.0</i>;<li data-bbox="347 1702 679 1731">• <i>Event Summary v1.3.3</i>; and<li data-bbox="347 1742 651 1771">• <i>Medicare Overview v1.2</i>. <p data-bbox="347 1800 1426 1863">Support for eHealth Pathology Report and eHealth Diagnostic Imaging Report by the PCEHR system was introduced with PCEHR Release 5 (29 November 2014).</p> <p data-bbox="347 1874 1414 1937">The changes applied to the template package libraries for Event Summary and Medicare Overview are aligned with approved change requests CCB-0378 and CCB-0244, respectively.</p>

Date	Version															
25 Sep 2014	<p data-bbox="344 302 874 331">EP-1815:2014 Common - Clinical Document v1.2</p> <p data-bbox="344 340 488 369">Release note</p> <p data-bbox="344 380 539 409">Release rationale</p> <p data-bbox="344 421 1396 486">This release of the Common – Clinical Documents end product contains updates of the following product components:</p> <ul data-bbox="344 497 1043 571" style="list-style-type: none"> <li data-bbox="344 497 1043 526">• <i>Clinical Documents - Common Conformance Profile v1.6</i>; and <li data-bbox="344 537 975 571">• <i>Clinical Documents - Template Package Directory v1.5</i>. <p data-bbox="344 582 1396 645">The changes to the common conformance profile have been approved as part of change request CCB-0345 and consist of:</p>															
<table border="1"> <thead> <tr> <th data-bbox="352 667 389 696">Key</th> <th data-bbox="488 667 571 696">Category</th> <th data-bbox="659 667 836 696">Summary of change</th> </tr> </thead> <tbody> <tr> <td data-bbox="352 719 416 748">CCP-86</td> <td data-bbox="488 719 564 748">Addition</td> <td data-bbox="659 719 1441 801"> <p data-bbox="659 719 1299 748">Filenames of attachments now need to match their indicated MIME type.</p> <p data-bbox="659 757 1441 801">This decreases the potential for malicious content and provides better rendering support for legitimate attachment content.</p> </td> </tr> <tr> <td data-bbox="352 824 427 853">CCP-223</td> <td data-bbox="488 824 564 853">Addition</td> <td data-bbox="659 824 1428 907"> <p data-bbox="659 824 1118 853">All inline data within XML now needs to be text only.</p> <p data-bbox="659 862 1428 907">This ensures that any document that has inline data (such as an exe file) will be rejected by the receiving system.</p> </td> </tr> <tr> <td data-bbox="352 929 427 958">CCP-234</td> <td data-bbox="488 929 592 958">Clarification</td> <td data-bbox="659 929 1441 1012"> <p data-bbox="659 929 1331 994">Clarification added that a CDA Header is required for clinical documents at all conformance levels.</p> <p data-bbox="659 1003 1441 1012">This aligns the common conformance profile with the original intent and current practice.</p> </td> </tr> <tr> <td data-bbox="352 1034 427 1064">CCP-238</td> <td data-bbox="488 1034 592 1064">Clarification</td> <td data-bbox="659 1034 1428 1099"> <p data-bbox="659 1034 1428 1099">Clarification added that conformance points re local identifiers only apply to those local identifiers that are used by healthcare provider organisations.</p> </td> </tr> </tbody> </table>		Key	Category	Summary of change	CCP-86	Addition	<p data-bbox="659 719 1299 748">Filenames of attachments now need to match their indicated MIME type.</p> <p data-bbox="659 757 1441 801">This decreases the potential for malicious content and provides better rendering support for legitimate attachment content.</p>	CCP-223	Addition	<p data-bbox="659 824 1118 853">All inline data within XML now needs to be text only.</p> <p data-bbox="659 862 1428 907">This ensures that any document that has inline data (such as an exe file) will be rejected by the receiving system.</p>	CCP-234	Clarification	<p data-bbox="659 929 1331 994">Clarification added that a CDA Header is required for clinical documents at all conformance levels.</p> <p data-bbox="659 1003 1441 1012">This aligns the common conformance profile with the original intent and current practice.</p>	CCP-238	Clarification	<p data-bbox="659 1034 1428 1099">Clarification added that conformance points re local identifiers only apply to those local identifiers that are used by healthcare provider organisations.</p>
Key	Category	Summary of change														
CCP-86	Addition	<p data-bbox="659 719 1299 748">Filenames of attachments now need to match their indicated MIME type.</p> <p data-bbox="659 757 1441 801">This decreases the potential for malicious content and provides better rendering support for legitimate attachment content.</p>														
CCP-223	Addition	<p data-bbox="659 824 1118 853">All inline data within XML now needs to be text only.</p> <p data-bbox="659 862 1428 907">This ensures that any document that has inline data (such as an exe file) will be rejected by the receiving system.</p>														
CCP-234	Clarification	<p data-bbox="659 929 1331 994">Clarification added that a CDA Header is required for clinical documents at all conformance levels.</p> <p data-bbox="659 1003 1441 1012">This aligns the common conformance profile with the original intent and current practice.</p>														
CCP-238	Clarification	<p data-bbox="659 1034 1428 1099">Clarification added that conformance points re local identifiers only apply to those local identifiers that are used by healthcare provider organisations.</p>														
<p data-bbox="344 1120 1369 1184">The Template Package Directory has been updated to include references to template package libraries published for the following end products:</p> <ul data-bbox="344 1196 844 1317" style="list-style-type: none"> <li data-bbox="344 1196 616 1225">• <i>Specialist Letter v1.3</i>; <li data-bbox="344 1236 844 1265">• <i>Australian Organ Donor Register v1.1</i>; and <li data-bbox="344 1276 783 1317">• <i>Pharmaceutical Benefits Report v1.1</i>. 																
18 Aug 2014	<p data-bbox="344 1346 895 1375">EP-1754:2014 Common - Clinical Document v1.1.3</p> <p data-bbox="344 1384 488 1413">Release note</p> <p data-bbox="344 1424 539 1453">Release rationale</p> <p data-bbox="344 1464 1437 1529">This incremental release of the Common – Clinical Documents end product introduces the <i>Template Package Directory</i>.</p> <p data-bbox="344 1541 1449 1624">The purpose of this new product component is to provide implementers of clinical document specifications and other stakeholders with a comprehensive overview of available template packages and their current status.</p> <p data-bbox="344 1635 1437 1771">The template package directory also contains hyperlinks referring to the download locations of all template packages. For each template package, the hyperlink refers to the location of the template package library containing the template package. Template package libraries are published for each clinical document type and are contained in the end product for the document type.</p>															

Date	Version
05 May 2014	<p data-bbox="343 291 893 324">EP-1589:2014 Common - Clinical Document v1.1.2</p> <p data-bbox="343 336 486 369">Release note</p> <p data-bbox="343 380 542 414">Release rationale</p> <p data-bbox="343 425 1457 548">This incremental release of the Common - Clinical Document end product introduces <i>Clinical Documents – PCEHR Usability Recommendations</i>. This new product component replaces the <i>Supplementary Guidance for Implementers</i> product component introduced with the previous version of this end product.</p> <p data-bbox="343 560 1457 683">The <i>PCEHR Usability Recommendations</i> document contains implementation guidance previously published in <i>Supplementary Guidance for Implementers</i>. The new format, “usability recommendations”, makes it easier for implementers to assess whether their software conforms to the guidance.</p> <p data-bbox="343 694 1457 862">PCEHR usability recommendations are not part of PCEHR conformance requirements. Only the latter are used as the basis for conformance assessments performed as a prerequisite to PCEHR system integration. PCEHR usability recommendations can be used by implementers to perform usability assessments on a voluntary basis, for example, with the aim of providing their users with a consistently high level of usability.</p> <p data-bbox="343 873 1457 929">The <i>PCEHR Usability Recommendations</i> document also contains additional guidance for implementers, developed as part of NEHTA’s Clinical Usability Program (CUP) Release 2.</p> <p data-bbox="343 940 1457 996">This release also removes the developer resource product components and related product data sheets. These have been republished in two new end products:</p> <ul data-bbox="343 1008 901 1086" style="list-style-type: none">• <i>Clinical Documents Integration Toolkit v1.0</i>; and• <i>Secure Messaging Integration Toolkit v1.0</i>. <p data-bbox="343 1097 1457 1198">In addition, the document <i>Reference Platform - Vendor End 2 End Portal v1.4</i> has been archived as it is no longer relevant. <i>eSignature - Java Library v1.1.0</i> has also been archived since it is included in the libraries in the new integration toolkits</p>
24 Oct 2013	<p data-bbox="343 1220 893 1254">EP-1477:2013 Common - Clinical Document v1.1.1</p> <p data-bbox="343 1265 486 1299">Release note</p> <p data-bbox="343 1310 542 1344">Release rationale</p> <p data-bbox="343 1355 1457 1444">This incremental release of the Common Clinical Document end product introduces supplementary guidance for the implementation of clinical documents, representing a key outcome of NEHTA’s Clinical Usability Program (CUP) Release 1.</p> <p data-bbox="343 1456 1457 1512">Aligning with the sets of template packages supported by PCEHR Releases 3.5 and 4, updated versions of the CDA Document Library sample code have been provided.</p> <p data-bbox="343 1523 1457 1592">This release also introduces a number of product data sheets, each containing the description of a type of non-document product associated with this end product.</p>

Date	Version									
09 Oct 2013	<p data-bbox="344 302 874 331">EP-1457:2013 Common - Clinical Document v1.1</p> <p data-bbox="344 340 488 369">Release note</p> <p data-bbox="344 380 539 409">Release rationale</p> <p data-bbox="344 421 1433 486">This release of the Common Clinical Document end product introduces updates to the conformance profile for Common Clinical Documents, as mandated by the following approved change requests.</p> <table border="1" data-bbox="344 495 1444 851"> <thead> <tr> <th data-bbox="352 506 517 535">Change request ID</th> <th data-bbox="719 506 903 535">Change request title</th> <th data-bbox="1086 506 1286 535">Impact on this release</th> </tr> </thead> <tbody> <tr> <td data-bbox="352 557 440 586">CCB-0116</td> <td data-bbox="719 557 1070 611">Relaxation of the mandatory use of HPI-Is in uploaded documents</td> <td data-bbox="1086 557 1433 611">New conformance requirements added for local identifiers.</td> </tr> <tr> <td data-bbox="352 633 440 663">CCB-0222</td> <td data-bbox="719 633 1023 687">Support for CSP Certificates in CDA Documents</td> <td data-bbox="1086 633 1444 842">Conformance requirements regarding digital signatures previously contained in document-type specific Conformance Profiles have been consolidated and revised in this version of the Common Conformance Profile. New conformance requirements added for Legal Authenticator, Approver and Custodian.</td> </tr> </tbody> </table> <p data-bbox="344 864 1406 963">In addition to these changes, the structure of the document has been modified to improve clarity and readability. This structural change does not affect the contents of any of the conformance requirements.</p>	Change request ID	Change request title	Impact on this release	CCB-0116	Relaxation of the mandatory use of HPI-Is in uploaded documents	New conformance requirements added for local identifiers.	CCB-0222	Support for CSP Certificates in CDA Documents	Conformance requirements regarding digital signatures previously contained in document-type specific Conformance Profiles have been consolidated and revised in this version of the Common Conformance Profile. New conformance requirements added for Legal Authenticator, Approver and Custodian.
Change request ID	Change request title	Impact on this release								
CCB-0116	Relaxation of the mandatory use of HPI-Is in uploaded documents	New conformance requirements added for local identifiers.								
CCB-0222	Support for CSP Certificates in CDA Documents	Conformance requirements regarding digital signatures previously contained in document-type specific Conformance Profiles have been consolidated and revised in this version of the Common Conformance Profile. New conformance requirements added for Legal Authenticator, Approver and Custodian.								
10 Nov 2011	<p data-bbox="344 987 895 1016">EP-1094:2011 Common - Clinical Document v1.0.2</p> <p data-bbox="344 1025 488 1055">Release note</p> <p data-bbox="344 1066 539 1095">Release rationale</p> <p data-bbox="344 1106 715 1135">This incremental release includes:</p> <ul data-bbox="344 1146 1273 1227" style="list-style-type: none"> • updated sample code to address a small change in the CDA packaging library; and • updates to three FAQ title prefixes (document content is unchanged). 									

Publication date: 24 July 2018

Australian Digital Health Agency ABN 84 425 496 912, Level 25, 56 Pitt Street, Sydney, NSW 2000 www.digitalhealth.gov.au
Telephone 1300 901 001 or email help@digitalhealth.gov.au

Disclaimer

The Australian Digital Health Agency (“the Agency”) makes the information and other material (“Information”) in this document available in good faith but without any representation or warranty as to its accuracy or completeness. The Agency cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Document control

This document is maintained in electronic form and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is the latest revision.

Copyright © 2018 Australian Digital Health Agency

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means – graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems – without the permission of the Australian Digital Health Agency. All copies of this document must include the copyright and other information contained on this page.

OFFICIAL

Acknowledgements

Council of Australian Governments

The Australian Digital Health Agency is jointly funded by the Australian Government and all state and territory governments.

HL7 International

This document includes excerpts of HL7™ International standards and other HL7 International material. HL7 International is the publisher and holder of copyright in the excerpts. The publication, reproduction and use of such excerpts is governed by the [HL7 IP Policy](#) and the HL7 International License Agreement. HL7 and CDA are trademarks of Health Level Seven International and are registered with the United States Patent and Trademark Office.