



Pharmaceutical Benefits Report

CDA Implementation Guide

Version 1.1 — 1 Jun 2012

Limited Release - For Consultation

**THIS SPECIFICATION HAS NOT YET RECEIVED FORMAL
SIGN-OFF FROM NEHTA AND SHOULD NOT BE USED FOR
IMPLEMENTATION.**

National E-Health Transition Authority Ltd

Level 25
56 Pitt Street
Sydney NSW 2000
Australia
www.nehta.gov.au

Disclaimer

NEHTA makes the information and other material ("Information") in this document available in good faith but without any representation or warranty as to its accuracy or completeness. NEHTA cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Document Control

This document is maintained in electronic form. The current revision of this document is located on the NEHTA Web site and is uncontrolled in printed or downloaded form. It is the responsibility of the user to verify that this copy is of the latest revision.

Copyright © 2012 National E-Health Transition Authority Ltd. (NEHTA)

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means without the permission of NEHTA. All copies of this document must include the copyright and other information contained on this page.

Document Information

Document owner

Document Owner
The National Clinical Terminology and Information Service

Related documents

Name	Version/Release Date
Pharmaceutical Benefits Report Structured Content Specification	Version 1.1, Issued 18 June 2012
Participation Data Specification	Version 3.2, Issued 20 July 2011

Table of Contents

1. Introduction	1
1.1. Document Purpose and Scope	1
1.2. Pharmaceutical Benefits Report Definition	1
1.3. HL7 Clinical Document Architecture	1
1.4. Intended Audience	2
1.5. Document Map	2
1.6. Acronyms	3
1.7. Keywords	3
1.8. Conformance	4
1.9. Known Issues	5
2. Guide for Use	7
2.1. Clinical Document Architecture Release 2	7
2.2. Mapping Interpretation	9
2.3. CDA Extensions	19
2.4. W3C XML Schema	20
2.5. Schematron	21
2.6. Implementation Strategies	22
3. Pharmaceutical Benefits Report Data Hierarchy	23
4. Administrative Observations	25
5. CDA Header	29
5.1. ClinicalDocument	29
5.1.1. Custodian	34
6. Context Data Specification - CDA Mapping	39
6.1. Pharmaceutical Benefits Report	39
6.1.1. DOCUMENT AUTHOR	43
6.1.2. SUBJECT OF CARE	48
7. Content Data Specification - CDA Mapping	67
7.1. Pharmaceutical Benefits Report	67
7.1.1. PHARMACEUTICAL BENEFIT ITEMS	71
7.1.1.1. PHARMACEUTICAL BENEFIT ITEM	75
8. Common Patterns	83
8.1. code	83
8.2. id	85
8.3. time	87
8.4. Entity Identifier	89
8.5. Person Name	91
8.6. Address	93
8.7. Electronic Communication Detail	98
9. Australian CDA Extensions	101
9.1. ClinicalDocument.completionCode	101
9.2. EntityIdentifier	102
9.3. Entitlement	104
9.4. Multiple Birth	105
9.5. Administrative Gender Code	106
9.6. Birth Time	107
9.7. Deceased Time	108
9.8. Qualifications	109
10. Vocabularies/Code Sets	111
10.1. HL7 v3: TelecommunicationAddressUse	111
10.2. AS 5017-2006 Health Care Client Identifier Sex	112
10.3. AS 5017-2006: Health Care Client Name Usage	113
10.4. AS 4846-2006: Health Care Provider Organisation Name Usage	114
10.5. AS 5017-2006: Health Care Client Source of Death Notification	115
10.6. AS 5017-2006: Health Care Client Identifier Address Purpose	116
10.7. AS 5017-2006: Health Care Client Identifier Geographic Area	117
10.8. AS 5017-2006: Health Care Client Electronic Communication Medium	118
10.9. AS 5017-2006: Health Care Client Electronic Communication Usage Code	120
10.10. AS 5017-2006 Australian State/Territory Identifier - Postal	121

10.11. AS 5017-2006 Health Care Client Identifier Date Accuracy Indicator	122
10.12. NCTIS: Admin Codes - Recommendation or Change Values	124
10.13. NCTIS: Admin Codes - Document Status	125
10.14. NCTIS: Admin Codes - Global Statement Values	126
10.15. NCTIS: Admin Codes - Entitlement Type	127
10.16. HL7 V3: ObservationInterpretationNormality	128
10.17. HL7 v3 CDA: Act.moodCode	129
10.18. HL7 v3 CDA: RelatedDocument.typeCode	130
10.19. METeOR 291036: Indigenous Status	131
10.20. NCTIS: Admin Codes - Result Status	132
10.21. OIDs	133
A. CDA Narratives	135
B. Log of Changes	137
Reference List	141

List of Examples

2.1. Mapping Interpretation	16
4.1. Administrative Observations XML Fragment	28
5.1. ClinicalDocument Body XML Fragment	33
5.2. Custodian Body XML Fragment	37
6.1. Pharmaceutical Benefits Report Context XML Fragment	42
6.2. Document Author XML Fragment	47
6.3. Subject of Care XML Fragment	62
7.1. Pharmaceutical Benefits Report Body XML Fragment	70
7.2. Pharmaceutical Benefit Items XML Fragment	74
7.3. Pharmaceutical Benefit Item XML Fragment	80
8.1. code	84
8.2. id	86
8.3. Simple timestamp	87
8.4. Low time	87
8.5. Interval timestamp 1	87
8.6. Interval timestamp 2	88
8.7. Width time	88
8.8. Entity Identifier	90
8.9. Person Name	92
8.10. Address	97
8.11. Electronic Communication Detail	99
10.1. All values	111
10.2. One value	111

1 Introduction

1.1 Document Purpose and Scope

The purpose of this document is to provide a guide to implementing the 'logical' model detailed by NEHTA's Pharmaceutical Benefits Report Structured Content Specification (PBR SCS) as an HL7 Clinical Document Architecture Release 2 (CDA) XML document. This guide is based on Version 1.0 of the PBR SCS [NEHT2011au]. The primary aim of the guide is to take implementers step by step through mapping each data component of the PBR SCS to a corresponding CDA attribute or element.

The guide contains descriptions of both constraints on the CDA and, where necessary, custom extensions to the CDA, for the purposes of fulfilling the requirements for Australian implementations of a Pharmaceutical Benefits Report. The resulting CDA document would be used for the electronic exchange of Pharmaceutical Benefits Reports between healthcare providers.

In addition, this guide presents conformance requirements against which implementers can attest the conformance of their systems.

This release is intended to inform and seek feedback from prospective software system designers and their clinical consultants. The content of this release is not suitable for implementation in live clinical systems. The National Clinical Terminology and Information Service (NCTIS) values your questions, comments and suggestions about this document. Please direct your questions or feedback to <clinicalinformation@nehta.gov.au>.

1.2 Pharmaceutical Benefits Report Definition

A Pharmaceutical Benefits Report is defined in the PBR SCS [NEHT2011au] as:

Information held by the Department of Human Services about pharmaceutical items prescribed and dispensed to an individual.

1.3 HL7 Clinical Document Architecture

CDA is a document markup standard that specifies the structure and semantics of clinical documents for the purpose of exchange and unambiguous interpretation both at human and system levels.

CDA has been chosen as the format for electronic clinical documents, as it is consistent with NEHTA's commitment to a service and document oriented approach to electronic information exchange, contributing to future electronic health records.

Some of the advantages of CDA are:

- It is machine computable and human readable.
- It provides a standardised display of clinical information without loss of clinical meaning.
- It provides assurance of clinical quality and safety more effectively than message-based interfaces by storing and displaying the clinical data as entered by the clinician.
- It provides better support than HL7 V2 messages for:
 - more complex information structures, such as pathology synoptic reporting; and
 - terminologies such as SNOMED CT-AU®.¹

¹SNOMED CT-AU® is a registered trademark of the International Health Terminology Standards Development Organisation.

- It supports legal attestation by the clinician (requiring that a document has been signed manually or electronically by the responsible individual).
- It is able to be processed by unsophisticated applications (displayed in web browsers, for instance).
- It provides a number of levels of compliance to assist with technical implementation and migration.
- It aligns Australia with e-health initiatives in other countries (such as Canada, UK, USA, Brazil, Germany and Finland).

1.4 Intended Audience

This document is intended to be read and understood by software architects and developers, implementers of Clinical Information Systems in various healthcare settings, IT-aware clinicians who wish to evaluate the clinical suitability of NEHTA-endorsed standards and researchers who wish to explore certain aspects of NEHTA-endorsed standards.

This document and related artefacts are very technical in nature and the audience is expected to be familiar with the language of health data specifications and to have some familiarity with health information standards and specifications such as CDA, and "Standards Australia AS 4700.6" [\[SA2007a\]](#). Definitions and examples are provided to clarify relevant terminology usage and intent.

1.5 Document Map

This Implementation Guide is not intended to be used in isolation. Companion documents are listed below:



1. Data Types in NEHTA Specifications [\[NEHT2010c\]](#) - a detailed description of the data types used within the Structured Content Specification.
2. Participation Data Specification [\[NEHT2011v\]](#) – contains the full specification which forms the basis of all participations contained in NEHTA Structured Content Specifications.
3. Pharmaceutical Benefits Report – Structured Content Specification [\[NEHT2011au\]](#) – clinical content specification describing the logical data structures, data components, and value domains which constitute a Pharmaceutical Benefits Report.

1.6 Acronyms

CDA	Clinical Document Architecture
UUID	Universally Unique Identifier
HL7	Health Level Seven
RIM	Reference Information Model
SCS	Structured Content Specification
XHTML	Extensible Hypertext Markup Language
XML	Extensible Markup Language
XSL	Extensible Stylesheet Language

For a complete listing of all relevant acronyms, abbreviations and a glossary of terms please refer to "NEHTA Acronyms, Abbreviations and Glossary of Terms, Version 1.2" [\[NEHT2005a\]](#).

1.7 Keywords

Where used in this document, the keywords **SHALL**, **SHOULD**, **MAY**, **SHALL NOT** and **SHOULD NOT** are to be interpreted as described in "Key words for use in RFCs to Indicate Requirement Levels" [\[RFC2119\]](#).

Keywords used in this document

Keyword	Interpretation
SHALL	This word, or the terms ' REQUIRED ' or ' MUST ', means that the definition is an absolute requirement of the specification.
SHOULD	This word, or the adjective ' RECOMMENDED ', means that there may exist valid reasons in particular circumstances to ignore a particular item, but the full implications must be understood and carefully weighed before choosing a different course.
MAY	This word, or the adjective ' OPTIONAL ', means that an item is truly optional. One implementer may choose to include the item because a particular implementation requires it, or because the implementer determines that it enhances the implementation while another implementer may omit the same item. An implementation which does not include a particular option must be prepared to interoperate with another implementation which does include the option, perhaps with reduced functionality. In the same vein, an implementation which does include a particular option must be prepared to interoperate with another implementation which does not include the option (except of course, for the feature the option provides).
SHALL NOT	This phrase, or the phrase ' MUST NOT ' means that the definition is an absolute prohibition of the specification.
SHOULD NOT	This phrase, or the phrase ' NOT RECOMMENDED ' means that there may exist valid reasons in particular circumstances when the particular behaviour is acceptable or even useful, but the full implications should be understood and the case carefully weighed before implementing any behaviour described with this label.

1.8 Conformance

This document describes how a Pharmaceutical Benefits Report SCS is implemented as a CDA document. Conformance claims are not made against this Implementation Guide directly; rather, they are made against additional conformance profiles documented elsewhere. Any document that claims conformance to any derived conformance profile must meet these base requirements:

- It **SHALL** be a valid HL7 CDA instance. In particular:
 - It **SHALL** be valid against the HL7 CDA Schema (once extensions have been removed, see [W3C XML Schema](#)).
 - It **SHALL** conform to the HL7 V3 R1 data type specification.
 - It **SHALL** conform to the semantics of the RIM and Structural Vocabulary.
 - It **SHALL** render correctly using the HL7 provided CDA transform.
- It **SHALL** be valid against the Australian CDA Schema that accompanies this specification after any additional extension not in the NEHTA extension namespace have been removed, along with any other CDA content not described by this implementation guide.
- It **SHALL** use the mappings as they are stated in this document.
- It **SHALL** use all fixed values as specified in the mappings. (e.g. @attribute="FIXED_VALUE").
- If the vocabulary has been explicitly stated as 'NS' it must be interpreted as:

*NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the [HL7 code set registration procedure](#)² with an appropriate object identifier (OID), and **SHALL** be publicly available.*

*When national standard code sets become available, they **SHALL** be used and the non-standard code sets **SHALL** be deprecated.*

- It **SHALL** be valid against the additional conformance requirements that are established in this document (i.e. any use of the word "SHALL" in uppercase and bold typeface).
- The narrative **SHALL** conform to the requirements described in this guide.
- The document **SHALL** conform to the requirements specified in the CDA Rendering Specification.
- The data as contained in the data types **SHALL** conform to the additional data type specification [\[NEHT2010c\]](#).
- Any additional content included in the CDA document that is not described by this implementation guide **SHALL** not qualify or negate content described by this guide and it **SHALL** be clinically safe for receivers of the document to ignore the non-narrative additions when interpreting the existing content.

A system that *consumes* Pharmaceutical Benefits Report CDA documents may claim conformance if it correctly processes conformant instance documents, including correctly understanding all the information in the header. It may, but is not required to, reject non-conformant documents. Conformant systems that consume Pharmaceutical Benefits Report CDA documents are not required to process any or all of the structured data entries in the CDA document but they **SHALL** be able to correctly render the document for end-users when appropriate (see 2.1 Clinical Document Architecture Release 2).

Conformance Profiles of this document may make additional rules that override this document in regard to:

- Allowing the use of alternative value sets in place of the value sets specified in this document
- Allowing the use of alternative identifiers in place of the HI Service identifiers

² <http://www.hl7.org/oid/index.cfm?ref=footer>

- Making required data elements and/or section divisions optional

1.9 Known Issues

This section lists known issues with this specification at the time of publishing. NEHTA are working on solutions to these issues, but we encourage and invite comments to further assist the development of these solutions.

Reference	Description
Document Status	As a NEHTA Managed Specification, the contents of this document are the result of extensive clinical collaboration and editorial review, and the specification is considered to be 'Final'. Nonetheless, as software implementations and standards review of this specification progress, normative updates may be required.
5 CDA Header	CDA Header concepts relevant to the creation of a valid CDA document are not defined with clear instruction and guidance on their intended use. i.e. Custodian is mandatory in CDA - what would this be in this document?
Throughout document	Australian vs American spelling - in cases where definitions have been taken from HL7 documentation, the American spelling has been preserved, e.g. organization rather than organisation.
Organisation	In cases where an organisation is referenced, it is unclear from the requirements whether the department/unit is relevant.
'Subject of Care' and 'Document Author' Participation Data Groups	Information requirements for these data groups (that reuse Participation v3.2) are to be better understood and described in the given context. Therefore, these data groups are a subject to change.
'Subject of Care' R-MIM Diagram	In the Subject of Care R-MIM diagram the assigningEntityRole which is displayed as 'BirthPlaceForPlace' but must be interpreted as 'Place'.
Entity Identifier	This specification provides a code element on ex:asEntityIdentifier that may be used to indicate the type of an identifier for non-national identifiers such as IHI, HPI-I, HPI-O. However in this version, the specification does not specify a value set that should be used in the code element. This will be addressed in a future version. The HL7 v2 table 0203 is a candidate for interim use (see Health Intersections 'Representation of Common Australian Identifiers in v2 and CDA' for examples).
DOCUMENT AUTHOR	Location of Participation is currently not mapped.

2 Guide for Use

This document describes how to properly implement the Australian PBR SCS as a conformant HL7 CDA XML document. The Pharmaceutical Benefits Report is built in two parts:

1. A *Structured Content Specification* (SCS), which, in conjunction with its related documents (see [Document Map](#)), describes the Pharmaceutical Benefits Report, in a form that is consistent with other NEHTA specifications. It has the potential to be implemented in multiple different exchange formats as is most suitable for a particular context. It describes the data content of an Pharmaceutical Benefits Report as a hierarchy of data components, and provides documentation concerning their use and meaning.
2. A *CDA Implementation Guide* (this document) which specifies how the data described in the SCS is properly represented in a CDA document.

In order to properly implement this specification, the reader should be familiar with the PBR SCS, with the HL7 CDA documentation and how to read this document.

For further information regarding NEHTA Structured Content Specifications, see the links in [Document Map](#).

2.1 Clinical Document Architecture Release 2

A CDA document is an XML document built following the rules described in the CDA specification which conforms to the HL7 CDA Schema provided by HL7. The CDA document is based on the semantics provided by the HL7 Reference Information Model, Data Types, and Vocabulary.

A CDA document has two main parts: the header and the body.

The CDA document header is consistent across all CDA documents regardless of document type. The header identifies and classifies the document and provides information on authentication, the encounter, the patient, and the involved providers.

The body contains the clinical report, and can be marked-up text (narrative, renderable text) or a combination of both marked-up text and structured data. The marked up text can be transformed to XHTML and displayed to a human. The structured data allows machine processing of the information shown in the narrative section.

CDA contains a requirement that all of its clinical information must be marked up in CDA narratives. These narratives are CDA defined hypertext, able to be rendered in web browsers with only a standard accompanying transformation. This transformation is produced and distributed by HL7.

As noted, it is a conformance requirement that the rendered narrative must be able to stand alone as a source of authenticated information for consuming parties. No content from the CDA body may be omitted from the narrative.

Further information and guidance on the CDA narrative is available in [Appendix A, CDA Narratives](#).

These references are recommended to gain a better understanding of CDA:

- CDA specification: [\[HL7CDAR2\]](#)

- RIM, Data types and Vocabulary: [\[HL7V3DT\]](#)
- Useful CDA examples repository: [\[RING2009\]](#)
- CDA validation tools: [\[INFO2009\]](#)

2.2 Mapping Interpretation

The core of this guide is a mapping from the PBR SCS to the CDA document representation.

The mappings may not be deterministic; in some cases the differences in approach between the logical model specified in SCS and CDA document implementation specifications makes it inappropriate to have a 1:1 mapping, or any simple mapping that can be represented in a transform. This is especially true for names and addresses, where the SCS requirements, based on Australian Standards such as AS 5017 2006, differ from the HL7 data types and vocabularies which are not based on these standards.

Many of the mappings use one of a few common patterns for mapping between the SCS and the CDA document. These common mapping patterns are described in [8 Common Patterns](#).

An example of a mapping section of this guide is illustrated below:

x.x ITEM NAME

Identification (normative)

Name	ITEM NAME
Metadata type	Metadata type e.g. Section, Data Group or Data Element

Relationships (normative)

Children Not Included in Mapping for This Section

Data Type	Name	Obligation	Occurrence
Icon illustrating the Metadata or Data type.	<div>ITEM NAME</div> <div>This is a link to another section containing the mapping for this item. Item names in upper case indicate that the item is a section or data group. Item names in start case indicate that the item is a data element.</div>	Obligation of this child item to the item described on this page.	The number of instances of this child item that may occur.

Parent

Data Type	Name	Obligation	Occurrence
Icon illustrating the Metadata or Data type.	ITEM NAME This is a link to another section containing the mapping for this item. Item names in upper case indicate that the item is a section or data group. Item names in start case indicate that the item is a data element.	Obligation of the item described on this page to this parent item.	The number of instances of the child item within the parent that may occur.

CDA R-MIM Representation

The text contains an explanation of the mapping (this text is non-normative).

The model is a constrained representation of the R-MIM (this diagram is non-normative). The colours used in the CDA model align with the usage in the R-MIM. In many cases the cardinalities shown in the model will be less constrained than those shown in the mapping table.




Figure 2.1. Example - Header Part




Figure 2.2. Example - Body Part

CDA Mapping (normative)

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Element Type (Header, Body Level 2 etc.)			Context: Parent of elements below		
<p>The path in the SCS.</p> <p>Each section in this document corresponds to an SCS section or data group, and is scoped by that section or data group. The hierarchical path uses ">" as a separator for paths within the SCS data hierarchy.</p> <p>If there is a name in round brackets after the path, this is the name of the reused data group for the SCS component.</p> <p>The data component in bold text (the last in the path) is the data component for this row.</p> <p>i.e. Parent Data Component > Child Data Component</p>	<p>The definition of the item from the SCS.</p>	<p>The cardinality of the data element in the SCS.</p> <p>The cardinality of the data element in the SCS maps to the cardinality of the element in the CDA document.</p> <p>Where the cardinality of the SCS data element is more constrained than the cardinality of the CDA element then the SCS cardinality takes precedence. i.e. if an element is mandatory in the SCS and optional in CDA then it will also become mandatory in the CDA document.</p> <p>If an item with a maximum cardinality > 1 maps to an xml attribute, the attribute will contain multiple values separated by spaces. No such item will have valid values that themselves contain spaces.</p>	<p>The schema element(s) in the CDA document that correspond(s) to the SCS data component.</p> <p>The syntax for this is similar to XPath:</p> <pre>{/name{[index]}}n{<pattern>}</pre> <p>Where:</p> <ul style="list-style-type: none"> { } indicates optional {n} means a section that may repeat <pattern> contains a link to a common pattern [index] differentiates two similar mappings <p>Examples:</p> <ol style="list-style-type: none"> component/act/participation[inf_prov]/role/ <Address> participant <p>participant/@typeCode="ORG"</p> <p>participant/associatedEntity</p> <p>participant/associatedEntity/@classCode="SDLOC"</p> <p>participant/associatedEntity/code</p> <p>A sequence of names refers to the XML path in the CDA document. The path always starts from a defined context which is defined in the grey header row above each group of mapping rows. The last name is shown in bold to make the path easier to read. The last name may be a reference to an attribute or an element, as defined in the Australian CDA Schema. The cardinalities of the items map through from the SCS.</p> <p>It is possible to specify an index after the name, such as 'participation[inf_prov]' in Example 1. The presence of the index means there are two or more mappings to the same participation class that differ only in the inner details. The indexes show which of the multiple mappings is the parent of the inner detail. Note that each of the indexed participations may exist more than once (as specified by the SCS group cardinality). To determine the mapping for these kinds of elements, a document reader must look at the content inside the element.</p> <p>It is possible for one SCS data component to map to more than one CDA Schema element as in Example 2.</p> <p>Any fixed attribute values are represented as a separate line of the mapping such as those shown in Example 2.</p> <p>The path may end with a pattern designator, such as <Address>. This indicates that the mapping involves a number of sub-elements of the named element following the pattern as shown in the name (which is a link to the appropriate pattern in this document).</p>	<p>The name of the vocabulary.</p>	<p>Helpful additional information about the mapping.</p>

How to interpret the following example mapping:

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements			Context: ClinicalDocument		
Subject of Care	Identifies the person about whom the healthcare event/encounter/clinical interaction has been captured and/or interchanged, that led to the creation of the document. In other words, the subject of the information.	1..1	recordTarget/patientRole		
n/a	n/a	1..1	recordTarget/patientRole/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA element. If there are any entitlements for Subject of Care this value SHALL be the same as: ClinicalDocument/ component/ structuredBody/ component[admin_obs]/ section/ entry/ act/ participant/ participantRole/ id where participantRole/ id where participantRole/ @classCode = "PAT".
Subject of Care > Participant > Person	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare service, or is in some way related to, or a representative of, a subject of care (patient).	1..1	n/a		Not mapped directly, encompassed implicitly in recordTarget/ patientRole/ patient.
Subject of Care > Participant > Person > Person Name	The appellation by which an individual may be identified separately from any other within a social context.	1..*	recordTarget/patientRole/patient/<Person Name>		See common pattern: Person Name .

The Subject of Care (Patient) section is part of the context section of the SCS (as opposed to being part of the content section of the SCS). Although it is located in the context section of the SCS, it contains data components that map to the CDA body as well as data components that map to the CDA header. The information specifying the location of the elements is in the shaded context header row located above each group of mapping rows. The context remains the same until a new context header row starts.

The first row of the mapping (after the context header row), 'Subject of Care', is a CDA Header Element and has a context of 'ClinicalDocument' (the root element of a CDA document). Adding together the context and the mapping using '/' gives a full path of:

1. ClinicalDocument/recordTarget/patientRole

Due to the fact that 'Subject of Care' is part of the context section of the SCS (as opposed to a content element), information about it and its child elements can be located in the SCS document by finding the data component 'Subject of Care' in the table of contents under the context section and navigating to the relevant page.

If the data component were part of the content section of the SCS, information about it could be located by finding the data component (or its parent) in the table of contents under the content section of the SCS.

2. The next row in the mapping (n/a) is a row that is not defined in the SCS but which is required by CDA. The CDA schema data element is recordTarget/patientRole/id. This is a technical identifier that is used for system purposes such as matching the Entitlement details back to the Subject of Care (patient). This identifier must be a UUID.
3. The next row in the mapping table (Subject of Care > Participant > Person) is defined in the SCS but is not mapped directly to the CDA because it is already encompassed implicitly by CDA in recordTarget/patientRole/patient.

Moving to the next row in the table (Subject of Care > Participant > Person > **Person Name**) and concatenating the context and the mapping, we get:

4. ClinicalDocument/recordTarget/patientRole/patient/<Person Name>

<PersonName> holds a link to the common pattern section where a new table lays out the mapping for the Person Name common pattern.

Moving down the table to the context row '**CDA Body Level 3 Data Elements**', any data components after this row (until the occurrence of a new context row) map to the CDA body. Because there is no equivalent concept in CDA, an Australian CDA extension has been added in order to represent Entitlement. This extension is indicated by the presence of the 'ext:' prefix. For the data component 'Entitlement', adding together the context and the mapping using '/' gives the following paths for the CDA body level 3 data elements ([index] is dependent on context):

5. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/@typeCode="COVBY"
6. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement
7. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/@classCode="COV"
8. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/@moodCode="EVN"

9. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:participant/@typeCode="BEN"

10. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:participant/**ext:participantRole/@classCode="PAT"**

11. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ext:id

This id is also a technical identifier and must hold the same value as the ClinicalDocument/recordTarget/patientRole/id mentioned above in comment 1.

The order of the SCS data components is not always the same as the order of the CDA elements. In addition, the CDA elements need to be in the order specified in the Australian CDA Schema.

The "id" element is not specified in the SCS and should be filled with a UUID. This element may be used to reference the act from other places in the CDA document.

The next row in the table (Subject of Care > Participant > Entitlement > Entitlement Number) maps to the id element:

12 ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/**ext:id**

The next row in the table (Subject of Care > Participant > Entitlement > Entitlement Type) maps to the code element:

13 ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/**ext:code**

The next row in the table (Subject of Care > Participant > Entitlement > Entitlement Validity Duration) maps to the effectiveTime element:

14. ClinicalDocument/component/structuredBody/component[index]/section/ext:coverage2/ext:entitlement/**ext:effectiveTime**

See comments in the example below.

Example 2.1. Mapping Interpretation

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->
<ClinicalDocument
  xmlns="urn:hl7-org:v3"
  xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/1.0"
...
>

...

<!-- Begin Subject of Care - Header Part -->
<recordTarget>
  <!-- 1 Corresponds to:
        '//recordTarget/patientRole'
    in the mapping. -->
  <patientRole>
    <!-- 2 Corresponds to:
        '//recordTarget/patientRole/id'
    -->
```

```

    in the mapping -->
<id root="04A103C4-7924-11DF-A383-FC69DFD72085"/>

...

<telecom value="tel:0499999999" use="H"/>
<!-- 3 -->
<patient>
  <!-- 4 Corresponds to:
    '//recordTarget/patientRole/patient/<Person Name>'
    in the mapping -->
  <name use="L">
    <prefix>Ms</prefix>
    <given>Sally</given>
    <family>Grant</family>
  </name>

  ...

</patient>
</patientRole>
</recordTarget>
<!-- End Subject of Care - Header Part -->

...

<!-- Begin CDA Body -->
<component>
  <structuredBody>

    <!-- Begin section -->
    <component>
      <section>

        ...

        <!-- Begin Subject of Care Entitlement -->
        <!-- 5 Corresponds to:
          '//ext:coverage2'
          in the mapping. -->
        <ext:coverage2 typeCode="COVBY">
          <!-- 6, 7, 8 Corresponds to:
            '//ext:coverage2/ext:entitlement',
            '//ext:coverage2/ext:entitlement/@classCode="COV"',
            '//ext:coverage2/ext:entitlement/@moodCode="EVN"'
            in the mapping -->
          <ext:Entitlement classCode="COV" moodCode="EVN">
            <!-- 12 Corresponds to:
              '//ext:coverage2/ext:entitlement/ext:id'
              in the mapping -->
            <ext:id root="1.2.36.174030967.0.5" extension="1234567892"
              assigningAuthorityName="Department of Human Services"/>
            <!-- 13 Corresponds to:
              '//ext:coverage2/ext:entitlement/ext:code'
              in the mapping -->
            <ext:code code="1"
              codeSystem="1.2.36.1.2001.1001.101.104.16047"
              codeSystemName="NCTIS Entitlement Type Values"
              displayName="Medicare Benefits">
              <!-- 14 Corresponds to:
                '//ext:coverage2/ext:entitlement/ext:effectiveTime'
                in the mapping -->
            <ext:effectiveTime>
              <low value="200701010101"/>
              <high value="202701010101"/>
            </ext:effectiveTime>
          </ext:Entitlement>
        </ext:coverage2>
      </section>
    </component>
  </structuredBody>
</component>

```

```
</ext:effectiveTime>
<!-- 9 Corresponds to:
      '//ext:coverage2/ext:entitlement/ext:participant/@typeCode="BEN" '
      in the mapping -->
<ext:participant typeCode="BEN">
  <!-- 10 Corresponds to:
        '//ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/@classCode="PAT" '
        in the mapping -->
    <ext:participantRole classCode="PAT">
      <!-- 11 Corresponds to:
            '//ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ext:id'
            in the mapping -->
      <!-- Same as recordTarget/patientRole/id -->
      <ext:id root="04A103C4-7924-11DF-A383-FC69DFD72085"/>
    </ext:participantRole>
  </ext:participant>
</ext:Entitlement>
</ext:coverage2>
<!-- End Entitlement -->

...

</section>
</component>
<!-- End section -->

</structuredBody>
</component>
<!-- End CDA Body -->
</ClinicalDocument>
```

2.3 CDA Extensions

The SCS is based on Australian requirements, either as expressed in existing Australian Standards, or based upon extensive consultation with major stakeholders. Not all of these requirements are supported by HL7 Clinical Document Architecture Release 2 (CDA).

CDA provides a mechanism for handling this. Implementation guides are allowed to define extensions, provided some key rules are followed:

- Extensions must have a namespace other than the standard HL7v3 namespace.
- The extension cannot alter the intent of the standard CDA document. For example, an extension cannot be used to indicate that an observation does not apply where the CDA document requires it.
- HL7 encourages users to get their requirements formalised in a subsequent version of the standard so as to maximise the use of shared semantics.

Accordingly, a number of extensions to CDA have been defined in this *Implementation Guide*. To maintain consistency, the same development paradigm has been used as CDA, and all the extensions have been submitted to HL7 for inclusion into a future release of CDA (Release 3 currently under development).

Version 3.0 of these extensions are incorporated in the namespace `<http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0>` as shown in the CDA example output throughout this document. Future versions of will be versioned as per the following example:

`<http://ns.electronichealth.net.au/Ci/Cda/Extensions/4.0>`

2.4 W3C XML Schema

This document refers to an accompanying Pharmaceutical Benefits Report CDA W3C XML Schema (referred to in this document as the PBR CDA Schema). This schema differs from the base HL7 CDA W3C XML Schema (referred to in this document as the HL7 CDA Schema) in two ways:

- CDA features that are not used in this implementation guide have been removed from the PBR CDA Schema; and
- Australian CDA extensions have been added to the PBR CDA Schema.

The modified PBR CDA Schema specifies the same document format with some components removed and Australian CDA extensions added.

CDA documents which include extensions will fail to validate against the HL7 CDA Schema – this is a known limitation.

Pharmaceutical Benefits Reports that conform to this specification **SHALL** validate against the PBR CDA Schema that accompanies this specification, and **SHALL** validate against the HL7 CDA Schema once the extensions have been removed. Note that merely passing schema validation does not ensure conformance; for more information, refer to [Conformance](#).

2.5 Schematron

Many of the rules this document makes about CDA documents cannot be captured in the W3C XML Schema language (XSD) as XSD does not provide a mechanism to state that the value or presence of one attribute is dependent on the values or presence of other attributes (co-occurrence constraints).

Schematron is a rule-based validation language for making assertions about the presence or absence of patterns in XML trees. The rules defined by this document may be captured as Schematron rules. As of this release, the matching Schematron assertions have not yet been developed: NEHTA is considering the distribution of these rules in association with future releases of this guide.

2.6 Implementation Strategies

There are many platform specific implementation options for readers pursuing the implementation of a CDA document according to this guide. Examples of these implementation options include:

- Read or write CDA documents directly using a Document Object Model (DOM) and/or 3rd Generation Language (3GL) code.
- Transform an existing XML format to and from a CDA document.
- Use a toolkit to generate a set of classes from HL7 CDA Schema or the PBR CDA Schema provided with this implementation guide, to read or write documents.
- Use existing libraries, possibly open source, which can read and write CDA documents.

The best approach for any given implementation is strongly dictated by existing architecture, technology and legacy constraints of the implementation project or existing system.

3 Pharmaceutical Benefits Report Data Hierarchy

The data hierarchy below provides a logical representation of the data structure of the PBR SCS data components.

The data hierarchy is a logical representation of the data components of a Pharmaceutical Benefits Report, and is not intended to represent how the data contents are represented in a CDA document.

	Pharmaceutical Benefits Report				
CONTEXT					
		SUBJECT OF CARE			1..1
		DOCUMENT AUTHOR			1..1
		DateTime Authored			1..1
CONTENT					
		Pharmaceutical Benefit Items (PHARMACEUTICAL BENEFIT ITEMS)			1..1
			Pharmaceutical Benefit Item (PHARMACEUTICAL BENEFIT ITEM)		1..*
				PBS/RPBS Item Code	1..1
				PBS/RPBS Manufacturer Code	0..1
				Brand (Pharmaceutical Item Brand)	1..1
				Item Generic Name (Pharmaceutical Item Generic Name)	1..1
				Item Form and Strength (Pharmaceutical Item Form and Strength)	1..1
				Date of Supply	1..1
				Date of Prescribing	1..1
				Quantity	1..1
				Number of Repeats	1..1

4 Administrative Observations

The PBR SCS contains a number of data elements that are logically part of the SCS context, but for which there are no equivalent data elements in the CDA header. These data elements are considered to be "Administrative Observations" about the encounter, the patient or some other participant. Administrative Observations is a CDA section that is created to hold these data components in preference to creating extensions for them.

CDA R-MIM Representation

Figure 4.1, “Administrative Observations” shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Administrative Observations section is composed of a Section class related to its context ClinicalDocument.structuredBody through a component relationship.




Figure 4.1. Administrative Observations

CDA Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody		
n/a	n/a	0..1	component/section/[admin_obs]/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.
		1..1	component/section/[admin_obs]/code		
			component/section/[admin_obs]/code/@code="102.16080"		
			component/section/[admin_obs]/code/@codeSystem="1.2.36.1.2001.1001.101"		
			component/section/[admin_obs]/code/@codeSystemName="NCTIS Data Components"		
			component/section/[admin_obs]/code/@displayName="Administrative Observations"		
			component[admin_obs]/section/title="Administrative Observations"		
			component[admin_obs]/section/text		See Appendix A, CDA Narratives

Example 4.1. Administrative Observations XML Fragment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

```
<ClinicalDocument
  xmlns="urn:hl7-org:v3"
  xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
...
>
  <!-- Begin CDA Header -->

  ...

  <!-- End CDA Header -->

  <!-- Begin CDA Body -->

  ...

  <component>
    <structuredBody>

      ...

      <!-- Begin Administrative Observations section -->
    <component><!-- [admin_obs] -->
      <section>
        <id root="88CDBCA4-EFD1-11DF-8DE4-E4CDDFD72085"/>
        <code code="102.16080"
          codeSystem="1.2.36.1.2001.1001.101"
          codeSystemName="NCTIS Data Components"
          displayName="Administrative Observations"/>
        <title>Administrative Observations</title>

        <!-- Narrative text for Administrative Observations -->
        <text/>

        ...

      </section>
    </component><!-- [admin_obs] -->
    <!-- End Administrative Observations section -->

    </structuredBody>
  </component>
  <!-- End CDA Header -->
</ClinicalDocument>
```

5 CDA Header

This chapter contains elements that are not specified in the PBR SCS specification. These elements include CDA specific header elements (both required and optional) and data elements described in the Endpoint Specification (EPS). The CDA header elements are specified in the CDA Schema Data Element column and where they map to Endpoint specification elements is indicated in the EPS Element column.

All the definitions in this chapter are sourced from "HL7 Clinical Document Architecture, Release 2" [\[HL7CDAR2\]](#).

5.1 ClinicalDocument

Identification

Name	ClinicalDocument
Definition	The ClinicalDocument class is the entry point into the CDA R-MIM, and corresponds to the <ClinicalDocument> XML element that is the root element of a CDA document.

Relationships

Children Not Included in Mapping for This Section

Name	Obligation	Occurrence
Custodian	Essential	1..1

CDA R-MIM Representation

Figure 5.1, "ClinicalDocument"




Figure 5.1. ClinicalDocument

CDA Mapping

CDA Schema Data Element	Definition	Card	Vocab	EPS Element	Comments
Context: /					
ClinicalDocument	The ClinicalDocument class is the entry point into the CDA R-MIM, and corresponds to the <ClinicalDocument> XML element that is the root element of a CDA document.	1..1			
ClinicalDocument/ typeld	A technology-neutral explicit reference to this CDA, Release Two specification.	1..1			
ClinicalDocument/typeld/@ extension ="POCD_HD000040"		1..1			The unique identifier for the CDA, Release Two Hierarchical Description.
ClinicalDocument/typeld/@ root ="2.16.840.1.113883.1.3"		1..1			The OID for HL7 Registered models.
ClinicalDocument/ templateId		1..*			One or more template identifiers that indicate constraints on the CDA document that this document conforms to. One of the identifiers must be the templateId that identifies this specification (see immediately below). Additional template identifiers may be required by other specifications, such as the CDA Rendering Specification. Systems are not required to recognise any other the template identifiers than the one below in order to understand the document as a [type] but these identifiers may influence how the document must be handled.
ClinicalDocument/templateId/@ root ="1.2.36.1.2001.1001.101.100.1002.142"		1..1		docType	The healthcare context-specific name of the published Pharmaceutical Benefits Report CDA Implementation Guide.
ClinicalDocument/templateId/@ extension ="1.1"		1..1			The identifier of the version that was used to create the document instance.
ClinicalDocument/ id	Represents the unique instance identifier of a clinical document.	1..1		docId	See common pattern: id .

CDA Schema Data Element	Definition	Card	Vocab	EPS Element	Comments
ClinicalDocument/code	The code specifying the particular kind of document (e.g. History and Physical, Discharge Summary, Progress Note).	1..1			See common pattern: code .
ClinicalDocument/code/@code="100.16650"					Information held by the Department of Human Services about pharmaceutical items prescribed and dispensed to an individual.
ClinicalDocument/code/@codeSystem="1.2.36.1.2001.1001.101"					
ClinicalDocument/code/@codeSystemName="NCTIS Data Components"					
ClinicalDocument/code/@displayName="Pharmaceutical Benefits Report"					
ClinicalDocument/effectiveTime	Signifies the document creation time, when the document first came into being. Where the CDA document is a transform from an original document in some other format, the ClinicalDocument.effectiveTime is the time the original document is created.	1..1		creationTime	See common pattern: time .
ClinicalDocument/confidentialityCode/@nullFlavor="NA"	Codes that identify how sensitive a piece of information is and/or that indicate how the information may be made available or disclosed.	1..1			
ClinicalDocument/languageCode		0..1	[RFC3066] – Tags for the Identification of Languages		<Language Code> – <COUNTRY CODE>
ClinicalDocument/ext:completionCode	The lifecycle status of a document.	1..1	NCTIS: Admin Codes - Document Status	docStatus	See Australian CDA extension: ClinicalDocument.completionCode

Example

Example 5.1. ClinicalDocument Body XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<ClinicalDocument xmlns="urn:hl7-org:v3"
  xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="CDA-SS-V1_0.xsd">
  <typeId extension="POCD_HD000040" root="2.16.840.1.113883.1.3"/>
  <templateId root="1.2.36.1.2001.1001.101.100.1002.142" extension="1.1"/>
  <id root="8BC3406A-B93F-11DE-8A2B-6A1C56D89593"/>
  <code code="100.16650"
    codeSystem="1.2.36.1.2001.1001.101"
    codeSystemName="NCTIS Data Components"
    displayName="Pharmaceutical Benefits Report"/>
  <effectiveTime value="200910201235+1000"/>
  <confidentialityCode nullFlavor="NA"/>
  <languageCode code="en-AU"/>
  <ext:completionCode code="F"
    codeSystem="1.2.36.1.2001.1001.101.104.20104"
    codeSystemName="NCTIS Document Status Values"
    displayName="Final"/>

  <!-- Begin CDA Header -->

  ...

  <!-- End CDA Header -->

  <!-- Begin CDA Body -->

  ...

  <!-- End CDA Body -->
</ClinicalDocument>
```

5.1.1 Custodian

Identification

Name	Custodian
Definition	Represents the organization that is in charge of maintaining the document. The custodian is the steward that is entrusted with the care of the document. Every CDA document has exactly one custodian.

Relationships

Parent

Name	Obligation	Occurrence
ClinicalDocument	Essential	1..1

CDA R-MIM Representation

Figure 5.2, “Custodian” shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The CUSTODIAN data group maps to the CDA Header element custodian. The custodian participation class represents the organization that is in charge of maintaining the document. The role is AssignedCustodian and is represented by the CustodianOrganization entity.




Figure 5.2. Custodian

CDA Mapping

CDA Schema Data Element	Definition	Card	Vocab	Comments
Context: ClinicalDocument				
custodian	Represents the organization that is in charge of maintaining the document. The custodian is the steward that is entrusted with the care of the document. Every CDA document has exactly one custodian.	1..1		
custodian/assignedCustodian	A custodian is a scoping organization in the role of an assigned custodian.	1..1		
custodian/assignedCustodian/representedCustodianOrganization	The steward organization (CustodianOrganization class) is an entity scoping the role of AssignedCustodian.	1..1		
custodian/assignedCustodian/representedCustodianOrganization/id	A unique identifier for the scoping entity (representedCustodianOrganization) in this role.	1..*	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.
custodian/assignedCustodian/representedCustodianOrganization/<Entity Identifier>	The entity identifier of the custodian organization.	0..*	The value of one Entity Identifier SHALL be a PAI-O.	See common pattern: Entity Identifier .
custodian/assignedCustodian/representedCustodianOrganization/name	The name of the steward organization.	0..1		
custodian/assignedCustodian/representedCustodianOrganization/<Electronic Communication Detail>	The telecom of the steward organization.	0..1		See common pattern: Electronic Communication Detail .
custodian/assignedCustodian/representedCustodianOrganization/<Address>	The address of the steward organization	0..1		See common pattern: Address .

Example

Example 5.2. Custodian Body XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<ClinicalDocument
  xmlns="urn:hl7-org:v3"
  xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
  ...
>

  ...

  <!-- Begin CDA Header -->

  ...

  <!-- Begin Custodian -->
  <custodian>
    <assignedCustodian>
      <representedCustodianOrganization>
        <id root="072EC7BC-78EC-11DF-B9AC-D524DFD72085"/>

        <!-- Organisation Name -->
        <name>Health Clinic</name>

        <!-- Electronic Communication Detail -->
        <telecom use="WP" value="tel:0712341234"/>

        <!-- Address -->
        <addr use="H">
          <streetAddressLine>99 Clinician Street</streetAddressLine>
          <city>Nehtaville</city>
          <state>QLD</state>
          <postalCode>5555</postalCode>
          <additionalLocator>32568931</additionalLocator>
        </addr>

        <!-- Entity Identifier -->
        <ext:asEntityIdentifier classCode="IDENT">
          <ext:id assigningAuthorityName="PAI-O" root="1.2.36.1.2001.1007.1.8003640000000010"/>
          <ext:assigningGeographicArea classCode="PLC">
            <ext:name>National Identifier</ext:name>
          </ext:assigningGeographicArea>
        </ext:asEntityIdentifier>
      </representedCustodianOrganization>
    </assignedCustodian>
  </custodian>
  <!-- End Custodian -->

  ...

  <!-- End CDA Header -->

  <!-- Begin CDA Body -->
  <component>
    <structuredBody>
```

```
...
    </structuredBody>
  </component>
<!-- End CDA Body -->
</ClinicalDocument>
```

6 Context Data Specification - CDA Mapping



6.1 Pharmaceutical Benefits Report

Identification

Name	PHARMACEUTICAL BENEFITS REPORT
Metadata Type	Structured Document
Identifier	SD-16650

Relationships

Children Not Included in Mapping for This Section (Context Data Components)

Data Type	Name	Obligation	Occurrence
	SUBJECT OF CARE	Essential	1..1
	DOCUMENT AUTHOR	Essential	1..1

CDA R-MIM Representation

Figure 6.1, “CDA Header Model for Pharmaceutical Benefits Report Context” shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.




Figure 6.1. CDA Header Model for Pharmaceutical Benefits Report Context

CDA Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements					
Pharmaceutical Benefits Report	Information held by the Department of Human Services about pharmaceutical items prescribed and dispensed to an individual.	1..1	ClinicalDocument/code		
			ClinicalDocument/code/@code="100.16650"		
			ClinicalDocument/code/@codeSystem="1.2.36.1.2001.1001.101"		
			ClinicalDocument/code/@codeSystemName="NCTIS Data Components"		
			ClinicalDocument/code/@displayName="Pharmaceutical Benefits Report"		
			ClinicalDocument/effectiveTime		Document creation time.
Pharmaceutical Benefits Report > Subject of Care	See: SUBJECT OF CARE				
Pharmaceutical Benefits Report > Document Author	See: DOCUMENT AUTHOR				
Pharmaceutical Benefits Report > Date-Time Authored	The date or date and time that authoring of the Pharmaceutical Benefits Report by the authoring healthcare provider is started or done.	1..1	ClinicalDocument/author/time/@value		See < time > for available attributes.

For CDA Header mappings and model which are not explicitly included in the SCS, see [ClinicalDocument](#).

Example 6.1. Pharmaceutical Benefits Report Context XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<ClinicalDocument xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="CDA-eDS-V3_0.xsd"
  xmlns="urn:hl7-org:v3"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0">

  ...

  <code code="100.16650"
    codeSystem="1.2.36.1.2001.1001.101"
    codeSystemName="NCTIS Data Components"
    displayName="Pharmaceutical Benefits Report"/>
  <effectiveTime value="200910201235+1000"/>
  >

    ...

    <!-- Begin CDA Header -->

    ...

    <!-- Begin Author -->
    <author>

      <!-- DateTime Authored -->
      <time value="200910201235+1000"/>

    </author>
    <!-- End Author -->

    ...

    <!-- Begin Authenticator -->

    <!-- End Authenticator -->

    ...

    <!-- End CDA Header -->

    <!-- Begin CDA Body -->

    ...

    <!-- End CDA Body -->
  </ClinicalDocument>
```


6.1.1 DOCUMENT AUTHOR

Identification

Name	DOCUMENT AUTHOR
Metadata Type	Data Group
Identifier	DG-10296

Relationships

Parent

Data Type	Name	Obligation	Occurrence
	Pharmaceutical Benefits Report	Essential	1..1

CDA R-MIM Representation

Figure 6.2, “Document Author” shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The DOCUMENT AUTHOR data group is related to its context of ClinicalDocument by the author participation class. An author is a device in the role of assignedAuthor (AssignedAuthor class). The entity playing the role is assignedAuthorChoice (AuthoringDevice class). The entity identifier of the participant is mapped to the EntityIdentifier class (Australian CDA extension) and is associated to the assignedAuthorChoice.




Figure 6.2. Document Author

CDA Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements			Context: ClinicalDocument		
Document Author	The system that composed the Pharmaceutical Benefits Report.	1..1	author		
Document Author > Participation Type	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	1..1	n/a	Participation Type SHALL have an implementation-specific fixed value equivalent to "Document Author".	Not mapped directly, encompassed implicitly in author/typeCode="AUT" (optional, fixed value).
Document Author > Role	The involvement or role of the participant in the related action from a healthcare perspective rather than the specific participation perspective.	1..1	author/assignedAuthor/code	Role SHALL have an implementation-specific fixed value equivalent to "Not Applicable"	n/a
n/a	n/a	1..1	author/assignedAuthor/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA element.
Document Author > Participant	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	1..1	author/assignedAuthor/assignedAuthoringDevice		
Document Author > Participant > Entity Identifier	A number or code issued for the purpose of identifying a participant within a healthcare context.	1..*	author/assignedAuthor/assignedAuthoringDevice/<Entity Identifier>	The value of one Entity Identifier SHALL be a PAI-D	See common pattern: Entity Identifier .
Document Author > Participant > Person or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	1..1	n/a	PERSON OR ORGANISATION OR DEVICE SHALL be instantiated as a DEVICE.	This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
Document Author > Participant > Person or Organisation or Device > Device	Describes a device or software module of interest to, or involved in, the business of healthcare service provision.	1..1	n/a		Not mapped directly, encompassed implicitly in author/assignedAuthor/assignedAuthoringDevice.

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Document Author > Participant > Person or Organisation or Device > Device > Device Name	The full name of the device.	1..1	author/assignedAuthor/assignedAuthoringDevice/ softwareName		

Example 6.2. Document Author XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<ClinicalDocument
  xmlns="urn:hl7-org:v3"
  xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
  ...
>

  ...

  <!-- Begin Document Author -->
  <author>

    <!-- DateTime Authored -->
    <time value="201110201235+1000" />

    <assignedAuthor>

      <!-- The author code is not applicable -->
      <code nullFlavor='NA' />

      <!-- ID is used for system purposes such as matching -->
      <id root="7FCB0EC4-0CD0-11E0-9DFC-8F50D8572085" />

      <!-- Participant -->
      <assignedAuthoringDevice>

        <!-- Device Name -->
        <softwareName>Software Name</softwareName>

        <!-- Entity Identifier -->
        <ext:asEntityIdentifier classCode="IDENT">
          <ext:id assigningAuthorityName="PAI-D" root="1.2.36.1.2001.1007.20.8003640003000018" />
        </ext:asEntityIdentifier>

      </assignedAuthoringDevice>

    </assignedAuthor>
  </author>
  <!-- End Document Author -->

  ...

  <component>
    <structuredBody>

      ...

    </structuredBody>
  </component>
</ClinicalDocument>
```


6.1.2 SUBJECT OF CARE

Identification

Name	SUBJECT OF CARE
Metadata Type	Data Group
Identifier	DG-10296

Relationships

Parent

Data Type	Name	Obligation	Occurrence
	Pharmaceutical Benefits Report	Essential	1..1

CDA R-MIM Representation

Figure 6.3, “Subject of Care - Header Data Elements” and Figure 6.4, “Subject of Care - Body Data Elements” show a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to both CDA Header and CDA Body elements.

The SUBJECT OF CARE data group maps mostly to CDA Header elements. The recordTarget participation class represents the medical record to which this document belongs. The recordTarget is associated to the Patient class by the PatientRole class. In order to represent the Date of Death of the Subject of Care, Patient.deceasedTime has been added as an Australian CDA extension.




Figure 6.3. Subject of Care - Header Data Elements



Note

Several data elements contained in the SUBJECT OF CARE data group could not be mapped to CDA Header elements. These data elements – have been mapped to Observations in the Administrative Observations section (see [4 Administrative Observations](#)).




Figure 6.4. Subject of Care - Body Data Elements

CDA Mapping



Note

NS = In the absence of national standard code sets, the code sets used **SHALL** be registered code sets, i.e. registered through the [HL7 code set registration procedure](#)¹ with an appropriate object identifier (OID), and **SHALL** be publicly available.

When national standard code sets become available, they **SHALL** be used and the non-standard code sets **SHALL** be deprecated.

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements			Context: ClinicalDocument		
Subject of Care	Identifies the person about whom the healthcare event/encounter/clinical interaction has been captured and/or interchanged, that led to the creation of the document. In other words, the subject of the information.	1..1	recordTarget/patientRole		
n/a	n/a	1..1	recordTarget/patientRole/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	Required CDA element. If there are any entitlements for Subject of Care this value MUST be the same as: ClinicalDocument/ component/ structuredBody/ component[admin_obs]/ section/ entry/ act/ participant/ participantRole/ id where participantRole/ @classCode = "PAT".
Subject of Care > Participation Type	The categorisation of the nature of the participant's involvement in the healthcare event described by this participation.	1..1	n/a	Participation Type SHALL have an implementation-specific fixed value equivalent to "Subject of Care".	Not mapped directly, encompassed implicitly in recordTarget/ typeCode = "RCT" (optional, fixed value).

¹ <http://www.hl7.org/oid/index.cfm?ref=footer>

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Role	The involvement or role of the participant in the related action from a healthcare perspective rather than the specific participation perspective.	1..1	n/a	Role SHALL have an implementation-specific fixed value equivalent to "Patient".	Not mapped directly, encompassed implicitly in recordTarget/patientRole/classCode = "PAT" .
Subject of Care > Participant	Details pertinent to the identification of an individual or organisation or device that has participated in a healthcare event/encounter/clinical interaction.	1..1	recordTarget/patientRole/ patient		
Subject of Care > Participant > Entity Identifier	A number or code issued for the purpose of identifying a participant within a healthcare context.	1..*	recordTarget/patientRole/patient/Entity Identifier	The value of one Entity Identifier SHALL be an Australian IHI.	See common pattern: Entity Identifier . The Subject of Care's Medicare card number is recorded in Entitlement, not Entity Identifier.
Subject of Care > Participant > Address	The description of a location where an entity is located or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	0..*	recordTarget/patientRole/Address		See common pattern: Address .
Subject of Care > Participant > Electronic Communication Detail	The electronic communication details of entities.	0..*	recordTarget/patientRole/Electronic Communication Detail		See common pattern: Electronic Communication Detail .
Subject of Care > Participant > Person or Organisation or Device	Represents a choice to be made at run-time between PERSON, ORGANISATION and DEVICE.	1..1	n/a	PERSON OR ORGANISATION OR DEVICE SHALL be instantiated as a PERSON.	This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
Subject of Care > Participant > Person or Organisation or Device > Person	An individual who is in the role of healthcare provider, who uses or is a potential user of a healthcare service, or is in some way related to, or a representative of, a subject of care (patient).	1..1	n/a		Not mapped directly, encompassed implicitly in recordTarget/patientRole/ patient.
Subject of Care > Participant > Person or Organisation or Device > Person > Person Name	The appellation by which an individual may be identified separately from any other within a social context.	1..*	recordTarget/patientRole/patient/Person Name		See common pattern: Person Name .
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data	Additional characteristics of a person that may be useful for identification or other clinical purposes.	1..1	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Sex	The biological distinction between male and female. Where there is inconsistency between anatomical and chromosomal characteristics, sex is based on anatomical characteristics.	1..1	recordTarget/patientRole/patient/ administrativeGenderCode	AS 5017-2006 Health Care Client Identifier Sex	
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail	Details of the accuracy, origin and value of a person's date of birth.	1..1	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > Date of Birth	The date of birth of the person.	1..1	recordTarget/patientRole/patient/ birthTime		See <time> for available attributes.
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component[admin_obs]/section (See 4 Administrative Observations)		
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > Date of Birth is Calculated From Age	Indicates whether or not a person's date of birth has been derived from the value in the Age data element.	0..1	entry[calc_age]		
			entry[calc_age]/ observation		
			entry[calc_age]/observation/ @classCode="OBS"		
			entry[calc_age]/observation/ @moodCode="EVN"		
			entry[calc_age]/observation/ code		
			entry[calc_age]/observation/code/ @code="103.16233"		
			entry[calc_age]/observation/code/ @codeSystem="1.2.36.1.2001.1001.101"		
			entry[calc_age]/observation/code/ @codeSystemName="NCTIS Data Components"		
			entry[calc_age]/observation/code/ @displayName="Date of Birth is Calculated From Age"		
			entry[calc_age]/observation/ id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.
			entry[calc_age]/observation/ value:BL		If the date of birth has been calculated from age this is true, otherwise it is false.

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > Date of Birth Accuracy Indicator	The level of certainty or estimation of a person's date of birth.	0..1	entry[dob_acc]		
			entry[dob_acc]/observation		
			entry[dob_acc]/observation/@classCode="OBS"		
			entry[dob_acc]/observation/@moodCode="EVN"		
			entry[dob_acc]/observation/code		
			entry[dob_acc]/observation/code/@code="102.16234"		
			entry[dob_acc]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[dob_acc]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[dob_acc]/observation/code/@displayName="Date of Birth Accuracy Indicator"		
			entry[dob_acc]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.
			entry[dob_acc]/observation/value:CS	AS 5017-2006 Health Care Client Identifier Date Accuracy Indicator	
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > Date of Birth Accuracy Indicator > Date of Birth Day Accuracy Indicator	The accuracy of the day component of a person's date of birth.	1..1	n/a		Encompassed in the mapping for Date of Birth Accuracy Indicator (above).
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > Date of Birth Accuracy Indicator > Date of Birth Month Accuracy Indicator	The accuracy of the month component of a person's date of birth.	1..1	n/a		Encompassed in the mapping for Date of Birth Accuracy Indicator (above).
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Birth Detail > Date of Birth Accuracy Indicator > Date of Birth Year Accuracy Indicator	The accuracy of the year component of a person's date of birth.	1..1	n/a		Encompassed in the mapping for Date of Birth Accuracy Indicator (above).

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Age Detail	Details of the accuracy and value of a person's age.	0..1	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Age Detail > Age	The age of a person/subject of care at the time.	1..1	entry[age]		
			entry[age]/ observation		
			entry[age]/observation/@classCode="OBS"		
			entry[age]/observation/@moodCode="EVN"		
			entry[age]/observation/code		
			entry[age]/observation/code/@code="103.20109"		
			entry[age]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[age]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[age]/observation/code/@displayName="Age"		
			entry[age]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.
			entry[age]/observation/value:PQ		

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Age Detail > Age Accuracy Indicator	The accuracy of a person's age.	0..1	entry[age_acc]		
			entry[age_acc]/observation		
			entry[age_acc]/observation/@classCode="OBS"		
			entry[age_acc]/observation/@moodCode="EVN"		
			entry[age_acc]/observation/code		
			entry[age_acc]/observation/code/@code="103.16279"		
			entry[age_acc]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[age_acc]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[age_acc]/observation/code/@displayName="Age Accuracy Indicator"		
			entry[age_acc]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.
			entry[age_acc]/observation/value:BL		If the age is considered to be accurate this is true, otherwise it is false.

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Birth Plurality	An indicator of multiple birth, showing the total number of births resulting from a single pregnancy.	0..1	entry[brth_plr]		
			entry[brth_plr]/observation		
			entry[brth_plr]/observation/@classCode="OBS"		
			entry[brth_plr]/observation/@moodCode="EVN"		
			entry[brth_plr]/observation/code		
			entry[brth_plr]/observation/code/@code="103.16249"		
			entry[brth_plr]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[brth_plr]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[brth_plr]/observation/code/@displayName="Birth Plurality"		
			entry[brth_plr]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.
			entry[brth_plr]/observation/value:INT		
CDA Header Data Elements Context: ClinicalDocument					
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Birth Order	The sequential order of each baby of a multiple birth regardless of live or still birth.	0..1	recordTarget/patientRole/patient/ext:multipleBirthInd		See Australian CDA extension: Multiple Birth .
			recordTarget/patientRole/patient/ext:multipleBirthOrderNumber		
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail	Details of the accuracy and value of a person's date of death.	0..1	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death	The date or date and time at which a person was estimated or certified to have died.	1..1	recordTarget/patientRole/patient/ext:deceasedInd		See Australian CDA extension: Deceased Time .
			recordTarget/patientRole/patient/ext:deceasedTime		See <time> for available attributes.
CDA Body Level 3 Data Elements Context: ClinicalDocument/component/structuredBody/component[admin_obs]/section (See 4 Administrative Observations)					

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accuracy Indicator	The level of certainty or estimation of a person's date of death.	0..1	entry[dod_acc]		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
			entry[dod_acc]/observation		
			entry[dod_acc]/observation/@classCode="OBS"		
			entry[dod_acc]/observation/@moodCode="EVN"		
			entry[dod_acc]/observation/code		
			entry[dod_acc]/observation/code/@code="102.16252"		
			entry[dod_acc]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[dod_acc]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[dod_acc]/observation/code/@displayName="Date of Death Accuracy Indicator"		
			entry[dod_acc]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.
			entry[doc_acc]/observation/value:CS	AS 5017-2006 Health Care Client Identifier Date Accuracy Indicator	
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accuracy Indicator > Date of Death Day Accuracy Indicator	The accuracy of the day component of a person's date of death.	1..1	n/a		Encompassed in the mapping for Date of Death Accuracy Indicator (above).
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accuracy Indicator > Date of Death Month Accuracy Indicator	The accuracy of the month component of a person's date of death.	1..1	n/a		Encompassed in the mapping for Date of Death Accuracy Indicator (above).

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Date of Death Detail > Date of Death Accuracy Indicator > Date of Death Year Accuracy Indicator	The accuracy of the year component of a person's date of death.	1..1	n/a		Encompassed in the mapping for Date of Death Accuracy Indicator (above).
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Source of Death Notification	The person, location, organisation or other originator of information relating to the date of death.	0..1	entry[src_notif]		
			entry[src_notif]/ observation		
			entry[src_notif]/observation/@classCode="OBS"		
			entry[src_notif]/observation/@moodCode="EVN"		
			entry[src_notif]/observation/code		
			entry[src_notif]/observation/code/@code="103.10243"		
			entry[src_notif]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[src_notif]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[src_notif]/observation/code/@displayName="Source of Death Notification"		
			entry[src_notif]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.
			entry[src_notif]/observation/value:CD	AS 5017-2006: Health Care Client Source of Death Notification	See <code> for available attributes.

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Mother's Original Family Name	The original family name of the person's mother.	0..1	entry[mothers_name]		
			entry[mothers_name]/observation		
			entry[mothers_name]/observation/@classCode="OBS"		
			entry[mothers_name]/observation/@moodCode="EVN"		
			entry[mothers_name]/observation/code		
			entry[mothers_name]/observation/code/@code="103.10245"		
			entry[mothers_name]/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry[mothers_name]/observation/code/@codeSystemName="NCTIS Data Components"		
			entry[mothers_name]/observation/code/@displayName="Mother's Original Family Name"		
			entry[mothers_name]/observation/id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	See <id> for available attributes.
			entry[mothers_name]/observation/value:PN		
CDA Header Data Elements					
Context: ClinicalDocument					
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Country of Birth	The country in which the person was born.	0..1	recordTarget/patientRole/patient/birthplace/place/addr/country	Australia Bureau of Statistics, Standard Australian Classification of Countries (SACC) Cat. No. 1269 [ABS2008]	Use the name, not the numbered code.
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > State/Territory of Birth	The identifier of the Australian state or territory where a person is born.	0..1	recordTarget/patientRole/patient/birthplace/place/addr/state	AS 5017-2006 Australian State/Territory Identifier - Postal	
Subject of Care > Participant > Person or Organisation or Device > Person > Demographic Data > Indigenous Status	Indigenous Status is a measure of whether a person identifies as being of Aboriginal or Torres Strait Islander origin.	0..1	recordTarget/patientRole/patient/ethnicGroupCode	METeOR 291036: Indigenous Status	
CDA Body Level 3 Data Elements					
Context: ClinicalDocument/component/structuredBody/component[admin_obs]/section					

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Subject of Care > Participant > Entitlement	The entitlement or right of a participant to act in a given capacity (as defined by Entitlement Type) within a healthcare context.	0..*	ext:coverage2/@typeCode="COVBY"		See Australian CDA extension: Entitlement .
			ext:coverage2/ext:entitlement		
			ext:coverage2/ext:entitlement/@classCode="COV"		
			ext:coverage2/ext:entitlement/@moodCode="EVN"		
			ext:coverage2/ext:entitlement/ext:participant/@typeCode="BEN"		
			ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/@classCode="PAT"		
			ext:coverage2/ext:entitlement/ext:participant/ext:participantRole/ext:id	UUID This is a technical identifier that is used for system purposes such as matching. If a suitable internal key is not available, a UUID may be used.	SHALL hold the same value as ClinicalDocument/ recordTarget/ patientRole/ id.
Subject of Care > Participant > Entitlement > Entitlement Number	A number or code issued for the purpose of identifying the entitlement or right of a participant to act in a given capacity (as defined by Entitlement Type) within a healthcare context.	1..1	ext:coverage2/ext:entitlement/ext:id		
Subject of Care > Participant > Entitlement > Entitlement Type	The description of the scope of an entitlement.	1..1	ext:coverage2/ext:entitlement/ext:code	NCTIS: Admin Codes - Entitlement Type	See <code> for available attributes.
Subject of Care > Participant > Entitlement > Entitlement Validity Duration	The time interval for which an entitlement is valid.	0..1	ext:coverage2/ext:entitlement/ext:effectiveTime		See <time> for available attributes.

Example 6.3. Subject of Care XML Fragment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

```
<ClinicalDocument
  xmlns="urn:hl7-org:v3"
  xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
  ...
>

  ...

  <!-- Begin Patient - Header Part -->
  <recordTarget typeCode="RCT">
  <patientRole classCode="PAT">
  <!-- This system generated id is used for matching patient details such as Entitlement, Date of Birth Details and Age Details -->
  <id root="7AA0BAAC-0CD0-11E0-9516-4350DFD72085"/>

  <!-- Address -->
  <addr use="H">
    <streetAddressLine>1 Clinician Street</streetAddressLine>
    <city>Nehtaville</city>
    <state>QLD</state>
    <postalCode>5555</postalCode>
    <additionalLocator>32568931</additionalLocator>
    <country>Australia</country>
  </addr>

  <!-- Electronic Communication Detail -->
  <telecom use="H" value="tel:0499999999"/>

  <!-- Participant -->
  <patient>

    <!-- Person Name -->
    <name use="L">
      <prefix>Ms</prefix>
      <given>Sally</given>
      <family>Grant</family>
    </name>

    <!-- Sex -->
    <administrativeGenderCode code="F"
      codeSystem="2.16.840.1.113883.13.68"
      codeSystemName="AS 5017-2006 Health Care Client Identifier Sex"
      displayName="Female"/>

    <!-- Date of Birth -->
    <birthTime value="19480607"/>

    <!-- Indigenous Status -->
    <ethnicGroupCode code="4" codeSystem="2.16.840.1.113883.3.879.291036" codeSystemName="METeOR Indigenous Status"
      displayName="Neither Aboriginal nor Torres Strait Islander origin" />

    <!-- Multiple Birth Indicator -->
    <ext:multipleBirthInd value="true"/>
    <ext:multipleBirthOrderNumber value="2"/>

    <!-- Date of Death -->
    <ext:deceasedInd value="true"/>
    <ext:deceasedTime value="20101201"/>
```

```

<!-- Country of Birth/State/Territory of Birth -->
<birthplace>
  <place>
    <addr>
      <country>Australia</country>
      <state>QLD</state>
    </addr>
  </place>
</birthplace>

<!-- Entity Identifier -->
<ext:asEntityIdentifier classCode="IDENT">
  <ext:id assigningAuthorityName="IHI" root="1.2.36.1.2001.1003.0.8003601234512345"/>
  <ext:assigningGeographicArea classCode="PLC">
    <ext:name>National Identifier</ext:name>
  </ext:assigningGeographicArea>
</ext:asEntityIdentifier>
</patient>
</patientRole>
</recordTarget>
<!-- End Patient - Header Part -->

...

<!-- Begin CDA Body -->
<component>
  <structuredBody>

    ...

    <!-- Begin Section Administrative Observations -->
    <component><!-- [admin_obs] -->
      <section>
        <id root="88CDBCA4-EFD1-11DF-8DE4-E4CDDFD72085"/>
        <code code="102.16080"
          codeSystem="1.2.36.1.2001.1001.101"
          codeSystemName="NCTIS Data Components"
          displayName="Administrative Observations"/>

        <title>Administrative Observations</title>

        <!-- Narrative text -->
        <text>
          <table>
            <tbody>
              <tr>
                <th>Date of Birth is Calculated From Age</th>
                <td>True</td>
              </tr>
              <tr>
                <th>Date of Birth Accuracy Indicator</th>
                <td>AAA</td>
              </tr>
              <tr>
                <th>Age</th>
                <td>54</td>
              </tr>
              <tr>
                <th>Age Accuracy Indicator</th>
                <td>True</td>
              </tr>
              <tr>
                <th>Birth Plurality</th>
                <td>3</td>
              </tr>
            </tbody>
          </table>
        </text>
      </section>
    </component>
  </structuredBody>
</component>

```

```
</tr>

<tr>
  <th>Australian Medicare Number</th>
  <td>123456789</td>
</tr>
...

</tbody>
</table>
</text>

<!-- Begin Patient - Body -->
<!-- Begin Date of Birth is Calculated From Age -->
<entry><!-- [calc_age] -->
  <observation classCode="OBS" moodCode="EVN">
    <id root="DA10C13E-EFD0-11DF-91AF-B5CCDFD72085"/>
    <code code="103.16233"
      codeSystem="1.2.36.1.2001.1001.101"
      codeSystemName="NCTIS Data Components"
      displayName="Date of Birth is Calculated From Age"/>
    <value value="true" xsi:type="BL"/>
  </observation>
</entry><!-- [calc_age] -->
<!-- End Date of Birth is Calculated From Age -->

<!-- Begin Date of Birth Accuracy Indicator-->
<entry><!-- [dob_acc] -->
  <observation classCode="OBS" moodCode="EVN">
    <id root="D253216C-EFD0-11DF-A686-ADCCDFD72085"/>
    <code code="102.16234"
      codeSystem="1.2.36.1.2001.1001.101"
      codeSystemName="NCTIS Data Components"
      displayName="Date of Birth Accuracy Indicator"/>
    <value code="AAA" xsi:type="CS"/>
  </observation>
</entry><!-- [dob_acc] -->
<!-- End Date of Birth Accuracy Indicator-->

<!-- Begin Age -->
<entry><!-- [age] -->
  <observation classCode="OBS" moodCode="EVN">
    <id root="CCF0D55C-EFD0-11DF-BEA2-A6CCDFD72085"/>
    <code code="103.20109"
      codeSystem="1.2.36.1.2001.1001.101"
      codeSystemName="NCTIS Data Components"
      displayName="Age"/>
    <value value="54" unit="a" xsi:type="PQ"/>
  </observation>
</entry><!-- [age] -->
<!-- End Age -->

<!-- Age Accuracy Indicator -->
<entry><!-- [age_acc] -->
  <observation classCode="OBS" moodCode="EVN">
    <id root="C629C9F4-EFD0-11DF-AA9E-96CCDFD72085"/>
    <code code="103.16279"
      codeSystem="1.2.36.1.2001.1001.101"
      codeSystemName="NCTIS Data Components"
      displayName="Age Accuracy Indicator"/>
    <value value="true" xsi:type="BL"/>
  </observation>
</entry><!-- [age_acc] -->

<!-- Birth Plurality -->
```

```

<entry><!-- [birth_plr] -->
<observation classCode="OBS" moodCode="EVN">
  <id root="C1EE2646-EFD0-11DF-8D9C-95CCDFD72085" />
  <code code="103.16249"
    codeSystem="1.2.36.1.2001.1001.101"
    codeSystemName="NCTIS Data Components"
    displayName="Birth Plurality" />
  <value value="3" xsi:type="INT" />
</observation>
</entry><!-- [birth_plr] -->

<!-- Begin Date of Death Accuracy Indicator-->
<entry><!-- [dod_acc] -->
<observation classCode="OBS" moodCode="EVN">

  <!-- ID is used for system purposes such as matching -->
  <id root="D253216C-EFD0-11DF-A686-ADCCDFD72085" />
  <code code="102.16252"
    codeSystem="1.2.36.1.2001.1001.101"
    codeSystemName="NCTIS Data Components"
    displayName="Date of Death Accuracy Indicator" />
  <value code="AAA" xsi:type="CS" />
</observation>
</entry><!-- [dod_acc] -->
<!-- End Date of Death Accuracy Indicator-->

<!-- Begin Source of Death Notification-->
<entry>
<!-- [src_notif] -->
<observation classCode="OBS" moodCode="EVN">

  <!-- ID is used for system purposes such as matching -->
  <id root="C749A146-2789-11E1-90AC-74064824019B" />
  <code code="103.10243" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
    displayName="Source of Death Notification" />
  <value code="R" codeSystem="2.16.840.1.113883.13.64"
    codeSystemName="AS 5017-2006 Health Care Client Source of Death Notification" displayName="Relative"
    xsi:type="CD" />
</observation>
</entry>
<!-- [src_notif] -->
<!-- End Source of Death Notification-->

<!-- Begin Mother's Original Family Name -->
<entry>
<!-- [mothers_name] -->
<observation classCode="OBS" moodCode="EVN">

  <!-- ID is used for system purposes such as matching -->
  <id root="E432CD48-278C-11E1-BD41-0F0A4824019B" />
  <code code="103.10245" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
    displayName="Mother's Original Family Name" />
  <value xsi:type="PN">
    <family>Smith</family>
  </value>
</observation>
</entry>
<!-- [mothers_name] -->
<!-- End Mother's Original Family Name -->

<!-- Begin Entitlement -->
<ext:coverage2 typeCode="COVBY">
  <ext:entitlement classCode="COV" moodCode="EVN">
    <ext:id root="1.2.36.174030967.0.5" extension="1234567892" assigningAuthorityName="Australian Medicare number" />
    <ext:code code="1" codeSystem="1.2.36.1.2001.1001.101.104.16047" codeSystemName="NCTIS Entitlement Type Values" displayName="Medicare Benefits"/>
  </ext:entitlement>
</ext:coverage2>

```

```
<ext:effectiveTime>
  <high value="20110101"/>
</ext:effectiveTime>
<ext:participant typeCode="BEN">
  <ext:participantRole classCode="PAT">
    <ext:id root="7AA0BAAC-0CD0-11E0-9516-4350DFD72085" />
  </ext:participantRole>
</ext:participant>
</ext:entitlement>
</ext:coverage2>
<!-- End Entitlement -->

<!-- End Patient - Body -->

...

</section>

</component>
<!-- End Section Administrative Observations -->

...

  </structuredBody>
</component>
<!-- End CDA Body -->
</ClinicalDocument>
```

7 Content Data Specification - CDA Mapping


7.1 Pharmaceutical Benefits Report

Identification

Name	PHARMACEUTICAL BENEFITS REPORT
Metadata Type	Structured Document
Identifier	SD-16650

Relationships

Children Not Included in Mapping for This Section (Content Data Components)

Data Type	Name	Obligation	Occurrence
	Pharmaceutical Benefit Item (PHARMACEUTICAL BENEFIT ITEMS)	Essential	1..1

CDA R-MIM Representation

Figure 7.1, “Pharmaceutical Benefits Report” shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Pharmaceutical Benefits Report is composed of a ClinicalDocument, which is the entry point into the CDA R-MIM. The ClinicalDocument is associated with the bodyChoice through the component relationship. The structuredBody class represents a CDA document body that is comprised of one or more document sections.




Figure 7.1. Pharmaceutical Benefits Report

CDA Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Header Data Elements					
Pharmaceutical Benefits Report	Information held by the Department of Human Services about pharmaceutical items prescribed and dispensed to an individual.	1..1	ClinicalDocument		
CDA Body Level 2 Data Elements					
Pharmaceutical Benefits Report (Body)	See above.	1..1	ClinicalDocument/component/structuredBody		

Example 7.1. Pharmaceutical Benefits Report Body XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<ClinicalDocument
  xmlns="urn:hl7-org:v3"
  xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
  ...
>

  ...

  <!-- Begin CDA Header -->

  ...

  <!-- End CDA Header -->

  <!-- Begin CDA Body -->
  <component>
    <structuredBody>

      ...

    </structuredBody>
  </component>
  <!-- End CDA Body -->
</ClinicalDocument>
```


7.1.1 PHARMACEUTICAL BENEFIT ITEMS

Identification


Name	PHARMACEUTICAL BENEFIT ITEMS
Metadata Type	Section
Identifier	S-16649

Relationships

Parent

Data Type	Name	Obligation	Occurrence
	Pharmaceutical Benefits Report	Essential	1..1


Children Not Included in Mapping for This Section (Content Data Components)

Data Type	Name	Obligation	Occurrence
	Pharmaceutical Benefit Item (PHARMACEUTICAL BENEFIT ITEM)	Essential	1..*

CDA R-MIM Representation

Figure 7.2, “Pharmaceutical Benefit Items” shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Header elements.

The Pharmaceutical Benefit Items section is mapped to a Section.



CDA Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 2 Data Elements			Context: ClinicalDocument/component/structuredBody		
Pharmaceutical Benefit Items	Information held by the Department of Human Services about pharmaceutical items prescribed and dispensed to an individual and which were partially or fully funded under the Pharmaceutical Benefit Schedule (PBS) or RPBS.	1..1	component/ section		
			component[meds]/section/ code		
			component[meds]/section/code/ @code="101.16649"		
			component[meds]/section/code/ @codeSystem="1.2.36.1.2001.1001.101"		
			component[meds]/section/code/ @codeSystemName="NCTIS Data Components"		
			component[meds]/section/code/ @displayName="Pharmaceutical Benefit Items"		
			component[meds]/section/ title="Pharmaceutical Benefit Items"		
			component[meds]/section/ text		See Appendix A, CDA Narratives
Pharmaceutical Benefit Items > Pharmaceutical Benefit Item	Information held by the Department of Human Services about pharmaceutical item prescribed and dispensed to an individual and which were partially or fully funded under the Pharmaceutical Benefit Schedule (PBS) or RPBS.	1..*	See: PHARMACEUTICAL BENEFIT ITEM		

Example 7.2. Pharmaceutical Benefit Items XML Fragment

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<ClinicalDocument
  xmlns="urn:hl7-org:v3"
  xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
  ...
>
  <!-- Begin CDA Header -->

  ...

  <!-- End CDA Header -->

  <!-- Begin CDA Body -->
  <component>
    <structuredBody>

      ...

      <!-- Begin Pharmaceutical Benefit Items -->
      <component>
        <section>
          <code code="101.16649" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
            displayName="Pharmaceutical Benefit Items" />
          <title>Pharmaceutical Benefit Items</title>
          <text>Pharmaceutical Benefit Items narrative goes here.</text>

          ...

        </section>
      </component>
      <!-- End Pharmaceutical Benefit Items -->

      ...

    </structuredBody>
  </component>
  <!-- End CDA Body -->
</ClinicalDocument>
```


7.1.1.1 PHARMACEUTICAL BENEFIT ITEM

Identification

Name	PHARMACEUTICAL BENEFIT ITEM
Metadata Type	Data Group
Identifier	DG-16674

Relationships

Parent

Data Type	Name	Obligation	Occurrence
	Pharmaceutical Benefit Items (PHARMACEUTICAL BENEFIT ITEMS)	Essential	1..*

CDA R-MIM Representation

Figure 7.3, “Pharmaceutical Benefit Item” shows a subset of the CDA R-MIM containing those classes being referred to in the CDA Mapping. This data component maps to CDA Body elements.

The Pharmaceutical Benefit Item data group is described by a Supply which is related to the containing section by an entry. A component observation is used for Item Form and Strength while Date of Prescribing is represented in the effectiveTime of a substanceAdministration entry relationship.




Figure 7.3. Pharmaceutical Benefit Item

CDA Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Body Level 3 Data Elements			Context: ClinicalDocument/component/structuredBody/component/section		
Pharmaceutical Benefit Item	Information held by the Department of Human Services about a pharmaceutical item prescribed and dispensed to an individual and which was partially or fully funded under the Pharmaceutical Benefit Schedule (PBS) or RPBS.	1..*	entry entry/@typeCode="DRIV" entry/supply entry/supply/@classCode="SPLY" entry/supply/@moodCode="EVN" entry/supply/code entry/supply/code/@code="102.16674" entry/supply/code/@codeSystem="1.2.36.1.2001.1001.101" entry/supply/code/@codeSystemName="NCTIS Data Components" entry/supply/code/@displayName="Pharmaceutical Benefit Item"		
Pharmaceutical Benefit Item > PBS/RPBS Item Code	Administrative code and short description of the pharmaceutical item supplied.	1..1	entry/supply/product entry/supply/product/@typeCode="PRD" entry/supply/product/manufacturedProduct entry/supply/product/manufacturedProduct/@classCode="MANU" entry/supply/product/manufacturedProduct/manufacturedMaterial entry/supply/product/manufacturedProduct/manufacturedMaterial/code entry/supply/product/manufacturedProduct/manufacturedMaterial/code/@codeSystem="1.2.36.1.2001.1005.22" entry/supply/product/manufacturedProduct/manufacturedMaterial/code/@codeSystemName="Australian PBS Code" entry/supply/product/manufacturedProduct/manufacturedMaterial/code/@code	PBS/RPBS Item Code Values	
Pharmaceutical Benefit Item > PBS/RPBS Manufacturer Code	PBS assigned administrative code identifying the manufacturer of the pharmaceutical item supplied.	0..1	entry/supply/product/manufacturedProduct/manufacturerOrganization entry/supply/product/manufacturedProduct/manufacturerOrganization/id entry/supply/product/manufacturedProduct/manufacturerOrganization/id/@root="1.2.36.1.2001.1005.23" entry/supply/product/manufacturedProduct/manufacturerOrganization/id/@extension	PBS/RPBS Manufacturer Code Values	
Pharmaceutical Benefit Item > Brand	The brand of the pharmaceutical item supplied.	1..1	entry/supply/product/manufacturedProduct/manufacturedMaterial/name		
Pharmaceutical Benefit Item > Item Generic Name	The generic name of the item supplied.	1..1	entry/supply/product/manufacturedProduct/manufacturedMaterial/code/@displayName		

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Pharmaceutical Benefit Item > Item Form and Strength	The form and strength of the item supplied.	1..1	entry/supply/entryRelationship		
			entry/supply/entryRelationship/@typeCode="SUBJ"		
			entry/supply/entryRelationship/observation		
			entry/supply/entryRelationship/observation/@classCode="OBS"		
			entry/supply/entryRelationship/observation/@moodCode="EVN"		
			entry/supply/entryRelationship/observation/code		
			entry/supply/entryRelationship/observation/code/@code="103.16677"		
			entry/supply/entryRelationship/observation/code/@codeSystem="1.2.36.1.2001.1001.101"		
			entry/supply/entryRelationship/observation/code/@codeSystemName="NCTIS Data Components"		
			entry/supply/entryRelationship/observation/code/@displayName="Item Form and Strength"		
			entry/supply/entryRelationship/observation/value:ST		
Pharmaceutical Benefit Item > Date of Supply	The recorded date the pharmaceutical item was supplied.	1..1	entry/supply/effectiveTime		See <time> for available attributes.
Pharmaceutical Benefit Item > Date of Prescribing	The date the pharmaceutical item was prescribed.	1..1	entry/supply/entryRelationship		
			entry/supply/entryRelationship/typeCode="REFR"		
			entry/supply/entryRelationship/substanceAdministration		
			entry/supply/entryRelationship/substanceAdministration/@classcode="SBADM"		
			entry/supply/entryRelationship/substanceAdministration/@moodCode="RQO"		
			entry/supply/entryRelationship/substanceAdministration/effectiveTime		See <time> for available attributes.
			entry/supply/entryRelationship/substanceAdministration/consumable		Included for CDA conformance only.
			entry/supply/entryRelationship/substanceAdministration/consumable/manufacturedProduct		Included for CDA conformance only.
			entry/supply/entryRelationship/substanceAdministration/consumable/manufacturedProduct/manufacturedMaterial		Included for CDA conformance only. NB. This element will be empty.
Pharmaceutical Benefit Item > Quantity	The number of doses and/or physical amount of the therapeutic good.	1..1	entry/supply/quantity/@value		

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Pharmaceutical Benefit Item > Number of Repeats	The number of repeats of the prescription that have been authorised by the prescriber for a given medication.	1..1	entry/supply/entryRelationship/substanceAdministration/ repeatNumber		
			entry/supply/entryRelationship/substanceAdministration/repeatNumber/ high		
			entry/supply/entryRelationship/substanceAdministration/repeatNumber/high/ @value		

Example 7.3. Pharmaceutical Benefit Item XML Fragment

<!-- This example is provided for illustrative purposes only. It has had no clinical validation. While every effort has been taken to ensure that the examples are consistent with the message specification, where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

```
<ClinicalDocument
  xmlns="urn:hl7-org:v3"
  xmlns:ext="http://ns.electronichealth.net.au/Ci/Cda/Extensions/3.0"
  ...
  >
  <!-- Begin CDA Header -->
  ...
  <!-- End CDA Header -->
  <!-- Begin CDA Body -->
  <component>
    <structuredBody>
      ...
      <!-- Begin Pharmaceutical Benefit Items -->
      <component>
        <section>
          ...
          <!-- Begin Pharmaceutical Benefit Item -->
          <entry typeCode="DRIV">
            <supply classCode="SPLY" moodCode="EVN">
              <code code="102.16674" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
                displayName="Pharmaceutical Benefit Item" />
              <!-- Begin Date of Supply -->
              <effectiveTime value="201111151530+1000" />
              <!-- End Date of Supply -->
              <!-- Begin Quantity -->
              <quantity value="500" />
              <!-- End Quantity -->
              <!-- Begin PBS Item Code -->
              <product typeCode="PRD">
                <manufacturedProduct classCode="MANU">
                  <manufacturedMaterial>
                    <code code="2157M" codeSystem="1.2.36.1.2001.1005.22" codeSystemName="Australian PBS Code"
                      displayName="ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE" />
                    <!-- Begin Brand -->
                    <name>Mylanta P</name>
                    <!-- End Brand -->
                  </manufacturedMaterial>
                </product>
              <!-- Begin PBS Manufacturer Code -->
              <manufacturerOrganization>
                <id root="1.2.36.1.2001.1005.23" extension="JT" />
              </manufacturerOrganization>
              <!-- End PBS Manufacturer Code -->
            </manufacturedProduct>
          </entry>
        </section>
      </component>
    </structuredBody>
  </component>
</ClinicalDocument>
```

```
</product>
<!-- End PBS Item Code -->

<!-- Begin Item Form and Strength -->
<entryRelationship typeCode="SUBJ">
  <observation classCode="OBS" moodCode="EVN">
    <code code="103.16677" codeSystem="1.2.36.1.2001.1001.101" codeSystemName="NCTIS Data Components"
      displayName="Item Form and Strength" />
    <value xsi:type="ST">Oral suspension 200 mg-200 mg per 5 mL, 500 mL</value>
  </observation>
</entryRelationship>
<!-- End Item Form and Strength -->

<!-- Begin Date of Prescribing -->
<entryRelationship typeCode="REFR">
  <substanceAdministration classCode="SBADM" moodCode="RQO">
    <effectiveTime value="20111114" />

    <!-- Begin Number of Repeats -->
    <repeatNumber>
      <high value="5" />
    </repeatNumber>
    <!-- End Number of Repeats -->

    <!-- Included for CDA conformance. -->
    <consumable>
      <manufacturedProduct>
        <manufacturedMaterial />
      </manufacturedProduct>
    </consumable>

  </substanceAdministration>
</entryRelationship>
<!-- End Date of Prescribing -->

</supply>
</entry>
<!-- End Pharmaceutical Benefit Item -->

...

</structuredBody>
<component>
  <!-- End CDA Body -->
</ClinicalDocument>
```


8 Common Patterns

8.1 code

The `<code>` element pattern refines the kind of act being recorded. It is of data type CD CWE (Concept Descriptor, Coded With Extensibility). It may have:

- a null attribute (*nullFlavor*)
- *originalText*
- *code* and *codeSystem*
- *translation* (CD)
- any combination of the above.

A *displayName* is highly recommended.

Where used, the *code* attribute **SHALL** contain a code from the relevant vocabulary.

Where used, the *codeSystem* attribute **SHALL** contain the OID for the relevant vocabulary. Values for coding systems can be obtained from the HL7 OID registry accessible from the HL7 home web page at www.hl7.org¹.

Where used, the *displayName* attribute **SHALL** contain a human readable description of the code value.

The *codeSystemName* **MAY** be present, and, where used **SHALL** contain a human readable name for the coding system.

Where used, the *originalText* element **SHALL** be used to carry the full text associated with this code as selected, typed or seen by the author of this statement.

Codes can be obtained from a variety of sources. Additional vocabularies are also available from the HL7 Version 3 Vocabulary tables, available to HL7 members through the HL7 web site. In some cases, the vocabularies have been specified; in others, a particular code has been fixed or there is no vocabulary specified.

If a vocabulary is specified in this guide and no suitable code can be found the *originalText* element **SHALL** be used to carry the full text as selected, typed or seen by the author of this statement.

¹ <http://www.hl7.org>

If a vocabulary is specified in this guide and it is not possible to use this vocabulary, but an alternate vocabulary is in use, the *originalText* element **SHALL** be used to carry the full text as selected, typed or seen by the author of this statement. The *code* element **SHALL** be used to carry the relevant information from the alternate vocabulary and the alternate vocabulary shall be registered with HL7 and allocated an appropriate OID.

If an alternate vocabulary is in use and a translation into the specified code system is available, the *originalText* element **SHALL** be used to carry the full text as selected, typed or seen by the author of this statement. The *code* element **SHALL** be used to carry the relevant information from the alternate vocabulary and the alternate vocabulary must be registered with HL7 and allocated an appropriate OID. The *translation* element **SHALL** be used to indicate the translation code from the specified vocabulary.

Example 8.1. code

```
<!-- Specified code system in use -->
<code
  code="271807003"
  codeSystem="2.16.840.1.113883.6.96"
  codeSystemName="SNOMED CT-AU"
  codeSystemVersion="20101130"
  displayName="skin rash" />

<!-- Alternate code system in use and a translation into the specified code system is available -->
<code
  code='49390'
  codeSystem='2.16.840.1.113883.19.6.2'
  codeSystemName='ICD9CM'
  displayName='ASTHMA W/O STATUS ASTHMATICUS'>
  <originalText>Patient is Asthmatic</originalText>
  <translation
    code='195967001'
    codeSystem='2.16.840.1.113883.19.6.96'
    codeSystemName='SNOMED CT'
    displayName='Asthma' />
</code>

<!-- Alternate code system in use and no translation into the specified code system is available -->
<code
  code='49390'
  codeSystem='2.16.840.1.113883.19.6.2'
  codeSystemName='ICD9CM'
  displayName='ASTHMA W/O STATUS ASTHMATICUS'>
  <originalText>Patient is Asthmatic</originalText>
</code>

<!-- No suitable code can be found or there is no code system in use -->
<code
  <originalText>Patient is Asthmatic</originalText>
</code>
```

8.2 id

The <id> element pattern is of data type II (Instance Identifier). The II data type may have:

- a null attribute (*nullFlavor*)
- a *root*
- a *root* and an *extension*
- a *root* and an *extension* and an *assigningAuthorityName*
- a *root* and an *assigningAuthorityName*
- a *root* and an *assigningAuthorityName* and a *displayable*
- a *root* and an *extension* and a *displayable*
- a *root* and an *extension* and an *assigningAuthorityName* and a *displayable*
- a *root* and a *displayable*

The root attribute is required and is a unique identifier that guarantees the global uniqueness of the instance identifier. The root alone may be the entire instance identifier. The root attribute shall be a UUID or OID.

The extension attribute may be present, and is a character string as a unique identifier within the scope of the identifier root.

In the case of Entity Identifier, *assigningAuthorityName* is recommended.

Identifiers appear in this implementation guide for two different reasons. The first is that the identifier has been identified in the business requirements as relevant to the business process. These identifiers are documented in the Structured Content Specifications which make clear the meaning of this identifier.

In addition, the implementation makes clear that identifiers may also be found on many other parts of the CDA content model. These identifiers are allowed to facilitate record matching across multiple versions of related documents, so that the same record can consistently be identified, in spite of variations in the information as the record passes through time or between systems. These identifiers have no meaning in the business specification. If senders provide one of these identifiers, it must always be the same identifier in all versions of the record, and it must be globally unique per the rules of the II data type.

Throughout the specification, these identifiers are labeled with the following text: "This is a technical identifier that is used for system purposes such as matching."

Example 8.2. id

```
<id root="2.16.840.1.113883.19" extension="123A45" />
<ext:id assigningAuthorityName="HPI-O" root="1.2.36.1.2001.1003.0.8003621234567890" />
```

8.3 time

The `<time>` element pattern is of data type TS (Point in Time) and can also be an interval between two times (IVL_TS), representing a period of time. Both forms may either have a `nullFlavor` attribute or child components following allowed patterns.

Any time that is more specific than a day SHALL include a timezone.

A simple timestamp (point in time) will only contain a value attribute containing the time value, expressed as a series of digits as long as required or available.

Example 8.3. Simple timestamp

```
<time value="20091030" />
```

This represents "October 30, 2009" to calendar day precision. In cases where the containing element is defined in the CDA schema as "ANY" data type, it is useful to provide an `xsi:type` attribute, set to the value "TS".

The period of time pattern is defined in terms of one or both of its lowest and highest values. The low and high elements are instances of the timestamp pattern described above. More complex time period concepts can be expressed by combining a high, low, or centre element with a width element.

Example 8.4. Low time

```
<period>  
  <low value="20091030" />  
</period>
```

This represents "a period after October 30, 2009". In cases where the containing element is defined in the CDA schema as "ANY" data type, it is useful to provide an `xsi:type` attribute, set to the value "IVL_TS", as in the next example.

Example 8.5. Interval timestamp 1

```
<period xsi:type="IVL_TS">  
  <high value="200910301030+1000" />  
</period>
```

This represents "a period before 10:30 a.m. UTC+10, October 30, 2009". A discretionary `xsi:type` attribute has been provided to explicitly cast the pattern to "IVL_TS".

Example 8.6. Interval timestamp 2

```
<period xsi:type="IVL_TS">  
  <low value="2007" />  
  <high value="2009" />  
</period>
```

This represents "the calendar years between 2007 and 2009". The low element **SHALL** precede the high element. As per the previous example, a discretionary xsi:type attribute has been provided to explicitly cast the pattern to "IVL_TS".

Example 8.7. Width time

```
<period>  
  <high value="20091017" />  
  <width value="2" unit="wk" />  
</period>
```

This expresses "two weeks before October 17th, 2009". A low value can be derived from this.

8.4 Entity Identifier

CDA Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Data Elements					
Entity Identifier	A number or code issued for the purpose of identifying an entity (person, organisation or organisation sub-unit) within a healthcare context.	The cardinality of the group comes from the linking parent and the cardinality of the children data elements comes from the R-MIM diagram.	ext:asEntityIdentifier		See Australian CDA extension: Entity-Identifier .
			ext:asEntityIdentifier/@classCode="IDENT"		
			ext:asEntityIdentifier/ext:id		
			ext:asEntityIdentifier/ext:id/@root	Attribute @root SHALL be used, SHALL be an OID and SHALL NOT be a UUID. Attribute @root SHALL be a globally unique object identifier (OID) that identifies the combination of geographic area, issuer and type. If no such OID exists, it SHALL be defined before any identifiers can be created.	
			ext:asEntityIdentifier/ext:id/@extension	Attribute @extension MAY be used and if it is used, SHALL be a unique identifier within the scope of the root that is populated directly from the designation.	
			ext:asEntityIdentifier/ext:id/@assigningAuthorityName	Attribute @assigningAuthorityName SHOULD be used and if it is used, is a human readable name for the namespace represented in the root that is populated with the issuer, or identifier type, or a concatenation of both as appropriate. This SHOULD NOT be used for machine readability purposes.	
			ext:asEntityIdentifier/ext:code		See <code> for available attributes.
			ext:asEntityIdentifier/ext:assigningGeographicArea		
			ext:asEntityIdentifier/ext:assigningGeographicArea/@classCode="PLC"		
			ext:asEntityIdentifier/ext:assigningGeographicArea/ext:name	Element ext:name MAY be used and if it is used, is the range and extent that the identifier applies to the object with which it is associated that is populated directly from the geographic area. This SHOULD NOT be used for machine readability purposes. For details see: AS 5017-2006: Health Care Client Identifier Geographic Area	

Example 8.8. Entity Identifier

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<!-- person -->
<xs:asEntityIdentifier classCode="IDENT">
  <xs:id root="1.2.36.1.2001.1003.0.8003600000022222" assigningAuthorityName="IHI" />
  <xs:assigningGeographicArea classCode="PLC">
    <xs:name>National Identifier</xs:name>
  </xs:assigningGeographicArea>
</xs:asEntityIdentifier>

<xs:asEntityIdentifier classCode="IDENT">
  <xs:id root="1.2.36.1.2001.1003.0.8003620000000541" extension="542181" assigningAuthorityName="Croydon GP Centre" />
  <xs:code code="MR" codeSystem="2.16.840.1.113883.12.203" codeSystemName="Identifier Type (HL7)" />
</xs:asEntityIdentifier>

<!-- organisation -->
<ext:asEntityIdentifier classCode="IDENT">
  <ext:id assigningAuthorityName="HPI-O" root="1.2.36.1.2001.1003.0.8003621234567890" />
  <ext:assigningGeographicArea classCode="PLC">
    <ext:name>National Identifier</ext:name>
  </ext:assigningGeographicArea>
</ext:asEntityIdentifier>
```

8.5 Person Name

CDA Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Data Elements					
Person Name	The appellation by which an individual may be identified separately from any other within a social context.	Cardinality comes from linking parent.	name		
Person Name > Name Title	An honorific form of address commencing a name.	0..*	name/ prefix		
Person Name > Family Name	That part of a name a person usually has in common with some other members of his/her family, as distinguished from his/her given names.	1..1	name/ family		
Person Name > Given Name	The person's identifying names within the family group or by which the person is uniquely socially identified.	0..*	name/ given		
Person Name > Name Suffix	The additional term used following a person's name to identify that person.	0..*	name/ suffix		
Person Name > Preferred Name Indicator	A flag to indicate that this is the name a person has selected for use.	0..1	name/ @use		Space separated list of codes. true='L' false=blank
Person Name > Person Name Usage	The classification that enables differentiation between recorded names for a person.	0..1	name/ @use	AS 5017-2006: Health Care Client Name Usage	Space separated list of codes.

Example 8.9. Person Name

```
<!-- This example is provided for illustrative purposes only. It has had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<!-- preferred name -->
<name use="L">
  <prefix>Ms</prefix>
  <given>Sally</given>
  <family>Grant</family>
</name>
```

8.6 Address

CDA Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Data Elements					
Address	The description of a location where an entity is located or can be otherwise reached or found and a description of the purpose for which that address is primarily used by that entity.	Cardinality comes from linking parent.	addr		
Address > No Fixed Address Indicator	A flag to indicate whether or not the participant has no fixed address.	1..1	addr/@ nullFlavor	If true, nullFlavor="NA". If false omit nullFlavor and fill in address.	
Address > Australian or International Address	Represents a choice to be made at run-time between an AUSTRALIAN ADDRESS and an INTERNATIONAL ADDRESS.	1..1	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
Address > Australian or International Address > International Address	The description of a non-Australian location where an entity is located or can be otherwise reached or found.	0..1	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
Address > Australian or International Address > International Address > International Address Line	A composite of address details comprising a low level geographical/physical description of a location that, used in conjunction with the other high level address components, i.e. international state/province, international postcode and country, forms a complete geographic/physical address	0..*	addr/ streetAddressLine		
Address > Australian or International Address > International Address > International State/Province	The designation applied to an internal, political or geographic division of a country other than Australia that is officially recognised by that country	0..1	addr/ state		
Address > Australian or International Address > International Address > International Postcode	The alphanumeric descriptor for a postal delivery area (as defined by the postal service of a country other than Australia) aligned with locality, suburb or place for an address	0..1	addr/ postalCode		

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Address > Australian or International Address > International Address > Country	The country component of the address.	0..1	addr/country	Australia Bureau of Statistics, Standard Australian Classification of Countries (SACC) Cat. No. 1269 [ABS2008]	Use the name, not the numbered code.
Address > Australian or International Address > Australian Address	The description of an Australian location where an entity is located or can be otherwise reached or found.	0..1	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
Address > Australian or International Address > Australian Address > Unstructured Australian Address Line	A composite of one or more low level standard address components describing a geographical/physical location that, used in conjunction with the other high level address components, e.g. Australian suburb/town/locality name, Australian postcode and Australian State/Territory, forms a complete geographical/physical address.	0..*	addr/streetAddressLine		
Address > Australian or International Address > Australian Address > Structured Australian Address Line	The standard low level address components describing a geographical/physical location that, used in conjunction with the other high level address components, i.e. Australian suburb/ town/locality name, Australian postcode and Australian State/Territory, form a complete geographical/physical address.	0..1	n/a		This logical NEHTA data component has no mapping to CDA. The cardinality of this component propagates to its children.
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Unit Type	The specification of the type of a separately identifiable portion within a building/complex, marina etc. to clearly distinguish it from another.	0..1	addr/unitType	AS 5017 (2006) - Healthcare Client Identification: Australian Unit Type [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australian Unit Type [SA2006b]	
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Unit Number	The specification of the number or identifier of a building/complex, marina etc. to clearly distinguish it from another.	0..1	addr/unitID		
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Address Site Name	The full name used to identify the physical building or property as part of its location.	0..1	addr/additionalLocator		
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Level Type	Descriptor used to classify the type of floor or level of a multistorey building/complex.	0..1	addr/additionalLocator	AS 5017 (2006) - Healthcare Client Identification: Australian Level Type [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australian Level Type [SA2006b]	

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Level Number	Descriptor used to identify the floor or level of a multi-storey building/complex.	0..1	addr/ additionalLocator		
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Street Number	The numeric or alphanumeric reference number of a house or property that is unique within a street name.	0..1	addr/ houseNumber		
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Lot Number	The Australian Lot reference allocated to an address in the absence of street numbering.	0..1	addr/ additionalLocator		
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Street Name	The name that identifies a public thoroughfare and differentiates it from others in the same suburb/town/locality.	0..1	addr/ streetName		
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Street Type	A code that identifies the type of public thoroughfare.	0..1	addr/ streetNameType	AS 5017 (2006) - Healthcare Client Identification: Australian Street Type Code [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australian Street Type Code [SA2006b]	
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Street Suffix	Term used to qualify Australian Street Name used for directional references.	0..1	addr/ direction	AS 5017 (2006) - Healthcare Client Identification: Australian Street Suffix [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australian Street Suffix [SA2006b]	
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Postal Delivery Type	Identification for the channel of postal delivery.	0..1	addr/ deliveryAddressLine	AS 5017 (2006) - Healthcare Client Identification: Australian Postal Delivery Type Code [SA2006a] AS 4846 (2006) - Healthcare Provider Identification: Australian Postal Delivery Type Code [SA2006b]	
Address > Australian or International Address > Australian Address > Structured Australian Address Line > Australian Postal Delivery Number	Identification number for the channel of postal delivery.	0..1	addr/ deliveryAddressLine		
Address > Australian or International Address > Australian Address > Australian Suburb/Town/Locality	The full name of the general locality contained within the specific address.	0..1	addr/ city	Values in this data element should comply with descriptions in the Australia Post Postcode File (see www.auspost.com.au/postcodes)	
Address > Australian or International Address > Australian Address > Australian State/Territory	The identifier of the Australian state or territory.	0..1	addr/ state	AS 5017-2006 Australian State/Territory Identifier - Postal	
Address > Australian or International Address > Australian Address > Australian Postcode	The numeric descriptor for a postal delivery area (as defined by Australia Post), aligned with locality, suburb or place for the address.	0..1	addr/ postalCode	Values in this data element should comply with descriptions in the Australia Post Postcode File (see www.auspost.com.au/postcodes)	

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
Address > Australian or International Address > Australian Address > Australian Delivery Point Identifier	A unique number assigned to a postal delivery point as recorded on the Australia Post Postal Address File.	0..1	addr/ additionalLocator		
Address > Address Purpose	The purpose for which the address is being used by the entity.	1..1	addr/ @use	AS 5017-2006: Health Care Client Identifier Address Purpose	Space separated list of codes.

Example 8.10. Address

```
<!-- These examples are provided for illustrative purposes only. They have had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<!-- no fixed address -->
<addr nullFlavor="NA" />

<!--Australian home address (unstructured) -->
<addr use="H">
  <streetAddressLine>1 Clinician Street</streetAddressLine>
  <city>Nehtaville</city>
  <state>QLD</state>
  <postalCode>5555</postalCode>
  <additionalLocator>32568931</additionalLocator>
</addr>

<!--Australian business address (structured) -->
<addr use="WP">
  <houseNumber>1</houseNumber>
  <streetName>Clinician</streetName>
  <streetNameType>St</streetNameType>
  <city>Nehtaville</city>
  <state>QLD</state>
  <postalCode>5555</postalCode>
  <additionalLocator>32568931</additionalLocator>
</addr>

<!--international postal address -->
<addr use="PST">
  <streetAddressLine>51 Clinician Bay</streetAddressLine>
  <city>Healthville</city>
  <state>Manitoba</state>
  <postalCode>R3T 3C6</postalCode>
  <country>Canada</country>
</addr>
```

8.7 Electronic Communication Detail

CDA Mapping

NEHTA SCS Data Component	Data Component Definition	Card	CDA Schema Data Element	Vocab	Comments
CDA Data Elements					
Electronic Communication Detail	The electronic communication details of entities.	Cardinality comes from linking parent.	telecom		
Electronic Communication Detail > Electronic Communication Medium	A code representing a type of communication mechanism.	1..1	telecom/@value	AS 5017-2006: Health Care Client Electronic Communication Medium > HL7:URLScheme	Makes up part of the value attribute as 'tel:phone number', 'mailto:email address', 'http:URL', etc.
			telecom/@use	HL7 v3: TelecommunicationAddressUse > HL7:TelecommunicationAddressUse	Space separated list of codes. The section AS 5017-2006: Health Care Client Electronic Communication Usage Code explains how to map AS 5017-2006 to HL7 Telecommunication-AddressUse (HL7 TAU) code
Electronic Communication Detail > Electronic Communication Usage Code	The manner of use that is applied to an electronic communication medium.	0..1	telecom/@use	HL7 v3: TelecommunicationAddressUse > HL7:TelecommunicationAddressUse	Space separated list of codes. The section AS 5017-2006: Health Care Client Electronic Communication Usage Code explains how to map AS 5017-2006 to HL7 Telecommunication-AddressUse (HL7 TAU) code
Electronic Communication Detail > Electronic Communication Address	A unique combination of characters used as input to electronic telecommunication equipment for the purpose of contacting an entity.	1..1	telecom/@value		

Example 8.11. Electronic Communication Detail

```
<!-- These examples are provided for illustrative purposes only. They have had no clinical validation.
While every effort has been taken to ensure that the examples are consistent with the message specification,
where there are conflicts with the written message specification or schema, the specification or schema shall be considered to take precedence -->

<!--home telephone number -->
<telecom value="tel:0499999999" use="H" />

<!--pager -->
<telecom value="tel:0499999999" use="PG" />

<!--home email address -->
<telecom value="mailto:clinicial@clinician.com" use="H" />
```


9 Australian CDA Extensions

As part of the CDA, standard extensions are allowed as follows:

Locally-defined markup may be used when local semantics have no corresponding representation in the CDA specification. CDA seeks to standardize the highest level of shared meaning while providing a clean and standard mechanism for tagging meaning that is not shared. In order to support local extensibility requirements, it is permitted to include additional XML elements and attributes that are not included in the CDA schema. These extensions should not change the meaning of any of the standard data items, and receivers must be able to safely ignore these elements. Document recipients must be able to faithfully render the CDA document while ignoring extensions.

Extensions may be included in the instance in a namespace other than the HL7v3 namespace, but must not be included within an element of type ED (e.g., <text> within <procedure>) since the contents of an ED datatype within the conformant document may be in a different namespace. Since all conformant content (outside of elements of type ED) is in the HL7 namespace, the sender can put any extension content into a foreign namespace (any namespace other than the HL7 namespace). Receiving systems must not report an error if such extensions are present. "HL7 Clinical Document Architecture, Release 2" [\[HL7CDAR2\]](#)

As such the following extensions have been defined where Australian concepts were not represented in CDA.

This section is provided for clarity only. Please see the relevant mappings section where these extensions have been used for actual mapping details.

9.1 ClinicalDocument.completionCode

Figure 9.1, "CDA R-MIM Representation" shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.




Figure 9.1. CDA R-MIM Representation

9.2 EntityIdentifier

Figure 9.2, “CDA R-MIM Representation” shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.




Figure 9.2. CDA R-MIM Representation

9.3 Entitlement

Figure 9.3, “CDA R-MIM Representation” shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.




Figure 9.3. CDA R-MIM Representation

9.4 Multiple Birth

Figure 9.4, “CDA R-MIM Representation” shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.




Figure 9.4. CDA R-MIM Representation

9.5 Administrative Gender Code

Figure 9.5, “CDA R-MIM Representation” shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.




Figure 9.5. CDA R-MIM Representation

9.6 Birth Time

Figure 9.6, “CDA R-MIM Representation” shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.




Figure 9.6. CDA R-MIM Representation

9.7 Deceased Time

Figure 9.7, “CDA R-MIM Representation” shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.




Figure 9.7. CDA R-MIM Representation

9.8 Qualifications

Figure 9.8, “CDA R-MIM Representation” shows a subset of the CDA R-MIM containing those classes with the relevant Australian CDA extension represented.




Figure 9.8. CDA R-MIM Representation

10 Vocabularies/Code Sets

When referencing the following vocabulary tables, if one column in the code set table is bolded, use the code in that column, otherwise use the values in all columns.

Example 10.1. All values

```
<code
  code="103.16044.4.1.1"
  codeSystem="1.2.36.1.2001.1001"
  codeSystemName="NCTIS_CODE_SYSTEM_NAME;"
  displayName="Additional Comments" />
```

Example 10.2. One value

```
<name use="I">
  {name}
</name>
```

10.1 HL7 v3: TelecommunicationAddressUse

Code	Value
H	Home
HP	Primary Home
HV	Vacation Home
WP	Workplace
AS	Answering Service
EC	Emergency Contact
MC	Mobile Contact
PG	Pager

10.2 AS 5017-2006 Health Care Client Identifier Sex

displayName	code	codeSystemName	codeSystem
Male	M	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68
Female	F	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68
Intersex or Indeterminate	I	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68
Not Stated/Inadequately Described	N	AS 5017-2006 Health Care Client Identifier Sex	2.16.840.1.113883.13.68

10.3 AS 5017-2006: Health Care Client Name Usage

Code Set AS 5017-2006 mapped to HL7 Name Use Code



Note

CDA Release 2 uses HL7 Data Types Release 1. For some of the AS 5017-2006 values there are no satisfactory equivalents in the HL7 Name Use R1 code set. In these cases (marked R2) an HL7 Name Use R2 code has been used.




Note

In cases (marked EXT) where there are no suitable HL7 codes, extension codes have been created.

AS 5017-2006 Code	AS 5017-2006 Alternative Code	AS 5017-2006 Descriptor	HL7 Name Use Code	HL7 Name Use Name	HL7 Name Use Definition
1	L	Registered Name (Legal Name)	L	(R1) Legal	(R1) Known as/conventional/the one you use
2	R	Reporting Name	C	(R1) License	(R1) As recorded on a license, record, certificate, etc. (only if different from legal name)
3	N	Newborn Name	NB	(EXT)	(EXT)
4	B	Professional or Business Name	A	(R1) Artist/Stage	(R1) Includes writer's pseudonym, stage name, etc
5	M	Maiden Name (Name at birth)	M	(R2) Maiden Name	A name used prior to marriage.
8	O	Other Name (Alias)	P	(R1) Pseudonym	(R1) A self asserted name that the person is using or has used

10.4 AS 4846-2006: Health Care Provider Organisation Name Usage

Code Set AS 5017-2006 Organisation Name Usage mapped to HL7 Name Use Code



Note
There are no suitable HL7 codes so extension codes have been created.

AS 4846-2006 Code	AS 4846-2006 Alternative Code	AS 4846-2006 Descriptor	HL7 Name Use Code	HL7 Name Use Name	HL7 Name Use Definition
1	U	Organizational unit/section/division name	ORGU	(EXT)	(EXT)
2	S	Service location name	ORGS	(EXT)	(EXT)
3	B	Business name	ORGB	(EXT)	(EXT)
4	L	Locally used name	ORGL	(EXT)	(EXT)
5	A	Abbreviated name	ORGA	(EXT)	(EXT)
6	E	Enterprise name	ORGE	(EXT)	(EXT)
8	X	Other	ORGX	(EXT)	(EXT)
9	Y	Unknown	ORGY	(EXT)	(EXT)

10.5 AS 5017-2006: Health Care Client Source of Death Notification

displayName	code	codeSystemName	codeSystem
Official death certificate or death register	D	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Health Care Provider	H	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Relative	R	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Other	O	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64
Unknown	U	AS 5017-2006 Health Care Client Source of Death Notification	2.16.840.1.113883.13.64

10.6 AS 5017-2006: Health Care Client Identifier Address Purpose

AS 5017-2006 mapped to HL7 Address Use Code

AS 5017-2006 Code	AS 5017-2006 Alternative Code	AS 5017-2006 Descriptor	HL7 Address Use Code	HL7 Address Use Name	HL7 Address Use Definition
1	B	Business	WP	Work Place	An office address. First choice for business related contacts during business hours.
2	M	Mailing or Postal	PST	Postal Address	Used to send mail.
3	T	Temporary Accommodation (individual provider only)	TMP	Temporary Address	A temporary address, may be good for visit or mailing.
4	R	Residential (permanent) (individual provider only)	H	Home Address	A communication address at a home.
9	U	Not Stated/Unknown/Inadequately Described	In this case simply omit the Address Use Code		

10.7 AS 5017-2006: Health Care Client Identifier Geographic Area

displayName	code	codeSystemName	codeSystem
Local Client (Unit Record) Identifier	L	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63
Area/Region/District Identifier	A	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63
State or Territory Identifier	S	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63
National Identifier	N	AS 5017-2006 Health Care Client Identifier Geographic Area	2.16.840.1.113883.13.63

10.8 AS 5017-2006: Health Care Client Electronic Communication Medium

AS 5017-2006 Code	AS 5017-2006 Descriptor	AS 5017-2006 Alternative Code	HL7 URLScheme Code	HL7 URLScheme Name	HL7 URLScheme Definition
1	Telephone (excluding mobile telephone)	T	tel	Telephone	A voice telephone number.
2	Mobile (cellular) telephone NOTE: Mobile will also need a TelecommunicationAddress Use code of MC (Mobile Contact) (see HL7 v3: TelecommunicationAddressUse)	M	tel	Telephone	A voice telephone number.
3	Facsimile machine	F	fax	Fax	A telephone number served by a fax device.
4	Pager NOTE: Pager will also need a TelecommunicationAddress Use code of PG (Pager) (see HL7 v3: TelecommunicationAddressUse)	P	tel	Telephone	A voice telephone number
5	Email	E	mailto	Mailto	Electronic mail address.

AS 5017-2006 Code	AS 5017-2006 Descriptor	AS 5017-2006 Alternative Code	HL7 URLScheme Code	HL7 URLScheme Name	HL7 URLScheme Definition
6	URL	U	Use the most appropriate code from the list below:		
			file	File	Host-specific local file names [RCF 1738]. Note that the file scheme works only for local files. There is little use for exchanging local file names between systems, since the receiving system likely will not be able to access the file.
			ftp	FTP	The File Transfer Protocol (FTP).
			http	HTTP	Hypertext Transfer Protocol.
			mlp	MLLP	The traditional HL7 Minimal Lower Layer Protocol. The URL has the form of a common IP URL e.g., mllp://<host>:<port>/ with <host> being the IP address or DNS host-name and <port> being a port number on which the MLLP protocol is served.
			modem	Modem	A telephone number served by a modem device.
			nfs	NFS	Network File System protocol. Some sites use NFS servers to share data files.
			telnet	Telnet	Reference to interactive sessions. Some sites, (e.g., laboratories) have TTY based remote query sessions that can be accessed through telnet.

10.9 AS 5017-2006: Health Care Client Electronic Communication Usage Code

AS 5017-2006 mapped to HL7 TelecommunicationAddressUse (HL7 TAU) Code

Code	Descriptor	Alternative Code	HL7 TAU Code	HL7 TAU Name	HL7 TAU Description
1	Business	B	WP	Work place	An office address. First choice for business related contacts during business hours.
2	Personal	P	H	Home address	A communication address at a home, attempted contacts for business purposes might intrude privacy and chances are one will contact family or other household members instead of the person one wishes to call. Typically used with urgent cases, or if no other contacts are available.
3	Both business and personal use	A	WP H	Both Work place and Home address	

10.10 AS 5017-2006 Australian State/Territory Identifier - Postal

Code	Descriptor
NSW	New South Wales
VIC	Victoria
QLD	Queensland
SA	South Australia
WA	Western Australia
TAS	Tasmania
NT	Northern Territory
ACT	Australian Capital Territory
U	Unknown

10.11 AS 5017-2006 Health Care Client Identifier Date Accuracy Indicator

The data elements that use this value set consist of a combination of three codes, each of which denotes the accuracy of one date component:

- A – The referred date component is ‘accurately known’.
- E – The referred date component is an ‘estimate’.
- U – The referred date component is ‘unknown’.

This data elements that use this value set contains positional fields (DMY).

Field 1 (D) – refers to the accuracy of the ‘day component’.

Field 2 (M) – refers to the accuracy of the ‘month component’.

Field 3 (Y) – refers to the accuracy of the ‘year component’.



Note
The order of the date components in the HL7 date and time datatypes (YYYYMMDD) is the reverse of that specified above.

The possible combinations are as follows:

code	descriptor
AAA	Accurate date
AAE	Accurate day and month, estimated year
AEA	Accurate day, estimated month, accurate year
AAU	Accurate day and month, unknown year
AUA	Accurate day, unknown month, accurate year
AEE	Accurate day, estimated month and year
AUU	Accurate day, unknown month and year
AEU	Accurate day, estimated month, unknown year
AUE	Accurate day, unknown month

code	descriptor
EEE	Estimated date
EEA	Estimated day and month, accurate year
EAE	Estimated day, accurate month
EEU	Estimated day and month, unknown year
EUE	Estimated day, unknown month, estimated year
EAA	Estimated day, accurate month and year
EUU	Estimated day, unknown month and year
EAU	Estimated day, accurate month, unknown year
EUA	Estimated day, unknown month, accurate year
UUU	Unknown date
UUA	Unknown day and month, accurate year
UAU	Unknown day, accurate month, unknown year
UUE	Unknown day and month, estimated year
UEU	Unknown day, estimated month, unknown year
UAA	Unknown day, accurate month and year
UEE	Unknown day, estimated month and year
UAE	Unknown day, accurate month, estimated year
UEA	Unknown day, estimated month, accurate year

10.12 NCTIS: Admin Codes - Recommendation or Change Values

displayName	code	codeSystemName	codeSystem
A recommendation to make the change.	01	NCTIS Recommendation or Change Values	1.2.36.1.2001.1001.101.104.16594
The change has been made.	02	NCTIS Recommendation or Change Values	1.2.36.1.2001.1001.101.104.16594

10.13 NCTIS: Admin Codes - Document Status

displayName	code	codeSystemName	codeSystem
Interim	I	NCTIS Document Status Values	1.2.36.1.2001.1001.101.104.20104
Final	F	NCTIS Document Status Values	1.2.36.1.2001.1001.101.104.20104
Withdrawn	W	NCTIS Document Status Values	1.2.36.1.2001.1001.101.104.20104

10.14 NCTIS: Admin Codes - Global Statement Values

displayName	code	codeSystemName	codeSystem
None known	01	NCTIS Global Statement Values	1.2.36.1.2001.1001.101.104.16299
Not asked	02	NCTIS Global Statement Values	1.2.36.1.2001.1001.101.104.16299
None supplied	03	NCTIS Global Statement Values	1.2.36.1.2001.1001.101.104.16299

10.15 NCTIS: Admin Codes - Entitlement Type

displayName	code	codeSystemName	codeSystem
Medicare Benefits	1	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Pensioner Concession	2	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Commonwealth Seniors Health Concession	3	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Health Care Concession	4	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Repatriation Health Gold Benefits	5	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Repatriation Health White Benefits	6	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Repatriation Health Orange Benefits	7	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Safety Net Concession	8	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Safety Net Entitlement	9	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Medicare Prescriber Number	10	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047
Medicare Pharmacy Approval Number	11	NCTIS Entitlement Type Values	1.2.36.1.2001.1001.101.104.16047

10.16 HL7 V3: ObservationInterpretationNormality

displayName	code	codeSystemName	codeSystem
Abnormal	A	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
Abnormal alert	AA	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
High alert	HH	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
Low alert	LL	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
High	H	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
Low	L	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83
Normal	N	HL7 ObservationInterpretationNormality	2.16.840.1.113883.5.83

10.17 HL7 v3 CDA: Act.moodCode

Code	Value	Definition
EVN	Event	The entry defines an actual occurrence of an event.
INT	Intent	The entry is intended or planned.
APT	Appointment	The entry is planned for a specific time and place.
ARQ	Appointment Request	The entry is a request for the booking of an appointment.
PRMS	Promise	A commitment to perform the stated entry.
PRP	Proposal	A proposal that the stated entry be performed.
RQO	Request	A request or order to perform the stated entry.
DEF	Definition	The entry defines a service (master).

10.18 HL7 v3 CDA: RelatedDocument.typeCode

Code	Value	Definition
APND	Append	The current document is an addendum to the ParentDocument.
RPLC	Replace	The current document is a replacement of the ParentDocument.
XFRM	Transform	The current document is a transformation of the ParentDocument.

10.19 METeOR 291036: Indigenous Status

displayName	code	codeSystemName	codeSystem
Aboriginal but not Torres Strait Islander origin	1	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Torres Strait Islander but not Aboriginal origin	2	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Both Aboriginal and Torres Strait Islander origin	3	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Neither Aboriginal nor Torres Strait Islander origin	4	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036
Not stated/inadequately described	9	METeOR Indigenous Status	2.16.840.1.113883.3.879.291036

10.20 NCTIS: Admin Codes - Result Status

displayName	code	codeSystemName	codeSystem
Registered [No result yet available.]	1	NCTIS Result Status Values	1.2.36.1.2001.1001.101.104.16501
Interim [This is an initial or interim result: data may be missing or verification not been performed.]	2	NCTIS Result Status Values	1.2.36.1.2001.1001.101.104.16501
Final [The result is complete and verified by the responsible practitioner.]	3	NCTIS Result Status Values	1.2.36.1.2001.1001.101.104.16501
Amended [The result has been modified subsequent to being Final, and is complete and verified by the practitioner.]	4	NCTIS Result Status Values	1.2.36.1.2001.1001.101.104.16501
Cancelled / Aborted [The result is not available because the examination was not started or completed.]	5	NCTIS Result Status Values	1.2.36.1.2001.1001.101.104.16501

10.21 OIDs

codeSystem (OID)	codeSystemName
2.16.840.1.113883.13.62	1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006
2.16.840.1.113883.13.65	AIHW Mode of Separation
2.16.840.1.113883.6.96	SNOMED CT-AU
2.16.840.1.113883.6.96	Australian Medicines Terminology (AMT)
2.16.840.1.113883.6.1	LOINC

Appendix A. CDA Narratives

CDA requires that each Section in its Body include a narrative block, containing a complete version of the section's encoded content using custom hypertext markup defined by HL7. It is clinically significant that the narrative is the human-readable and attestable part of a CDA document.

There is no canonical markup for specific CDA components, but some conformance points apply:

- The narrative block **SHALL** be encapsulated within text component of the CDA Section. The Section's title component **SHOULD** contain the Section's label, and will form the heading for the Section's narrative rendering.
- The narrative contents **SHALL** conform to the requirements specified in the CDA Rendering Specification.
 - In accordance with the requirement to completely represent Section contents, coded type values **SHALL** include both originalText and displayName components where provided. The code component **SHOULD** be provided when a displayName is not available.
- It **SHALL** completely and accurately represent the information encoded in the Section. Content **SHALL NOT** be omitted from the narrative.
- It **SHALL** conform to the content requirements of the CDA specification [\[HL7CDAR2\]](#) and/or XML Schema.

The examples provided in sections of this document and the separate full example provide some guidance for narrative block markup. They may be easily adapted as boilerplate markup.

Appendix B. Log of Changes

This appendix lists the major changes and fixes applied to this CDA Implementation Guide resulting from public feedback and internal testing.

Changes from Version 1.0 30 Apr 2012 to Version 1.1 01 Jun 2012

ID	Document Ref		Change Type	Change Detail	Changed Instigated By	Rationale For Change	Date Changed
	Section	Section Name					
1	10.21 [CDA-2195]	OIDs, codeSystem	Incorrect CodeSystem for AMT	Updated codeSystem OID for Australian Medicines Terminology to: 2.16.840.1.113883.6.96	NEHTA	Document Review - not aligned with other CDA IGs	09 May 2012
2	2.2 [CDA-2292]	Guide for Use - Mapping Interpretation	Update Parent Data Type Occurrence definition to state child instances.	Updated Parent Data Type Occurrence definition from: "The number of instances of the item described on the page that may occur." To: "The number of instances of the child item within the parent that may occur."	NEHTA	NEHTA Document Review - not aligned with other IGs	18 June 2012
3	3 [CDA-2220]	Data Hierarchy	SCS data hierarchy updated	Update to: 1. Pharmaceutical Benefit Items (PHARMACEUTICAL BENEFIT ITEMS) 2. Pharmaceutical Benefit Item (PHARMACEUTICAL BENEFIT ITEM) 3. PBS/RPBS Item Code 4. PBS/RPBS Manufacturer Code	NEHTA	Document Review - not aligned with SCS	01 June 2012
4	5.1 [CDA-2257]	Clinical Document	XML Example & Instance - EffectiveTime	Updated as follows: 1. Fix = effectiveTime value="200910201235+1000" in both the XML Instance file & the XML example fragment for CDA_ClinicalDocument_Example.	NEHTA	Document Review - Schematron errors of the XML Instance file	28 May 2012
5	5.1.1 [CDA-2298]	Custodian	R-MIM diagram - Note	Note has been updated to: "EntityIdentifier has been added as an Australian extension to CDA."	NEHTA	NEHTA Document Review - not aligned with Standards Australia review	01 June 2012
6	5.1.2 [CDA-1950]	Custodian	Identifier issue and example xml fragment error	Updated to: 1. Added "The value of one Entity Identifier SHALL be a PAI-O." to the vocab column in the mapping table. 2. Updated the XML example fragment and the XML Instance file to: @root="1.2.36.1.2001.1007.1.8003640000000010" @assigningAuthorityName="PAI-O"	NEHTA	Document Review - update to align vocab	05 April 2012
7	5.1 [CDA-2205]	Clinical Document	CDA R-MIM representation; Figure 5.1	ClinicalDocument/ext:completionCode has been added to the R-MIM with a note stating that this is an Australian extension for CDA.	NEHTA	Document Review - not aligned with other CoC specifications	25 May 2012
8	5.1 [CDA-2270]	Clinical Document	Mapping table - extension id, version update	Mapping table has been updated to: 1. ClinicalDocument/templateId/@extension="1.1" 2. Updated to extension="1.1" in the XML Instance field and XML example fragment	NEHTA	Document Review - updated version numbers	14 June 2012
9	6.1.1 [CDA-1850 + 1940]	DOCUMENT AUTHOR	Entity Identifier	1. Updated Entity Identifier cardinality to '1..*' in both the mapping table and the R-MIM model. 2. Added "The value of one Entity Identifier SHALL be a PAI-D." to the vocab column in the mapping table. 3. Added @assigningAuthorityName="PAI-D" to both the XML example fragment and the XML Instance file.	NEHTA	Document Review - not aligned with other CDA IGs	23 March 2012
10	6.1.1 [CDA-1951]	DOCUMENT AUTHOR	Document Author - Date-Time Authored - double mapping issue	Removed the mapping for Document Author > Participation Period.	NEHTA	Document Review - not being consistent with existing specifications.	05 April 2012

ID	Document Ref		Change Type	Change Detail	Changed Instigated By	Rationale For Change	Date Changed
	Section	Section Name					
11	6.1.1 [CDA-2179, 2223]	DOCUMENT AUTHOR	CDA Mapping table; Role	Updated to include: 1. Role in the mapping table for document author to include a cardinality of 1..1 2. Vocab to state "Role SHALL have an implementation-specific fixed value equivalent to "Not Applicable" and the Comments to state "n/a". 3. XML sample and Instance files have been updated to include role: "The author code is not applicable" "code nullFlavor="NA"	NEHTA	Document Review - not aligned with other CDA IGs	01 May 2012
12	7.1.1.1 [CDA-1886]	PHARMACEUTICAL BENEFIT ITEM	Mapping and XML example changed	Updated the following: 1. Updated mapping table to: entry/supply/quantity/@value 2. Removed from the XML example fragment and XML Instance file: "unit="mL"	NEHTA	Document Review - clarity needed	29 March 2012
13	7.1.1.1 [CDA-2229]	PHARMACEUTICAL BENEFIT ITEM	CDA Mapping table; PBS Manufacturer Code	Updated mapping table to include the following: 1. Element name: PBS/RPBS Manufacturer Code 2. Aligned definition to SCS to: "PBS assigned administrative code identifying the manufacturer of the pharmaceutical item supplied." 3. Vocab: PBS/RPBS Manufacturer Code Values	NEHTA	Document Review -not aligned to SCS	04 June 2012
14	7.1.1.1 [CDA-2231]	PHARMACEUTICAL BENEFIT ITEM	Example 7.3. Pharmaceutical Benefit Item XML Fragment	Removed from XML example fragment and XML Instance file: Aluminium hydroxide with magnesium hydroxide oral suspension, 500 mL	NEHTA	Document Review - not aligned to mapping table	04 June 2012
15	7.1.1.1 [CDA-2256]	PHARMACEUTICAL BENEFIT ITEM	CDA Mapping table; displayName	Updated to: entry/supply/code/@displayName="Pharmaceutical Benefit Item"	NEHTA	Document Review - not aligned with SCS	12 June 2012
16	7.1.1.1 [CDA-2101]	7.1.1.1 PHARMACEUTICAL BENEFIT ITEM	R-MIM diagram	Updated to add the following to the R-MIM: 1. manufacturerOrganization/id in the R-MIM diagram (un-cloned/shadow class Organization to add the id attribute).	NEHTA	Document Review - data elements not included in R-MIM.	20 Apr 2012
17	7.1.1.1 [CDA-2226 - 2227]	PHARMACEUTICAL BENEFIT ITEM	CDA Mapping table; Pharmaceutical Benefit Item definition	Updated the following: Pharmaceutical Benefit Item (PHARMACEUTICAL BENEFIT ITEM) in: 1. Identification; Name 2. CDA R-MIM Representation; there are three instances of 'Pharmaceutical Benefit' 3. CDA Mapping table; Pharmaceutical Benefit (first row in the table) and also all paths throughout the table (i.e. Pharmaceutical Benefit > PBS Item Code) 4. Updated parent name in the Relationships table to PHARMACEUTICAL BENEFIT ITEMS to match the SCS. 5. Updated Pharmaceutical Benefit Item definition to: "Information held by Medicare Australia about a pharmaceutical item prescribed and dispensed to an individual and which was partially or fully funded under the Pharmaceutical Benefit Schedule (PBS) or RPBS."	NEHTA	Document Review - Not aligned to SCS	04 June 2012
18	7.1.1.1 [CDA-2228]	PHARMACEUTICAL BENEFIT ITEM	CDA Mapping table; PBS Item Code	Updated mapping table to include the following: 1. Element name: PBS/RPBS Item Code 2. Aligned definition to SCS to: "Administrative code and short description of the pharmaceutical item supplied." 3. Vocab: PBS/RPBS Item Code Values	NEHTA	Document Review -not aligned to SCS	04 June 2012
19	7.1.1.1 [CDA-2230]	PHARMACEUTICAL BENEFIT ITEM	CDA R-MIM Representation	Updated to include: 1. Updated 'sourceOf' in Figure 7.3 to 'EntryRelationship'. 2. entry/supply/entryRelationship/substanceAdministration/consumable added to the R-MIM as a consumable participation class.	NEHTA	Document Review - Not aligned to mapping table	04 June 2012
20	7.1.1.1 [CDA-2255]	PHARMACEUTICAL BENEFIT ITEM	CDA Mapping table; Date of Prescribing typo	Updated to include "item" in the definition: "The date the pharmaceutical item was prescribed."	NEHTA	Document Review - Typo in definition	08 June 2012

ID	Document Ref		Change Type	Change Detail	Changed Instigated By	Rationale For Change	Date Changed
	Section	Section Name					
21	7.1.1. [CDA-2253]	PHARMACEUTICAL BENEFIT ITEMS	Mapping Table	Updated mapping table to: 1. component[meds]/section/code/@displayName="Pharmaceutical Benefit Items" 2. component[meds]/section/title="Pharmaceutical Benefit Items"	NEHTA	Document Review - align mapping table to SCS	08 June 2012
22	7.1.1 [CDA-2225]	PHARMACEUTICAL BENEFIT ITEMS	Identification and Relationships table	Updated the following: Pharmaceutical Benefit Items (PHARMACEUTICAL BENEFIT ITEMS) in the: 1. Identification; Name 2. CDA R-MIM Representation; figure 7.2 name 3. mapping table 4. XML fragment Pharmaceutical Benefit Item (PHARMACEUTICAL BENEFIT ITEM) in the: 1. Relationships table (Children) 2. CDA Mapping table	NEHTA	Document Review - Not aligned to SCS	01 June 2012
23	7.1.1 [CDA-2254]	PHARMACEUTICAL BENEFIT ITEMS	CDA Mapping table; Definition	Updated definitions in the mapping table to: 1. "Information held by the *Department of Human Services about pharmaceutical items prescribed and dispensed to an individual and which were partially or fully funded under the Pharmaceutical Benefit Schedule (PBS) or RPBS." 2. "Information held by the *Department of Human Services about pharmaceutical item prescribed and dispensed to an individual and which were partially or fully funded under the Pharmaceutical Benefit Schedule (PBS) or RPBS." *(Replaced: Medicare Australia with - the Department of Human Services; as per CDA-2186 issue)	NEHTA	Document Review - align to SCS definitions	04 May 2012
24	7.1 [CDA-2224]	Pharmaceutical Benefits Report	Relationships; Children table	Updated to: Pharmaceutical Benefit Items (PHARMACEUTICAL BENEFIT ITEMS).	NEHTA	Document Review - not aligned with SCS	01 June 2012
25	Reference List [CDA-2232]	Reference List	Link broken	Updated to: "http://www.hl7.org/v3ballot2010jan/html/welcome/introduction/index.htm"	NEHTA	Document Review - link fix	04 June 2012
26	Throughout the document [CDA-2186]	Privacy Content Feedback	Wording updated	All instances of 'Medicare Australia' have been replaced with 'the Department of Human Services'.	NEHTA	Document Review - The wording is aligned with correct naming.	04 May 2012
27	[CDA-2213]	Document Publish Date	Date and version updated	Updated to: Version 1.1 — 1 Jun 2012	NEHTA	Document Review - Publish date updated	1 June 2012
28	[CDA-2219]	Document Information; Related Documents	PBR SCS Version/Release Date	Updated to: Version 1.1 — 18 Jun 2012	NEHTA	NEHTA Document Review - not aligned with SCS	01 June 2012

Reference List

- [ABS2006] Australian Bureau Of Statistics, September 2006, *1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, First Edition, 2006 - METeOR 350899*, accessed 15 March 2010.
<http://www.abs.gov.au/ausstats/abs@.nsf/mf/1220.0>
- [ABS2008] Australian Bureau Of Statistics, May 2008, *Standard Australian Classification of Countries (SACC) Cat. No. 1269*, accessed 15 March 2010.
<http://www.abs.gov.au/ausstats/abs@.nsf/mf/1269.0>
- [AIHW2005] Australian Institute of Health and Welfare, March 2005, *AIHW Mode of Separation*, accessed 15 March 2010.
<http://meteor.aihw.gov.au/content/index.phtml/itemId/270094>
- [HI2011] Health Intersections, 2011, *Representation of Common Australian Identifiers in v2 and CDA*, accessed 28 November 2011.
<http://www.healthintersections.com.au/?p=721>
- [HL7CDAR2] Health Level Seven, Inc., January 2010, *HL7 Clinical Document Architecture, Release 2*, accessed 18 November 2010.
<http://www.hl7.org/implement/standards/cda.cfm>
- [HL7RIM] Health Level Seven, Inc., January 2010, *HL7 Version 3 Standard – Reference Information Model*, accessed 15 March 2010.
<http://www.hl7.org/v3ballot/html/infrastructure/rim/rim.htm>
- [HL7V3] Health Level Seven, Inc., January 2010, *HL7 Version 3 Standard*, accessed 15 March 2010.
<http://www.hl7.org/v3ballot2010jan/html/welcome/introduction/index.htm>
- [HL7V3DT] Health Level Seven, Inc., January 2010, *HL7 V3 RIM, Data types and Vocabulary*, accessed 18 November 2009.
<http://www.hl7.org/memonly/downloads/v3edition.cfm>
- [IHST2009] International Health Terminology Standards Development Organisation, January 2010, *SNOMED-CT*, accessed 15 March 2010.
<http://www.ihtsdo.org/snomed-ct>
- [INFO2009] Canada Health Infoway, *CDA Validation Tools: infoway_release_2_2X_18.zip*, accessed 18 November 2009.
<http://www.hl7.org/memonly/downloads/v3edition.cfm>
- [ISO21090-2008] International Organization for Standardization, *ISO 21090:2008 – Health Informatics – Harmonized data types for information interchange*, Edition 1 (Monolingual), accessed 09 November 2009.
http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=35646
- [ISO8601-2004] International Organization for Standardization, 18 March 2008, *ISO 8601:2004 - Data elements and interchange formats - Information interchange - Representation of dates and times*, Edition 3 (Monolingual), accessed 09 November 2009.
http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=40874
- [NEHT2005a] National E-Health Transition Authority, 25 May 2005, *NEHTA Acronyms, Abbreviations & Glossary of Terms*, Version 1.2, accessed 09 November 2009.
http://www.nehta.gov.au/component/docman/doc_download/8-clinical-information-glossary-v12
- [NEHT2007b] National E-Health Transition Authority, 24 September 2007, *Interoperability Framework*, Version 2.0.
<http://www.nehta.gov.au/connecting-australia/ehealth-interoperability>
- [NEHT2010a] National E-Health Transition Authority, February 2010, *Australian Medicines Terminology*, accessed 15 March 2010.
<http://www.nehta.gov.au/connecting-australia/clinical-terminologies/australian-medicines-terminology>
- [NEHT2010c] National E-Health Transition Authority, September 2010, *Data Types in NEHTA Specifications: A Profile of the ISO 21090 Specification*, Version 1.0, accessed 13 September 2010.

- http://www.nehta.gov.au/component/docman/doc_download/1121-data-types-in-nehta-specifications-v10
- [NEHT2011au] National E-Health Transition Authority, 18 June 2012, *Pharmaceutical Benefits Report Structured Content Specification*, Version 1.1.
- [NEHT2011v] National E-Health Transition Authority, 20 July 2011, *Participation Data Specification*, Version 3.2, accessed 22 July 2011.
http://www.nehta.gov.au/component/docman/doc_download/1341-participation-data-specification-v32
- [RFC2119] Network Working Group, 1997, *RFC2119 - Key words for use in RFCs to Indicate Requirement Levels*, accessed 13 April 2010.
<http://www.faqs.org/rfcs/rfc2119.html>
- [RFC3066] Network Working Group, 2001, *RFC3066 - Tags for the Identification of Languages*, accessed 13 April 2010.
<http://www.ietf.org/rfc/rfc3066.txt>
- [RING2009] Ringholm, 2009, *CDA Examples*, accessed 15 March 2010.
http://www.ringholm.de/download/CDA_R2_examples.zip
- [SA2006a] Standards Australia, 2006, AS 4846 (2006) – *Healthcare Provider Identification*, accessed 12 November 2009.
<http://infostore.saiglobal.com/store/Details.aspx?ProductID=318554>
- [SA2006b] Standards Australia, 2006, AS 5017 (2006) – *Healthcare Client Identification*, accessed 12 November 2009.
<http://infostore.saiglobal.com/store/Details.aspx?ProductID=320426>
- [SA2007a] Standards Australia, 2007, AS 4700.6 (2007) – *Implementation of Health Level 7 (HL7) Version 2.5 – Part 6: Referral, discharge and health record messaging*.
<http://www.saiglobal.com/online/>