



Event Summary

PCEHR Usability Recommendations v1.1

31 December 2014

Approved for external use

Document ID: NEHTA-1921:2014

National E-Health Transition Authority Ltd

Level 25
56 Pitt Street
Sydney, NSW, 2000
Australia
www.nehta.gov.au

Disclaimer

The National E-Health Transition Authority Ltd (NEHTA) makes the information and other material ('Information') in this document available in good faith but without any representation or warranty as to its accuracy or completeness. NEHTA cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Document control

This document is maintained in electronic form and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is the latest revision.

Copyright © 2014 National E-Health Transition Authority Ltd

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems—without the permission of NEHTA. All copies of this document must include the copyright and other information contained on this page.

Acknowledgement

The National E-Health Transition Authority is jointly funded by the Australian Government and all State and Territory Governments.

Document information

Key information

Owner Head of Delivery

Contact for enquiries NEHTA Help Centre
t: 1300 901 001
e: help@nehta.gov.au

Product version history

Product version	Date	Release comments
1.0	5 May 2014	Initial release (part of Clinical Usability Program R2)
1.1	31 Dec 2014	Revised version, incorporating usability recommendations from CUP R3, revisions to existing recommendations and minor editorial updates.

Table of contents

1	Introduction	5
1.1	Purpose.....	5
1.2	Scope.....	5
1.3	Conformance.....	5
1.4	Context	6
1.5	Use of this document	6
2	Clinical synopsis authoring	7
3	Event summary data selection.....	9
	Glossary	11
	References	12

1 Introduction

1.1 Purpose

It has been recognised that developers of software systems that access the personally controlled electronic health record (PCEHR) system need usability recommendations to complement the software requirements provided by other eHealth specifications. These usability recommendations are designed to achieve greater consistency between general practice software products that access the PCEHR system, thereby improving clinical usability.

While the usability recommendations are developed specifically for general practice software vendors, they are provided to all software developers interested in improving the usability of their software systems. They are *not* part of the set of software conformance requirements for clinical information systems accessing the PCEHR system; however, conformance to these usability recommendations is strongly encouraged by clinical system users. More information about conformance to the usability recommendations is provided in section 1.3.

These recommendations were prepared as part of NEHTA's Clinical Usability Program (CUP) in consultation with general practice clinicians.

As the PCEHR functionality increases, these usability recommendations will be updated.

1.2 Scope

This document provides usability recommendations for clinical information systems and contracted service provider systems authoring or rendering information contained in event summary documents exchanged with the PCEHR system.

It is focused on recommendations applicable to event summary documents. Additional usability recommendations for *all* types of clinical documents are published in NEHTA's *Clinical Documents PCEHR Usability Recommendations v1.2*.

This document does *not* provide usability recommendations for:

- document types other than event summary;
- PCEHR functions not related to the authoring and rendering of event summary documents exchanged with the PCEHR system; or
- display and management of clinical terminology.

1.3 Conformance

Software developers may want to claim that their software implements these usability recommendations. For such claims to be meaningful and for the healthcare community to have a shared understanding of these claims, the usability recommendations have been documented in the form of software conformance requirements using the standard conformance verbs **SHALL**, **SHALL NOT**, **SHOULD** and **SHOULD NOT**.

Conformance to the recommendations in this document is not a prerequisite for software to be granted access to the PCEHR system. However, conformance to these usability recommendations is strongly encouraged by clinical software users.

A software developer wanting to claim conformance to the clinical usability recommendations must have software that conforms to all mandatory and applicable conditional recommendations in this document. These are the recommendations using the verbs **SHALL** and **SHALL NOT**. Achievement of conformance to the mandatory and applicable conditional recommendations is recognised by mention on the table titled “eHealth Functions Available – General Practice Software Products” on the NEHTA website.

It is expected that the vendor’s software will still meet (or has met) the requirements listed in the *Event Summary PCEHR Conformance Profile v1.3*.

1.4 Context

The event summary is a document intended for healthcare providers to record information relevant in the context of the PCEHR, where there is no existing communication exchange – such as a shared health summary, discharge summary or specialist letter.

The frequently cited use of an event summary is in conjunction with the assessment and treatment of itinerant patients. In this scenario, a patient visits a general practice or health clinic where a healthcare provider is not (and is unlikely to become) the patient’s usual provider. Where the encounter is significant and the information is relevant to the patient’s ongoing care, the healthcare provider would consider uploading an event summary.

1.5 Use of this document

Recommendations from CUP releases 1 and 2 are pre-requisites for the implementation of CUP Release 3. For vendors who have implemented CUP releases 1 and 2, the key recommendations to read and implement are highlighted in the status column as:

- **Revised for CUP R3** – these are existing CUP Release 2 recommendations that have been amended or modified.
- **NEW in CUP R3** – these are new recommendations introduced in CUP Release 3.

For vendors who have not implemented CUP releases 1 and 2, it is advised that all recommendations in this document are implemented to increase usability of the software system.

For further details on the changes made to existing recommendations between Release 2 and Release 3, refer to the *CUP Usability Recommendations – R3 Change Log v1.0* available from the NEHTA Help Centre.

2 Clinical synopsis authoring

Applies to: All general practice systems authoring event summary clinical documents.

Event summary information requirements include a definition for event details – a “free-text” clinical synopsis where the document author may enter details about the event or encounter. This is an optional field that is populated when the event cannot be described in the other (structured) document sections outlined below. For example, if the event summary is a record of an immunisation administered, then population of the “Immunisations” section is sufficient to describe the event and a separate narrative is unnecessary.

When authoring event summaries, a consistent approach is needed to ensure suitable content can be appropriately entered, with rendering that is consistent with the original intent of the author.

ID	Recommendation	Obligation	Status
EVS.13	<p>When a user is creating an event summary, the software SHALL provide an indication that a limited number of characters will be displayed on the clinical synopsis field for event summaries in the document list on the PCEHR page, for example, by highlighting the text in the clinical synopsis field up to 150 characters.</p> <p><i>Note: The health record overview provides the ability for users to view the clinical synopsis field without downloading the entire event summary. However, systems may truncate this field and therefore it is important that users begin with the most relevant clinical information in the clinical synopsis field. Refer to the Health Record Overview Presentation and Data Usage Guide v1.0 for further details.</i></p>	Mandatory	NEW in CUP R3
EVS.01	<p>The software SHALL by default initially present an empty entry field for Clinical Synopsis.</p>	Mandatory	CUP R2 – no change
EVS.02	<p>If progress or visit note entry is supported by the software, then there SHALL be a method to populate the Clinical Synopsis of the event summary with an import process of the progress or visit note for the current event (consultation).</p> <p><i>Note: This might be implemented by an ‘import progress notes’ button. Any existing content in the Clinical Synopsis should not be overwritten by the imported data.</i></p>	Conditional	CUP R2 – no change
EVS.03	<p>The software SHALL allow the user to edit the Clinical Synopsis content of an event summary.</p> <p><i>Note: The Clinical Synopsis shall be editable regardless of whether it has been manually entered or imported from a progress or visit note.</i></p>	Mandatory	CUP R2 – no change
EVS.04	<p>When a user imports the progress or visit note in the Clinical Synopsis, the software SHALL retain multi-line formatting of the source data.</p> <p><i>Note: This can be achieved using the br and/or paragraph tags in the Clinical Synopsis narrative block.</i></p>	Mandatory	CUP R2 – no change

ID	Recommendation	Obligation	Status
EVS.05	<p>The software SHALL provide a complete import of the progress note or visit note when populating the Clinical Synopsis.</p> <p><i>Note: The progress or visit note shall not be truncated or modified in any way that is not consistent with the original intent of the note.</i></p>	Mandatory	CUP R2 – no change
EVS.06	<p>If the software allows the user to record a “Reason for visit” as a discrete data element in the patient notes, then there SHOULD be a method to populate the Clinical Synopsis of the event summary.</p> <p><i>Note: This might be implemented by an ‘import reason for visit’ button. Caution needs to be exercised to avoid overwriting data already in the clinical synopsis. An option for a preface or appendix to existing content may be used.</i></p>	Optional	CUP R2 – no change
EVS.07	<p>The software SHOULD support layout formatting appropriately in the CDA narrative for Clinical Synopsis. This includes paragraphs, numbered list, bullet point list, italics, bold, underline, superscript, subscript and tables.</p> <p><i>Note: This can be achieved by using CDA tags in the narrative part of the Clinical Synopsis – these include paragraph, list (listType=“unordered”), list (listType=“ordered”), content (styleCode=“Italics”), content (styleCode=“Bold”), content (styleCode=“Underline”), sup, sub, table, tbody, thead, tr, th, td.</i></p> <p>See Supplementary Notes for Implementers Relating to Clinical Document Presentation v1.0 for further rendering advice.</p>	Optional	CUP R2 – no change

3 Event summary data selection

Applies to: All general practice systems authoring event summary clinical documents.

An event summary can hold structured clinical information, sourced from a local record. These structured items are presented to the document author in separate lists, with each list corresponding to the section. The author may then select list items for inclusion in the document.

These sections are:

- **Newly identified adverse reactions** – including the substance/agent and clinical manifestation.
- **Medications** – including newly added medication name, directions of use and the clinical indication.
- **Diagnosis/interventions** – list of medical history items including problems, diagnosis and procedures. In addition to the history item name, the date of onset (or procedure date/time started) and free-text comments are recorded in the event summary.
- **Immunisations** – including medication name and medication action date/time.
- **Diagnostic investigations** – pathology and diagnostic imaging requested services and reports.

Note: These sections are taken from the Event Summary CDA Implementation Guide v1.2.

An event summary is a record of a specific event and should contain information relevant to that event only. In a general practice context, an event of interest typically occurs in a consultation or visit; therefore the data entered or updated in the consultation is most likely to be relevant for the event summary.

ID	Recommendation	Obligation	Status
EVS.08	The software SHALL present the following statement when an event summary is being authored: “An event summary is used to capture key health information about a clinically significant healthcare event that could be relevant to the ongoing care of an individual. It is not a complete health summary and should not be wholly relied upon, nor should it replace direct communication between healthcare providers.”	<i>Mandatory</i>	<i>CUP R2 – no change</i>

ID	Recommendation	Obligation	Status
EVS.09	<p>The software SHALL initially present for selection only entries that have been created or updated <i>during the event</i> (consultation) for supported entry types:</p> <ul style="list-style-type: none"> • Newly Identified Adverse Reactions; • Medications; • Diagnosis/Interventions; • Immunisations; and • Diagnostic Investigations – Requested Service <p>The list headings SHALL be as given above.</p> <p>Each item in the lists SHALL contain the data elements listed in the <i>Event Summary Structured Content Specification v1.1</i> as a mandatory element.</p>	<i>Mandatory</i>	<i>CUP R2 – no change</i>
EVS.10	<p>If diagnostic investigations are included in the event summary generated by the software, then the software SHALL initially present for selection only diagnostic investigation results that have been reviewed <i>during the event</i> (consultation) for supported entry types:</p> <ul style="list-style-type: none"> • Pathology Test Results; and • Imaging Examination Results 	<i>Conditional</i>	<i>Revised for CUP R3</i>
EVS.11	<p>The software SHALL NOT select any entries for inclusion in the event summary by default for all entry types:</p> <ul style="list-style-type: none"> • Newly Identified Adverse Reactions; • Medications; • Diagnoses/Interventions; • Immunisations; and • Diagnostic Investigations (requests and results) 	<i>Mandatory</i>	<i>CUP R2 – no change</i>
EVS.12	<p>The software SHALL provide a method to optionally, if desired by the author, expand the items available to also show historical entries for all of Newly Identified Adverse Reactions, Medications, Diagnosis/Interventions, Immunisations, and Diagnostic Investigations (requests and results) which can be selected for inclusion in the event summary.</p> <p><i>Note: Historical entries are those that have been created or updated before the event (consultation). This recommendation could be implemented with a single 'More' button associated with the event summary.</i></p>	<i>Mandatory</i>	<i>CUP R2 – no change</i>

Glossary

Term or abbreviation	Description
Clinical Document Architecture (CDA)	An XML-based mark-up standard intended to specify the encoding, structure and semantics of clinical documents exchanged between health software systems. Specifications for clinical documents are based on CDA Release 2 [HL72005].
clinical document	A digital file containing personal health information about an individual, containing unstructured (narrative) information and optionally structured (atomic) information.
contracted service provider	An entity that may offer health software as a service, and support access to the PCEHR system on behalf of healthcare organisations. A contracted service provider provides under a contract with the healthcare provider organisation: a) information technology services relating to the PCEHR system; or b) health information management services relating to the PCEHR system (Section 5 <i>Personally Controlled Electronic Health Records Act</i>).
PCEHR system	Personally controlled electronic health record system (eHealth record system). National eHealth infrastructure for managing records in eHealth. The eHealth record system includes the PCEHR repository, and the National Prescription and Dispense Repository.

References

NEHTA references

The references below are published on www.nehta.gov.au.

If viewing this as a printed document, use the NEHTA-XXXX:YYYY identifier to search for the exact reference online.

- [NEHTA-0989-2012](#) *Event Summary CDA Implementation Guide v1.2*, 7 March 2012.
- [NEHTA-0995:2011](#) *Event Summary Structured Content Specification v1.1*, 30 November 2011.
- [NEHTA-1328:2013](#) *Supplementary Notes for Implementers Relating to Clinical Document Presentation v1.0*, 10 May 2013.
- [NEHTA-1450-2013](#) *Event Summary PCEHR Conformance Profile v1.3*, 9 October 2013.
- [NEHTA-1923:2014](#) *Clinical Documents PCEHR Usability Recommendations v1.2*, 31 December 2014
- [NEHTA-1921:2014](#) *Health Record Overview Presentation and Data Usage Guide v1.0*, 28 November 2014

Other references

At the time of publication, the versions listed below were valid. However, as all documents are subject to revision, readers are encouraged to use the most recent versions of these documents.

- AS5021 *AS 5021:2005 - The language of health concept representation*, Standards Australia, 2005.
- COM2012 *Personally Controlled Electronic Health Records Act 2012*, Australian Government ComLaw, 2012.
- HL72005 *Clinical Document Architecture, Release 2*, ISO/HL7 27932:2008, 21 April 2005.