




Australian Government
Australian Digital Health Agency



Integrated Systems Connecting to the Provider Connect Australia Solution Business Partner Conformance Requirements

16 September 2022 V1.0

Approved for external use

Document ID: **DH-3684:2022**

Australian Digital Health Agency ABN 84 425 496 912, Level 25, 175 Liverpool Street, Sydney, NSW 2000
Telephone 1300 901 001 or email help@digitalhealth.gov.au
www.digitalhealth.gov.au



Acknowledgements

The Australian Digital Health Agency is jointly funded by the Australian Government and all state and territory governments.

Disclaimer

The Australian Digital Health Agency (“the Agency”) makes the information and other material (“Information”) in this document available in good faith but without any representation or warranty as to its accuracy or completeness. The Agency cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Document control

This document is maintained in electronic form and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is the latest revision.

Copyright © 2022 Australian Digital Health Agency

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means – graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems – without the permission of the Australian Digital Health Agency. All copies of this document must include the copyright and other information contained on this page.

OFFICIAL

Document information

Key information

Owner Kieron McGuire (Product Manager)

Contact for enquiries Australian Digital Health Agency Help Centre

Phone [1300 901 001](tel:1300901001)

Email help@digitalhealth.gov.au

Product or document version history

Product or document version	Date	Release comments
1.0	16/09/2022	Final version for release.

Table of contents

1	Introduction	5
1.1	Purpose	5
1.2	Intended audience	5
1.3	Scope.....	5
1.4	Background	5
2	Conformance Requirements.....	6
2.1	Subscribe.....	6

1 Introduction

1.1 Purpose

This document specifies Conformance Requirements for Business Partner integrated systems connecting to the Provider Connect Australia (PCA) solution.

These requirements are used to assess systems for conformance to help minimise risks to information privacy and security, while maximising the benefits of connecting to the PCA API.

1.2 Intended audience

The intended audience is business partners that wish to build integrations with the PCA API.

1.3 Scope

Conformance requirements in this document apply to PCA integrated systems for business partners connecting to the PCA API to upload and download data.

1.4 Background

The Provider Connect Australia (PCA) is being introduced to capture directly from healthcare organisations information about the services they provide and the locations at which they provide them. This includes information about the practitioners' providing services at these locations where the practitioner agrees for this to be published.

Having registered information about locations, services, and practitioners in the PCA, the organisation can then elect to publish this information directly to business partner services that they have a business relationship with. This may include clinical directories, messaging service providers, diagnostic service providers, insurers, and funders.

Other organisations such as referrers will continue to receive this information from clinical and messaging directories, but the accuracy, consistency and timeliness of this information will be improved.

2 Conformance Requirements

2.1 Subscribe

PCABPCR-0350 **Complement notification with poll**
Business Partner integrated systems SHALL provide the ability to poll PCA healthcare service data being published to their partner service/s based on client-defined frequency in the event that the notification is not transmitted successfully.

Priority Mandatory

Additional Notes This requirement is necessary as the PCA notification is not a guaranteed transmission.

PCABPCR-0360 **Use published information in accordance with information use statement**

Business partner integrated systems SHALL NOT use published data except in accordance with the information use statement associated with the published data's publication authorisation (or publication revocation).

Priority Mandatory

Additional Notes This requirement is necessary as integrated systems may otherwise be unaware of partner service information use statement/s (including when a business partner updates their partner service information use statement).