



Common – Clinical Document Release Note

31 March 2020 v1.5.4
Approved for external information
Document ID: DH-3154:2020

Related end product identifier: EP-3149:2020

Release rationale

This incremental release provides updates for the following supplementary guidance:

- Template Package Directory
- Conformance Test Specification for CDA Authoring Systems

Template Package Directory v1.13 aligns the template packages of the Advance Care Planning document type with the latest version of its conformance profile, v1.1.

Conformance Test Specification for CDA Authoring Systems v1.2 contains updated test cases, in alignment with the latest version of the Common Conformance Profile, v1.7.

Package inclusions

Updated (supersedes previous version)

Identifier	Name
DH-3153:2020	<i>Clinical Documents - Conformance Test Specification for CDA Authoring Systems v1.2</i>
DH-3156:2020	<i>Clinical Documents – Template Package Directory v1.13</i>
DH-3154:2020	<i>Common – Clinical Document - Release Note v1.5.4 (this document)</i>

No change

Identifier	Name
NEHTA-1229:2011	<i>Clinical Documents - CDA Package v1.0</i>
NEHTA-1199:2012	<i>Clinical Documents - CDA Rendering Specification v1.0</i>
NEHTA-1226:2011	<i>Clinical Documents - Clinical Package v1.0</i>
DH-2481:2017	<i>Clinical Documents - Common Conformance Profile v1.7</i>

Identifier	Name
NEHTA-2064:2016	<i>Clinical Documents - Conformance Test Specification for CDA Rendering v1.4</i>
NEHTA-2065:2015	<i>Clinical Documents - Conformance Test Specification for CDA Packaging v1.5</i>
NEHTA-2063:2015	<i>Clinical Documents - Conformance Test Specification for PCEHR¹ Usability v3.0</i>
NEHTA-2189:2015	<i>Clinical Documents - Conformance Test Specification for PCEHR Views v1.0</i>
NEHTA-1255:2012	<i>Clinical Documents - FAQ Appropriate use of date and date-time values in Clinical Documents v1.0</i>
NEHTA-1270:2013	<i>Clinical Documents - FAQ Clarification on Messaging and CDA Packaging v1.4</i>
NEHTA-1274:2013	<i>Clinical Documents – FAQ Global Statements None Known v1.1</i>
NEHTA-1276:2013	<i>Clinical Documents - FAQ Hash value verification v1.0</i>
NEHTA-1273:2013	<i>Clinical Documents - FAQ Nullable Fields Guidance v1.1</i>
DH-2809:2019	<i>Clinical Documents - FAQ OIDs for HL7 v1.2</i>
DH-2594:2017	<i>Clinical Documents - FAQ Qualifiers for Clinical Information v1.0</i>
NEHTA-1459:2013	<i>Clinical Documents - FAQ Undifferentiated Pathology and Radiology Results v1.3</i>
DH-2788:2019	<i>Clinical Documents - Implementation Guidance - Masking of Address and Communication Details in Clinical Documents v1.1</i>
NEHTA-1097:2011	<i>Clinical Documents - Implementation Guidance - Representing Coding in CDA Documents v1.0</i>
DH-2267:2017	<i>Clinical Documents - My Health Record Usability Recommendations v1.4</i>
NEHTA-1328:2013	<i>Clinical Documents - Supplementary Notes for Implementers Relating to Clinical Document Presentation v1.0</i>

Removed

None

Audience

The audience for this release includes:

- Developers of clinical information systems and contracted service provider systems
- IT operations and support teams
- System integrators
- National Infrastructure Operator.

Known issues

None known

¹ Clarification: PCEHR means the My Health Record, formerly the "Personally Controlled Electronic Health Record", within the meaning of the *My Health Records Act 2012* (Cth), formerly called the *Personally Controlled Electronic Health Records Act 2012* (Cth).

Support

For further support or to provide feedback, please email help@digitalhealth.gov.au.

Future releases

Further changes may occur from time to time in accordance with customer feedback or changes to source information. Supplementary guidance may also be provided from time to time based on implementation experience from vendors.

Previous releases

Date	Version
28 Feb 2019	<p data-bbox="347 371 898 394">EP-3099:2019 Common – Clinical Document v1.5.3</p> <p data-bbox="347 412 488 434">Release note</p> <p data-bbox="347 452 539 474">Release rationale</p> <p data-bbox="347 492 1449 555">This incremental release of the end product provides an updated Template Package Directory. It now includes template packages for the following clinical document types:</p> <ul data-bbox="347 573 804 696" style="list-style-type: none"> <li data-bbox="347 573 564 595">• Goals of Care v1.0 <li data-bbox="347 618 783 640">• Pharmacist Shared Medicines List v1.1 <li data-bbox="347 663 804 696">• Pharmacist Shared Medicines List v1.1.1
28 Feb 2019	<p data-bbox="347 775 898 797">EP-2807:2019 Common – Clinical Document v1.5.2</p> <p data-bbox="347 815 488 837">Release note</p> <p data-bbox="347 855 539 878">Release rationale</p> <p data-bbox="347 896 1398 958">This incremental release provides important supplemental guidance for developers as well as an updated Template Package Directory:</p> <ul data-bbox="402 976 1225 1167" style="list-style-type: none"> <li data-bbox="402 976 1225 999">• Masking of Address and Communication Details in Clinical Documents. <li data-bbox="402 1021 1174 1084">• OIDs used for identifiers in HL7 v2 messages and CDA documents: HPI-O and ABN-based identifiers <li data-bbox="402 1106 879 1167">• Template Package Directory: Pharmacist Shared Medicines List v1.1
24 Jul 2018	<p data-bbox="347 1245 898 1267">EP-2655:2018 Common – Clinical Document v1.5.1</p> <p data-bbox="347 1285 488 1308">Release note</p> <p data-bbox="347 1326 539 1348">Release rationale</p> <p data-bbox="347 1366 1437 1458">This incremental release provides developers and implementers with an updated <i>Template Package Directory</i>, now including the recently published updated template packages for discharge summary documents.</p>

Date	Version
21 Dec 2017	<p data-bbox="347 297 879 327">EP-2563:2017 Common – Clinical Document v1.5</p> <p data-bbox="347 338 488 367">Release note</p> <p data-bbox="347 378 539 407">Release rationale</p> <p data-bbox="347 418 1358 483">This release of the Common - Clinical Document end product provides developers of systems generating CDA™² documents with important updates of:</p> <ul data-bbox="347 495 991 566" style="list-style-type: none">• Clinical Documents -Common Conformance Profile; and• Conformance Test Specification for Authoring Systems. <p data-bbox="347 577 1417 642">It also introduces a new FAQ document providing important guidance for the usage of qualifiers in structured parts of CDA documents.</p> <p data-bbox="347 654 735 683">Common Conformance Profile v1.7</p> <p data-bbox="347 694 1257 723">The Common Conformance Profile has been updated to resolve a number of issues.</p> <p data-bbox="347 734 1007 763">Conformance Test Specification for Authoring Systems v1.1</p> <p data-bbox="347 775 1445 869">This update of the <i>Conformance Test Specification for Authoring Systems</i> includes updates to feature sets, improves the readability of the document, and addresses multiple issues raised during internal agency reviews.</p> <p data-bbox="347 880 826 909">FAQ Qualifiers for Clinical Information v1.0</p> <p data-bbox="347 920 1422 985">This document provides guidance to determine whether clinical information system includes qualifiers as expected (or stated or conform to HL7™³ Clinical Document Architecture Release 2.0).</p> <p data-bbox="347 996 715 1025">Template Package Directory v1.9</p> <p data-bbox="347 1037 1445 1102">The updated Template Package Directory contains entries for new or updated template packages for the following document types:</p> <ul data-bbox="347 1113 991 1263" style="list-style-type: none">• Advance Care Planning (first release);• Australian Immunisation Register (first release);• eHealth Diagnostic Imaging Report (replacements); andeHealth Pathology Report (replacements).

² CDA is a trademark of Health Level Seven International and is registered with the United States Patent and Trademark Office.

³ HL7 is a trademark of Health Level Seven International and is registered with the United States Patent and Trademark Office.

Date	Version
16 June 2017	<p data-bbox="347 300 900 329">EP-2395:2017 Common – Clinical Document v1.4.4</p> <p data-bbox="347 340 488 369">Release note</p> <p data-bbox="347 380 539 409">Release rationale</p> <p data-bbox="347 421 1444 517">This incremental release of the Common - Clinical Document end product (EP-2395:2017) introduces the new <i>Conformance Test Specification for Authoring Systems</i> and provides updates to <i>Clinical Documents – My Health Record Usability Recommendations</i>.</p> <p data-bbox="347 528 1238 557"><i>Clinical Documents – Conformance Test Specification for Authoring Systems v1.0</i></p> <p data-bbox="347 568 1425 728">This conformance test specification is a significant expansion of the authoring test cases previously available to developers in the <i>Conformance Test Specification for CDA Rendering v1.3</i>, which contained test cases for authoring and rendering. This v1.3 document has been superseded by the <i>Conformance Test Specification for CDA Rendering v1.4</i> (published in January 2016) and this new <i>Conformance Test Specification for Authoring Systems v1.0</i>.</p> <p data-bbox="347 739 1434 835">The rationale for the expansion of test cases is an analysis of over 600 conformance errors found by the NEHTA CCA team between 2012 and 2015, which covered approximately 50 software development organisations. This new conformance test specification seeks to address those issues.</p> <p data-bbox="347 846 1153 875"><i>Clinical Documents – My Health Record Usability Recommendations v1.4</i></p> <p data-bbox="347 887 1401 981">This document provides usability recommendations for clinical information systems authoring or rendering information contained in clinical documents and views exchanged with the My Health Record system.</p>
19 May 2016	<p data-bbox="347 1005 900 1034">EP-2320:2016 Common – Clinical Document v1.4.3</p> <p data-bbox="347 1046 488 1075">Release note</p> <p data-bbox="347 1086 539 1115">Release rationale</p> <p data-bbox="347 1126 1418 1223">This incremental release of the Common – Clinical Document end product provides updates to the <i>Clinical Documents – Template Package Directory</i> to include references to the following product components:</p> <ul data-bbox="347 1234 1118 1305" style="list-style-type: none"> <li data-bbox="347 1234 1118 1263">• <i>Advance Care Document Custodian – Conformance Profile v1.0</i>; and <li data-bbox="347 1274 970 1305">• <i>Personal Health Summary – Conformance Profile v1.0</i>. <p data-bbox="347 1317 1425 1377">The <i>FAQ OIDs for HL7</i> has been revised to correctly show how a Medicare number may be used for an entity identifier for a subject of care.</p> <p data-bbox="347 1388 1386 1449">Three FAQs have been moved into this end product from the Common – Continuity of Care end product (which has been archived):</p> <ul data-bbox="347 1460 1434 1675" style="list-style-type: none"> <li data-bbox="347 1460 1402 1520">• FAQ Nullable Fields Guidance. (This FAQ answers the question: What are the nullable fields in clinical documents conformant to the CDA implementation guides?) <li data-bbox="347 1532 1434 1592">• FAQ Global Statements None Known. (This FAQ answers the question: What is the proper use of none known in global exclusion statements?) <li data-bbox="347 1603 1410 1675">• FAQ Undifferentiated Pathology and Radiology Results. (This FAQ answers the question: What should we do if our system cannot distinguish between pathology and radiology reports?) <p data-bbox="347 1686 893 1715">The content of these three FAQs has not changed.</p>

Date	Version
10 Mar 2016	<p data-bbox="347 297 898 327">EP-2241:2016 Common – Clinical Document v1.4.2</p> <p data-bbox="347 338 488 367">Release note</p> <p data-bbox="347 378 539 407">Release rationale</p> <p data-bbox="347 418 1417 481">This incremental release of the Common – Clinical Document end product provides updates to the Clinical Documents – Template Package Directory to include references to updated:</p> <ul data-bbox="347 492 1117 566" style="list-style-type: none"><li data-bbox="347 492 1117 521">• <i>eHealth Diagnostic Imaging Report – Conformance Profile v1.1</i>; and<li data-bbox="347 533 970 562">• <i>eHealth Pathology Report – Conformance Profile v1.1</i>. <p data-bbox="347 573 1422 636">This release of the Common – Clinical Document end product aligns with approved change request CCB-0469.</p>
29 Jan 2016	<p data-bbox="347 667 893 696">EP-2231:2016 Common - Clinical Document v1.4.1</p> <p data-bbox="347 707 488 736">Release note</p> <p data-bbox="347 748 539 777">Release rationale</p> <p data-bbox="347 788 1412 851">This incremental release of the Common - Clinical Document end product provides updates of the following product components:</p> <ul data-bbox="347 862 1217 936" style="list-style-type: none"><li data-bbox="347 862 1217 891">• <i>Clinical Documents – Conformance Test Specification for CDA Rendering</i>; and<li data-bbox="347 902 1125 931">• <i>Clinical Documents – My Health Record Usability Recommendations</i>. <p data-bbox="347 943 1445 1070">Version 1.4 of the <i>Conformance Test Specification for CDA Rendering</i> provides clarifications for many of the test cases, improves the readability of the document, and adds a number of test cases in support of recently published Pathology Report and Diagnostic Imaging Report conformance profiles. Details of the changes are listed in the <i>Capabilities</i> section of this release note.</p> <p data-bbox="347 1081 1437 1176">Version 1.3 of <i>Clinical Documents – My Health Record Usability Recommendations</i> provides usability recommendations for clinical information systems authoring or rendering information contained in clinical documents and views exchanged with the My Health Record system.</p> <p data-bbox="347 1187 1422 1249">It is focused on recommendations applicable to <i>all</i> types of clinical documents. Additional usability recommendations have been published as follows:</p> <ul data-bbox="347 1261 1142 1335" style="list-style-type: none"><li data-bbox="347 1261 1142 1290">• Shared Health Summary PCEHR Usability Recommendations v1.2; and<li data-bbox="347 1301 1002 1330">• Event Summary PCEHR Usability Recommendations v1.1.
3 Dec 2015	<p data-bbox="347 1361 879 1391">EP-2198:2015 Common – Clinical Document v1.4</p> <p data-bbox="347 1402 488 1431">Release note</p> <p data-bbox="347 1442 539 1471">Release rationale</p> <p data-bbox="347 1482 1412 1576">This release of the Common - Clinical Document end product provides a new product component, <i>Conformance Test Specification for PCEHR Views v1.0</i>, which provides a targeted set of test cases, managed using a Microsoft Excel workbook.</p> <p data-bbox="347 1588 1442 1682">This conformance test specification supports the currently published PCEHR views specifications and their conformance requirements. Details of the document are listed in the <i>Capabilities</i> section of the release note.</p> <p data-bbox="347 1693 1417 1722">Additionally, four FAQs have been archived and are no longer included in this end product release.</p>

Date	Version
15 Jul 2015	<p data-bbox="347 302 895 331">EP-2085:2015 Common - Clinical Document v1.3.1</p> <p data-bbox="347 342 488 371">Release note</p> <p data-bbox="347 383 539 412">Release rationale</p> <p data-bbox="347 423 1410 483">This incremental release of the Common - Clinical Document end product provides updates of the following product components:</p> <ul data-bbox="347 495 1267 566" style="list-style-type: none"> <li data-bbox="347 495 1267 524">• <i>Clinical Documents - Conformance Test Specification for CDA Packaging v1.5</i>; and <li data-bbox="347 535 975 566">• <i>Clinical Documents - Template Package Directory v1.5</i>. <p data-bbox="347 577 1445 703">Version 1.5 of the <i>Conformance Test Specification for CDA Packaging</i> provides clarifications for many of the test cases, improves the readability of the document, and adds a number of test cases in support of recently published CDA packaging-related conformance requirements. Details of the changes are listed in the Capabilities section of this release note.</p> <p data-bbox="347 714 1410 775">Version 1.5 of the <i>Template Package Directory</i> includes references to updated template packages for:</p> <ul data-bbox="347 786 871 857" style="list-style-type: none"> <li data-bbox="347 786 871 815">• <i>eHealth Diagnostic Imaging Report v1.1</i>; and <li data-bbox="347 826 722 857">• <i>eHealth Pathology Report v1.1</i>. <p data-bbox="347 869 1445 965">The FAQ Patient Medications has been archived and is no longer included in this end product release. Its contents have been superseded by updates to the latest versions of the CDA Implementation Guides for Event Summary and Specialist Letter document types.</p> <p data-bbox="347 976 1398 1037">This release of the Common – Clinical Document end product aligns with the following approved change requests: CCB-0418; CCB-0419; and CCB-0431.</p>
10 Apr 2015	<p data-bbox="347 1070 874 1099">EP-1818:2015 Common - Clinical Document v1.3</p> <p data-bbox="347 1111 488 1140">Release note</p> <p data-bbox="347 1151 539 1180">Release rationale</p> <p data-bbox="347 1191 1385 1288">This release of the Common - Clinical Document end product introduces the Conformance Test Specification for PCEHR Usability and provides updates of the <i>Common Conformance Profile for Clinical Documents</i> and the <i>Template Package Directory</i>.</p> <p data-bbox="347 1299 1430 1395">The <i>Conformance Test Specification for PCEHR Usability v3.0</i> provides test cases for the assessment of clinical information systems for conformance with the following PCEHR usability recommendations published as part of the Clinical Usability Programme (CUP) Release 3:</p> <ul data-bbox="347 1406 1114 1523" style="list-style-type: none"> <li data-bbox="347 1406 1054 1435">• <i>Clinical Documents – PCEHR Usability Recommendations v1.2</i>; <li data-bbox="347 1447 1066 1476">• <i>Event Summary – PCEHR Usability Recommendations v1.1</i>; and <li data-bbox="347 1487 1114 1516">• <i>Shared Health Summary – PCEHR Usability Recommendations v1.2</i>. <p data-bbox="347 1534 1238 1563">The updated version of the Common Conformance Profile for Clinical Documents:</p> <ul data-bbox="347 1574 1235 1646" style="list-style-type: none"> <li data-bbox="347 1574 916 1603">• clarifies requirements for narrative sections; and <li data-bbox="347 1615 1235 1646">• explicitly disallows direct references to XSL stylesheets for all CDA documents. <p data-bbox="347 1664 1406 1724">The updated version of the <i>Template Package Directory</i> includes references to updated template packages for:</p> <ul data-bbox="347 1736 707 1807" style="list-style-type: none"> <li data-bbox="347 1736 663 1765">• <i>Event Summary v1.4</i>; and <li data-bbox="347 1776 707 1807">• <i>Shared Health Summary v1.5</i>. <p data-bbox="347 1825 1398 1886">This release of the Common – Clinical Document end product aligns with the following approved change requests: CCB-0202; CCB-0309; CCB-0345; CCB-0357; CCB-0380; CCB 0388.</p>

Date	Version
17 Feb 2015	<p data-bbox="347 297 893 327">EP-2024:2015 Common - Clinical Document v1.2.2</p> <p data-bbox="347 338 488 367">Release note</p> <p data-bbox="347 378 539 407">Release rationale</p> <p data-bbox="347 418 1401 481">This incremental release of the Common - Clinical Document end product introduces an updated version of the <i>Template Package Directory</i>.</p> <p data-bbox="347 492 963 521">It includes references to updated template packages for:</p> <ul data-bbox="347 533 759 607" style="list-style-type: none">• <i>eHealth Dispense Record v1.2</i>; and• <i>eHealth Prescription Record v1.2</i>. <p data-bbox="347 618 1445 680">These updated template packages now support the inclusion of codes from the Australian Medicines Terminology (AMT) version 3.</p> <p data-bbox="347 692 1404 754">The changes applied to the template package libraries for these document types are aligned with approved change request CCB-0409.</p>
31 Dec 2014	<p data-bbox="347 790 893 819">EP-1962:2014 Common - Clinical Document v1.2.1</p> <p data-bbox="347 831 488 860">Release note</p> <p data-bbox="347 871 539 900">Release rationale</p> <p data-bbox="347 911 1436 999">This release of the Common – Clinical Documents end product introduces an updated version of the <i>Common – Clinical Documents - PCEHR Usability Recommendations</i> document and provides an update of the <i>Template Package Directory</i>.</p> <p data-bbox="347 1010 829 1039"><i>Updated PCEHR Usability Recommendations</i></p> <p data-bbox="347 1050 1442 1178">This version of the PCEHR Usability Recommendations introduces the concept of a “PCEHR Page” for general practice clinical information systems. The PCEHR Page expands on the Document List concept included in previous CUP releases. In addition, the PCEHR Indicator has been enhanced to provide users with a notification of any new documents available on a patient’s PCEHR.</p> <p data-bbox="347 1189 1177 1218">For more details, please refer to the Capabilities section of this release note.</p> <p data-bbox="347 1229 1449 1357">The updated Common – Clinical Documents - PCEHR Usability Recommendations aligns with updated versions of the Event Summary - PCEHR Usability Recommendations and Shared Health Summary - PCEHR Usability Recommendations. Together, these three documents represent the result of the Clinical Usability Programme (CUP) Release 3.</p> <p data-bbox="347 1368 1430 1496">The PCEHR Usability Recommendations have been developed by NEHTA in consultation with key general practice peak bodies to improve the user experience of general practice software products. Vendors of clinical information systems used outside of general practice settings are encouraged to consider the extent to which these recommendations are applicable to their software products.</p> <p data-bbox="347 1507 762 1536">Updated Template Package Directory</p> <p data-bbox="347 1547 1369 1610">The <i>Template Package Directory</i> has been updated to include references to template package libraries published for the following end products:</p> <ul data-bbox="347 1621 823 1785" style="list-style-type: none">• <i>eHealth Pathology Report v1.0</i>;• <i>eHealth Diagnostic Imaging Report v1.0</i>;• <i>Event Summary v1.3.3</i>; and• <i>Medicare Overview v1.2</i>. <p data-bbox="347 1796 1430 1859">Support for eHealth Pathology Report and eHealth Diagnostic Imaging Report by the PCEHR system was introduced with PCEHR Release 5 (29 November 2014).</p> <p data-bbox="347 1870 1417 1933">The changes applied to the template package libraries for Event Summary and Medicare Overview are aligned with approved change requests CCB-0378 and CCB-0244, respectively.</p>

Date	Version															
25 Sep 2014	<p data-bbox="344 302 874 331">EP-1815:2014 Common - Clinical Document v1.2</p> <p data-bbox="344 342 488 371">Release note</p> <p data-bbox="344 383 539 412">Release rationale</p> <p data-bbox="344 423 1398 488">This release of the Common – Clinical Documents end product contains updates of the following product components:</p> <ul data-bbox="344 499 1043 573" style="list-style-type: none"> <li data-bbox="344 499 1043 528">• <i>Clinical Documents - Common Conformance Profile v1.6</i>; and <li data-bbox="344 539 975 568">• <i>Clinical Documents - Template Package Directory v1.5</i>. <p data-bbox="344 584 1398 645">The changes to the common conformance profile have been approved as part of change request CCB-0345 and consist of:</p>															
<table border="1"> <thead> <tr> <th data-bbox="352 667 389 696">Key</th> <th data-bbox="488 667 571 696">Category</th> <th data-bbox="659 667 836 696">Summary of change</th> </tr> </thead> <tbody> <tr> <td data-bbox="352 719 416 748">CCP-86</td> <td data-bbox="488 719 560 748">Addition</td> <td data-bbox="659 719 1441 801"> <p data-bbox="659 719 1299 748">Filenames of attachments now need to match their indicated MIME type.</p> <p data-bbox="659 752 1441 801">This decreases the potential for malicious content and provides better rendering support for legitimate attachment content.</p> </td> </tr> <tr> <td data-bbox="352 831 427 860">CCP-223</td> <td data-bbox="488 831 560 860">Addition</td> <td data-bbox="659 831 1426 913"> <p data-bbox="659 831 1118 860">All inline data within XML now needs to be text only.</p> <p data-bbox="659 864 1426 913">This ensures that any document that has inline data (such as an exe file) will be rejected by the receiving system.</p> </td> </tr> <tr> <td data-bbox="352 943 427 972">CCP-234</td> <td data-bbox="488 943 592 972">Clarification</td> <td data-bbox="659 943 1441 1025"> <p data-bbox="659 943 1334 994">Clarification added that a CDA Header is required for clinical documents at all conformance levels.</p> <p data-bbox="659 999 1441 1025">This aligns the common conformance profile with the original intent and current practice.</p> </td> </tr> <tr> <td data-bbox="352 1055 427 1084">CCP-238</td> <td data-bbox="488 1055 592 1084">Clarification</td> <td data-bbox="659 1055 1426 1106"> <p data-bbox="659 1055 1426 1106">Clarification added that conformance points re local identifiers only apply to those local identifiers that are used by healthcare provider organisations.</p> </td> </tr> </tbody> </table>		Key	Category	Summary of change	CCP-86	Addition	<p data-bbox="659 719 1299 748">Filenames of attachments now need to match their indicated MIME type.</p> <p data-bbox="659 752 1441 801">This decreases the potential for malicious content and provides better rendering support for legitimate attachment content.</p>	CCP-223	Addition	<p data-bbox="659 831 1118 860">All inline data within XML now needs to be text only.</p> <p data-bbox="659 864 1426 913">This ensures that any document that has inline data (such as an exe file) will be rejected by the receiving system.</p>	CCP-234	Clarification	<p data-bbox="659 943 1334 994">Clarification added that a CDA Header is required for clinical documents at all conformance levels.</p> <p data-bbox="659 999 1441 1025">This aligns the common conformance profile with the original intent and current practice.</p>	CCP-238	Clarification	<p data-bbox="659 1055 1426 1106">Clarification added that conformance points re local identifiers only apply to those local identifiers that are used by healthcare provider organisations.</p>
Key	Category	Summary of change														
CCP-86	Addition	<p data-bbox="659 719 1299 748">Filenames of attachments now need to match their indicated MIME type.</p> <p data-bbox="659 752 1441 801">This decreases the potential for malicious content and provides better rendering support for legitimate attachment content.</p>														
CCP-223	Addition	<p data-bbox="659 831 1118 860">All inline data within XML now needs to be text only.</p> <p data-bbox="659 864 1426 913">This ensures that any document that has inline data (such as an exe file) will be rejected by the receiving system.</p>														
CCP-234	Clarification	<p data-bbox="659 943 1334 994">Clarification added that a CDA Header is required for clinical documents at all conformance levels.</p> <p data-bbox="659 999 1441 1025">This aligns the common conformance profile with the original intent and current practice.</p>														
CCP-238	Clarification	<p data-bbox="659 1055 1426 1106">Clarification added that conformance points re local identifiers only apply to those local identifiers that are used by healthcare provider organisations.</p>														
<p data-bbox="344 1122 1369 1187">The Template Package Directory has been updated to include references to template package libraries published for the following end products:</p> <ul data-bbox="344 1198 847 1317" style="list-style-type: none"> <li data-bbox="344 1198 616 1227">• <i>Specialist Letter v1.3</i>; <li data-bbox="344 1238 847 1267">• <i>Australian Organ Donor Register v1.1</i>; and <li data-bbox="344 1279 783 1308">• <i>Pharmaceutical Benefits Report v1.1</i>. 																
18 Aug 2014	<p data-bbox="344 1346 895 1375">EP-1754:2014 Common - Clinical Document v1.1.3</p> <p data-bbox="344 1386 488 1415">Release note</p> <p data-bbox="344 1426 539 1456">Release rationale</p> <p data-bbox="344 1467 1437 1532">This incremental release of the Common – Clinical Documents end product introduces the <i>Template Package Directory</i>.</p> <p data-bbox="344 1543 1449 1637">The purpose of this new product component is to provide implementers of clinical document specifications and other stakeholders with a comprehensive overview of available template packages and their current status.</p> <p data-bbox="344 1648 1437 1771">The template package directory also contains hyperlinks referring to the download locations of all template packages. For each template package, the hyperlink refers to the location of the template package library containing the template package. Template package libraries are published for each clinical document type and are contained in the end product for the document type.</p>															

Date	Version
05 May 2014	<p data-bbox="347 297 893 327">EP-1589:2014 Common - Clinical Document v1.1.2</p> <p data-bbox="347 338 488 367">Release note</p> <p data-bbox="347 378 539 407">Release rationale</p> <p data-bbox="347 418 1445 546">This incremental release of the Common - Clinical Document end product introduces <i>Clinical Documents – PCEHR Usability Recommendations</i>. This new product component replaces the <i>Supplementary Guidance for Implementers</i> product component introduced with the previous version of this end product.</p> <p data-bbox="347 557 1430 685">The <i>PCEHR Usability Recommendations</i> document contains implementation guidance previously published in <i>Supplementary Guidance for Implementers</i>. The new format, “usability recommendations”, makes it easier for implementers to assess whether their software conforms to the guidance.</p> <p data-bbox="347 696 1441 853">PCEHR usability recommendations are not part of PCEHR conformance requirements. Only the latter are used as the basis for conformance assessments performed as a prerequisite to PCEHR system integration. PCEHR usability recommendations can be used by implementers to perform usability assessments on a voluntary basis, for example, with the aim of providing their users with a consistently high level of usability.</p> <p data-bbox="347 864 1299 927">The <i>PCEHR Usability Recommendations</i> document also contains additional guidance for implementers, developed as part of NEHTA’s Clinical Usability Program (CUP) Release 2.</p> <p data-bbox="347 938 1398 1001">This release also removes the developer resource product components and related product data sheets. These have been republished in two new end products:</p> <ul data-bbox="347 1012 903 1088" style="list-style-type: none"> • <i>Clinical Documents Integration Toolkit v1.0</i>; and • <i>Secure Messaging Integration Toolkit v1.0</i>. <p data-bbox="347 1099 1449 1193">In addition, the document <i>Reference Platform - Vendor End 2 End Portal v1.4</i> has been archived as it is no longer relevant. <i>eSignature - Java Library v1.1.0</i> has also been archived since it is included in the libraries in the new integration toolkits</p>
24 Oct 2013	<p data-bbox="347 1223 893 1252">EP-1477:2013 Common - Clinical Document v1.1.1</p> <p data-bbox="347 1263 488 1292">Release note</p> <p data-bbox="347 1303 539 1332">Release rationale</p> <p data-bbox="347 1344 1426 1438">This incremental release of the Common Clinical Document end product introduces supplementary guidance for the implementation of clinical documents, representing a key outcome of NEHTA’s Clinical Usability Program (CUP) Release 1.</p> <p data-bbox="347 1449 1359 1512">Aligning with the sets of template packages supported by PCEHR Releases 3.5 and 4, updated versions of the CDA Document Library sample code have been provided.</p> <p data-bbox="347 1523 1414 1585">This release also introduces a number of product data sheets, each containing the description of a type of non-document product associated with this end product.</p>

Date	Version									
09 Oct 2013	<p data-bbox="344 302 874 331">EP-1457:2013 Common - Clinical Document v1.1</p> <p data-bbox="344 342 488 371">Release note</p> <p data-bbox="344 383 539 412">Release rationale</p> <p data-bbox="344 423 1444 488">This release of the Common Clinical Document end product introduces updates to the conformance profile for Common Clinical Documents, as mandated by the following approved change requests.</p> <table border="1" data-bbox="344 499 1444 853"> <thead> <tr> <th data-bbox="352 510 517 539">Change request ID</th> <th data-bbox="719 510 903 539">Change request title</th> <th data-bbox="1086 510 1286 539">Impact on this release</th> </tr> </thead> <tbody> <tr> <td data-bbox="352 562 440 591">CCB-0116</td> <td data-bbox="719 562 1070 613">Relaxation of the mandatory use of HPI-Is in uploaded documents</td> <td data-bbox="1086 562 1436 613">New conformance requirements added for local identifiers.</td> </tr> <tr> <td data-bbox="352 636 440 665">CCB-0222</td> <td data-bbox="719 636 1023 687">Support for CSP Certificates in CDA Documents</td> <td data-bbox="1086 636 1444 842">Conformance requirements regarding digital signatures previously contained in document-type specific Conformance Profiles have been consolidated and revised in this version of the Common Conformance Profile. New conformance requirements added for Legal Authenticator, Approver and Custodian.</td> </tr> </tbody> </table> <p data-bbox="344 864 1406 963">In addition to these changes, the structure of the document has been modified to improve clarity and readability. This structural change does not affect the contents of any of the conformance requirements.</p>	Change request ID	Change request title	Impact on this release	CCB-0116	Relaxation of the mandatory use of HPI-Is in uploaded documents	New conformance requirements added for local identifiers.	CCB-0222	Support for CSP Certificates in CDA Documents	Conformance requirements regarding digital signatures previously contained in document-type specific Conformance Profiles have been consolidated and revised in this version of the Common Conformance Profile. New conformance requirements added for Legal Authenticator, Approver and Custodian.
Change request ID	Change request title	Impact on this release								
CCB-0116	Relaxation of the mandatory use of HPI-Is in uploaded documents	New conformance requirements added for local identifiers.								
CCB-0222	Support for CSP Certificates in CDA Documents	Conformance requirements regarding digital signatures previously contained in document-type specific Conformance Profiles have been consolidated and revised in this version of the Common Conformance Profile. New conformance requirements added for Legal Authenticator, Approver and Custodian.								
10 Nov 2011	<p data-bbox="344 987 895 1016">EP-1094:2011 Common - Clinical Document v1.0.2</p> <p data-bbox="344 1028 488 1057">Release note</p> <p data-bbox="344 1068 539 1097">Release rationale</p> <p data-bbox="344 1108 715 1137">This incremental release includes:</p> <ul data-bbox="344 1149 1273 1225" style="list-style-type: none"> <li data-bbox="344 1149 1273 1178">• updated sample code to address a small change in the CDA packaging library; and <li data-bbox="344 1189 1142 1225">• updates to three FAQ title prefixes (document content is unchanged). 									

Publication date: 31 March 2020

Australian Digital Health Agency ABN 84 425 496 912, Level 25, 56 Pitt Street, Sydney, NSW 2000 www.digitalhealth.gov.au
Telephone 1300 901 001 or email help@digitalhealth.gov.au

Disclaimer

The Australian Digital Health Agency (“the Agency”) makes the information and other material (“Information”) in this document available in good faith but without any representation or warranty as to its accuracy or completeness. The Agency cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Document control

This document is maintained in electronic form and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is the latest revision.

Copyright © 2019 Australian Digital Health Agency

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means – graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems – without the permission of the Australian Digital Health Agency. All copies of this document must include the copyright and other information contained on this page.

OFFICIAL

Acknowledgements

Council of Australian Governments

The Australian Digital Health Agency is jointly funded by the Australian Government and all state and territory governments.

HL7 International

This document includes excerpts of HL7™ International standards and other HL7 International material. HL7 International is the publisher and holder of copyright in the excerpts. The publication, reproduction and use of such excerpts is governed by the [HL7 IP Policy](#) and the HL7 International License Agreement. HL7 and CDA are trademarks of Health Level Seven International and are registered with the United States Patent and Trademark Office.